



# Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 08:30 pm BST

PDB ID : 4E7F  
Title : E. cloacae C115D MurA in complex with UDP  
Authors : Zhu, J.-Y.; Betzi, S.; Yang, Y.; Schonbrunn, E.  
Deposited on : 2012-03-16  
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1479 (2.16-2.16)
Clashscore	141614	1585 (2.16-2.16)
Ramachandran outliers	138981	1560 (2.16-2.16)
Sidechain outliers	138945	1559 (2.16-2.16)
RSRZ outliers	127900	1456 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	419	<div> <div>2%</div> <div> <div></div> <div>85%</div> <div>14%</div> </div> </div>
1	B	419	<div> <div>5%</div> <div> <div></div> <div>84%</div> <div>16%</div> </div> </div>
1	C	419	<div> <div>2%</div> <div> <div></div> <div>84%</div> <div>16%</div> </div> </div>
1	D	419	<div> <div>2%</div> <div> <div></div> <div>83%</div> <div>16%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	ACT	C	507	-	-	X	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 13834 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-N-acetylglucosamine 1-carboxyvinyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	419	Total	C	N	O	S	0	0	0
			3145	1977	554	601	13			
1	B	419	Total	C	N	O	S	0	1	0
			3147	1978	554	602	13			
1	C	419	Total	C	N	O	S	0	3	0
			3160	1986	558	602	14			
1	D	419	Total	C	N	O	S	0	1	0
			3149	1979	555	602	13			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	67	IAS	ASN	SEE REMARK 999	UNP P33038
A	115	ASP	CYS	ENGINEERED MUTATION	UNP P33038
B	67	IAS	ASN	SEE REMARK 999	UNP P33038
B	115	ASP	CYS	ENGINEERED MUTATION	UNP P33038
C	67	IAS	ASN	SEE REMARK 999	UNP P33038
C	115	ASP	CYS	ENGINEERED MUTATION	UNP P33038
D	67	IAS	ASN	SEE REMARK 999	UNP P33038
D	115	ASP	CYS	ENGINEERED MUTATION	UNP P33038

- Molecule 2 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is URIDINE-5'-DIPHOSPHATE (three-letter code: UDP) (formula:  $C_9H_{14}N_2O_{12}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	299	Total	O	0	0
			299	299		
5	B	283	Total	O	0	0
			283	283		
5	C	268	Total	O	0	0
			268	268		
5	D	294	Total	O	0	0
			294	294		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase



- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase




- Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase







● Molecule 1: UDP-N-acetylglucosamine 1-carboxyvinyltransferase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	81.12Å 101.41Å 213.21Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.83 – 2.15 19.83 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.6 (19.83-2.15) 99.8 (19.83-2.15)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	0.05	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.11 (at 2.15Å)	Xtriage
Refinement program	CNS 1.3	Depositor
R, $R_{free}$	0.188 , 0.234 0.181 , 0.225	Depositor DCC
$R_{free}$ test set	1249 reflections (1.30%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.5	Xtriage
Anisotropy	0.100	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 48.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	13834	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UDP, EDO, IAS, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.49	0/3181	0.86	0/4308
1	B	0.51	0/3187	0.87	1/4316 (0.0%)
1	C	0.48	0/3208	0.87	0/4343
1	D	0.49	0/3189	0.87	2/4319 (0.0%)
All	All	0.49	0/12765	0.87	3/17286 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	143	VAL	N-CA-C	-5.68	95.67	111.00
1	B	120	ARG	CB-CA-C	5.61	121.62	110.40
1	D	113	GLY	N-CA-C	-5.31	99.81	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3145	0	3215	55	0
1	B	3147	0	3216	66	0
1	C	3160	0	3231	59	0
1	D	3149	0	3217	53	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	16	0	24	2	0
2	B	8	0	12	0	0
2	C	24	0	36	10	0
2	D	12	0	18	3	0
3	A	25	0	11	0	0
4	C	4	0	3	2	0
5	A	299	0	0	5	0
5	B	283	0	0	4	0
5	C	268	0	0	2	0
5	D	294	0	0	11	0
All	All	13834	0	12983	220	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (220) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:359:LYS:HE2	1:D:384:GLU:HB2	1.29	1.11
1:A:233:ILE:HG23	1:A:306:MET:CE	2.04	0.86
1:A:233:ILE:HG23	1:A:306:MET:HE3	1.58	0.84
1:B:114:GLY:O	1:B:115:ASP:HB2	1.86	0.75
1:B:59:GLN:OE1	1:B:83:PRO:HD3	1.87	0.74
1:B:59:GLN:HE22	1:B:86:LEU:HD12	1.52	0.73
1:D:54:MET:HE3	1:D:66:ARG:HB3	1.70	0.73
1:B:158:MET:SD	1:C:117:ILE:HD11	2.31	0.70
1:D:359:LYS:CE	1:D:384:GLU:HB2	2.16	0.70
1:B:137:LYS:HE2	1:C:137:LYS:HE2	1.74	0.70
1:D:3:LYS:NZ	1:D:419:GLU:HB3	2.08	0.69
1:C:42:GLN:HB3	2:C:501:EDO:H22	1.75	0.67
1:A:152:LYS:HE3	1:A:177:GLU:OE2	1.95	0.67
1:A:38:PRO:HB3	2:A:504:EDO:H21	1.77	0.66
1:C:401:ARG:HG3	1:C:401:ARG:HH11	1.60	0.66
1:B:116:ALA:HB3	1:C:157:VAL:O	1.96	0.66
1:C:317:ALA:O	1:C:356:GLY:HA3	1.96	0.65
1:C:51:ASP:OD1	2:C:505:EDO:H11	1.97	0.65
1:D:54:MET:CE	1:D:66:ARG:HB3	2.27	0.65
1:D:54:MET:HE2	1:D:64:VAL:HG12	1.80	0.64
1:A:233:ILE:HG23	1:A:306:MET:HE1	1.79	0.63
1:A:333:MET:O	1:A:336:PRO:HD2	1.98	0.63
1:D:335:VAL:HB	1:D:336:PRO:HD3	1.81	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:56:LEU:HD23	1:B:56:LEU:C	2.20	0.63
1:B:349:SER:O	1:D:330:ASN:ND2	2.31	0.62
1:C:220:ARG:HH11	1:C:220:ARG:HG3	1.64	0.62
1:D:2:ASP:OD2	1:D:415:ARG:HD3	1.98	0.62
1:D:186:ALA:HB3	1:D:191:ILE:CD1	2.30	0.62
1:D:99:PRO:HD3	5:D:852:HOH:O	2.00	0.61
1:C:295:ARG:CZ	1:C:326:THR:HG21	2.31	0.60
1:B:116:ALA:O	1:B:117:ILE:HG13	2.01	0.60
1:A:315:LEU:HD23	1:A:354:CYS:HB3	1.82	0.60
1:A:56:LEU:C	1:A:56:LEU:HD23	2.22	0.60
1:D:176:ALA:O	1:D:217:GLY:HA3	2.02	0.59
1:B:59:GLN:NE2	1:B:86:LEU:HD12	2.18	0.59
1:D:115:ASP:OD1	1:D:115:ASP:O	2.21	0.59
1:A:344:HIS:HB3	2:A:501:EDO:O2	2.02	0.58
1:B:401:ARG:NH1	1:B:404:ASP:OD1	2.36	0.58
1:C:111:LEU:HD11	1:C:143:VAL:HB	1.85	0.58
1:A:306:MET:HA	1:A:306:MET:CE	2.34	0.58
1:A:56:LEU:O	1:A:56:LEU:HD23	2.04	0.57
1:C:401:ARG:HG3	1:C:401:ARG:NH1	2.19	0.57
1:A:276:GLY:HA3	1:A:279:TRP:NE1	2.20	0.57
1:B:59:GLN:OE1	1:B:83:PRO:HG3	2.04	0.57
1:B:15:GLU:HG2	1:B:250:VAL:HB	1.86	0.57
1:D:98:GLY:HA3	5:D:852:HOH:O	2.03	0.57
1:A:233:ILE:CG2	1:A:306:MET:HE1	2.35	0.56
1:B:91:ARG:HH11	1:B:120:ARG:HG3	1.68	0.56
1:C:81:SER:HB2	1:C:108:GLN:CG	2.35	0.56
1:B:91:ARG:NH1	1:B:120:ARG:HG3	2.21	0.56
1:A:400:GLU:C	1:A:401:ARG:HG2	2.26	0.55
1:B:85:ASP:O	1:B:86:LEU:HG	2.06	0.55
1:C:25:ALA:O	1:C:29:LEU:HG	2.06	0.55
1:A:400:GLU:O	1:A:401:ARG:HG2	2.05	0.55
1:B:77:VAL:HB	1:B:104:PHE:CZ	2.41	0.55
1:C:158[A]:MET:HE1	1:C:165:ALA:HB3	1.89	0.55
1:A:306:MET:HA	1:A:306:MET:HE2	1.88	0.55
1:B:117:ILE:HG12	1:C:159:ASP:HB2	1.89	0.55
1:C:51:ASP:OD2	4:C:507:ACT:H3	2.06	0.55
1:B:267:ARG:HD2	5:B:727:HOH:O	2.07	0.54
1:C:164:GLY:HA3	2:C:506:EDO:H22	1.89	0.54
1:C:176:ALA:O	1:C:217:GLY:HA3	2.07	0.54
1:B:315:LEU:HD21	1:B:345:ALA:HB2	1.90	0.54
1:B:7:GLN:OE1	5:B:846:HOH:O	2.19	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:HE2	1:A:391:ARG:NH1	2.23	0.53
1:C:334:HIS:HB3	1:C:372:ALA:HB1	1.90	0.53
1:C:320:THR:HA	1:C:354:CYS:O	2.09	0.53
1:A:299:HIS:CG	1:A:300:PRO:HA	2.44	0.53
1:C:84:TYR:HD1	1:C:110:SER:OG	1.91	0.53
1:A:176:ALA:O	1:A:217:GLY:HA3	2.09	0.53
1:A:117:ILE:HG23	1:C:346:GLU:CD	2.28	0.52
1:B:176:ALA:O	1:B:217:GLY:HA3	2.10	0.52
1:C:313:LEU:HD23	1:C:313:LEU:C	2.29	0.52
1:B:59:GLN:OE1	1:B:83:PRO:CD	2.55	0.52
1:D:401:ARG:HG2	5:D:828:HOH:O	2.09	0.52
1:C:335:VAL:HB	1:C:336:PRO:HD3	1.91	0.52
1:C:2:ASP:OD2	1:C:415:ARG:HD3	2.10	0.52
1:A:120:ARG:HG3	1:A:121:PRO:HD2	1.92	0.52
2:C:502:EDO:H21	1:D:264:ALA:HB1	1.92	0.51
1:A:359:LYS:HD2	1:A:384:GLU:HB2	1.91	0.51
1:C:56:LEU:HD23	1:C:56:LEU:C	2.31	0.51
1:C:1:MET:CE	1:C:391:ARG:NH1	2.74	0.51
1:B:4:PHE:CD1	1:B:392:ILE:HG21	2.46	0.51
1:B:117:ILE:HG12	1:C:159:ASP:CB	2.41	0.51
1:A:128:GLY:HA3	1:A:169:ILE:HD11	1.93	0.51
1:A:370:LEU:CD1	1:A:395:ILE:HA	2.40	0.51
1:B:59:GLN:NE2	1:B:86:LEU:CD1	2.74	0.51
1:A:98:GLY:HA3	5:A:797:HOH:O	2.10	0.50
1:C:1:MET:HE3	1:C:391:ARG:NH1	2.26	0.50
1:C:4:PHE:CD2	1:C:392:ILE:HG21	2.46	0.50
1:D:34:LEU:HB3	1:D:221:LEU:HD12	1.94	0.50
1:A:276:GLY:HA3	1:A:279:TRP:CE2	2.47	0.50
1:C:186:ALA:HB3	1:C:191:ILE:CD1	2.41	0.50
1:A:131:LYS:HE3	1:D:115:ASP:HA	1.94	0.50
1:C:81:SER:HB2	1:C:108:GLN:HG3	1.93	0.49
1:A:317:ALA:O	1:A:356:GLY:HA3	2.13	0.49
1:A:99:PRO:HD3	5:A:797:HOH:O	2.12	0.49
1:C:135:GLU:OE2	1:C:137:LYS:HE3	2.13	0.49
1:B:29:LEU:HD23	1:B:41:ILE:HD13	1.94	0.49
1:C:282:LEU:HD23	1:C:282:LEU:C	2.33	0.49
1:A:86:LEU:HB3	5:A:695:HOH:O	2.11	0.49
1:C:220:ARG:NH1	1:C:220:ARG:HG3	2.28	0.48
1:A:159:ASP:OD1	1:D:119:ALA:CB	2.61	0.48
1:B:313:LEU:HD23	1:B:313:LEU:C	2.33	0.48
1:B:3:LYS:NZ	1:B:419:GLU:H	2.11	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:330:ASN:N	5:C:846:HOH:O	2.25	0.48
1:C:295:ARG:HD2	5:D:846:HOH:O	2.13	0.48
1:D:1:MET:HG2	5:D:746:HOH:O	2.13	0.48
1:B:59:GLN:O	1:B:59:GLN:HG2	2.12	0.48
1:B:326:THR:O	1:B:327:ILE:HD13	2.14	0.48
1:D:313:LEU:HD23	1:D:313:LEU:C	2.34	0.48
1:D:359:LYS:NZ	1:D:384:GLU:OE1	2.32	0.48
1:B:243:ALA:HA	1:B:284:MET:CG	2.43	0.47
2:C:502:EDO:H22	5:D:772:HOH:O	2.14	0.47
1:D:150:ARG:HH22	1:D:219:GLU:HA	1.78	0.47
1:D:320:THR:HA	1:D:354:CYS:O	2.14	0.47
1:B:117:ILE:HD12	1:B:117:ILE:C	2.35	0.47
1:B:127:PHE:CE2	1:C:120:ARG:NH2	2.82	0.47
1:B:117:ILE:HA	1:B:121:PRO:HG3	1.97	0.47
1:D:54:MET:HE2	1:D:64:VAL:CG1	2.43	0.47
1:B:117:ILE:CG1	1:C:159:ASP:HB2	2.44	0.47
1:C:315:LEU:HD23	1:C:354:CYS:HB3	1.96	0.47
1:D:370:LEU:HD13	1:D:394:HIS:O	2.15	0.47
1:C:42:GLN:CB	2:C:501:EDO:H22	2.44	0.47
1:A:131:LYS:HD2	1:D:115:ASP:OD2	2.15	0.47
1:D:4:PHE:CD1	1:D:392:ILE:HG21	2.51	0.46
1:A:1:MET:CE	1:A:391:ARG:NH1	2.78	0.46
1:C:314:ASN:HB3	1:C:354:CYS:HB2	1.96	0.46
1:B:314:ASN:HB3	1:B:354:CYS:HB2	1.98	0.46
1:B:20:GLY:HA3	1:B:43:ASN:O	2.16	0.46
1:B:243:ALA:HA	1:B:284:MET:HG3	1.97	0.46
1:D:370:LEU:CD1	1:D:395:ILE:HA	2.45	0.46
1:C:84:TYR:HE1	1:C:112:PRO:HG3	1.80	0.46
1:A:159:ASP:OD1	1:D:119:ALA:HB3	2.16	0.45
2:C:502:EDO:H22	5:D:696:HOH:O	2.16	0.45
1:D:243:ALA:HA	1:D:284:MET:CG	2.47	0.45
1:B:331:ARG:HD2	5:B:847:HOH:O	2.16	0.45
1:D:252:ARG:HH12	2:D:501:EDO:H11	1.81	0.45
1:A:1:MET:HE3	1:A:391:ARG:CZ	2.46	0.45
1:D:87:VAL:HB	1:D:93:SER:OG	2.16	0.45
1:A:353:ILE:N	1:A:353:ILE:HD12	2.32	0.45
1:A:370:LEU:HD11	1:A:399:TYR:CD1	2.51	0.45
1:A:120:ARG:HA	1:A:120:ARG:HD2	1.87	0.45
1:B:137:LYS:CE	1:C:137:LYS:HE2	2.46	0.45
1:D:20:GLY:HA3	1:D:43:ASN:O	2.17	0.45
1:C:47:LEU:C	4:C:507:ACT:H2	2.38	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:51:ASP:CG	2:C:505:EDO:H11	2.37	0.45
1:A:139:GLU:HB2	1:A:142:TYR:CE2	2.53	0.44
1:D:299:HIS:CG	1:D:300:PRO:HA	2.52	0.44
1:A:330:ASN:ND2	1:A:333:MET:SD	2.84	0.44
1:A:370:LEU:HD12	1:A:395:ILE:HA	1.98	0.44
1:A:36:GLU:O	1:A:75:SER:HB3	2.18	0.44
1:B:109:VAL:O	1:B:143:VAL:HG12	2.17	0.44
1:D:333:MET:O	1:D:336:PRO:HD2	2.18	0.44
1:A:126:ILE:HG12	1:A:143:VAL:HG21	2.00	0.44
1:B:416:VAL:O	1:B:416:VAL:HG23	2.18	0.44
1:C:224:GLY:N	2:C:503:EDO:H11	2.33	0.44
1:B:98:GLY:HA3	5:B:656:HOH:O	2.17	0.43
1:C:419:GLU:HA	1:C:419:GLU:OE2	2.18	0.43
1:D:36:GLU:OE1	1:D:220:ARG:HD2	2.17	0.43
1:D:3:LYS:HG2	1:D:390:ASP:HA	2.00	0.43
1:D:3:LYS:HZ3	1:D:419:GLU:HB3	1.83	0.43
1:B:160:LYS:NZ	1:B:160:LYS:HB2	2.34	0.43
1:A:282:LEU:HD23	1:A:282:LEU:C	2.39	0.43
1:B:3:LYS:HG3	1:B:390:ASP:OD1	2.19	0.43
1:B:59:GLN:HE22	1:B:83:PRO:CG	2.32	0.43
1:D:248:LYS:HA	1:D:282:LEU:O	2.18	0.43
1:B:59:GLN:OE1	1:B:83:PRO:CG	2.66	0.43
1:C:363:ALA:O	1:C:387:THR:HG23	2.19	0.43
1:C:332:PHE:CZ	1:C:352:VAL:HG23	2.53	0.43
1:C:9:PRO:HB3	1:C:382:ILE:O	2.19	0.43
1:B:131:LYS:HB3	1:B:131:LYS:HE3	1.82	0.42
1:B:297:ALA:HB1	1:B:298:PRO:CD	2.49	0.42
1:B:3:LYS:CG	1:B:390:ASP:OD1	2.67	0.42
1:B:59:GLN:NE2	1:B:83:PRO:HG3	2.34	0.42
1:C:315:LEU:HD21	1:C:345:ALA:HB2	2.01	0.42
1:A:120:ARG:HG3	5:A:765:HOH:O	2.20	0.42
1:C:248:LYS:HG2	1:C:283:ASP:HB2	2.00	0.42
1:C:68:GLY:C	2:C:501:EDO:H21	2.39	0.42
1:D:139:GLU:C	1:D:140:GLU:HG2	2.40	0.42
1:D:252:ARG:NH1	2:D:501:EDO:H11	2.35	0.42
1:A:248:LYS:HA	1:A:282:LEU:O	2.19	0.42
1:B:244:ILE:HD12	1:B:382:ILE:HD13	2.01	0.42
1:B:143:VAL:HG13	1:B:143:VAL:O	2.19	0.42
1:C:111:LEU:CD1	1:C:143:VAL:HB	2.47	0.42
1:B:3:LYS:HZ3	1:B:419:GLU:H	1.68	0.42
1:B:41:ILE:CD1	1:B:72:ILE:HD12	2.49	0.42

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:ILE:HG21	1:A:371:ARG:CZ	2.50	0.42
1:A:370:LEU:HD11	1:A:399:TYR:HD1	1.84	0.42
1:A:220:ARG:HD3	5:A:889:HOH:O	2.20	0.41
1:B:116:ALA:HB2	5:C:864:HOH:O	2.20	0.41
1:B:350:ASN:HB3	1:D:329:GLU:OE2	2.20	0.41
1:C:365:VAL:HB	1:C:376:LEU:HD13	2.01	0.41
1:C:401:ARG:HH11	1:C:404:ASP:HB2	1.84	0.41
1:D:1:MET:CG	5:D:746:HOH:O	2.68	0.41
1:D:334:HIS:HB3	1:D:372:ALA:HB1	2.02	0.41
1:B:108:GLN:CB	1:B:144:LYS:HG2	2.50	0.41
1:D:397:ARG:NE	5:D:853:HOH:O	2.46	0.41
1:C:111:LEU:HA	1:C:112:PRO:HD3	1.93	0.41
1:A:20:GLY:HA3	1:A:43:ASN:O	2.20	0.41
1:D:3:LYS:HZ1	1:D:419:GLU:HB3	1.85	0.41
1:A:77:VAL:HB	1:A:104:PHE:CZ	2.55	0.41
1:D:359:LYS:HD3	5:D:842:HOH:O	2.20	0.41
1:D:159:ASP:OD2	1:D:160:LYS:HG3	2.21	0.41
1:B:59:GLN:HE22	1:B:83:PRO:HG3	1.86	0.41
1:D:209:GLY:O	2:D:503:EDO:H22	2.20	0.41
1:A:311:THR:HA	1:A:323:ILE:HD12	2.03	0.41
1:B:282:LEU:C	1:B:282:LEU:HD23	2.41	0.41
1:A:243:ALA:HA	1:A:284:MET:CG	2.51	0.41
1:A:335:VAL:HB	1:A:347:ILE:HD11	2.02	0.41
1:A:120:ARG:HG3	1:A:121:PRO:CD	2.51	0.41
1:B:323:ILE:HB	1:B:352:VAL:HG12	2.03	0.41
1:B:111:LEU:HA	1:B:112:PRO:HD2	1.96	0.40
1:B:160:LYS:NZ	1:B:160:LYS:CB	2.83	0.40
1:D:77:VAL:HB	1:D:104:PHE:CZ	2.56	0.40
1:B:330:ASN:HA	5:D:761:HOH:O	2.21	0.40
1:B:56:LEU:O	1:B:56:LEU:HD23	2.22	0.40
1:C:9:PRO:HD3	1:C:384:GLU:HG2	2.03	0.40
1:D:14:GLY:O	1:D:249:ILE:HA	2.22	0.40
1:D:265:LYS:HA	1:D:265:LYS:HD3	1.97	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	415/419 (99%)	407 (98%)	8 (2%)	0	100	100
1	B	416/419 (99%)	398 (96%)	12 (3%)	6 (1%)	11	5
1	C	418/419 (100%)	404 (97%)	14 (3%)	0	100	100
1	D	416/419 (99%)	411 (99%)	4 (1%)	1 (0%)	47	46
All	All	1665/1676 (99%)	1620 (97%)	38 (2%)	7 (0%)	34	29

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	86	LEU
1	B	328	PHE
1	B	115	ASP
1	B	120	ARG
1	B	333	MET
1	B	117	ILE
1	D	115	ASP

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	329/329 (100%)	327 (99%)	2 (1%)	86	90
1	B	330/329 (100%)	328 (99%)	2 (1%)	86	90
1	C	332/329 (101%)	329 (99%)	3 (1%)	78	83

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	330/329 (100%)	326 (99%)	4 (1%)	71	76
All	All	1321/1316 (100%)	1310 (99%)	11 (1%)	81	86

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	229	LEU
1	A	300	PRO
1	B	135	GLU
1	B	229	LEU
1	C	229	LEU
1	C	307	GLN
1	C	370	LEU
1	D	120	ARG
1	D	127	PHE
1	D	229	LEU
1	D	307	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	IAS	B	67	1	4,7,8	0.80	0	2,8,10	1.04	0
1	IAS	C	67	1	4,7,8	0.77	0	2,8,10	1.28	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	IAS	A	67	1	4,7,8	0.92	0	2,8,10	1.09	0
1	IAS	D	67	1	4,7,8	0.79	0	2,8,10	1.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	IAS	B	67	1	-	0/3/7/8	-
1	IAS	C	67	1	-	0/3/7/8	-
1	IAS	A	67	1	-	0/3/7/8	-
1	IAS	D	67	1	-	0/3/7/8	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	EDO	C	505	-	3,3,3	0.50	0	2,2,2	0.28	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	EDO	A	501	-	3,3,3	0.48	0	2,2,2	0.28	0
2	EDO	C	504	-	3,3,3	0.60	0	2,2,2	0.23	0
2	EDO	C	501	-	3,3,3	0.48	0	2,2,2	0.28	0
3	UDP	A	505	-	20,26,26	1.31	2 (10%)	25,40,40	1.27	3 (12%)
2	EDO	A	504	-	3,3,3	0.40	0	2,2,2	0.32	0
2	EDO	B	501	-	3,3,3	0.38	0	2,2,2	0.39	0
2	EDO	D	501	-	3,3,3	0.44	0	2,2,2	0.31	0
2	EDO	C	503	-	3,3,3	0.37	0	2,2,2	0.38	0
2	EDO	A	503	-	3,3,3	0.46	0	2,2,2	0.34	0
2	EDO	D	503	-	3,3,3	0.59	0	2,2,2	0.25	0
2	EDO	A	502	-	3,3,3	0.31	0	2,2,2	0.49	0
2	EDO	D	502	-	3,3,3	0.42	0	2,2,2	0.36	0
2	EDO	C	506	-	3,3,3	0.44	0	2,2,2	0.36	0
2	EDO	B	502	-	3,3,3	0.60	0	2,2,2	0.26	0
4	ACT	C	507	-	1,3,3	1.25	0	0,3,3	0.00	-
2	EDO	C	502	-	3,3,3	0.45	0	2,2,2	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	C	505	-	-	0/1/1/1	-
2	EDO	A	501	-	-	0/1/1/1	-
2	EDO	C	504	-	-	1/1/1/1	-
2	EDO	C	501	-	-	1/1/1/1	-
3	UDP	A	505	-	-	0/14/32/32	0/2/2/2
2	EDO	A	504	-	-	0/1/1/1	-
2	EDO	B	501	-	-	1/1/1/1	-
2	EDO	D	501	-	-	0/1/1/1	-
2	EDO	C	503	-	-	1/1/1/1	-
2	EDO	A	503	-	-	0/1/1/1	-
2	EDO	A	502	-	-	0/1/1/1	-
2	EDO	D	502	-	-	0/1/1/1	-
2	EDO	C	506	-	-	0/1/1/1	-
2	EDO	B	502	-	-	1/1/1/1	-
2	EDO	D	503	-	-	1/1/1/1	-
2	EDO	C	502	-	-	1/1/1/1	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	505	UDP	O4'-C1'	3.37	1.45	1.41
3	A	505	UDP	C6-C5	2.07	1.42	1.38

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	505	UDP	O3'-C3'-C4'	3.14	120.13	111.05
3	A	505	UDP	C6-N1-C2	-2.60	117.07	121.20
3	A	505	UDP	C5-C4-N3	-2.32	118.21	123.31

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	501	EDO	O1-C1-C2-O2
2	B	501	EDO	O1-C1-C2-O2
2	B	502	EDO	O1-C1-C2-O2
2	D	503	EDO	O1-C1-C2-O2
2	C	504	EDO	O1-C1-C2-O2
2	C	502	EDO	O1-C1-C2-O2
2	C	503	EDO	O1-C1-C2-O2


There are no ring outliers.

10 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	505	EDO	2	0
2	A	501	EDO	1	0
2	C	501	EDO	3	0
2	A	504	EDO	1	0
2	D	501	EDO	2	0
2	C	503	EDO	1	0
2	D	503	EDO	1	0
2	C	506	EDO	1	0
4	C	507	ACT	2	0
2	C	502	EDO	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1
1	A	1
1	D	1
1	C	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	C	67:IAS	C	68:GLY	N	4.34
1	B	67:IAS	C	68:GLY	N	4.33
1	D	67:IAS	C	68:GLY	N	4.32
1	A	67:IAS	C	68:GLY	N	4.22



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	418/419 (99%)	-0.29	10 (2%) 59 67	11, 22, 39, 81	0
1	B	418/419 (99%)	-0.11	21 (5%) 28 37	11, 23, 48, 88	0
1	C	418/419 (99%)	-0.21	8 (1%) 66 74	10, 22, 44, 81	0
1	D	418/419 (99%)	-0.29	9 (2%) 62 69	12, 22, 38, 71	0
All	All	1672/1676 (99%)	-0.22	48 (2%) 51 61	10, 22, 43, 88	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	117	ILE	13.6
1	B	118	GLY	11.2
1	B	119	ALA	7.8
1	C	419	GLU	6.6
1	D	113	GLY	6.5
1	B	115	ASP	5.9
1	D	115	ASP	5.8
1	B	120	ARG	5.7
1	D	418	GLY	5.6
1	B	419	GLU	5.4
1	B	116	ALA	5.1
1	A	419	GLU	4.6
1	C	119	ALA	4.4
1	C	418	GLY	4.4
1	B	327	ILE	4.3
1	A	120	ARG	4.0
1	D	419	GLU	3.8
1	B	89	THR	3.8
1	A	119	ALA	3.8
1	C	1	MET	3.8
1	A	114	GLY	3.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	418	GLY	3.4
1	B	142	TYR	3.4
1	C	114	GLY	3.2
1	B	113	GLY	3.0
1	A	113	GLY	3.0
1	D	114	GLY	2.8
1	B	111	LEU	2.8
1	C	328	PHE	2.7
1	C	112	PRO	2.7
1	B	326	THR	2.7
1	C	115	ASP	2.6
1	A	115	ASP	2.6
1	B	140	GLU	2.6
1	B	141	GLY	2.5
1	D	159	ASP	2.4
1	A	116	ALA	2.4
1	B	112	PRO	2.4
1	A	117	ILE	2.3
1	B	91	ARG	2.3
1	D	328	PHE	2.2
1	B	121	PRO	2.2
1	D	112	PRO	2.2
1	B	328	PHE	2.1
1	A	112	PRO	2.1
1	A	418	GLY	2.0
1	D	119	ALA	2.0
1	B	417	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	IAS	D	67	8/9	0.87	0.21	35,36,36,37	0
1	IAS	A	67	8/9	0.93	0.16	29,31,31,32	0
1	IAS	B	67	8/9	0.96	0.13	28,30,32,32	0
1	IAS	C	67	8/9	0.96	0.07	16,17,19,19	0

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	EDO	B	502	4/4	0.75	0.16	41,41,41,42	0
2	EDO	D	501	4/4	0.78	0.13	49,49,50,51	0
2	EDO	C	506	4/4	0.79	0.17	38,39,40,42	0
2	EDO	C	505	4/4	0.84	0.35	29,36,39,43	0
4	ACT	C	507	4/4	0.85	0.20	49,50,50,50	0
2	EDO	D	503	4/4	0.85	0.25	36,42,42,44	0
2	EDO	A	501	4/4	0.86	0.22	47,47,47,47	0
2	EDO	B	501	4/4	0.86	0.15	42,43,43,46	0
2	EDO	C	504	4/4	0.86	0.25	32,33,36,37	0
2	EDO	A	502	4/4	0.88	0.20	34,35,35,35	0
3	UDP	A	505	25/25	0.88	0.24	39,47,50,51	0
2	EDO	A	503	4/4	0.89	0.13	39,39,39,40	0
2	EDO	D	502	4/4	0.92	0.16	37,37,40,41	0
2	EDO	A	504	4/4	0.92	0.27	44,44,44,45	0
2	EDO	C	502	4/4	0.92	0.28	37,37,39,40	0
2	EDO	C	501	4/4	0.93	0.22	38,39,41,42	0
2	EDO	C	503	4/4	0.94	0.34	41,42,42,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around UDP A 505:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.