



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 03:12 pm BST

PDB ID : 3EAD
Title : Crystal structure of CALX-CBD1
Authors : Zheng, L.; Wang, M.
Deposited on : 2008-08-25
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	137	
1	B	137	
1	C	137	
1	D	137	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3693 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Na/Ca exchange protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	111	Total	C	N	O	S	0	0	0
			886	560	143	177	6			
1	B	114	Total	C	N	O	S	0	0	0
			908	574	148	180	6			
1	C	112	Total	C	N	O	S	0	0	0
			896	566	146	178	6			
1	D	111	Total	C	N	O	S	0	0	0
			886	560	143	177	6			

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	4	Total	Ca	0	0
			4	4		
2	A	4	Total	Ca	0	0
			4	4		
2	D	4	Total	Ca	0	0
			4	4		
2	C	4	Total	Ca	0	0
			4	4		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	31	Total	O	0	0
			31	31		
4	B	27	Total	O	0	0
			27	27		
4	C	25	Total	O	0	0
			25	25		
4	D	12	Total	O	0	0
			12	12		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Na/Ca exchange protein




- Molecule 1: Na/Ca exchange protein



- Molecule 1: Na/Ca exchange protein



- Molecule 1: Na/Ca exchange protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	59.37Å 73.72Å 129.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.59 – 2.25 19.58 – 2.25	Depositor EDS
% Data completeness (in resolution range)	94.5 (19.59-2.25) 94.5 (19.58-2.25)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.89 (at 2.26Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.210 , 0.269 0.261 , 0.303	Depositor DCC
R_{free} test set	1341 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å ²)	48.0	Xtriage
Anisotropy	0.352	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 29.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3693	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.19	8/904 (0.9%)	0.98	3/1223 (0.2%)
1	B	0.89	1/928 (0.1%)	0.93	3/1256 (0.2%)
1	C	0.92	1/915 (0.1%)	0.87	1/1238 (0.1%)
1	D	0.93	4/904 (0.4%)	0.81	2/1223 (0.2%)
All	All	0.99	14/3651 (0.4%)	0.90	9/4940 (0.2%)

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	524	CYS	CB-SG	-8.64	1.67	1.82
1	A	552	ASP	CG-OD1	8.12	1.44	1.25
1	D	512	GLU	CD-OE2	7.06	1.33	1.25
1	A	542	MET	CG-SD	6.98	1.99	1.81
1	A	462	VAL	CB-CG1	6.94	1.67	1.52
1	D	517	ASP	CG-OD1	6.78	1.41	1.25
1	A	552	ASP	CB-CG	6.28	1.65	1.51
1	D	512	GLU	CG-CD	6.12	1.61	1.51
1	A	460	PHE	CE1-CZ	5.98	1.48	1.37
1	D	551	ASP	CG-OD1	5.72	1.38	1.25
1	A	478	TYR	CD2-CE2	5.57	1.47	1.39
1	A	509	PHE	CD2-CE2	-5.33	1.28	1.39
1	A	524	CYS	CB-SG	-5.24	1.73	1.81
1	B	447	GLU	CD-OE2	-5.15	1.20	1.25

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	551	ASP	CB-CG-OD2	-6.49	112.46	118.30
1	B	447	GLU	OE1-CD-OE2	-6.46	115.55	123.30
1	A	528	ARG	NE-CZ-NH2	-6.42	117.09	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	447	GLU	OE1-CD-OE2	-6.00	116.10	123.30
1	A	498	LEU	CA-CB-CG	5.68	128.35	115.30
1	B	498	LEU	CA-CB-CG	5.51	127.97	115.30
1	A	542	MET	CG-SD-CE	-5.34	91.66	100.20
1	C	528	ARG	NE-CZ-NH1	-5.24	117.68	120.30
1	B	528	ARG	CB-CA-C	-5.23	99.94	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	886	0	837	34	0
1	B	908	0	857	21	0
1	C	896	0	844	38	0
1	D	886	0	837	16	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0
2	C	4	0	0	0	0
2	D	4	0	0	0	0
3	A	6	0	8	0	0
4	A	31	0	0	1	0
4	B	27	0	0	1	0
4	C	25	0	0	1	0
4	D	12	0	0	0	0
All	All	3693	0	3383	90	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:549:LEU:HB3	1:D:443:ARG:NH1	1.69	1.08

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:443:ARG:HG2	1:A:443:ARG:HH11	1.22	1.03
1:A:542:MET:HE3	1:C:483:GLY:HA2	1.54	0.88
1:A:510:ARG:H	1:A:510:ARG:HD2	1.39	0.87
1:A:470:ILE:O	1:A:470:ILE:HG23	1.72	0.87
1:C:469:ASP:OD1	1:C:471:SER:HB3	1.75	0.85
1:C:470:ILE:O	1:C:470:ILE:HG22	1.79	0.82
1:A:542:MET:HE3	1:C:483:GLY:CA	2.12	0.79
1:A:443:ARG:CG	1:A:443:ARG:HH11	1.95	0.79
1:A:443:ARG:HG2	1:A:443:ARG:NH1	1.96	0.77
1:A:540:VAL:O	1:B:452:THR:HG21	1.85	0.77
1:A:470:ILE:O	1:A:470:ILE:CG2	2.32	0.76
1:C:452:THR:HG21	1:D:540:VAL:O	1.89	0.71
1:B:450:HIS:ND1	1:B:545:THR:HG23	2.06	0.70
1:D:533:SER:O	1:D:534:GLU:C	2.30	0.70
1:A:542:MET:HE2	1:C:526:TYR:CE1	2.27	0.69
1:A:542:MET:CE	1:C:526:TYR:HE1	2.06	0.68
1:A:542:MET:HE2	1:C:526:TYR:HE1	1.59	0.68
1:C:471:SER:O	1:C:502:PRO:HB3	1.95	0.67
1:A:443:ARG:HD3	1:B:549:LEU:HD13	1.77	0.67
1:C:549:LEU:HB3	1:D:443:ARG:HH12	1.55	0.66
1:A:510:ARG:HD2	1:A:510:ARG:N	2.10	0.66
1:C:470:ILE:O	1:C:470:ILE:CG2	2.45	0.65
1:A:542:MET:CE	1:C:483:GLY:CA	2.75	0.64
1:C:470:ILE:HG22	1:C:503:GLY:H	1.64	0.63
1:A:453:VAL:HG11	1:A:513:VAL:HG21	1.80	0.62
1:A:532:PRO:HB2	1:A:536:VAL:HB	1.84	0.59
1:C:450:HIS:NE2	1:C:452:THR:HG22	2.18	0.59
1:C:442:ILE:HG21	1:C:536:VAL:HG22	1.84	0.59
1:D:472:THR:OG1	1:D:473:TYR:N	2.35	0.58
1:C:528:ARG:NH2	4:C:146:HOH:O	2.37	0.58
1:A:507:GLN:NE2	4:A:1032:HOH:O	2.37	0.57
1:A:479:GLU:OE2	1:A:528:ARG:NH1	2.37	0.57
1:B:492:VAL:HG13	1:B:512:GLU:HB3	1.85	0.57
1:C:442:ILE:CG2	1:C:536:VAL:HG22	2.35	0.56
1:C:453:VAL:HG22	1:C:457:CYS:SG	2.46	0.55
1:A:541:PRO:HD3	1:B:452:THR:HG21	1.89	0.55
1:C:455:GLU:HG3	1:C:515:ASP:HA	1.88	0.54
1:B:441:PRO:O	1:B:443:ARG:HG2	2.08	0.54
1:A:446:PHE:CE2	1:A:462:VAL:CG1	2.91	0.54
1:A:541:PRO:HD3	1:B:452:THR:CG2	2.38	0.54
1:C:443:ARG:HE	1:C:539:ALA:HB2	1.73	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:446:PHE:HE2	1:A:462:VAL:CG1	2.20	0.53
1:B:444:MET:HA	1:B:465:VAL:O	2.09	0.52
1:C:470:ILE:HD13	1:C:505:ASP:HB3	1.92	0.51
1:B:481:GLN:OE1	1:B:528:ARG:HG3	2.10	0.51
1:D:478:TYR:OH	1:D:494:ARG:NH2	2.43	0.51
1:A:542:MET:CE	1:C:483:GLY:HA3	2.41	0.50
1:C:473:TYR:C	1:C:473:TYR:CD2	2.84	0.50
1:C:506:GLU:OE2	1:C:508:ARG:NH2	2.45	0.50
1:B:469:ASP:OD2	1:B:471:SER:HB3	2.11	0.50
1:A:551:ASP:N	1:A:551:ASP:OD1	2.44	0.50
1:A:524:CYS:HA	1:A:546:VAL:O	2.12	0.49
1:C:470:ILE:CD1	1:C:505:ASP:HB3	2.42	0.49
1:D:533:SER:O	1:D:534:GLU:O	2.30	0.49
1:B:481:GLN:OE1	1:B:528:ARG:HD2	2.13	0.49
1:A:542:MET:HE1	1:C:483:GLY:HA3	1.95	0.47
1:A:460:PHE:O	1:A:510:ARG:HA	2.14	0.47
1:A:446:PHE:HE2	1:A:462:VAL:HG11	1.80	0.46
1:D:492:VAL:HG13	1:D:512:GLU:HB2	1.96	0.46
1:D:534:GLU:O	1:D:536:VAL:N	2.45	0.46
1:C:452:THR:HG21	1:D:541:PRO:HD3	1.98	0.46
1:B:507:GLN:NE2	4:B:46:HOH:O	2.47	0.46
1:A:446:PHE:CE2	1:A:462:VAL:HG11	2.52	0.45
1:B:519:PHE:HA	1:B:552:ASP:HB2	1.99	0.44
1:D:469:ASP:OD2	1:D:471:SER:OG	2.30	0.44
1:B:446:PHE:CE1	1:B:529:LEU:HG	2.53	0.44
1:B:450:HIS:NE2	1:B:452:THR:HG22	2.32	0.44
1:B:524:CYS:HA	1:B:546:VAL:O	2.17	0.44
1:C:453:VAL:CG2	1:C:457:CYS:SG	3.06	0.44
1:C:450:HIS:CD2	1:C:452:THR:HG22	2.52	0.44
1:C:452:THR:CG2	1:D:541:PRO:HD3	2.47	0.44
1:A:453:VAL:CG1	1:A:513:VAL:HG21	2.47	0.44
1:D:467:ARG:NH1	1:D:505:ASP:HB2	2.33	0.44
1:A:473:TYR:CE1	1:A:499:SER:HB3	2.53	0.44
1:C:452:THR:HB	1:C:547:MET:HB3	1.99	0.43
1:B:478:TYR:HA	1:B:528:ARG:O	2.17	0.43
1:C:549:LEU:HB3	1:D:443:ARG:HH11	1.68	0.43
1:A:542:MET:CE	1:C:526:TYR:CE1	2.92	0.43
1:C:447:GLU:O	1:C:463:ARG:HD3	2.19	0.43
1:D:494:ARG:HD3	1:D:511:ILE:HD13	2.00	0.42
1:D:443:ARG:HB3	1:D:537:LYS:O	2.18	0.42
1:B:478:TYR:CE1	1:B:498:LEU:HD13	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:450:HIS:CD2	1:B:452:THR:HG22	2.56	0.41
1:B:534:GLU:H	1:B:534:GLU:HG2	1.48	0.41
1:B:452:THR:HB	1:B:547:MET:HB3	2.03	0.41
1:C:531:ASN:N	1:C:532:PRO:CD	2.84	0.41
1:C:479:GLU:OE2	1:C:528:ARG:NH1	2.51	0.41
1:C:527:ILE:HG21	1:C:527:ILE:HD13	1.79	0.40
1:A:529:LEU:O	1:A:530:PHE:HB3	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	109/137 (80%)	103 (94%)	6 (6%)	0	100	100
1	B	112/137 (82%)	107 (96%)	5 (4%)	0	100	100
1	C	110/137 (80%)	105 (96%)	5 (4%)	0	100	100
1	D	109/137 (80%)	102 (94%)	4 (4%)	3 (3%)	5	2
All	All	440/548 (80%)	417 (95%)	20 (4%)	3 (1%)	22	21

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	534	GLU
1	D	502	PRO
1	D	535	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	97/118 (82%)	85 (88%)	12 (12%)	4	3
1	B	99/118 (84%)	86 (87%)	13 (13%)	4	2
1	C	98/118 (83%)	86 (88%)	12 (12%)	5	3
1	D	97/118 (82%)	81 (84%)	16 (16%)	2	0
All	All	391/472 (83%)	338 (86%)	53 (14%)	3	2

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	443	ARG
1	A	445	TYR
1	A	465	VAL
1	A	466	ARG
1	A	470	ILE
1	A	481	GLN
1	A	498	LEU
1	A	499	SER
1	A	504	VAL
1	A	510	ARG
1	A	540	VAL
1	A	552	ASP
1	B	443	ARG
1	B	452	THR
1	B	466	ARG
1	B	467	ARG
1	B	469	ASP
1	B	481	GLN
1	B	492	VAL
1	B	495	LYS
1	B	498	LEU
1	B	504	VAL
1	B	510	ARG
1	B	534	GLU
1	B	540	VAL
1	C	452	THR
1	C	455	GLU
1	C	465	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	466	ARG
1	C	473	TYR
1	C	486	SER
1	C	489	THR
1	C	498	LEU
1	C	504	VAL
1	C	524	CYS
1	C	540	VAL
1	C	542	MET
1	D	443	ARG
1	D	452	THR
1	D	465	VAL
1	D	470	ILE
1	D	471	SER
1	D	472	THR
1	D	484	THR
1	D	492	VAL
1	D	498	LEU
1	D	504	VAL
1	D	512	GLU
1	D	517	ASP
1	D	519	PHE
1	D	534	GLU
1	D	545	THR
1	D	547	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	450	HIS
1	A	481	GLN
1	A	507	GLN
1	B	507	GLN
1	C	481	GLN
1	C	553	HIS
1	D	481	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 16 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GOL	A	1	-	5,5,5	0.41	0	5,5,5	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	1	-	-	3/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1	GOL	O1-C1-C2-C3
3	A	1	GOL	C1-C2-C3-O3
3	A	1	GOL	O2-C2-C3-O3

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.