



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 01:40 pm BST

PDB ID : 6EDI
Title : Crystal structure of Leishmania braziliensis glucokinase
Authors : Buechner, G.S.; Millington, M.E.; Perry, K.; D'Antonio, E.L.
Deposited on : 2018-08-09
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	412	<div> <div>3%</div> <div> <div></div> <div>78%</div> <div>16%</div> <div>• •</div> </div> </div>
1	B	412	<div> <div>2%</div> <div> <div></div> <div>79%</div> <div>14%</div> <div>• •</div> </div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6126 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucokinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	394	Total	C	N	O	S	0	0	0
			2975	1890	512	559	14			
1	B	394	Total	C	N	O	S	0	0	0
			2975	1890	512	559	14			

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	expression tag	UNP A4HPA0
A	-12	GLY	-	expression tag	UNP A4HPA0
A	-11	ARG	-	expression tag	UNP A4HPA0
A	-10	GLY	-	expression tag	UNP A4HPA0
A	-9	SER	-	expression tag	UNP A4HPA0
A	-8	HIS	-	expression tag	UNP A4HPA0
A	-7	HIS	-	expression tag	UNP A4HPA0
A	-6	HIS	-	expression tag	UNP A4HPA0
A	-5	HIS	-	expression tag	UNP A4HPA0
A	-4	HIS	-	expression tag	UNP A4HPA0
A	-3	HIS	-	expression tag	UNP A4HPA0
A	-2	GLY	-	expression tag	UNP A4HPA0
A	-1	MET	-	expression tag	UNP A4HPA0
A	0	ALA	-	expression tag	UNP A4HPA0
B	-13	MET	-	expression tag	UNP A4HPA0
B	-12	GLY	-	expression tag	UNP A4HPA0
B	-11	ARG	-	expression tag	UNP A4HPA0
B	-10	GLY	-	expression tag	UNP A4HPA0
B	-9	SER	-	expression tag	UNP A4HPA0
B	-8	HIS	-	expression tag	UNP A4HPA0
B	-7	HIS	-	expression tag	UNP A4HPA0
B	-6	HIS	-	expression tag	UNP A4HPA0
B	-5	HIS	-	expression tag	UNP A4HPA0
B	-4	HIS	-	expression tag	UNP A4HPA0
B	-3	HIS	-	expression tag	UNP A4HPA0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	GLY	-	expression tag	UNP A4HPA0
B	-1	MET	-	expression tag	UNP A4HPA0
B	0	ALA	-	expression tag	UNP A4HPA0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	91	Total O 91 91	0	0
2	B	85	Total O 85 85	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Glucokinase



• Molecule 1: Glucokinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	68.48Å 63.26Å 85.57Å 90.00° 107.81° 90.00°	Depositor
Resolution (Å)	49.97 – 1.85 81.47 – 1.84	Depositor EDS
% Data completeness (in resolution range)	97.6 (49.97-1.85) 97.0 (81.47-1.84)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.22 (at 1.84Å)	Xtriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.212 , 0.262 0.213 , 0.264	Depositor DCC
R_{free} test set	2968 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	31.4	Xtriage
Anisotropy	0.300	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 37.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6126	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/3033	0.58	0/4106
1	B	0.39	0/3033	0.58	1/4106 (0.0%)
All	All	0.39	0/6066	0.58	1/8212 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	14	LEU	CA-CB-CG	7.89	133.45	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	113	ALA	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2975	0	2986	43	0
1	B	2975	0	2986	39	0
2	A	91	0	0	0	0
2	B	85	0	0	2	0
All	All	6126	0	5972	79	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:238:GLN:NE2	1:B:255:SER:O	2.05	0.89
1:B:87:ASP:OD1	1:B:87:ASP:N	2.25	0.70
1:B:117:ASN:ND2	1:B:118:ASN:OD1	2.23	0.70
1:A:276:TYR:HA	1:A:280:GLY:HA3	1.74	0.69
1:B:310:ASP:OD2	1:B:354:ARG:NH1	2.26	0.68
1:B:137:ARG:HD3	1:B:397:LEU:HD13	1.75	0.67
1:A:280:GLY:O	1:A:282:LYS:N	2.28	0.66
1:A:282:LYS:HE3	1:A:283:ALA:H	1.62	0.64
1:B:78:LEU:O	1:B:82:LYS:HG2	1.99	0.62
1:B:188:ARG:NH1	1:B:212:ASP:OD1	2.32	0.62
1:A:113:ALA:HB3	1:A:123:ALA:HB3	1.82	0.61
1:A:251:LYS:O	1:A:253:LEU:N	2.30	0.58
1:A:167:MET:SD	1:A:378:ARG:HG3	2.44	0.57
1:B:113:ALA:HB3	1:B:123:ALA:HB3	1.86	0.57
1:A:78:LEU:HD21	1:A:131:GLU:HB2	1.86	0.57
1:A:74:PHE:HB3	1:A:129:PRO:HG2	1.87	0.57
1:A:137:ARG:HH11	1:A:137:ARG:HG2	1.69	0.57
1:A:254:ASP:HB3	1:A:256:THR:H	1.70	0.57
1:B:32:ASP:OD2	1:B:39:ARG:NH2	2.37	0.57
1:B:22:TRP:CZ2	1:B:56:ILE:HG12	2.39	0.57
1:A:78:LEU:O	1:A:82:LYS:HG2	2.05	0.57
1:A:254:ASP:HB2	1:A:257:VAL:HG23	1.86	0.56
1:A:90:ALA:O	1:A:94:ARG:HG2	2.06	0.55
1:A:346:PHE:CG	1:A:378:ARG:HD2	2.42	0.54
1:B:280:GLY:O	1:B:282:LYS:N	2.38	0.54
1:B:303:THR:HA	1:B:306:ILE:HD12	1.89	0.53
1:B:22:TRP:O	1:B:95:ARG:NH2	2.40	0.53
1:A:301:SER:OG	1:A:302:ASP:N	2.44	0.51
1:B:97:ALA:O	1:B:137:ARG:HD2	2.10	0.50
1:B:30:VAL:HG12	1:B:390:CYS:HB2	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:137:ARG:NH1	1:A:137:ARG:HG2	2.25	0.50
1:A:146:ALA:O	1:A:389:GLY:HA3	2.12	0.49
1:A:34:GLY:O	1:A:37:SER:OG	2.31	0.49
1:A:48:HIS:HB2	1:A:50:ARG:H	1.78	0.48
1:B:12:LEU:HB3	1:B:80:HIS:CD2	2.48	0.48
1:B:137:ARG:CD	1:B:397:LEU:HD13	2.41	0.48
1:B:196:PRO:HG3	1:B:316:LEU:HD22	1.96	0.47
1:A:51:SER:HB3	1:A:157:ALA:HB1	1.95	0.47
1:B:135:LYS:HB3	1:B:135:LYS:HE2	1.60	0.47
1:B:118:ASN:N	1:B:118:ASN:OD1	2.47	0.47
1:A:252:GLY:O	1:B:366:ARG:NH1	2.46	0.47
1:A:197:GLY:HA2	1:A:338:ASN:OD1	2.14	0.46
1:A:78:LEU:HD22	1:A:132:LEU:HG	1.97	0.46
1:A:251:LYS:C	1:A:253:LEU:H	2.19	0.45
1:B:31:CYS:HA	1:B:39:ARG:O	2.17	0.45
1:B:360:HIS:HA	1:B:365:GLU:HG2	1.99	0.45
1:A:3:GLN:HB2	1:A:54:HIS:HD2	1.80	0.45
1:B:231:ASN:O	1:B:235:LYS:HG2	2.17	0.45
1:A:159:ILE:HD12	1:A:159:ILE:HA	1.77	0.44
1:A:31:CYS:HA	1:A:39:ARG:O	2.17	0.44
1:A:22:TRP:CZ2	1:A:56:ILE:HG12	2.53	0.44
1:A:137:ARG:HH12	1:A:397:LEU:HB3	1.83	0.44
1:B:4:THR:HG21	1:B:384:ASN:ND2	2.33	0.44
1:B:64:LYS:NZ	2:B:403:HOH:O	2.51	0.44
1:A:137:ARG:HH11	1:A:137:ARG:CG	2.32	0.43
1:B:278:LYS:HE3	2:B:444:HOH:O	2.18	0.43
1:B:28:TYR:HB2	1:B:43:SER:OG	2.18	0.43
1:A:302:ASP:O	1:A:306:ILE:HG13	2.18	0.43
1:B:285:ALA:HA	1:B:286:PRO:HD3	1.83	0.43
1:A:137:ARG:NH1	1:A:397:LEU:HB3	2.34	0.43
1:B:241:ALA:HB2	1:B:259:PRO:HD3	2.00	0.42
1:B:19:ASP:CG	1:B:21:SER:HG	2.23	0.42
1:A:366:ARG:HD3	1:B:252:GLY:O	2.19	0.42
1:A:280:GLY:C	1:A:282:LYS:N	2.73	0.42
1:B:101:VAL:HB	1:B:140:LEU:HD23	2.02	0.42
1:A:75:ASP:O	1:A:79:GLN:HG2	2.20	0.42
1:A:22:TRP:HZ2	1:A:56:ILE:HG12	1.84	0.42
1:B:146:ALA:O	1:B:389:GLY:HA3	2.20	0.42
1:B:78:LEU:HA	1:B:78:LEU:HD12	1.87	0.42
1:A:12:LEU:HB3	1:A:80:HIS:CD2	2.54	0.41
1:B:172:GLN:HG2	1:B:176:LEU:HD22	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:171:THR:OG1	1:A:373:ARG:HA	2.20	0.41
1:B:173:TRP:O	1:B:177:SER:HB3	2.21	0.41
1:A:348:LYS:HD2	1:A:351:ASN:ND2	2.36	0.41
1:A:7:ILE:CD1	1:A:12:LEU:HA	2.50	0.41
1:A:367:GLN:HG2	1:B:251:LYS:HB2	2.02	0.41
1:B:276:TYR:CE1	1:B:281:GLN:HA	2.55	0.41
1:A:253:LEU:HD22	1:A:253:LEU:HA	1.94	0.40
1:A:53:LEU:HD13	1:A:388:LEU:HD22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/412 (95%)	371 (95%)	12 (3%)	7 (2%)	8	2
1	B	390/412 (95%)	374 (96%)	15 (4%)	1 (0%)	41	26
All	All	780/824 (95%)	745 (96%)	27 (4%)	8 (1%)	15	5

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	282	LYS
1	A	52	GLY
1	A	281	GLN
1	A	287	LEU
1	A	301	SER
1	B	51	SER
1	A	252	GLY
1	A	302	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	315/327 (96%)	297 (94%)	18 (6%)	20	6
1	B	315/327 (96%)	302 (96%)	13 (4%)	30	13
All	All	630/654 (96%)	599 (95%)	31 (5%)	25	9

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	THR
1	A	49	ASP
1	A	50	ARG
1	A	78	LEU
1	A	120	LYS
1	A	130	VAL
1	A	137	ARG
1	A	143	ASP
1	A	144	LEU
1	A	198	THR
1	A	251	LYS
1	A	253	LEU
1	A	284	SER
1	A	288	LYS
1	A	299	SER
1	A	303	THR
1	A	350	GLU
1	A	369	LYS
1	B	14	LEU
1	B	21	SER
1	B	37	SER
1	B	56	ILE
1	B	78	LEU
1	B	117	ASN
1	B	135	LYS
1	B	176	LEU
1	B	238	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	251	LYS
1	B	281	GLN
1	B	334	LEU
1	B	343	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	117	ASN
1	B	238	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	394/412 (95%)	-0.03	14 (3%) 42 40	21, 34, 52, 75	0
1	B	394/412 (95%)	-0.09	9 (2%) 60 59	22, 33, 50, 83	0
All	All	788/824 (95%)	-0.06	23 (2%) 51 50	21, 33, 52, 83	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	49	ASP	9.7
1	B	50	ARG	8.4
1	A	49	ASP	8.0
1	B	47	GLN	6.8
1	A	287	LEU	6.2
1	A	47	GLN	6.0
1	A	50	ARG	6.0
1	A	51	SER	5.1
1	B	48	HIS	5.0
1	A	280	GLY	4.7
1	A	48	HIS	4.0
1	B	51	SER	3.7
1	A	281	GLN	3.7
1	A	282	LYS	3.3
1	B	114	GLY	3.2
1	A	285	ALA	3.2
1	B	46	SER	3.1
1	A	284	SER	2.9
1	A	286	PRO	2.9
1	A	252	GLY	2.6
1	A	283	ALA	2.6
1	B	34	GLY	2.3
1	B	20	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.