



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 7, 2020 – 10:54 PM BST

PDB ID : 1EEF  
Title : HEAT-LABILE ENTEROTOXIN B-PENTAMER COMPLEXED WITH  
BOUND LIGAND PEPG  
Authors : Merritt, E.A.; Hol, W.G.J.  
Deposited on : 2000-01-31  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	D	103	<div><div>%</div><div>86%12%•</div></div>
1	E	103	<div><div>%</div><div>79%19%•</div></div>
1	F	103	<div><div>%</div><div>90%9%•</div></div>
1	G	103	<div><div>%</div><div>77%22%•</div></div>
1	H	103	<div><div>%</div><div>83%16%••</div></div>
1	L	103	<div><div>%</div><div>81%17%•</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	M	103	<div><div></div><div>84%16%</div></div>
1	N	103	<div><div>2%</div><div></div><div>83%17%</div><div></div></div>
1	O	103	<div><div>%</div><div></div><div>85%14%</div><div></div></div>
1	P	103	<div><div>%</div><div></div><div>83%15%</div><div></div></div>

## 2 Entry composition


There are 4 unique types of molecules in this entry. The entry contains 9523 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (HEAT-LABILE ENTEROTOXIN B CHAIN).


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	D	103	Total	C	N	O	S	0	0	0
			824	516	139	163	6			
1	E	103	Total	C	N	O	S	0	0	0
			824	516	139	163	6			
1	F	103	Total	C	N	O	S	0	0	0
			824	516	139	163	6			
1	G	103	Total	C	N	O	S	0	0	0
			824	516	139	163	6			
1	H	103	Total	C	N	O	S	0	0	0
			824	516	139	163	6			
1	L	103	Total	C	N	O	S	0	0	0
			824	516	139	163	6			
1	M	103	Total	C	N	O	S	0	0	0
			824	516	139	163	6			
1	N	103	Total	C	N	O	S	0	0	0
			824	516	139	163	6			
1	O	103	Total	C	N	O	S	0	0	0
			824	516	139	163	6			
1	P	103	Total	C	N	O	S	0	0	0
			824	516	139	163	6			

- Molecule 2 is alpha-D-galactopyranose (three-letter code: GLA) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	C	O	0	0
			12	6	6		
2	E	1	Total	C	O	0	0
			12	6	6		
2	F	1	Total	C	O	0	0
			12	6	6		
2	G	1	Total	C	O	0	0
			12	6	6		
2	H	1	Total	C	O	0	0
			12	6	6		
2	L	1	Total	C	O	0	0
			12	6	6		
2	M	1	Total	C	O	0	0
			12	6	6		
2	N	1	Total	C	O	0	0
			12	6	6		
2	O	1	Total	C	O	0	0
			12	6	6		
2	P	1	Total	C	O	0	0
			12	6	6		

- Molecule 3 is 2-PHENETHYL-2,3-DIHYDRO-PHTHALAZINE-1,4-DIONE (three-letter code: I06) (formula: C<sub>16</sub>H<sub>14</sub>N<sub>2</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	G	1	Total	C	N	O	0	0
			20	16	2	2		
3	H	1	Total	C	N	O	0	0
			20	16	2	2		
3	O	1	Total	C	N	O	0	0
			20	16	2	2		
3	P	1	Total	C	N	O	0	0
			20	16	2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	102	Total	O	0	0
			102	102		
4	E	105	Total	O	0	0
			105	105		
4	F	107	Total	O	0	0
			107	107		
4	G	124	Total	O	0	0
			124	124		
4	H	119	Total	O	0	0
			119	119		
4	L	85	Total	O	0	0
			85	85		
4	M	111	Total	O	0	0
			111	111		
4	N	97	Total	O	0	0
			97	97		

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	O	107	Total 107	O 107	0	0
4	P	126	Total 126	O 126	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: PROTEIN (HEAT-LABILE ENTEROTOXIN B CHAIN)




- Molecule 1: PROTEIN (HEAT-LABILE ENTEROTOXIN B CHAIN)





- Molecule 1: PROTEIN (HEAT-LABILE ENTEROTOXIN B CHAIN)



- Molecule 1: PROTEIN (HEAT-LABILE ENTEROTOXIN B CHAIN)




- Molecule 1: PROTEIN (HEAT-LABILE ENTEROTOXIN B CHAIN)





- Molecule 1: PROTEIN (HEAT-LABILE ENTEROTOXIN B CHAIN)








- Molecule 1: PROTEIN (HEAT-LABILE ENTEROTOXIN B CHAIN)





- Molecule 1: PROTEIN (HEAT-LABILE ENTEROTOXIN B CHAIN)



- Molecule 1: PROTEIN (HEAT-LABILE ENTEROTOXIN B CHAIN)



- Molecule 1: PROTEIN (HEAT-LABILE ENTEROTOXIN B CHAIN)



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	88.54Å 65.02Å 101.93Å 90.00° 115.47° 90.00°	Depositor
Resolution (Å)	22.00 – 1.80 24.66 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.6 (22.00-1.80) 99.9 (24.66-1.80)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	7.69 (at 1.80Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, $R_{free}$	0.182 , 0.267 0.176 , 0.213	Depositor DCC
$R_{free}$ test set	4889 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	12.9	Xtriage
Anisotropy	0.482	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 84.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.004 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	9523	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 54.80 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.4652e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GLA, I06

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	D	0.71	2/835 (0.2%)	0.73	1/1124 (0.1%)
1	E	0.59	1/835 (0.1%)	0.76	1/1124 (0.1%)
1	F	0.60	1/835 (0.1%)	0.76	1/1124 (0.1%)
1	G	0.64	1/835 (0.1%)	0.76	1/1124 (0.1%)
1	H	0.58	1/835 (0.1%)	0.79	2/1124 (0.2%)
1	L	0.52	0/835	0.74	1/1124 (0.1%)
1	M	0.56	0/835	0.73	1/1124 (0.1%)
1	N	0.61	1/835 (0.1%)	0.76	1/1124 (0.1%)
1	O	0.69	1/835 (0.1%)	0.78	1/1124 (0.1%)
1	P	0.55	0/835	0.77	1/1124 (0.1%)
All	All	0.61	8/8350 (0.1%)	0.76	11/11240 (0.1%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	O	68	MET	CG-SD	12.16	2.12	1.81
1	D	68	MET	CG-SD	-9.46	1.56	1.81
1	G	68	MET	CG-SD	-7.54	1.61	1.81
1	E	68	MET	CG-SD	7.07	1.99	1.81
1	N	68	MET	CG-SD	7.03	1.99	1.81
1	F	68	MET	CG-SD	5.92	1.96	1.81
1	H	37	MET	CG-SD	5.53	1.95	1.81
1	D	68	MET	SD-CE	5.19	2.06	1.77

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	P	50	VAL	N-CA-C	-6.34	93.87	111.00
1	H	99	ILE	CB-CA-C	-6.27	99.05	111.60
1	H	50	VAL	N-CA-C	-6.12	94.48	111.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	50	VAL	N-CA-C	-6.08	94.58	111.00
1	G	50	VAL	N-CA-C	-5.85	95.19	111.00
1	O	50	VAL	N-CA-C	-5.83	95.25	111.00
1	F	50	VAL	N-CA-C	-5.81	95.32	111.00
1	M	50	VAL	N-CA-C	-5.66	95.73	111.00
1	N	50	VAL	N-CA-C	-5.57	95.95	111.00
1	L	50	VAL	N-CA-C	-5.46	96.24	111.00
1	D	50	VAL	N-CA-C	-5.34	96.57	111.00

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	824	0	841	19	0
1	E	824	0	841	22	0
1	F	824	0	841	7	0
1	G	824	0	841	19	0
1	H	824	0	841	18	0
1	L	824	0	841	16	0
1	M	824	0	841	16	0
1	N	824	0	841	11	0
1	O	824	0	841	14	0
1	P	824	0	841	15	0
2	D	12	0	12	0	0
2	E	12	0	12	0	0
2	F	12	0	12	0	0
2	G	12	0	11	0	0
2	H	12	0	11	0	0
2	L	12	0	12	0	0
2	M	12	0	12	0	0
2	N	12	0	12	0	0
2	O	12	0	11	0	0
2	P	12	0	11	1	0
3	G	20	0	13	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	H	20	0	13	1	0
3	O	20	0	13	0	0
3	P	20	0	13	0	0
4	D	102	0	0	2	0
4	E	105	0	0	5	0
4	F	107	0	0	1	0
4	G	124	0	0	5	0
4	H	119	0	0	6	0
4	L	85	0	0	4	0
4	M	111	0	0	2	0
4	N	97	0	0	1	0
4	O	107	0	0	2	0
4	P	126	0	0	2	0
All	All	9523	0	8578	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:68:MET:CE	1:D:68:MET:SD	2.06	1.40
1:O:68:MET:SD	1:O:68:MET:CG	2.12	1.38
1:P:56:GLN:HE21	1:P:56:GLN:H	1.01	0.98
1:G:16:GLN:HE21	1:G:89:ASN:HD22	1.13	0.91
1:D:63:LYS:HE3	4:D:1071:HOH:O	1.68	0.91
1:G:43:LYS:HD3	4:G:1355:HOH:O	1.72	0.89
1:D:16:GLN:HE21	1:D:89:ASN:HD22	1.15	0.88
1:H:56:GLN:HE21	1:H:56:GLN:N	1.71	0.87
1:H:9:CYS:HB3	4:H:1621:HOH:O	1.75	0.86
1:H:56:GLN:H	1:H:56:GLN:NE2	1.73	0.85
1:H:56:GLN:HE21	1:H:56:GLN:H	0.89	0.85
1:P:56:GLN:HE21	1:P:56:GLN:N	1.77	0.82
1:D:102:LYS:HE3	1:E:26:SER:HB3	1.62	0.82
1:F:3:GLN:HE22	1:G:92:THR:HG22	1.46	0.79
1:F:71:THR:O	1:F:75:THR:HG23	1.84	0.77
1:F:3:GLN:HB3	1:G:93:PRO:HG3	1.65	0.77
1:P:43:LYS:HE2	4:P:1365:HOH:O	1.85	0.75
1:G:3:GLN:HG2	1:H:93:PRO:HG3	1.71	0.72
1:D:29:GLU:HB3	1:H:99:ILE:CD1	2.20	0.72
1:H:63:LYS:HB2	4:H:1828:HOH:O	1.90	0.72

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:16:GLN:HE21	1:O:89:ASN:HD22	1.39	0.71
1:E:16:GLN:HE21	1:E:89:ASN:HD22	1.39	0.70
1:E:3:GLN:HE22	1:F:92:THR:HG22	1.57	0.69
1:E:9:CYS:HB3	4:E:1902:HOH:O	1.93	0.69
1:O:99:ILE:HG12	1:O:101:MET:HE2	1.75	0.69
1:P:56:GLN:NE2	1:P:56:GLN:H	1.84	0.68
1:P:85:LEU:HD12	1:P:99:ILE:HG22	1.76	0.67
1:L:102:LYS:HD2	4:L:1667:HOH:O	1.93	0.67
1:D:16:GLN:NE2	1:D:89:ASN:HD22	1.92	0.66
1:E:13:ARG:HH11	1:E:13:ARG:CG	2.09	0.66
1:M:81:LYS:HD2	1:M:103:ASN:HD22	1.62	0.65
1:P:85:LEU:CD1	1:P:99:ILE:HG22	2.28	0.64
1:L:16:GLN:HE21	1:L:89:ASN:HD22	1.44	0.64
1:O:6:THR:HG23	4:O:1193:HOH:O	1.98	0.63
1:L:37:MET:SD	4:L:1715:HOH:O	2.56	0.62
1:G:6:THR:HG23	4:G:1297:HOH:O	1.99	0.62
1:M:81:LYS:HD2	1:M:103:ASN:ND2	2.15	0.60
1:E:99:ILE:HG12	1:E:101:MET:HE2	1.84	0.59
1:M:3:GLN:HE21	1:N:92:THR:HG22	1.67	0.59
1:G:6:THR:HG21	4:G:1190:HOH:O	2.02	0.58
1:F:92:THR:HG23	4:F:1501:HOH:O	2.04	0.57
1:H:99:ILE:H	1:H:99:ILE:HD12	1.68	0.57
1:D:102:LYS:HG3	1:E:26:SER:HB3	1.86	0.57
1:L:27:TYR:HD1	1:P:101:MET:HE3	1.70	0.57
1:D:68:MET:CG	1:D:68:MET:CE	2.80	0.57
1:E:16:GLN:NE2	1:E:89:ASN:HD22	2.03	0.56
1:G:9:CYS:HB3	4:G:1490:HOH:O	2.05	0.56
1:L:11:GLU:OE1	1:M:35:ARG:HD2	2.06	0.56
1:G:16:GLN:HE21	1:G:89:ASN:ND2	1.95	0.56
1:O:102:LYS:O	1:O:103:ASN:HB2	2.06	0.55
1:E:21:ASN:HB2	4:E:2041:HOH:O	2.05	0.55
1:G:81:LYS:HE2	4:G:1552:HOH:O	2.06	0.55
1:N:71:THR:O	1:N:75:THR:HG23	2.08	0.54
1:P:4:THR:OG1	1:P:7:GLU:HG3	2.08	0.53
1:L:12:TYR:OH	1:M:35:ARG:HG3	2.09	0.53
1:H:43:LYS:HE2	4:H:1587:HOH:O	2.08	0.53
1:G:99:ILE:HG12	1:G:101:MET:HE2	1.91	0.52
1:E:13:ARG:HH11	1:E:13:ARG:HG2	1.73	0.52
1:O:6:THR:HG21	4:O:1661:HOH:O	2.08	0.52
1:L:102:LYS:HE3	1:M:26:SER:HB3	1.91	0.52
1:L:16:GLN:NE2	1:L:89:ASN:HD22	2.07	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:3:GLN:NE2	1:N:92:THR:HG22	2.25	0.51
1:O:63:LYS:HB3	4:P:1482:HOH:O	2.10	0.51
1:P:71:THR:HG21	1:P:99:ILE:HD11	1.92	0.50
1:M:33:GLY:O	1:M:34:LYS:HB2	2.11	0.50
1:O:68:MET:SD	1:O:68:MET:CB	2.95	0.49
1:D:3:GLN:HG2	1:E:93:PRO:HG3	1.94	0.49
1:O:68:MET:CE	1:O:68:MET:CG	2.90	0.49
1:G:20:ILE:HG21	1:G:42:PHE:CE1	2.47	0.49
1:D:63:LYS:HG2	4:H:1327:HOH:O	2.12	0.49
1:G:16:GLN:NE2	1:G:89:ASN:HD22	1.96	0.49
1:D:102:LYS:HE3	1:E:26:SER:CB	2.37	0.49
1:D:63:LYS:HE2	1:E:66:GLU:OE1	2.13	0.48
1:O:16:GLN:NE2	1:O:89:ASN:HD22	2.08	0.48
1:P:71:THR:HG21	1:P:99:ILE:CD1	2.43	0.48
1:O:15:THR:HA	1:O:87:VAL:O	2.14	0.47
1:D:4:THR:OG1	1:D:7:GLU:HB2	2.13	0.47
1:L:20:ILE:HG21	1:L:42:PHE:CE1	2.49	0.47
1:E:14:ASN:O	1:E:88:TRP:HA	2.14	0.47
1:L:62:LYS:HB3	4:L:1523:HOH:O	2.14	0.47
1:H:82:ILE:HG21	1:H:85:LEU:CD1	2.46	0.46
1:G:33:GLY:O	1:G:34:LYS:HB2	2.16	0.46
1:D:29:GLU:HB3	1:H:99:ILE:HD11	1.96	0.46
1:L:15:THR:HG22	1:L:88:TRP:CD1	2.50	0.46
1:G:63:LYS:HB3	4:H:1626:HOH:O	2.16	0.45
1:N:58:ILE:HD12	1:O:34:LYS:HE2	1.98	0.45
1:N:89:ASN:HA	1:N:94:ASN:ND2	2.31	0.45
1:E:81:LYS:NZ	4:E:2063:HOH:O	2.48	0.45
1:F:20:ILE:HG21	1:F:42:PHE:CE1	2.51	0.45
1:M:9:CYS:HB3	4:M:1746:HOH:O	2.16	0.45
1:L:32:ALA:HB1	1:P:12:TYR:CZ	2.53	0.44
1:D:63:LYS:HB3	4:E:1570:HOH:O	2.16	0.44
1:N:33:GLY:O	1:N:34:LYS:HB2	2.17	0.44
1:N:28:THR:HB	1:N:39:ILE:HB	1.99	0.44
1:D:63:LYS:HD2	1:E:66:GLU:HG3	2.00	0.44
1:M:102:LYS:HE3	1:M:102:LYS:HB2	1.78	0.44
1:D:30:SER:O	1:D:36:GLU:HA	2.18	0.43
1:L:50:VAL:HG11	1:L:69:LYS:HG3	2.00	0.43
1:H:75:THR:HG23	1:H:80:THR:HB	2.00	0.43
1:E:37:MET:SD	4:E:1696:HOH:O	2.62	0.43
1:M:48:PHE:CD1	1:M:94:ASN:HB2	2.52	0.43
1:P:102:LYS:HE3	1:P:102:LYS:HB2	1.71	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:30:SER:O	1:L:36:GLU:HA	2.18	0.43
4:D:1780:HOH:O	1:E:93:PRO:HA	2.18	0.43
1:G:83:ASP:HB3	1:G:100:SER:OG	2.19	0.43
1:H:15:THR:HA	1:H:87:VAL:O	2.19	0.42
1:M:46:GLU:HB3	1:M:48:PHE:CE2	2.54	0.42
1:N:79:GLU:HA	4:N:1730:HOH:O	2.18	0.42
1:O:102:LYS:O	1:O:103:ASN:CB	2.67	0.42
1:N:2:PRO:HB3	1:N:7:GLU:HG3	2.01	0.42
1:P:33:GLY:O	1:P:34:LYS:HB2	2.20	0.42
1:E:89:ASN:HA	1:E:94:ASN:ND2	2.34	0.42
1:F:25:LEU:HD22	1:F:43:LYS:HA	2.02	0.42
1:L:12:TYR:CZ	1:M:32:ALA:HB1	2.54	0.42
1:E:34:LYS:O	1:E:35:ARG:HD3	2.20	0.42
1:L:21:ASN:ND2	1:L:81:LYS:NZ	2.67	0.42
1:M:62:LYS:NZ	4:M:1908:HOH:O	2.48	0.42
1:D:63:LYS:HD3	1:E:66:GLU:OE1	2.20	0.41
3:H:110:I06:O16	4:H:2026:HOH:O	2.21	0.41
1:H:14:ASN:O	1:H:88:TRP:HA	2.21	0.41
1:G:44:SER:O	1:M:13:ARG:HG2	2.20	0.41
4:L:1723:HOH:O	1:P:103:ASN:CB	2.68	0.41
1:N:14:ASN:O	1:N:88:TRP:HA	2.21	0.41
1:N:3:GLN:HE21	1:O:93:PRO:HG3	1.85	0.41
1:H:82:ILE:HG21	1:H:85:LEU:HD13	2.02	0.40
1:H:99:ILE:N	1:H:99:ILE:HD12	2.34	0.40
1:D:32:ALA:HB1	1:H:12:TYR:CZ	2.56	0.40
1:E:48:PHE:CE1	1:E:87:VAL:HG11	2.57	0.40
1:M:48:PHE:HD1	1:M:94:ASN:HB2	1.86	0.40
1:G:12:TYR:CZ	1:H:32:ALA:HB1	2.57	0.40
1:P:88:TRP:CD2	2:P:116:GLA:H4	2.55	0.40
1:G:4:THR:OG1	1:G:7:GLU:HG3	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	101/103 (98%)	98 (97%)	3 (3%)	0	100	100
1	E	101/103 (98%)	99 (98%)	2 (2%)	0	100	100
1	F	101/103 (98%)	99 (98%)	2 (2%)	0	100	100
1	G	101/103 (98%)	100 (99%)	1 (1%)	0	100	100
1	H	101/103 (98%)	99 (98%)	2 (2%)	0	100	100
1	L	101/103 (98%)	98 (97%)	3 (3%)	0	100	100
1	M	101/103 (98%)	99 (98%)	2 (2%)	0	100	100
1	N	101/103 (98%)	99 (98%)	2 (2%)	0	100	100
1	O	101/103 (98%)	100 (99%)	1 (1%)	0	100	100
1	P	101/103 (98%)	98 (97%)	3 (3%)	0	100	100
All	All	1010/1030 (98%)	989 (98%)	21 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	95/95 (100%)	93 (98%)	2 (2%)	53	42
1	E	95/95 (100%)	93 (98%)	2 (2%)	53	42
1	F	95/95 (100%)	94 (99%)	1 (1%)	73	68
1	G	95/95 (100%)	94 (99%)	1 (1%)	73	68
1	H	95/95 (100%)	93 (98%)	2 (2%)	53	42
1	L	95/95 (100%)	92 (97%)	3 (3%)	39	25
1	M	95/95 (100%)	95 (100%)	0	100	100
1	N	95/95 (100%)	94 (99%)	1 (1%)	73	68
1	O	95/95 (100%)	94 (99%)	1 (1%)	73	68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	P	95/95 (100%)	91 (96%)	4 (4%)	30	15
All	All	950/950 (100%)	933 (98%)	17 (2%)	59	48

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	63	LYS
1	D	103	ASN
1	E	13	ARG
1	E	35	ARG
1	F	3	GLN
1	G	63	LYS
1	H	56	GLN
1	H	99	ILE
1	L	59	ASP
1	L	62	LYS
1	L	81	LYS
1	N	7	GLU
1	O	3	GLN
1	P	3	GLN
1	P	11	GLU
1	P	56	GLN
1	P	85	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	16	GLN
1	D	21	ASN
1	D	94	ASN
1	E	3	GLN
1	E	16	GLN
1	E	94	ASN
1	E	103	ASN
1	F	3	GLN
1	F	94	ASN
1	G	3	GLN
1	G	16	GLN
1	H	3	GLN
1	H	56	GLN
1	H	94	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	L	16	GLN
1	L	21	ASN
1	L	94	ASN
1	M	3	GLN
1	M	16	GLN
1	M	94	ASN
1	M	103	ASN
1	N	3	GLN
1	N	94	ASN
1	O	16	GLN
1	P	3	GLN
1	P	56	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GLA	D	104	-	12,12,12	0.77	0	17,17,17	1.26	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	GLA	N	113	-	12,12,12	1.02	1 (8%)	17,17,17	1.48	4 (23%)
3	I06	G	108	2	18,22,22	3.70	7 (38%)	22,30,30	3.49	10 (45%)
2	GLA	E	105	-	12,12,12	1.38	1 (8%)	17,17,17	0.99	1 (5%)
3	I06	H	110	2	18,22,22	3.72	7 (38%)	22,30,30	3.35	10 (45%)
2	GLA	O	114	3	12,12,12	1.18	1 (8%)	17,17,17	1.79	5 (29%)
2	GLA	F	106	-	12,12,12	1.39	1 (8%)	17,17,17	1.36	2 (11%)
2	GLA	L	111	-	12,12,12	1.14	2 (16%)	17,17,17	1.01	1 (5%)
2	GLA	H	109	3	12,12,12	0.84	1 (8%)	17,17,17	1.71	5 (29%)
2	GLA	G	107	3	12,12,12	0.91	0	17,17,17	0.86	0
2	GLA	M	112	-	12,12,12	1.00	1 (8%)	17,17,17	1.48	2 (11%)
3	I06	P	117	2	18,22,22	3.60	7 (38%)	22,30,30	3.31	10 (45%)
2	GLA	P	116	3	12,12,12	1.18	1 (8%)	17,17,17	1.63	4 (23%)
3	I06	O	115	2	18,22,22	3.78	8 (44%)	22,30,30	3.35	10 (45%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLA	D	104	-	-	0/2/22/22	0/1/1/1
2	GLA	N	113	-	-	0/2/22/22	0/1/1/1
3	I06	G	108	2	-	0/5/5/5	0/3/3/3
2	GLA	E	105	-	-	0/2/22/22	0/1/1/1
3	I06	H	110	2	-	0/5/5/5	0/3/3/3
2	GLA	O	114	3	-	0/2/22/22	0/1/1/1
2	GLA	F	106	-	-	0/2/22/22	0/1/1/1
2	GLA	L	111	-	-	0/2/22/22	0/1/1/1
2	GLA	H	109	3	-	0/2/22/22	0/1/1/1
2	GLA	G	107	3	-	0/2/22/22	0/1/1/1
2	GLA	M	112	-	-	0/2/22/22	0/1/1/1
3	I06	P	117	2	-	0/5/5/5	0/3/3/3
2	GLA	P	116	3	-	2/2/22/22	0/1/1/1
3	I06	O	115	2	-	0/5/5/5	0/3/3/3

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	O	115	I06	C8-C9	-8.13	1.38	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	P	117	I06	C8-C9	-7.61	1.39	1.53
3	H	110	I06	C8-C9	-7.61	1.39	1.53
3	O	115	I06	C10-C9	-7.53	1.40	1.54
3	G	108	I06	C8-C9	-7.44	1.39	1.53
3	G	108	I06	C10-C9	-7.37	1.40	1.54
3	G	108	I06	C11-C10	-7.08	1.40	1.53
3	P	117	I06	C11-C10	-7.05	1.40	1.53
3	H	110	I06	C11-C10	-7.05	1.40	1.53
3	O	115	I06	C11-C10	-6.80	1.41	1.53
3	H	110	I06	C10-C9	-6.74	1.42	1.54
3	P	117	I06	C10-C9	-6.57	1.42	1.54
3	H	110	I06	C7-C8	-6.22	1.36	1.53
3	H	110	I06	C12-C11	-6.06	1.37	1.53
3	O	115	I06	C7-C8	-5.71	1.38	1.53
3	G	108	I06	C7-C8	-5.68	1.38	1.53
3	P	117	I06	C7-C8	-5.58	1.38	1.53
3	G	108	I06	C12-C11	-5.53	1.38	1.53
3	P	117	I06	C12-C11	-5.27	1.39	1.53
3	O	115	I06	C12-C11	-5.07	1.39	1.53
3	O	115	I06	C9-C13	-3.35	1.46	1.51
2	E	105	GLA	C1-C2	3.07	1.59	1.52
2	O	114	GLA	C1-C2	-2.98	1.45	1.52
3	G	108	I06	C9-C13	-2.98	1.46	1.51
3	O	115	I06	C12-C7	-2.97	1.39	1.51
3	P	117	I06	C12-C7	-2.94	1.39	1.51
3	H	110	I06	C12-C7	-2.93	1.40	1.51
2	F	106	GLA	C1-C2	2.87	1.59	1.52
3	P	117	I06	C9-C13	-2.84	1.46	1.51
3	G	108	I06	C12-C7	-2.83	1.40	1.51
2	N	113	GLA	O4-C4	-2.50	1.37	1.43
3	O	115	I06	C10-C16	-2.37	1.47	1.51
2	L	111	GLA	C1-C2	2.22	1.57	1.52
3	H	110	I06	C10-C16	-2.21	1.48	1.51
2	P	116	GLA	C4-C5	2.07	1.57	1.53
2	H	109	GLA	C1-C2	-2.03	1.47	1.52
2	M	112	GLA	C4-C5	2.01	1.57	1.53
2	L	111	GLA	C3-C2	2.00	1.57	1.52

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	P	117	I06	C9-C10-C16	7.31	120.58	109.98

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	O	115	I06	C9-C10-C16	7.24	120.49	109.98
3	G	108	I06	C9-C10-C16	7.03	120.18	109.98
3	H	110	I06	C9-C10-C16	6.98	120.11	109.98
3	G	108	I06	CB-CA-N14	-5.89	104.09	111.48
3	G	108	I06	C8-C9-C10	5.86	120.29	110.71
3	O	115	I06	C8-C9-C10	5.86	120.28	110.71
3	P	117	I06	C8-C9-C10	5.74	120.09	110.71
3	H	110	I06	C11-C10-C9	5.66	119.96	110.71
3	H	110	I06	C8-C9-C10	5.48	119.66	110.71
3	O	115	I06	C11-C10-C9	5.39	119.52	110.71
3	G	108	I06	C11-C10-C9	5.36	119.47	110.71
3	P	117	I06	C11-C10-C9	5.24	119.27	110.71
3	O	115	I06	C7-C8-C9	4.85	120.20	111.77
3	H	110	I06	C7-C12-C11	4.75	121.10	111.42
3	G	108	I06	C12-C11-C10	4.68	119.91	111.77
3	P	117	I06	C12-C11-C10	4.67	119.89	111.77
3	H	110	I06	C12-C7-C8	4.66	120.92	111.42
3	P	117	I06	C12-C7-C8	4.63	120.85	111.42
3	P	117	I06	C7-C8-C9	4.61	119.78	111.77
3	G	108	I06	C12-C7-C8	4.59	120.76	111.42
3	G	108	I06	C11-C10-C16	4.52	120.31	111.13
3	O	115	I06	C12-C7-C8	4.52	120.63	111.42
3	H	110	I06	C7-C8-C9	4.48	119.55	111.77
3	G	108	I06	C7-C8-C9	4.46	119.52	111.77
3	P	117	I06	C11-C10-C16	4.44	120.14	111.13
3	O	115	I06	C12-C11-C10	4.43	119.48	111.77
3	O	115	I06	C11-C10-C16	4.36	119.98	111.13
3	H	110	I06	C11-C10-C16	4.33	119.92	111.13
3	P	117	I06	C7-C12-C11	4.27	120.12	111.42
3	G	108	I06	C7-C12-C11	4.23	120.03	111.42
3	O	115	I06	C7-C12-C11	4.15	119.88	111.42
3	H	110	I06	C8-C9-C13	4.10	119.53	111.41
3	H	110	I06	C12-C11-C10	4.04	118.79	111.77
2	H	109	GLA	C4-C3-C2	-3.93	103.97	110.82
3	G	108	I06	C8-C9-C13	3.80	118.93	111.41
3	P	117	I06	C8-C9-C13	3.77	118.86	111.41
2	M	112	GLA	C6-C5-C4	-3.76	104.19	113.00
3	H	110	I06	CB-CA-N14	-3.72	106.81	111.48
3	O	115	I06	C8-C9-C13	3.67	118.68	111.41
2	O	114	GLA	O2-C2-C3	-3.67	101.86	110.35
3	O	115	I06	CB-CA-N14	-3.61	106.94	111.48
2	N	113	GLA	O1-C1-O5	-3.40	100.19	110.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	O	114	GLA	C3-C4-C5	-3.39	104.20	110.24
2	P	116	GLA	O2-C2-C3	-3.06	103.27	110.35
2	P	116	GLA	C1-C2-C3	2.84	116.20	110.31
2	O	114	GLA	O4-C4-C5	2.82	116.30	109.30
2	F	106	GLA	C1-O5-C5	2.72	118.79	113.66
2	P	116	GLA	C6-C5-C4	-2.64	106.82	113.00
2	H	109	GLA	O4-C4-C3	-2.56	104.43	110.35
3	P	117	I06	CB-CA-N14	-2.56	108.27	111.48
2	D	104	GLA	O2-C2-C3	-2.47	104.64	110.35
2	O	114	GLA	C1-C2-C3	2.44	115.38	110.31
2	H	109	GLA	O1-C1-C2	-2.43	102.18	109.03
2	H	109	GLA	O5-C1-C2	2.38	114.53	110.28
2	P	116	GLA	O5-C5-C4	2.37	114.00	109.69
2	N	113	GLA	O2-C2-C3	-2.33	104.97	110.35
2	F	106	GLA	O6-C6-C5	-2.27	103.51	111.29
2	D	104	GLA	C1-C2-C3	2.23	114.94	110.31
2	E	105	GLA	C6-C5-C4	-2.17	107.91	113.00
2	L	111	GLA	O4-C4-C3	-2.10	105.50	110.35
2	O	114	GLA	C6-C5-C4	-2.10	108.09	113.00
2	M	112	GLA	C1-C2-C3	2.09	114.65	110.31
2	N	113	GLA	C1-C2-C3	2.08	114.63	110.31
2	H	109	GLA	C1-C2-C3	2.06	114.58	110.31
2	N	113	GLA	C4-C3-C2	-2.04	107.27	110.82

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	P	116	GLA	C4-C5-C6-O6
2	P	116	GLA	O5-C5-C6-O6


There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	110	I06	1	0
2	P	116	GLA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	D	103/103 (100%)	-0.35	1 (0%) 82 80	7, 13, 25, 50	0
1	E	103/103 (100%)	-0.42	1 (0%) 82 80	9, 13, 25, 36	0
1	F	103/103 (100%)	-0.38	1 (0%) 82 80	8, 13, 23, 52	0
1	G	103/103 (100%)	-0.40	1 (0%) 82 80	8, 12, 24, 41	0
1	H	103/103 (100%)	-0.39	1 (0%) 82 80	9, 12, 22, 56	0
1	L	103/103 (100%)	-0.10	1 (0%) 82 80	10, 17, 30, 53	0
1	M	103/103 (100%)	-0.26	0 100 100	9, 14, 29, 43	0
1	N	103/103 (100%)	-0.31	2 (1%) 66 63	9, 15, 27, 50	0
1	O	103/103 (100%)	-0.35	1 (0%) 82 80	8, 14, 26, 48	0
1	P	103/103 (100%)	-0.33	1 (0%) 82 80	10, 14, 27, 50	0
All	All	1030/1030 (100%)	-0.33	10 (0%) 82 80	7, 13, 27, 56	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	103	ASN	4.4
1	H	103	ASN	4.2
1	O	103	ASN	3.7
1	L	13	ARG	2.8
1	D	103	ASN	2.7
1	G	103	ASN	2.7
1	N	103	ASN	2.2
1	E	59	ASP	2.2
1	P	103	ASN	2.1
1	N	55	SER	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	I06	H	110	20/20	0.86	0.15	13,15,18,18	0
3	I06	G	108	20/20	0.89	0.15	9,11,14,16	0
3	I06	O	115	20/20	0.90	0.16	12,15,19,20	0
2	GLA	L	111	12/12	0.91	0.14	19,22,25,30	0
2	GLA	N	113	12/12	0.92	0.10	11,14,18,20	0
3	I06	P	117	20/20	0.93	0.10	12,15,18,19	0
2	GLA	F	106	12/12	0.94	0.09	8,13,18,24	0
2	GLA	D	104	12/12	0.95	0.08	9,13,18,22	0
2	GLA	P	116	12/12	0.95	0.08	10,13,15,15	0
2	GLA	O	114	12/12	0.95	0.09	11,14,16,17	0
2	GLA	G	107	12/12	0.96	0.07	9,10,12,14	0
2	GLA	E	105	12/12	0.96	0.08	10,13,17,19	0
2	GLA	H	109	12/12	0.96	0.08	10,12,13,13	0
2	GLA	M	112	12/12	0.96	0.07	12,13,16,19	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around I06 H 110:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around I06 G 108:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around I06 O 115:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around I06 P 117:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers

There are no such residues in this entry.