



Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 06:53 pm BST

PDB ID : 2EJ3
Title : Crystal Structure of T.th.HB8 Branched-Chain Amino Acid Aminotransferase
Complexed with Gabapentin
Authors : Goto, M.
Deposited on : 2007-03-14
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	308	<div> <div>3%</div> <div> <div></div> <div>78%</div> <div>17%</div> <div>• •</div> </div> </div>
1	B	308	<div> <div>%</div> <div> <div></div> <div>86%</div> <div>12%</div> <div>• •</div> </div> </div>
1	C	308	<div> <div>3%</div> <div> <div></div> <div>77%</div> <div>18%</div> <div>• 5%</div> </div> </div>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7559 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Branched-chain amino acid aminotransferase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	297	Total	C	N	O	S	0	0	0
			2289	1464	395	420	10			
1	B	304	Total	C	N	O	S	0	0	0
			2354	1507	408	429	10			
1	C	294	Total	C	N	O	S	0	0	0
			2272	1455	393	414	10			

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: $C_8H_{10}NO_6P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	C	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 3 is [1-(AMINOMETHYL)CYCLOHEXYL]ACETIC ACID (three-letter code: GBN) (formula: $C_9H_{17}NO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			12	9	1	2		
3	B	1	Total	C	N	O	0	0
			12	9	1	2		
3	C	1	Total	C	N	O	0	0
			12	9	1	2		

- Molecule 4 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			8	6	2		
4	A	1	Total	C	O	0	0
			8	6	2		
4	B	1	Total	C	O	0	0
			8	6	2		
4	B	1	Total	C	O	0	0
			8	6	2		
4	C	1	Total	C	O	0	0
			8	6	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	161	Total	O	0	0
			161	161		
5	B	203	Total	O	0	0
			203	203		
5	C	159	Total	O	0	0
			159	159		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Branched-chain amino acid aminotransferase



- Molecule 1: Branched-chain amino acid aminotransferase



- Molecule 1: Branched-chain amino acid aminotransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	143.71Å 143.71Å 115.72Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.93 – 2.20 20.02 – 2.20	Depositor EDS
% Data completeness (in resolution range)	97.7 (19.93-2.20) 97.8 (20.02-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.97 (at 2.19Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.188 , 0.219 0.173 , 0.206	Depositor DCC
R_{free} test set	6117 reflections (10.13%)	wwPDB-VP
Wilson B-factor (Å ²)	20.9	Xtriage
Anisotropy	0.446	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.48 , 75.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7559	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GBN, MPD, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/2341	0.60	0/3183
1	B	0.32	0/2408	0.61	0/3269
1	C	0.32	0/2324	0.60	0/3157
All	All	0.32	0/7073	0.61	0/9609

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	164	TYR	Sidechain
1	B	164	TYR	Sidechain
1	C	164	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2289	0	2246	42	0
1	B	2354	0	2338	28	0
1	C	2272	0	2245	43	0
2	A	15	0	7	0	0
2	B	15	0	7	2	0
2	C	15	0	6	1	0
3	A	12	0	16	1	0
3	B	12	0	16	2	0
3	C	12	0	16	2	0
4	A	16	0	28	7	0
4	B	16	0	28	2	0
4	C	8	0	14	5	0
5	A	161	0	0	4	0
5	B	203	0	0	4	0
5	C	159	0	0	5	0
All	All	7559	0	6967	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:196:GLY:HA3	3:C:1414:GBN:H6R1	1.67	0.77
1:A:219:ILE:HG12	4:A:1417:MPD:HM3	1.74	0.69
1:B:196:GLY:HA3	3:B:914:GBN:H6R1	1.74	0.68
1:B:220:THR:O	1:B:224:VAL:HG23	1.94	0.67
1:C:142:ILE:HD11	1:C:268:TRP:CZ2	2.29	0.67
1:C:82:ILE:O	1:C:85:VAL:HG12	1.96	0.65
1:A:82:ILE:O	1:A:85:VAL:HG12	1.97	0.65
4:A:2416:MPD:H53	5:A:2472:HOH:O	1.96	0.65
1:B:124:TRP:HE1	4:B:915:MPD:H53	1.62	0.65
1:C:140:ARG:HH21	1:C:268:TRP:HZ3	1.46	0.64
1:C:48:PRO:HD2	1:C:306:ASN:HD22	1.67	0.60
1:B:224:VAL:HG21	1:B:254:THR:HG21	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:196:GLY:HA3	3:A:2414:GBN:H6R1	1.85	0.59
1:B:137:LYS:HB3	1:B:137:LYS:NZ	2.18	0.58
1:B:105:LYS:HE3	5:B:1086:HOH:O	2.03	0.57
1:B:196:GLY:O	3:B:914:GBN:H32	2.06	0.56
1:C:140:ARG:NH2	1:C:268:TRP:HZ3	2.04	0.56
1:C:76:GLU:H	1:C:76:GLU:CD	2.08	0.55
1:C:141:LEU:CD2	1:C:181:GLU:HB3	2.37	0.55
1:A:88:ARG:HG3	1:A:88:ARG:HH11	1.71	0.55
1:A:254:THR:HA	1:A:259:GLU:O	2.07	0.54
1:C:220:THR:O	1:C:224:VAL:HG23	2.07	0.54
1:C:55:GLU:OE1	4:C:1416:MPD:HM2	2.06	0.54
1:A:212:HIS:HD2	5:A:2511:HOH:O	1.91	0.53
1:A:149:PHE:CG	1:A:154:MET:HB2	2.44	0.53
1:A:217:GLU:OE2	4:A:1417:MPD:H51	2.09	0.53
1:A:142:ILE:HD11	1:A:268:TRP:CZ2	2.44	0.52
4:C:1416:MPD:H53	5:C:1569:HOH:O	2.09	0.52
1:C:48:PRO:HG3	1:C:92:ARG:HA	1.92	0.52
1:C:61:TYR:CE1	1:C:78:LEU:HD22	2.44	0.52
1:C:149:PHE:CG	1:C:154:MET:HB2	2.45	0.52
1:B:48:PRO:HG3	1:B:92:ARG:HA	1.92	0.51
1:A:55:GLU:OE2	4:A:1417:MPD:HM2	2.10	0.50
1:A:141:LEU:CD2	1:A:181:GLU:HB3	2.42	0.50
1:C:3:ILE:HA	5:C:1508:HOH:O	2.13	0.49
1:C:40:ARG:HG3	1:C:256:THR:HG22	1.94	0.49
1:B:159:LYS:NZ	2:B:913:PLP:O3	2.46	0.48
1:A:48:PRO:HG3	1:A:92:ARG:HA	1.94	0.48
1:C:105:LYS:HG3	5:C:1509:HOH:O	2.12	0.48
1:B:164:TYR:N	1:B:164:TYR:CD1	2.81	0.48
4:A:1417:MPD:H53	5:A:2532:HOH:O	2.14	0.48
1:A:183:LEU:C	1:A:183:LEU:HD23	2.33	0.48
1:C:196:GLY:O	3:C:1414:GBN:H32	2.14	0.48
1:A:255:GLY:O	1:A:259:GLU:N	2.47	0.48
1:A:40:ARG:HG3	1:A:256:THR:CG2	2.43	0.47
1:A:76:GLU:H	1:A:76:GLU:CD	2.17	0.47
1:C:61:TYR:OH	1:C:78:LEU:HD13	2.14	0.47
1:C:243:ASP:O	1:C:247:MET:HG2	2.13	0.47
1:C:193:GLU:HB2	1:C:197:GLU:O	2.14	0.47
1:C:40:ARG:HG3	1:C:256:THR:CG2	2.45	0.47
1:C:224:VAL:HG21	1:C:254:THR:HG21	1.97	0.47
1:A:82:ILE:HG23	1:A:96:ILE:HG21	1.97	0.46
1:B:82:ILE:O	1:B:85:VAL:HG12	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:255:GLY:O	1:C:259:GLU:N	2.48	0.46
1:C:197:GLU:HB3	1:C:253:MET:HB2	1.98	0.46
1:A:224:VAL:CG2	1:A:283:LEU:HD13	2.46	0.46
1:C:219:ILE:HG12	4:C:1416:MPD:HM3	1.98	0.46
1:C:153:VAL:HG12	1:C:154:MET:HG2	1.96	0.46
1:A:213:SER:HB3	1:C:239:ARG:NH2	2.31	0.46
4:A:1417:MPD:HM1	5:A:2524:HOH:O	2.16	0.45
1:B:254:THR:HA	1:B:259:GLU:O	2.16	0.45
1:A:84:GLU:OE1	1:A:88:ARG:NH1	2.50	0.45
1:B:174:ALA:HB2	1:B:182:ALA:HB2	1.99	0.45
1:A:141:LEU:HD22	1:A:181:GLU:HB3	1.99	0.45
1:C:69:MET:HG3	1:C:117:ALA:HB2	1.99	0.45
4:C:1416:MPD:HM1	5:C:1521:HOH:O	2.17	0.45
1:B:273:LYS:HG2	5:B:1009:HOH:O	2.16	0.45
1:C:159:LYS:NZ	2:C:1413:PLP:O3	2.44	0.44
1:B:149:PHE:CG	1:B:154:MET:HB2	2.52	0.44
1:C:48:PRO:HD2	1:C:306:ASN:ND2	2.31	0.44
1:B:193:GLU:OE1	2:B:913:PLP:N1	2.50	0.44
1:A:87:ARG:HG3	1:A:305:VAL:CG1	2.48	0.44
1:A:220:THR:O	1:A:224:VAL:HG12	2.18	0.44
1:A:211:GLU:HG3	1:A:238:VAL:C	2.38	0.44
1:B:212:HIS:O	1:B:213:SER:C	2.57	0.44
1:B:27:HIS:HB3	1:B:102:MET:HB2	2.00	0.43
1:C:217:GLU:OE2	4:C:1416:MPD:H51	2.17	0.43
1:C:288:LEU:HA	1:C:291:VAL:HG22	2.00	0.43
1:A:239:ARG:HG3	5:C:1544:HOH:O	2.19	0.43
1:B:226:ARG:HD2	5:B:1071:HOH:O	2.16	0.43
1:A:243:ASP:N	1:A:243:ASP:OD1	2.51	0.43
1:C:174:ALA:HB2	1:C:182:ALA:HB2	2.01	0.43
1:A:164:TYR:CD1	1:A:164:TYR:N	2.87	0.42
1:A:197:GLU:HB3	1:A:253:MET:HB3	2.02	0.42
1:C:212:HIS:O	1:C:213:SER:C	2.57	0.42
1:B:66:VAL:HG11	1:B:155:PRO:CB	2.49	0.42
1:A:36:PHE:CE1	1:A:159:LYS:HD3	2.54	0.42
1:A:243:ASP:HA	1:A:246:TYR:CD1	2.55	0.42
1:C:66:VAL:HG11	1:C:155:PRO:CB	2.50	0.42
1:C:211:GLU:HG3	1:C:238:VAL:C	2.40	0.42
1:A:198:ASN:OD1	1:A:218:GLY:HA3	2.19	0.42
1:A:243:ASP:O	1:A:247:MET:HG2	2.20	0.42
1:C:198:ASN:OD1	1:C:218:GLY:HA3	2.19	0.42
1:C:243:ASP:HA	1:C:246:TYR:CD1	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:209:ALA:O	1:B:237:VAL:HA	2.20	0.41
1:C:9:TRP:O	1:C:120:MET:HA	2.20	0.41
1:A:9:TRP:O	1:A:120:MET:HA	2.20	0.41
1:B:140:ARG:HH11	1:B:140:ARG:HG3	1.86	0.41
1:C:254:THR:HA	1:C:259:GLU:O	2.20	0.41
1:A:296:PRO:HA	1:A:299:GLU:HG2	2.03	0.41
1:A:40:ARG:HG3	1:A:256:THR:HG22	2.03	0.41
1:A:153:VAL:HG12	1:A:154:MET:HG2	2.03	0.41
1:A:56:HIS:CE1	1:A:219:ILE:HD12	2.56	0.41
1:C:112:LEU:HB2	1:C:113:PRO:HD3	2.02	0.41
1:C:93:SER:O	1:C:125:GLU:OE1	2.39	0.41
1:A:250:GLU:CD	1:A:277:GLY:HA3	2.42	0.41
1:A:277:GLY:O	1:A:281:LEU:HG	2.21	0.41
1:B:149:PHE:HA	1:B:150:PRO:HD3	1.91	0.41
1:C:181:GLU:HG3	1:C:182:ALA:N	2.36	0.41
1:B:153:VAL:HG12	1:B:154:MET:HG2	2.02	0.41
1:A:227:ILE:HG23	1:A:286:VAL:HG11	2.03	0.40
1:B:28:ALA:CB	1:B:101:TRP:HB2	2.51	0.40
1:A:209:ALA:O	1:A:237:VAL:HA	2.21	0.40
1:B:217:GLU:OE2	4:B:917:MPD:H51	2.21	0.40
1:B:105:LYS:HG3	5:B:1008:HOH:O	2.20	0.40
1:B:193:GLU:HB2	1:B:197:GLU:O	2.21	0.40
1:A:230:ASP:HB3	4:A:2416:MPD:H51	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	293/308 (95%)	282 (96%)	10 (3%)	1 (0%)	41	46
1	B	302/308 (98%)	293 (97%)	8 (3%)	1 (0%)	41	46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	290/308 (94%)	281 (97%)	9 (3%)	0	100	100
All	All	885/924 (96%)	856 (97%)	27 (3%)	2 (0%)	47	55

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	213	SER
1	A	213	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	228/241 (95%)	225 (99%)	3 (1%)	69	81
1	B	235/241 (98%)	231 (98%)	4 (2%)	60	74
1	C	227/241 (94%)	224 (99%)	3 (1%)	69	81
All	All	690/723 (95%)	680 (99%)	10 (1%)	67	80

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	76	GLU
1	A	120	MET
1	A	149	PHE
1	B	120	MET
1	B	142	ILE
1	B	149	PHE
1	B	253	MET
1	C	76	GLU
1	C	120	MET
1	C	149	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2	GLN
1	A	62	ASN
1	A	212	HIS
1	B	62	ASN
1	C	62	ASN
1	C	306	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	MPD	A	2416	-	7,7,7	0.83	0	9,10,10	0.96	0
3	GBN	B	914	-	8,12,12	1.89	2 (25%)	10,16,16	6.95	3 (30%)
4	MPD	B	915	-	7,7,7	0.87	0	9,10,10	1.01	0
2	PLP	B	913	1	15,15,16	1.20	1 (6%)	20,22,23	1.39	2 (10%)
2	PLP	C	1413	1	15,15,16	1.25	1 (6%)	20,22,23	1.59	4 (20%)
4	MPD	B	917	-	7,7,7	0.82	0	9,10,10	1.08	0
4	MPD	C	1416	-	7,7,7	0.86	0	9,10,10	0.85	0
4	MPD	A	1417	-	7,7,7	0.82	0	9,10,10	0.89	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GBN	C	1414	-	8,12,12	1.93	2 (25%)	10,16,16	6.81	3 (30%)
3	GBN	A	2414	-	8,12,12	1.92	2 (25%)	10,16,16	6.82	3 (30%)
2	PLP	A	413	1	15,15,16	1.20	1 (6%)	20,22,23	1.27	2 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MPD	A	2416	-	-	1/5/5/5	-
3	GBN	B	914	-	-	0/6/18/18	0/1/1/1
4	MPD	B	915	-	-	4/5/5/5	-
2	PLP	B	913	1	-	0/6/6/8	0/1/1/1
2	PLP	C	1413	1	-	0/6/6/8	0/1/1/1
4	MPD	B	917	-	-	1/5/5/5	-
4	MPD	C	1416	-	-	1/5/5/5	-
4	MPD	A	1417	-	-	1/5/5/5	-
3	GBN	C	1414	-	-	0/6/18/18	0/1/1/1
3	GBN	A	2414	-	-	0/6/18/18	0/1/1/1
2	PLP	A	413	1	-	0/6/6/8	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	914	GBN	C3-C1R	3.25	1.59	1.55
3	C	1414	GBN	C3-C1R	3.05	1.59	1.55
2	C	1413	PLP	C4A-C4	2.94	1.57	1.51
3	A	2414	GBN	C3-C1R	2.93	1.58	1.55
3	A	2414	GBN	C2R-C3R	2.56	1.58	1.52
3	C	1414	GBN	C2R-C3R	2.50	1.58	1.52
2	A	413	PLP	C4A-C4	2.49	1.56	1.51
3	B	914	GBN	C2R-C3R	2.36	1.58	1.52
2	B	913	PLP	C4A-C4	2.34	1.56	1.51

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	914	GBN	C2-C1R-C3	-20.41	86.90	110.46
3	A	2414	GBN	C2-C1R-C3	-20.00	87.37	110.46
3	C	1414	GBN	C2-C1R-C3	-19.99	87.38	110.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	914	GBN	C1R-C3-C	7.00	129.21	116.47
3	A	2414	GBN	C1R-C3-C	6.94	129.09	116.47
3	C	1414	GBN	C1R-C3-C	6.89	129.01	116.47
2	C	1413	PLP	C4A-C4-C5	3.60	124.64	120.94
3	A	2414	GBN	C3R-C2R-C1R	-3.41	107.89	113.62
3	C	1414	GBN	C3R-C2R-C1R	-3.35	107.99	113.62
3	B	914	GBN	C3R-C2R-C1R	-3.23	108.20	113.62
2	B	913	PLP	C4A-C4-C5	2.94	123.96	120.94
2	A	413	PLP	O4P-C5A-C5	2.61	114.32	109.35
2	C	1413	PLP	O4P-C5A-C5	2.60	114.31	109.35
2	A	413	PLP	O3P-P-O1P	2.40	120.08	110.68
2	C	1413	PLP	C6-C5-C4	2.18	119.87	118.16
2	B	913	PLP	O3P-P-O1P	2.17	119.17	110.68
2	C	1413	PLP	O3P-P-O1P	2.10	118.89	110.68

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	915	MPD	O2-C2-C3-C4
4	A	2416	MPD	C2-C3-C4-C5
4	B	915	MPD	C2-C3-C4-C5
4	B	917	MPD	C2-C3-C4-C5
4	C	1416	MPD	C2-C3-C4-C5
4	A	1417	MPD	C2-C3-C4-C5
4	B	915	MPD	C1-C2-C3-C4
4	B	915	MPD	CM-C2-C3-C4

There are no ring outliers.

10 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	2416	MPD	2	0
3	B	914	GBN	2	0
4	B	915	MPD	1	0
2	B	913	PLP	2	0
2	C	1413	PLP	1	0
4	B	917	MPD	1	0
4	C	1416	MPD	5	0
4	A	1417	MPD	5	0
3	C	1414	GBN	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	2414	GBN	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	297/308 (96%)	-0.24	8 (2%) 54 52	12, 20, 32, 57	0
1	B	304/308 (98%)	-0.34	4 (1%) 77 75	12, 19, 29, 42	0
1	C	294/308 (95%)	-0.27	8 (2%) 54 52	12, 19, 33, 50	0
All	All	895/924 (96%)	-0.28	20 (2%) 62 59	12, 19, 32, 57	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	126	TRP	6.6
1	A	126	TRP	5.8
1	A	2	GLN	5.5
1	C	138	GLY	3.2
1	A	45	ALA	3.1
1	A	76	GLU	2.9
1	A	296	PRO	2.9
1	A	125	GLU	2.8
1	C	76	GLU	2.8
1	B	306	ASN	2.7
1	A	16	PRO	2.6
1	B	18	GLU	2.5
1	C	4	LYS	2.5
1	B	236	GLN	2.5
1	A	74	ALA	2.3
1	C	306	ASN	2.3
1	B	82	ILE	2.3
1	C	125	GLU	2.2
1	C	137	LYS	2.1
1	C	296	PRO	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	GBN	B	914	12/12	0.68	0.25	30,42,44,44	0
3	GBN	C	1414	12/12	0.73	0.22	36,39,40,41	0
3	GBN	A	2414	12/12	0.76	0.21	35,38,41,41	0
4	MPD	A	2416	8/8	0.83	0.18	29,31,33,34	0
4	MPD	B	915	8/8	0.87	0.19	59,60,61,61	0
4	MPD	C	1416	8/8	0.88	0.18	22,26,28,29	0
4	MPD	A	1417	8/8	0.90	0.17	23,26,30,33	0
4	MPD	B	917	8/8	0.93	0.13	19,21,27,31	0
2	PLP	A	413	15/16	0.97	0.09	16,18,19,20	0
2	PLP	B	913	15/16	0.98	0.09	14,16,20,21	0
2	PLP	C	1413	15/16	0.98	0.09	17,19,21,22	0

6.5 Other polymers [i](#)

There are no such residues in this entry.