



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 10:39 am BST

PDB ID : 2EKE
Title : Structure of a SUMO-binding-motif mimic bound to Smt3p-Ubc9p: conservation of a noncovalent Ubiquitin-like protein-E2 complex as a platform for selective interactions within a SUMO pathway
Authors : Duda, D.M.; Schulman, B.A.
Deposited on : 2007-03-23
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	157	<div> <div>2%</div> <div> <div></div> <div>81%</div> <div>17%</div> <div>••</div> </div> </div>
1	B	157	<div> <div>6%</div> <div> <div></div> <div>76%</div> <div>22%</div> <div>•</div> </div> </div>
2	C	106	<div> <div>12%</div> <div> <div></div> <div>75%</div> <div>10%</div> <div>•</div> <div>14%</div> </div> </div>
2	D	106	<div> <div>12%</div> <div> <div></div> <div>56%</div> <div>21%</div> <div>••</div> <div>17%</div> </div> </div>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4290 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SUMO-conjugating enzyme UBC9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	154	Total	C	N	O	S	0	0	0
			1243	801	213	226	3			
1	B	154	Total	C	N	O	S	0	0	0
			1243	801	213	226	3			

- Molecule 2 is a protein called Ubiquitin-like protein SMT3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	91	Total	C	N	O	S	0	0	0
			725	451	127	144	3			
2	D	88	Total	C	N	O	S	0	0	0
			704	440	122	139	3			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	93	MET	-	INITIATING METHIONINE	UNP Q12306
C	94	GLY	-	CLONING ARTIFACT	UNP Q12306
C	95	SER	-	CLONING ARTIFACT	UNP Q12306
C	96	SER	-	CLONING ARTIFACT	UNP Q12306
C	97	HIS	-	EXPRESSION TAG	UNP Q12306
C	98	HIS	-	EXPRESSION TAG	UNP Q12306
C	99	HIS	-	EXPRESSION TAG	UNP Q12306
C	100	HIS	-	EXPRESSION TAG	UNP Q12306
C	101	HIS	-	EXPRESSION TAG	UNP Q12306
C	102	HIS	-	EXPRESSION TAG	UNP Q12306
C	103	SER	-	CLONING ARTIFACT	UNP Q12306
C	104	GLN	-	CLONING ARTIFACT	UNP Q12306
C	105	ASP	-	CLONING ARTIFACT	UNP Q12306
C	106	PRO	-	CLONING ARTIFACT	UNP Q12306
C	107	LEU	-	CLONING ARTIFACT	UNP Q12306
C	108	VAL	-	CLONING ARTIFACT	UNP Q12306

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	109	PRO	-	CLONING ARTIFACT	UNP Q12306
C	110	ARG	-	CLONING ARTIFACT	UNP Q12306
C	111	GLY	-	CLONING ARTIFACT	UNP Q12306
C	112	SER	-	CLONING ARTIFACT	UNP Q12306
D	93	MET	-	INITIATING METHIONINE	UNP Q12306
D	94	GLY	-	CLONING ARTIFACT	UNP Q12306
D	95	SER	-	CLONING ARTIFACT	UNP Q12306
D	96	SER	-	CLONING ARTIFACT	UNP Q12306
D	97	HIS	-	EXPRESSION TAG	UNP Q12306
D	98	HIS	-	EXPRESSION TAG	UNP Q12306
D	99	HIS	-	EXPRESSION TAG	UNP Q12306
D	100	HIS	-	EXPRESSION TAG	UNP Q12306
D	101	HIS	-	EXPRESSION TAG	UNP Q12306
D	102	HIS	-	EXPRESSION TAG	UNP Q12306
D	103	SER	-	CLONING ARTIFACT	UNP Q12306
D	104	GLN	-	CLONING ARTIFACT	UNP Q12306
D	105	ASP	-	CLONING ARTIFACT	UNP Q12306
D	106	PRO	-	CLONING ARTIFACT	UNP Q12306
D	107	LEU	-	CLONING ARTIFACT	UNP Q12306
D	108	VAL	-	CLONING ARTIFACT	UNP Q12306
D	109	PRO	-	CLONING ARTIFACT	UNP Q12306
D	110	ARG	-	CLONING ARTIFACT	UNP Q12306
D	111	GLY	-	CLONING ARTIFACT	UNP Q12306
D	112	SER	-	CLONING ARTIFACT	UNP Q12306


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	170	Total O 170 170	0	0
3	B	126	Total O 126 126	0	0
3	C	45	Total O 45 45	0	0
3	D	34	Total O 34 34	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: SUMO-conjugating enzyme UBC9




- Molecule 1: SUMO-conjugating enzyme UBC9



- Molecule 2: Ubiquitin-like protein SMT3



- Molecule 2: Ubiquitin-like protein SMT3



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	120.89Å 84.58Å 80.14Å 90.00° 124.31° 90.00°	Depositor
Resolution (Å)	30.00 – 1.90 39.56 – 1.87	Depositor EDS
% Data completeness (in resolution range)	95.7 (30.00-1.90) 95.7 (39.56-1.87)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.38 (at 1.87Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.225 , 0.250 0.222 , 0.224	Depositor DCC
R_{free} test set	2639 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	26.2	Xtriage
Anisotropy	0.023	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 56.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4290	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/1283	0.59	0/1743
1	B	0.32	0/1283	0.56	0/1743
2	C	0.29	0/737	0.61	0/992
2	D	0.36	0/715	0.97	6/960 (0.6%)
All	All	0.33	0/4018	0.67	6/5438 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1019	LYS	C-N-CD	-16.57	84.15	120.60
2	D	1019	LYS	C-N-CA	8.48	157.60	122.00
2	D	106	PRO	N-CA-C	6.30	128.49	112.10
2	D	1020	PRO	N-CA-C	-6.16	96.09	112.10
2	D	105	ASP	C-N-CD	-5.33	108.88	120.60
2	D	1020	PRO	CA-N-CD	-5.04	104.45	111.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1243	0	1225	22	0
1	B	1243	0	1225	26	0
2	C	725	0	702	16	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	704	0	691	30	0
3	A	170	0	0	2	0
3	B	126	0	0	1	0
3	C	45	0	0	2	0
3	D	34	0	0	2	0
All	All	4290	0	3843	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:105:ASP:N	2:D:106:PRO:HD3	1.83	0.93
2:C:1058:LYS:NZ	2:C:1093:ARG:HH21	1.77	0.83
1:A:30:LYS:HE2	1:A:36:MET:HE3	1.61	0.81
2:D:1019:LYS:N	2:D:1020:PRO:CD	2.44	0.80
1:A:98:ASN:ND2	1:A:100:ASP:H	1.83	0.77
1:A:30:LYS:HG2	1:A:36:MET:CE	2.16	0.75
1:A:98:ASN:HD22	1:A:100:ASP:H	1.32	0.75
2:D:1022:THR:HG22	2:D:1040:LYS:HE3	1.72	0.70
2:D:1019:LYS:N	2:D:1020:PRO:HD3	2.07	0.70
2:D:1019:LYS:N	2:D:1020:PRO:HD2	2.07	0.69
2:D:1022:THR:HB	2:D:1023:HIS:CD2	2.31	0.66
2:C:1058:LYS:HZ2	2:C:1093:ARG:HH21	1.44	0.64
2:D:1022:THR:CG2	2:D:1040:LYS:HE3	2.28	0.64
2:C:1093:ARG:N	2:C:1093:ARG:HH11	1.97	0.63
1:A:30:LYS:HG2	1:A:36:MET:HE1	1.81	0.62
1:B:72:PRO:HB3	1:B:103:TRP:CD2	2.34	0.62
1:B:18:LYS:HE2	2:D:1086:ASN:HB2	1.82	0.61
1:B:17:ARG:HH22	2:D:1084:GLU:HG3	1.64	0.61
1:B:29:VAL:CG1	1:B:42:GLU:HG3	2.32	0.60
2:C:1093:ARG:NH1	2:C:1093:ARG:HG2	2.18	0.58
1:A:98:ASN:C	1:A:98:ASN:HD22	2.07	0.58
1:A:131:GLU:HB3	1:A:132:PRO:HD3	1.85	0.57
1:B:17:ARG:NH2	2:D:1084:GLU:HG3	2.20	0.57
1:B:104:ARG:CG	1:B:107:ILE:HG13	2.35	0.56
1:B:96:ILE:HB	1:B:107:ILE:HD13	1.87	0.56
2:C:1067:TYR:HB2	2:C:1072:ILE:HD11	1.86	0.56
1:B:6:LEU:O	1:B:10:GLN:HG3	2.06	0.55
1:B:68:TYR:CD1	1:B:69:PRO:HA	2.41	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:GLN:O	1:A:11:GLU:HG3	2.07	0.55
1:B:20:HIS:HD2	1:B:21:PRO:O	1.89	0.55
2:C:1093:ARG:HH11	2:C:1093:ARG:HG2	1.71	0.54
1:A:75:VAL:HG12	1:A:92:ILE:HD12	1.89	0.54
2:D:1046:ARG:O	2:D:1050:GLU:HG3	2.08	0.54
1:B:29:VAL:HG12	1:B:42:GLU:HG3	1.90	0.52
1:B:131:GLU:HB3	1:B:132:PRO:HD3	1.91	0.52
2:D:107:LEU:HG	2:D:107:LEU:O	2.10	0.51
2:D:1035:ILE:HD11	2:D:1056:GLN:NE2	2.26	0.51
2:C:1064:ARG:NH1	2:C:1066:LEU:HD11	2.26	0.51
2:D:1066:LEU:HD23	2:D:1071:ARG:HA	1.92	0.50
2:D:1073:GLN:HG3	2:D:1076:GLN:HG3	1.92	0.50
1:A:72:PRO:HB3	1:A:103:TRP:CD2	2.46	0.50
2:C:1064:ARG:HH12	2:C:1066:LEU:HD11	1.77	0.50
1:B:9:LEU:HD13	1:B:38:LEU:O	2.12	0.49
2:D:108:VAL:CG1	3:D:190:HOH:O	2.60	0.49
2:C:108:VAL:O	2:C:108:VAL:HG13	2.12	0.49
1:B:21:PRO:HB2	1:B:24:PHE:CD1	2.47	0.49
1:B:25:TYR:CE2	1:B:44:GLY:HA3	2.47	0.49
1:B:104:ARG:HG3	1:B:107:ILE:HG13	1.94	0.49
2:D:1094:GLU:HG3	2:D:1094:GLU:O	2.13	0.48
2:D:1067:TYR:HB2	2:D:1072:ILE:HD11	1.95	0.48
1:B:107:ILE:HA	1:B:111:GLN:OE1	2.14	0.47
2:C:1058:LYS:HZ2	2:C:1093:ARG:NH2	2.10	0.47
2:D:1046:ARG:HB2	2:D:1074:ALA:HB1	1.95	0.47
1:A:68:TYR:CD1	1:A:69:PRO:HA	2.50	0.47
1:A:98:ASN:HD22	1:A:99:GLU:N	2.12	0.47
1:A:104:ARG:CG	1:A:107:ILE:HG13	2.45	0.47
2:C:1047:ARG:HB2	3:C:1136:HOH:O	2.14	0.47
2:C:1093:ARG:HH11	2:C:1093:ARG:CG	2.28	0.47
1:A:31:LYS:CE	1:A:35:SER:OG	2.63	0.46
1:B:104:ARG:HG2	1:B:107:ILE:HG13	1.97	0.46
1:B:15:LYS:NZ	1:B:108:THR:HG21	2.31	0.46
1:B:37:ASP:OD2	1:B:40:LYS:HB2	2.15	0.46
1:A:98:ASN:HB3	1:A:101:GLN:HB2	1.97	0.45
1:B:96:ILE:HG23	3:B:262:HOH:O	2.16	0.45
2:D:1085:ASP:O	2:D:1086:ASN:HB2	2.16	0.45
2:D:1035:ILE:HD11	2:D:1056:GLN:HE21	1.82	0.45
1:B:96:ILE:O	1:B:103:TRP:HE3	1.98	0.45
2:C:1093:ARG:HH11	2:C:1093:ARG:H	1.61	0.45
2:C:1073:GLN:HB2	2:C:1076:GLN:HG3	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:31:LYS:HE2	1:A:35:SER:OG	2.18	0.44
1:B:7:GLN:O	1:B:11:GLU:HG3	2.17	0.44
1:A:18:LYS:HE3	3:A:233:HOH:O	2.17	0.44
1:A:138:SER:O	1:A:139:ARG:HD3	2.19	0.43
1:A:104:ARG:HG3	1:A:107:ILE:HG13	2.00	0.43
2:D:1048:LEU:C	2:D:1048:LEU:HD23	2.39	0.43
2:D:1039:ILE:HD11	2:D:1078:PRO:CG	2.49	0.43
2:D:1020:PRO:CG	2:D:1020:PRO:O	2.66	0.43
2:D:105:ASP:N	2:D:106:PRO:CD	2.60	0.42
1:A:71:LYS:HD2	1:A:99:GLU:OE1	2.19	0.42
1:B:6:LEU:HD12	1:B:6:LEU:N	2.35	0.42
2:D:1020:PRO:CD	2:D:1020:PRO:O	2.68	0.42
2:D:1050:GLU:HG2	2:D:1060:MET:HG3	2.02	0.42
2:D:1045:LEU:CD1	2:D:1072:ILE:HG21	2.50	0.41
2:D:108:VAL:HG13	3:D:190:HOH:O	2.21	0.41
2:C:1058:LYS:NZ	2:C:1093:ARG:NH2	2.57	0.41
2:C:1093:ARG:HD2	3:C:1130:HOH:O	2.21	0.41
2:D:1073:GLN:HG2	2:D:1076:GLN:OE1	2.21	0.41
1:A:15:LYS:NZ	1:A:108:THR:HG21	2.37	0.40
1:B:73:PRO:HD2	1:B:97:LEU:HD22	2.03	0.40
1:A:99:GLU:HG2	3:A:215:HOH:O	2.22	0.40
1:B:33:ASP:OD1	1:B:35:SER:HB3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	152/157 (97%)	148 (97%)	4 (3%)	0	100	100
1	B	152/157 (97%)	143 (94%)	9 (6%)	0	100	100
2	C	89/106 (84%)	88 (99%)	0	1 (1%)	14	5

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	D	84/106 (79%)	76 (90%)	4 (5%)	4 (5%)	2	0
All	All	477/526 (91%)	455 (95%)	17 (4%)	5 (1%)	15	6

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	106	PRO
2	D	1020	PRO
2	D	107	LEU
2	C	1074	ALA
2	D	1074	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	134/137 (98%)	132 (98%)	2 (2%)	65	62
1	B	134/137 (98%)	133 (99%)	1 (1%)	84	84
2	C	79/95 (83%)	77 (98%)	2 (2%)	47	41
2	D	78/95 (82%)	76 (97%)	2 (3%)	46	39
All	All	425/464 (92%)	418 (98%)	7 (2%)	62	60

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	98	ASN
1	A	140	ASN
1	B	140	ASN
2	C	1048	LEU
2	C	1093	ARG
2	D	107	LEU
2	D	1022	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	20	HIS
1	A	98	ASN
1	A	101	GLN
1	A	140	ASN
1	B	20	HIS
1	B	140	ASN
2	C	1056	GLN
2	D	1023	HIS
2	D	1056	GLN
2	D	1086	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	154/157 (98%)	0.07	3 (1%) 66 69	9, 21, 33, 38	7 (4%)
1	B	154/157 (98%)	0.25	9 (5%) 23 25	16, 26, 54, 65	0
2	C	91/106 (85%)	0.66	13 (14%) 2 2	20, 34, 64, 72	0
2	D	88/106 (83%)	0.93	13 (14%) 2 2	23, 38, 69, 76	0
All	All	487/526 (92%)	0.39	38 (7%) 13 14	9, 27, 58, 76	7 (1%)

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	93	CYS	11.2
2	D	1020	PRO	8.5
2	C	1018	VAL	8.4
2	D	105	ASP	8.1
2	D	1019	LYS	8.1
2	D	1014	VAL	7.5
2	C	1021	GLU	6.5
2	C	1017	GLU	5.4
1	B	4	LEU	5.3
1	B	32	ALA	5.3
2	C	105	ASP	5.2
2	C	1020	PRO	4.9
2	C	1016	PRO	4.7
2	D	106	PRO	4.5
2	D	1016	PRO	4.2
1	B	33	ASP	4.2
2	C	1095	GLN	4.1
1	B	34	GLY	4.0
2	D	1047	ARG	3.9
1	B	3	SER	3.9
2	C	1019	LYS	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	1093	ARG	3.8
2	D	1061	ASP	3.7
2	C	1047	ARG	3.6
2	D	1021	GLU	3.4
2	C	1061	ASP	3.1
2	D	1075	ASP	3.0
2	D	1013	GLU	2.8
1	B	35	SER	2.7
2	C	107	LEU	2.6
2	D	111	GLY	2.5
1	A	146	LYS	2.4
1	B	135	ARG	2.4
1	B	31	LYS	2.3
2	D	1015	LYS	2.3
1	B	7	GLN	2.3
2	C	106	PRO	2.1
1	A	153	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.