



wwPDB X-ray Structure Validation Summary Report ⓘ

May 25, 2020 – 10:24 am BST

PDB ID : 3EK1
Title : Crystal structure of aldehyde dehydrogenase from brucella melitensis biovar abortus 2308
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2008-09-18
Resolution : 2.10 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	504	<div> <div style="width: 87%;"></div> <div style="width: 9%;"></div> <div style="width: 4%;"></div> <div style="width: 4%;"></div> </div> 87% 9% .
1	B	504	<div> <div style="width: 87%;"></div> <div style="width: 8%;"></div> <div style="width: 4%;"></div> <div style="width: 1%;"></div> </div> 87% 8% . .
1	C	504	<div> <div style="width: 86%;"></div> <div style="width: 9%;"></div> <div style="width: 4%;"></div> <div style="width: 1%;"></div> </div> 86% 9% . .
1	D	504	<div> <div style="width: 81%;"></div> <div style="width: 13%;"></div> <div style="width: 4%;"></div> <div style="width: 2%;"></div> </div> 81% 13% . .
1	E	504	<div> <div style="width: 83%;"></div> <div style="width: 12%;"></div> <div style="width: 4%;"></div> <div style="width: 1%;"></div> </div> 83% 12% . .
1	F	504	<div> <div style="width: 86%;"></div> <div style="width: 10%;"></div> <div style="width: 4%;"></div> <div style="width: 0%;"></div> </div> 86% 10% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	504	<div><div><div>%</div><div><div></div><div>84%</div><div>11%</div><div></div></div><div></div></div></div>
1	H	504	<div><div><div>2%</div><div><div></div><div>81%</div><div>14%</div><div></div></div><div></div></div></div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 32199 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aldehyde dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	485	Total	C	N	O	S	0	3	0
			3635	2312	615	692	16			
1	B	483	Total	C	N	O	S	0	3	0
			3611	2299	611	686	15			
1	C	483	Total	C	N	O	S	0	3	0
			3614	2300	610	688	16			
1	D	483	Total	C	N	O	S	0	2	0
			3608	2296	610	686	16			
1	E	483	Total	C	N	O	S	0	3	0
			3604	2295	607	686	16			
1	F	483	Total	C	N	O	S	0	3	0
			3617	2301	611	689	16			
1	G	482	Total	C	N	O	S	0	3	0
			3605	2294	610	686	15			
1	H	483	Total	C	N	O	S	0	4	0
			3627	2308	612	691	16			

There are 168 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	expression tag	UNP Q2YRI3
A	-19	ALA	-	expression tag	UNP Q2YRI3
A	-18	HIS	-	expression tag	UNP Q2YRI3
A	-17	HIS	-	expression tag	UNP Q2YRI3
A	-16	HIS	-	expression tag	UNP Q2YRI3
A	-15	HIS	-	expression tag	UNP Q2YRI3
A	-14	HIS	-	expression tag	UNP Q2YRI3
A	-13	HIS	-	expression tag	UNP Q2YRI3
A	-12	MET	-	expression tag	UNP Q2YRI3
A	-11	GLY	-	expression tag	UNP Q2YRI3
A	-10	THR	-	expression tag	UNP Q2YRI3
A	-9	LEU	-	expression tag	UNP Q2YRI3
A	-8	GLU	-	expression tag	UNP Q2YRI3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	ALA	-	expression tag	UNP Q2YRI3
A	-6	GLN	-	expression tag	UNP Q2YRI3
A	-5	THR	-	expression tag	UNP Q2YRI3
A	-4	GLN	-	expression tag	UNP Q2YRI3
A	-3	GLY	-	expression tag	UNP Q2YRI3
A	-2	PRO	-	expression tag	UNP Q2YRI3
A	-1	GLY	-	expression tag	UNP Q2YRI3
A	0	SER	-	expression tag	UNP Q2YRI3
B	-20	MET	-	expression tag	UNP Q2YRI3
B	-19	ALA	-	expression tag	UNP Q2YRI3
B	-18	HIS	-	expression tag	UNP Q2YRI3
B	-17	HIS	-	expression tag	UNP Q2YRI3
B	-16	HIS	-	expression tag	UNP Q2YRI3
B	-15	HIS	-	expression tag	UNP Q2YRI3
B	-14	HIS	-	expression tag	UNP Q2YRI3
B	-13	HIS	-	expression tag	UNP Q2YRI3
B	-12	MET	-	expression tag	UNP Q2YRI3
B	-11	GLY	-	expression tag	UNP Q2YRI3
B	-10	THR	-	expression tag	UNP Q2YRI3
B	-9	LEU	-	expression tag	UNP Q2YRI3
B	-8	GLU	-	expression tag	UNP Q2YRI3
B	-7	ALA	-	expression tag	UNP Q2YRI3
B	-6	GLN	-	expression tag	UNP Q2YRI3
B	-5	THR	-	expression tag	UNP Q2YRI3
B	-4	GLN	-	expression tag	UNP Q2YRI3
B	-3	GLY	-	expression tag	UNP Q2YRI3
B	-2	PRO	-	expression tag	UNP Q2YRI3
B	-1	GLY	-	expression tag	UNP Q2YRI3
B	0	SER	-	expression tag	UNP Q2YRI3
C	-20	MET	-	expression tag	UNP Q2YRI3
C	-19	ALA	-	expression tag	UNP Q2YRI3
C	-18	HIS	-	expression tag	UNP Q2YRI3
C	-17	HIS	-	expression tag	UNP Q2YRI3
C	-16	HIS	-	expression tag	UNP Q2YRI3
C	-15	HIS	-	expression tag	UNP Q2YRI3
C	-14	HIS	-	expression tag	UNP Q2YRI3
C	-13	HIS	-	expression tag	UNP Q2YRI3
C	-12	MET	-	expression tag	UNP Q2YRI3
C	-11	GLY	-	expression tag	UNP Q2YRI3
C	-10	THR	-	expression tag	UNP Q2YRI3
C	-9	LEU	-	expression tag	UNP Q2YRI3
C	-8	GLU	-	expression tag	UNP Q2YRI3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-7	ALA	-	expression tag	UNP Q2YRI3
C	-6	GLN	-	expression tag	UNP Q2YRI3
C	-5	THR	-	expression tag	UNP Q2YRI3
C	-4	GLN	-	expression tag	UNP Q2YRI3
C	-3	GLY	-	expression tag	UNP Q2YRI3
C	-2	PRO	-	expression tag	UNP Q2YRI3
C	-1	GLY	-	expression tag	UNP Q2YRI3
C	0	SER	-	expression tag	UNP Q2YRI3
D	-20	MET	-	expression tag	UNP Q2YRI3
D	-19	ALA	-	expression tag	UNP Q2YRI3
D	-18	HIS	-	expression tag	UNP Q2YRI3
D	-17	HIS	-	expression tag	UNP Q2YRI3
D	-16	HIS	-	expression tag	UNP Q2YRI3
D	-15	HIS	-	expression tag	UNP Q2YRI3
D	-14	HIS	-	expression tag	UNP Q2YRI3
D	-13	HIS	-	expression tag	UNP Q2YRI3
D	-12	MET	-	expression tag	UNP Q2YRI3
D	-11	GLY	-	expression tag	UNP Q2YRI3
D	-10	THR	-	expression tag	UNP Q2YRI3
D	-9	LEU	-	expression tag	UNP Q2YRI3
D	-8	GLU	-	expression tag	UNP Q2YRI3
D	-7	ALA	-	expression tag	UNP Q2YRI3
D	-6	GLN	-	expression tag	UNP Q2YRI3
D	-5	THR	-	expression tag	UNP Q2YRI3
D	-4	GLN	-	expression tag	UNP Q2YRI3
D	-3	GLY	-	expression tag	UNP Q2YRI3
D	-2	PRO	-	expression tag	UNP Q2YRI3
D	-1	GLY	-	expression tag	UNP Q2YRI3
D	0	SER	-	expression tag	UNP Q2YRI3
E	-20	MET	-	expression tag	UNP Q2YRI3
E	-19	ALA	-	expression tag	UNP Q2YRI3
E	-18	HIS	-	expression tag	UNP Q2YRI3
E	-17	HIS	-	expression tag	UNP Q2YRI3
E	-16	HIS	-	expression tag	UNP Q2YRI3
E	-15	HIS	-	expression tag	UNP Q2YRI3
E	-14	HIS	-	expression tag	UNP Q2YRI3
E	-13	HIS	-	expression tag	UNP Q2YRI3
E	-12	MET	-	expression tag	UNP Q2YRI3
E	-11	GLY	-	expression tag	UNP Q2YRI3
E	-10	THR	-	expression tag	UNP Q2YRI3
E	-9	LEU	-	expression tag	UNP Q2YRI3
E	-8	GLU	-	expression tag	UNP Q2YRI3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-7	ALA	-	expression tag	UNP Q2YRI3
E	-6	GLN	-	expression tag	UNP Q2YRI3
E	-5	THR	-	expression tag	UNP Q2YRI3
E	-4	GLN	-	expression tag	UNP Q2YRI3
E	-3	GLY	-	expression tag	UNP Q2YRI3
E	-2	PRO	-	expression tag	UNP Q2YRI3
E	-1	GLY	-	expression tag	UNP Q2YRI3
E	0	SER	-	expression tag	UNP Q2YRI3
F	-20	MET	-	expression tag	UNP Q2YRI3
F	-19	ALA	-	expression tag	UNP Q2YRI3
F	-18	HIS	-	expression tag	UNP Q2YRI3
F	-17	HIS	-	expression tag	UNP Q2YRI3
F	-16	HIS	-	expression tag	UNP Q2YRI3
F	-15	HIS	-	expression tag	UNP Q2YRI3
F	-14	HIS	-	expression tag	UNP Q2YRI3
F	-13	HIS	-	expression tag	UNP Q2YRI3
F	-12	MET	-	expression tag	UNP Q2YRI3
F	-11	GLY	-	expression tag	UNP Q2YRI3
F	-10	THR	-	expression tag	UNP Q2YRI3
F	-9	LEU	-	expression tag	UNP Q2YRI3
F	-8	GLU	-	expression tag	UNP Q2YRI3
F	-7	ALA	-	expression tag	UNP Q2YRI3
F	-6	GLN	-	expression tag	UNP Q2YRI3
F	-5	THR	-	expression tag	UNP Q2YRI3
F	-4	GLN	-	expression tag	UNP Q2YRI3
F	-3	GLY	-	expression tag	UNP Q2YRI3
F	-2	PRO	-	expression tag	UNP Q2YRI3
F	-1	GLY	-	expression tag	UNP Q2YRI3
F	0	SER	-	expression tag	UNP Q2YRI3
G	-20	MET	-	expression tag	UNP Q2YRI3
G	-19	ALA	-	expression tag	UNP Q2YRI3
G	-18	HIS	-	expression tag	UNP Q2YRI3
G	-17	HIS	-	expression tag	UNP Q2YRI3
G	-16	HIS	-	expression tag	UNP Q2YRI3
G	-15	HIS	-	expression tag	UNP Q2YRI3
G	-14	HIS	-	expression tag	UNP Q2YRI3
G	-13	HIS	-	expression tag	UNP Q2YRI3
G	-12	MET	-	expression tag	UNP Q2YRI3
G	-11	GLY	-	expression tag	UNP Q2YRI3
G	-10	THR	-	expression tag	UNP Q2YRI3
G	-9	LEU	-	expression tag	UNP Q2YRI3
G	-8	GLU	-	expression tag	UNP Q2YRI3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
G	-7	ALA	-	expression tag	UNP Q2YRI3
G	-6	GLN	-	expression tag	UNP Q2YRI3
G	-5	THR	-	expression tag	UNP Q2YRI3
G	-4	GLN	-	expression tag	UNP Q2YRI3
G	-3	GLY	-	expression tag	UNP Q2YRI3
G	-2	PRO	-	expression tag	UNP Q2YRI3
G	-1	GLY	-	expression tag	UNP Q2YRI3
G	0	SER	-	expression tag	UNP Q2YRI3
H	-20	MET	-	expression tag	UNP Q2YRI3
H	-19	ALA	-	expression tag	UNP Q2YRI3
H	-18	HIS	-	expression tag	UNP Q2YRI3
H	-17	HIS	-	expression tag	UNP Q2YRI3
H	-16	HIS	-	expression tag	UNP Q2YRI3
H	-15	HIS	-	expression tag	UNP Q2YRI3
H	-14	HIS	-	expression tag	UNP Q2YRI3
H	-13	HIS	-	expression tag	UNP Q2YRI3
H	-12	MET	-	expression tag	UNP Q2YRI3
H	-11	GLY	-	expression tag	UNP Q2YRI3
H	-10	THR	-	expression tag	UNP Q2YRI3
H	-9	LEU	-	expression tag	UNP Q2YRI3
H	-8	GLU	-	expression tag	UNP Q2YRI3
H	-7	ALA	-	expression tag	UNP Q2YRI3
H	-6	GLN	-	expression tag	UNP Q2YRI3
H	-5	THR	-	expression tag	UNP Q2YRI3
H	-4	GLN	-	expression tag	UNP Q2YRI3
H	-3	GLY	-	expression tag	UNP Q2YRI3
H	-2	PRO	-	expression tag	UNP Q2YRI3
H	-1	GLY	-	expression tag	UNP Q2YRI3
H	0	SER	-	expression tag	UNP Q2YRI3

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	C	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	E	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	F	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	G	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	H	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	553	Total	O	0	0
			553	553		
4	B	470	Total	O	0	0
			470	470		
4	C	406	Total	O	0	0
			406	406		
4	D	359	Total	O	0	0
			359	359		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	282	Total 282	O 282	0	0
4	F	446	Total 446	O 446	0	0
4	G	346	Total 346	O 346	0	0
4	H	280	Total 280	O 280	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Aldehyde dehydrogenase




- Molecule 1: Aldehyde dehydrogenase





- Molecule 1: Aldehyde dehydrogenase



- Molecule 1: Aldehyde dehydrogenase







4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	91.87Å 93.01Å 143.70Å 92.03° 107.58° 109.65°	Depositor
Resolution (Å)	19.78 – 2.10 19.77 – 2.10	Depositor EDS
% Data completeness (in resolution range)	94.2 (19.78-2.10) 94.2 (19.77-2.10)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 2.09Å)	Xtriage
Refinement program	REFMAC 5.5.0046	Depositor
R, R_{free}	0.161 , 0.225 0.164 , 0.224	Depositor DCC
R_{free} test set	11634 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	23.4	Xtriage
Anisotropy	0.240	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 60.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	32199	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.97	2/3702 (0.1%)	0.84	3/5015 (0.1%)
1	B	0.93	0/3681	0.86	7/4990 (0.1%)
1	C	0.90	2/3684 (0.1%)	0.84	2/4994 (0.0%)
1	D	0.81	0/3669	0.79	2/4974 (0.0%)
1	E	0.79	0/3674	0.78	2/4982 (0.0%)
1	F	0.90	2/3684 (0.1%)	0.87	7/4994 (0.1%)
1	G	0.83	2/3672 (0.1%)	0.79	4/4979 (0.1%)
1	H	0.76	1/3697 (0.0%)	0.76	4/5010 (0.1%)
All	All	0.86	9/29463 (0.0%)	0.82	31/39938 (0.1%)

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	335	GLU	CB-CG	6.16	1.63	1.52
1	A	335	GLU	CG-CD	6.03	1.60	1.51
1	G	400	GLU	CG-CD	5.92	1.60	1.51
1	F	267	ASP	CB-CG	-5.85	1.39	1.51
1	G	292	CYS	CB-SG	5.73	1.92	1.82

The worst 5 of 31 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	267	ASP	CB-CG-OD1	-8.93	110.26	118.30
1	H	78	ARG	NE-CZ-NH2	-6.53	117.04	120.30
1	F	107[A]	ARG	NE-CZ-NH2	-6.30	117.15	120.30
1	F	107[B]	ARG	NE-CZ-NH2	-6.30	117.15	120.30
1	F	78	ARG	NE-CZ-NH2	-6.20	117.20	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3635	0	3717	32	0
1	B	3611	0	3688	32	0
1	C	3614	0	3688	28	0
1	D	3608	0	3676	47	0
1	E	3604	0	3673	44	0
1	F	3617	0	3687	31	0
1	G	3605	0	3671	34	0
1	H	3627	0	3704	40	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	1	0
2	E	5	0	0	0	0
2	F	5	0	0	0	0
2	G	5	0	0	0	0
2	H	5	0	0	0	0
3	A	12	0	13	2	0
3	B	12	0	12	2	0
3	C	12	0	13	3	0
3	D	12	0	13	2	0
3	E	12	0	13	3	0
3	F	12	0	13	3	0
3	G	12	0	13	3	0
3	H	12	0	13	2	0
4	A	553	0	0	12	0
4	B	470	0	0	7	1
4	C	406	0	0	11	0
4	D	359	0	0	11	0
4	E	282	0	0	10	0
4	F	446	0	0	16	0
4	G	346	0	0	10	1
4	H	280	0	0	2	0
All	All	32199	0	29607	290	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 290 close contacts within the same asymmetric unit are listed below, sorted by

their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:280:VAL:HG11	1:B:443:LEU:HD21	1.41	1.00
1:B:280:VAL:CG1	1:B:443:LEU:HD21	1.93	0.99
1:F:241:LEU:HD22	4:F:872:HOH:O	1.72	0.90
1:B:280:VAL:HG11	1:B:443:LEU:CD2	2.02	0.88
1:F:107[A]:ARG:HD3	4:F:878:HOH:O	1.77	0.84

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:833:HOH:O	4:G:799:HOH:O[1_455]	2.10	0.10

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	486/504 (96%)	475 (98%)	11 (2%)	0	100	100
1	B	484/504 (96%)	472 (98%)	11 (2%)	1 (0%)	47	49
1	C	484/504 (96%)	474 (98%)	9 (2%)	1 (0%)	47	49
1	D	483/504 (96%)	465 (96%)	18 (4%)	0	100	100
1	E	484/504 (96%)	466 (96%)	16 (3%)	2 (0%)	34	32
1	F	484/504 (96%)	469 (97%)	14 (3%)	1 (0%)	47	49
1	G	483/504 (96%)	467 (97%)	15 (3%)	1 (0%)	47	49
1	H	485/504 (96%)	470 (97%)	13 (3%)	2 (0%)	34	32
All	All	3873/4032 (96%)	3758 (97%)	107 (3%)	8 (0%)	47	49

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	358	GLY
1	H	17	ASN
1	H	260	ASN
1	E	36	ASP
1	F	412	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	374/386 (97%)	369 (99%)	5 (1%)	69	75
1	B	370/386 (96%)	363 (98%)	7 (2%)	57	63
1	C	371/386 (96%)	361 (97%)	10 (3%)	44	48
1	D	369/386 (96%)	356 (96%)	13 (4%)	36	38
1	E	369/386 (96%)	357 (97%)	12 (3%)	38	40
1	F	371/386 (96%)	363 (98%)	8 (2%)	52	57
1	G	369/386 (96%)	358 (97%)	11 (3%)	41	44
1	H	373/386 (97%)	367 (98%)	6 (2%)	62	69
All	All	2966/3088 (96%)	2894 (98%)	72 (2%)	49	53

5 of 72 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	387	PHE
1	E	289	THR
1	H	60	LYS
1	D	451	PHE
1	E	99	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	136	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	288	GLN
1	F	137	ASN
1	B	208	GLN
1	F	288	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	MES	E	485	-	12,12,12	2.47	1 (8%)	14,16,16	2.03	3 (21%)
2	SO4	G	484	-	4,4,4	0.16	0	6,6,6	0.36	0
3	MES	H	485	-	12,12,12	2.05	1 (8%)	14,16,16	1.78	5 (35%)
2	SO4	E	484	-	4,4,4	0.20	0	6,6,6	0.22	0
2	SO4	F	484	-	4,4,4	0.20	0	6,6,6	0.15	0
2	SO4	C	484	-	4,4,4	0.18	0	6,6,6	0.34	0
2	SO4	A	484	-	4,4,4	0.21	0	6,6,6	0.55	0
2	SO4	B	484	-	4,4,4	0.20	0	6,6,6	0.33	0
2	SO4	D	484	-	4,4,4	0.14	0	6,6,6	0.24	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MES	G	485	-	12,12,12	2.21	1 (8%)	14,16,16	2.54	4 (28%)
3	MES	D	485	-	12,12,12	2.47	1 (8%)	14,16,16	2.92	4 (28%)
3	MES	A	485	-	12,12,12	2.55	1 (8%)	14,16,16	3.06	4 (28%)
3	MES	F	485	-	12,12,12	2.74	1 (8%)	14,16,16	2.59	4 (28%)
3	MES	C	485	-	12,12,12	2.32	1 (8%)	14,16,16	1.62	2 (14%)
3	MES	B	485	-	12,12,12	2.38	1 (8%)	14,16,16	2.15	5 (35%)
2	SO4	H	484	-	4,4,4	0.17	0	6,6,6	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MES	E	485	-	-	2/6/14/14	0/1/1/1
3	MES	H	485	-	-	1/6/14/14	0/1/1/1
3	MES	G	485	-	-	3/6/14/14	0/1/1/1
3	MES	D	485	-	-	3/6/14/14	0/1/1/1
3	MES	A	485	-	-	5/6/14/14	0/1/1/1
3	MES	F	485	-	-	1/6/14/14	0/1/1/1
3	MES	C	485	-	-	3/6/14/14	0/1/1/1
3	MES	B	485	-	-	6/6/14/14	0/1/1/1

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	485	MES	C8-S	-9.20	1.64	1.77
3	A	485	MES	C8-S	-8.46	1.65	1.77
3	E	485	MES	C8-S	-8.29	1.65	1.77
3	D	485	MES	C8-S	-8.18	1.65	1.77
3	B	485	MES	C8-S	-7.94	1.66	1.77

The worst 5 of 31 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	485	MES	O1S-S-C8	9.64	118.53	106.92
3	D	485	MES	O1S-S-C8	7.24	115.63	106.92
3	G	485	MES	O1S-S-C8	6.52	114.77	106.92
3	F	485	MES	O1S-S-C8	6.01	114.16	106.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	485	MES	O1S-S-C8	5.52	113.57	106.92

There are no chirality outliers.

5 of 24 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	E	485	MES	C8-C7-N4-C3
3	E	485	MES	N4-C7-C8-S
3	H	485	MES	C8-C7-N4-C3
3	G	485	MES	C8-C7-N4-C3
3	G	485	MES	N4-C7-C8-S

There are no ring outliers.

9 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	485	MES	3	0
3	H	485	MES	2	0
2	D	484	SO4	1	0
3	G	485	MES	3	0
3	D	485	MES	2	0
3	A	485	MES	2	0
3	F	485	MES	3	0
3	C	485	MES	3	0
3	B	485	MES	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	485/504 (96%)	-0.72	1 (0%) 95 95	10, 18, 29, 39	0
1	B	483/504 (95%)	-0.73	1 (0%) 95 95	11, 20, 30, 40	0
1	C	483/504 (95%)	-0.57	1 (0%) 95 95	13, 23, 34, 56	0
1	D	483/504 (95%)	-0.50	2 (0%) 92 93	13, 26, 41, 60	0
1	E	483/504 (95%)	-0.37	4 (0%) 86 88	17, 30, 42, 64	0
1	F	483/504 (95%)	-0.72	1 (0%) 95 95	13, 20, 30, 54	0
1	G	482/504 (95%)	-0.47	3 (0%) 89 91	14, 26, 45, 54	0
1	H	483/504 (95%)	-0.30	8 (1%) 70 74	18, 31, 43, 63	0
All	All	3865/4032 (95%)	-0.55	21 (0%) 91 92	10, 24, 40, 64	0

The worst 5 of 21 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	1	MET	6.6
1	D	1	MET	5.1
1	F	1	MET	5.1
1	H	1	MET	5.0
1	C	1	MET	3.9

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MES	C	485	12/12	0.87	0.46	19,21,24,25	12
3	MES	F	485	12/12	0.88	0.31	28,30,33,35	12
3	MES	E	485	12/12	0.89	0.25	34,35,36,37	12
2	SO4	H	484	5/5	0.89	0.18	88,88,89,89	0
3	MES	H	485	12/12	0.90	0.23	28,29,31,32	12
3	MES	A	485	12/12	0.91	0.28	16,20,21,23	12
2	SO4	C	484	5/5	0.91	0.17	61,62,63,63	0
3	MES	D	485	12/12	0.92	0.21	27,29,32,32	12
3	MES	G	485	12/12	0.93	0.21	25,27,27,30	12
3	MES	B	485	12/12	0.94	0.24	26,27,29,30	12
2	SO4	E	484	5/5	0.95	0.17	75,75,75,77	0
2	SO4	G	484	5/5	0.97	0.11	45,49,50,53	0
2	SO4	A	484	5/5	0.98	0.15	49,51,54,54	0
2	SO4	D	484	5/5	0.98	0.18	49,51,52,54	0
2	SO4	F	484	5/5	0.98	0.14	47,48,50,50	0
2	SO4	B	484	5/5	0.99	0.11	42,43,44,45	0

6.5 Other polymers ⓘ

There are no such residues in this entry.