



Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 09:42 am BST

PDB ID : 4EKU
Title : Crystal Structure of FERM Domain of Proline-rich Tyrosine Kinase 2
Authors : Savarimuthu, B.; Li, R.; Wang, Y.
Deposited on : 2012-04-09
Resolution : 3.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1191 (3.30-3.22)
Clashscore	141614	1251 (3.30-3.22)
Ramachandran outliers	138981	1229 (3.30-3.22)
Sidechain outliers	138945	1228 (3.30-3.22)
RSRZ outliers	127900	1154 (3.30-3.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	392	<div> <div></div> <div>42%</div> <div>33%</div> <div>12%</div> <div>•</div> <div>11%</div> </div>

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2813 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein-tyrosine kinase 2-beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	348	2813	1789	479	524	21	0	0	0


There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	18	MET	-	EXPRESSION TAG	UNP Q14289
A	19	GLU	-	EXPRESSION TAG	UNP Q14289
A	20	LEU	-	EXPRESSION TAG	UNP Q14289

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Protein-tyrosine kinase 2-beta



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	112.97Å 112.97Å 103.33Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.56 – 3.25 49.56 – 3.25	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.56-3.25) 100.0 (49.56-3.25)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.45 (at 3.25Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.186 , 0.212 0.179 , 0.199	Depositor DCC
R_{free} test set	546 reflections (4.41%)	wwPDB-VP
Wilson B-factor (Å ²)	85.7	Xtriage
Anisotropy	0.269	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 63.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.021 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2813	wwPDB-VP
Average B, all atoms (Å ²)	90.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.02	6/2868 (0.2%)	1.06	8/3869 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	44	CYS	CB-SG	-7.83	1.69	1.82
1	A	246	CYS	CB-SG	-6.76	1.70	1.82
1	A	101	GLU	CG-CD	6.66	1.61	1.51
1	A	89	CYS	CB-SG	-5.97	1.72	1.81
1	A	61	CYS	CB-SG	-5.75	1.72	1.81
1	A	19	GLU	CD-OE2	5.73	1.31	1.25

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	241	LEU	CA-CB-CG	6.00	129.09	115.30
1	A	152	LEU	CA-CB-CG	-5.93	101.67	115.30
1	A	269	LEU	CA-CB-CG	5.90	128.88	115.30
1	A	86	LEU	CB-CG-CD1	-5.81	101.12	111.00
1	A	212	LEU	CA-CB-CG	5.29	127.48	115.30
1	A	21	GLY	N-CA-C	-5.28	99.89	113.10
1	A	178	LEU	CA-CB-CG	-5.13	103.49	115.30
1	A	134	ARG	NE-CZ-NH2	5.00	122.80	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	313	LEU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2813	0	2799	142	0
All	All	2813	0	2799	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:349:ASP:OD2	1:A:361:SER:HB2	1.47	1.11
1:A:86:LEU:HD12	1:A:86:LEU:H	1.12	1.09
1:A:309:ARG:HG3	1:A:309:ARG:HH11	1.20	1.04
1:A:110:THR:OG1	1:A:113:GLU:HG3	1.65	0.95
1:A:50:PHE:N	1:A:50:PHE:CD2	2.32	0.94
1:A:50:PHE:N	1:A:50:PHE:HD2	1.66	0.92
1:A:257:PHE:CD1	1:A:257:PHE:N	2.43	0.87
1:A:50:PHE:HD2	1:A:50:PHE:H	0.87	0.85
1:A:77:SER:OG	1:A:79:ARG:HB2	1.77	0.84
1:A:79:ARG:O	1:A:79:ARG:HD2	1.79	0.83
1:A:217:GLN:CD	1:A:217:GLN:H	1.81	0.82
1:A:305:ILE:HD12	1:A:306:ARG:H	1.45	0.81
1:A:286:ILE:C	1:A:286:ILE:HD13	2.02	0.80
1:A:86:LEU:HD12	1:A:86:LEU:N	1.91	0.78
1:A:86:LEU:HD11	1:A:147:ASP:HB3	1.64	0.78
1:A:305:ILE:HD12	1:A:307:SER:H	1.52	0.75
1:A:118:TYR:O	1:A:121:LEU:N	2.18	0.73
1:A:86:LEU:H	1:A:86:LEU:CD1	1.91	0.71
1:A:257:PHE:H	1:A:257:PHE:HD1	1.33	0.70
1:A:81:GLY:HA3	1:A:149:THR:HG23	1.71	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:257:PHE:HD1	1:A:257:PHE:N	1.89	0.70
1:A:96:HIS:CD2	1:A:122:HIS:ND1	2.60	0.68
1:A:123:VAL:O	1:A:126:GLU:HG3	1.94	0.68
1:A:305:ILE:HD12	1:A:306:ARG:N	2.07	0.68
1:A:106:HIS:HE1	1:A:108:GLN:HG3	1.59	0.66
1:A:184:ARG:HD3	1:A:184:ARG:O	1.96	0.66
1:A:291:SER:O	1:A:292:GLN:HG3	1.94	0.66
1:A:321:GLN:O	1:A:321:GLN:HG3	1.97	0.65
1:A:62:THR:OG1	1:A:65:THR:HG23	1.96	0.65
1:A:86:LEU:HD11	1:A:147:ASP:CB	2.27	0.65
1:A:309:ARG:HG3	1:A:309:ARG:NH1	1.99	0.64
1:A:32:ASP:OD1	1:A:32:ASP:C	2.37	0.63
1:A:31:VAL:O	1:A:31:VAL:HG12	1.96	0.63
1:A:141:MET:HA	1:A:141:MET:CE	2.18	0.62
1:A:48:ASN:ND2	1:A:185:ARG:HH12	1.97	0.62
1:A:331:LEU:HD12	1:A:331:LEU:C	2.20	0.62
1:A:201:PHE:CE2	1:A:228:ARG:HG3	2.35	0.61
1:A:363:ILE:HG22	1:A:364:ILE:H	1.66	0.60
1:A:181:LEU:HD11	1:A:246:CYS:O	2.02	0.60
1:A:158:LEU:HD12	1:A:251:PHE:HE1	1.67	0.59
1:A:306:ARG:NH1	1:A:325:GLU:OE2	2.36	0.59
1:A:170:VAL:HG21	1:A:174:MET:HG2	1.85	0.58
1:A:274:ASN:N	1:A:274:ASN:HD22	2.01	0.58
1:A:268:GLU:HA	1:A:276:THR:HA	1.85	0.58
1:A:215:PRO:HB2	1:A:217:GLN:OE1	2.03	0.58
1:A:81:GLY:HA3	1:A:149:THR:CG2	2.32	0.58
1:A:349:ASP:OD2	1:A:361:SER:CB	2.36	0.58
1:A:106:HIS:C	1:A:106:HIS:ND1	2.57	0.57
1:A:104:TRP:CE3	1:A:134:ARG:HD2	2.40	0.57
1:A:45:PHE:C	1:A:45:PHE:CD1	2.78	0.56
1:A:118:TYR:C	1:A:120:CYS:N	2.57	0.56
1:A:286:ILE:HD13	1:A:287:ARG:N	2.21	0.56
1:A:106:HIS:CE1	1:A:108:GLN:HG3	2.40	0.55
1:A:104:TRP:CD2	1:A:134:ARG:HD2	2.41	0.55
1:A:227:PHE:CE1	1:A:231:ILE:HD11	2.41	0.55
1:A:363:ILE:HG22	1:A:364:ILE:N	2.22	0.55
1:A:141:MET:HA	1:A:141:MET:HE3	1.88	0.55
1:A:187:PHE:C	1:A:188:LYS:O	2.41	0.55
1:A:20:LEU:C	1:A:21:GLY:O	2.39	0.54
1:A:305:ILE:CD1	1:A:307:SER:H	2.20	0.54
1:A:234:THR:O	1:A:237:GLN:HB2	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:340:GLU:O	1:A:344:MET:HG3	2.08	0.54
1:A:331:LEU:HD12	1:A:332:SER:N	2.23	0.54
1:A:322:LEU:N	1:A:322:LEU:HD12	2.24	0.53
1:A:110:THR:HG1	1:A:113:GLU:HG3	1.70	0.53
1:A:179:GLY:HA3	1:A:214:PHE:CE2	2.44	0.53
1:A:286:ILE:CD1	1:A:286:ILE:C	2.76	0.53
1:A:123:VAL:O	1:A:126:GLU:CG	2.57	0.52
1:A:45:PHE:C	1:A:45:PHE:HD1	2.14	0.51
1:A:66:GLU:OE1	1:A:68:ARG:NH2	2.36	0.51
1:A:80:ILE:O	1:A:80:ILE:HG13	2.10	0.51
1:A:119:GLU:N	1:A:119:GLU:OE1	2.44	0.51
1:A:254:LEU:C	1:A:256:GLY:N	2.64	0.50
1:A:88:GLU:HG3	1:A:354:LEU:HG	1.93	0.50
1:A:305:ILE:HD12	1:A:307:SER:N	2.24	0.50
1:A:269:LEU:HD12	1:A:269:LEU:O	2.12	0.50
1:A:365:HIS:O	1:A:366:PRO:C	2.50	0.49
1:A:104:TRP:CZ3	1:A:134:ARG:HD2	2.47	0.49
1:A:184:ARG:HD3	1:A:184:ARG:C	2.33	0.49
1:A:51:ASN:N	1:A:52:PRO:CD	2.76	0.48
1:A:139:ASP:HB2	1:A:143:SER:OG	2.12	0.48
1:A:94:LEU:HD11	1:A:127:TRP:CE3	2.48	0.48
1:A:141:MET:HE3	1:A:144:LEU:HB2	1.95	0.48
1:A:141:MET:CA	1:A:141:MET:CE	2.89	0.48
1:A:222:LEU:O	1:A:223:LYS:C	2.50	0.48
1:A:235:PHE:O	1:A:238:TYR:N	2.47	0.48
1:A:275:ILE:HD13	1:A:275:ILE:O	2.14	0.47
1:A:268:GLU:O	1:A:269:LEU:HB3	2.15	0.47
1:A:148:ARG:O	1:A:151:LEU:HB3	2.14	0.47
1:A:81:GLY:HA2	1:A:82:PRO:HD3	1.67	0.47
1:A:242:ARG:O	1:A:245:GLU:HB2	2.13	0.47
1:A:54:LYS:HG2	1:A:54:LYS:O	2.15	0.47
1:A:148:ARG:HG2	1:A:152:LEU:CD1	2.45	0.47
1:A:45:PHE:CE1	1:A:55:ASN:HB3	2.50	0.47
1:A:217:GLN:CD	1:A:217:GLN:N	2.59	0.47
1:A:182:GLU:HB3	1:A:213:PHE:HD1	1.80	0.46
1:A:309:ARG:HD3	1:A:311:LEU:HD21	1.97	0.46
1:A:48:ASN:HD21	1:A:185:ARG:HH12	1.62	0.46
1:A:36:GLU:OE1	1:A:36:GLU:N	2.46	0.46
1:A:51:ASN:N	1:A:52:PRO:HD2	2.30	0.46
1:A:71:ILE:HG22	1:A:75:LEU:HD22	1.97	0.46
1:A:236:GLN:HA	1:A:239:ALA:HB2	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:176:LEU:HD22	1:A:230:MET:CE	2.46	0.46
1:A:205:GLU:O	1:A:206:LYS:C	2.53	0.46
1:A:227:PHE:O	1:A:228:ARG:C	2.54	0.46
1:A:147:ASP:OD1	1:A:147:ASP:C	2.54	0.46
1:A:21:GLY:O	1:A:22:PRO:O	2.33	0.45
1:A:21:GLY:C	1:A:22:PRO:O	2.50	0.45
1:A:313:LEU:CD1	1:A:319:VAL:HG23	2.46	0.45
1:A:205:GLU:HA	1:A:209:GLY:HA2	1.99	0.45
1:A:80:ILE:O	1:A:80:ILE:CG1	2.64	0.45
1:A:47:SER:C	1:A:49:SER:H	2.20	0.45
1:A:76:LEU:C	1:A:78:GLY:N	2.70	0.44
1:A:93:ARG:HD2	1:A:102:ILE:HD12	1.99	0.44
1:A:104:TRP:CE2	1:A:134:ARG:HD2	2.53	0.44
1:A:148:ARG:NH1	1:A:243:GLU:OE2	2.50	0.44
1:A:277:VAL:CG2	1:A:278:ASP:N	2.81	0.44
1:A:309:ARG:CG	1:A:309:ARG:HH11	2.08	0.44
1:A:294:ALA:O	1:A:296:PRO:CD	2.65	0.44
1:A:254:LEU:C	1:A:256:GLY:H	2.21	0.43
1:A:271:GLN:H	1:A:274:ASN:ND2	2.16	0.43
1:A:301:GLU:HA	1:A:301:GLU:OE1	2.17	0.43
1:A:277:VAL:HG22	1:A:278:ASP:N	2.33	0.43
1:A:150:THR:O	1:A:151:LEU:C	2.56	0.43
1:A:30:PRO:O	1:A:30:PRO:HG2	2.18	0.42
1:A:118:TYR:C	1:A:120:CYS:H	2.22	0.42
1:A:191:PRO:HG2	1:A:194:ALA:HB2	2.01	0.42
1:A:194:ALA:O	1:A:196:ASP:N	2.53	0.42
1:A:90:TYR:CD2	1:A:90:TYR:N	2.86	0.42
1:A:181:LEU:HD22	1:A:181:LEU:HA	1.92	0.42
1:A:155:TYR:OH	1:A:182:GLU:OE1	2.30	0.42
1:A:140:PHE:O	1:A:141:MET:C	2.57	0.42
1:A:75:LEU:HD23	1:A:87:ALA:HB1	2.01	0.42
1:A:76:LEU:C	1:A:78:GLY:H	2.23	0.42
1:A:76:LEU:O	1:A:78:GLY:N	2.53	0.42
1:A:140:PHE:O	1:A:142:GLU:N	2.54	0.41
1:A:46:TYR:CE2	1:A:157:GLN:HG3	2.55	0.41
1:A:270:ILE:HG23	1:A:274:ASN:OD1	2.20	0.41
1:A:254:LEU:HD12	1:A:257:PHE:CZ	2.55	0.41
1:A:61:CYS:HB2	1:A:62:THR:H	1.54	0.40
1:A:181:LEU:HD23	1:A:238:TYR:CE2	2.56	0.40
1:A:291:SER:C	1:A:292:GLN:HG3	2.42	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	346/392 (88%)	277 (80%)	56 (16%)	13 (4%)	3	19

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	52	PRO
1	A	22	PRO
1	A	82	PRO
1	A	195	LEU
1	A	63	VAL
1	A	188	LYS
1	A	291	SER
1	A	294	ALA
1	A	328	PRO
1	A	51	ASN
1	A	194	ALA
1	A	295	LYS
1	A	107	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	309/353 (88%)	241 (78%)	68 (22%)	1	3

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	MET
1	A	27	VAL
1	A	31	VAL
1	A	32	ASP
1	A	36	GLU
1	A	45	PHE
1	A	50	PHE
1	A	57	LYS
1	A	64	GLN
1	A	72	THR
1	A	75	LEU
1	A	79	ARG
1	A	80	ILE
1	A	86	LEU
1	A	95	LYS
1	A	98	LYS
1	A	107	PRO
1	A	116	ASP
1	A	119	GLU
1	A	123	VAL
1	A	126	GLU
1	A	128	ARG
1	A	134	ARG
1	A	141	MET
1	A	142	GLU
1	A	144	LEU
1	A	145	LYS
1	A	147	ASP
1	A	148	ARG
1	A	152	LEU
1	A	156	GLN
1	A	174	MET
1	A	181	LEU
1	A	182	GLU
1	A	183	LEU
1	A	184	ARG
1	A	188	LYS
1	A	195	LEU
1	A	199	SER
1	A	202	GLU
1	A	203	LEU
1	A	225	LYS
1	A	226	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	231	ILE
1	A	233	GLN
1	A	236	GLN
1	A	243	GLU
1	A	244	GLU
1	A	257	PHE
1	A	264	THR
1	A	269	LEU
1	A	274	ASN
1	A	275	ILE
1	A	276	THR
1	A	286	ILE
1	A	289	LEU
1	A	292	GLN
1	A	305	ILE
1	A	309	ARG
1	A	313	LEU
1	A	321	GLN
1	A	324	ILE
1	A	331	LEU
1	A	357	GLU
1	A	361	SER
1	A	362	LEU
1	A	363	ILE
1	A	365	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	ASN
1	A	132	GLN
1	A	156	GLN
1	A	219	GLN
1	A	221	ASN
1	A	262	GLN
1	A	292	GLN
1	A	321	GLN
1	A	358	HIS
1	A	359	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	348/392 (88%)	-0.16	1 (0%) 94 94	49, 88, 138, 162	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	329	GLN	3.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.