



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 18, 2020 – 09:41 AM BST

PDB ID : 5ELB  
Title : Cholera toxin classical B-pentamer in complex with Lewis-y  
Authors : Heggelund, J.E.; Burschowsky, D.; Krengel, U.  
Deposited on : 2015-11-04  
Resolution : 1.08 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1386 (1.12-1.04)
Clashscore	141614	1021 (1.10-1.06)
Ramachandran outliers	138981	1381 (1.12-1.04)
Sidechain outliers	138945	1379 (1.12-1.04)
RSRZ outliers	127900	1359 (1.12-1.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	103	<div> <div style="width: 87%;"></div> <div style="width: 12%;"></div> <div style="width: 1%;"></div> </div> <div>87% 12% .</div>
1	B	103	<div> <div style="width: 86%;"></div> <div style="width: 14%;"></div> <div style="width: 0%;"></div> </div> <div>86% 14%</div>
1	C	103	<div> <div style="width: 90%;"></div> <div style="width: 9%;"></div> <div style="width: 1%;"></div> </div> <div>90% 9% .</div>
1	D	103	<div> <div style="width: 91%;"></div> <div style="width: 8%;"></div> <div style="width: 1%;"></div> </div> <div>91% 8% .</div>
1	E	103	<div> <div style="width: 87%;"></div> <div style="width: 12%;"></div> <div style="width: 1%;"></div> </div> <div>87% 12% .</div>
1	F	103	<div> <div style="width: 93%;"></div> <div style="width: 7%;"></div> <div style="width: 0%;"></div> </div> <div>93% 7%</div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	103	
1	H	103	
1	I	103	
1	J	103	
2	K	4	
2	L	4	
2	M	4	
2	N	4	
2	O	4	
2	P	4	
2	Q	4	
2	R	4	
3	S	5	
3	T	5	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NDG	N	1[B]	-	-	X	-
8	PEG	G	201	-	X	X	-

## 2 Entry composition [i](#)


There are 9 unique types of molecules in this entry. The entry contains 11575 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cholera enterotoxin B subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	103	Total	C	N	O	S	0	9	0
			874	553	148	167	6			
1	B	103	Total	C	N	O	S	0	11	0
			893	566	152	169	6			
1	C	103	Total	C	N	O	S	0	11	0
			900	570	155	169	6			
1	D	103	Total	C	N	O	S	0	11	0
			892	566	152	168	6			
1	E	103	Total	C	N	O	S	0	10	0
			881	561	151	163	6			
1	F	103	Total	C	N	O	S	0	10	0
			882	561	150	164	7			
1	G	103	Total	C	N	O	S	0	12	0
			894	570	153	165	6			
1	H	103	Total	C	N	O	S	0	11	0
			892	567	152	167	6			
1	I	103	Total	C	N	O	S	0	6	0
			855	542	146	161	6			
1	J	103	Total	C	N	O	S	0	9	0
			878	556	150	166	6			

- Molecule 2 is an oligosaccharide called alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	K	4	Total	C	N	O	0	4	0
			92	52	2	38			
2	L	4	Total	C	N	O	0	4	0
			92	52	2	38			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	M	4	Total	C	N	O	0	4	0
			92	52	2	38			
2	N	4	Total	C	N	O	0	4	0
			92	52	2	38			
2	O	4	Total	C	N	O	0	0	0
			46	26	1	19			
2	P	4	Total	C	N	O	0	0	0
			46	26	1	19			
2	Q	4	Total	C	N	O	0	4	0
			92	52	2	38			
2	R	4	Total	C	N	O	0	0	0
			46	26	1	19			


- Molecule 3 is an oligosaccharide called alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-3)-alpha-L-fucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	S	5	Total	C	N	O	0	5	0
			92	52	2	38			
3	T	5	Total	C	N	O	0	5	0
			92	52	2	38			

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	2	Total	Ca	0	0
			2	2		
4	A	2	Total	Ca	0	0
			2	2		
4	D	2	Total	Ca	0	0
			2	2		
4	C	2	Total	Ca	0	0
			2	2		
4	E	2	Total	Ca	0	0
			2	2		

- Molecule 5 is beta-D-galactopyranose (three-letter code: GAL) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	1
			12	6	6		
5	B	1	Total	C	O	0	1
			12	6	6		
5	C	1	Total	C	O	0	1
			12	6	6		
5	D	1	Total	C	O	0	1
			12	6	6		
5	E	1	Total	C	O	0	1
			12	6	6		
5	F	1	Total	C	O	0	1
			12	6	6		
5	G	1	Total	C	O	0	1
			12	6	6		
5	H	1	Total	C	O	0	1
			12	6	6		
5	I	1	Total	C	O	0	1
			12	6	6		
5	J	1	Total	C	O	0	1
			12	6	6		

- Molecule 6 is alpha-D-galactopyranose (three-letter code: GLA) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	1
			12	6	6		
6	B	1	Total	C	O	0	1
			12	6	6		
6	C	1	Total	C	O	0	1
			12	6	6		
6	D	1	Total	C	O	0	1
			12	6	6		
6	E	1	Total	C	O	0	1
			12	6	6		
6	F	1	Total	C	O	0	1
			12	6	6		
6	G	1	Total	C	O	0	1
			12	6	6		
6	H	1	Total	C	O	0	1
			12	6	6		
6	I	1	Total	C	O	0	1
			12	6	6		
6	J	1	Total	C	O	0	1
			12	6	6		


- Molecule 7 is BICINE (three-letter code: BCN) (formula:  $C_6H_{13}NO_4$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			11	6	1	4		
7	A	1	Total	C	N	O	0	0
			11	6	1	4		
7	B	1	Total	C	N	O	0	0
			11	6	1	4		
7	B	1	Total	C	N	O	0	0
			11	6	1	4		
7	C	1	Total	C	N	O	0	0
			11	6	1	4		
7	C	1	Total	C	N	O	0	0
			11	6	1	4		
7	D	1	Total	C	N	O	0	0
			11	6	1	4		
7	D	1	Total	C	N	O	0	0
			11	6	1	4		
7	E	1	Total	C	N	O	0	0
			11	6	1	4		
7	E	1	Total	C	N	O	0	0
			11	6	1	4		

- Molecule 8 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	G	1	Total	C	O	0	0
			7	4	3		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	161	Total	O	0	2
			163	163		
9	B	164	Total	O	0	5
			169	169		
9	C	166	Total	O	0	7
			173	173		
9	D	150	Total	O	0	5
			154	154		
9	E	140	Total	O	0	4
			143	143		
9	F	145	Total	O	0	2
			147	147		
9	G	154	Total	O	0	3
			157	157		
9	H	154	Total	O	0	3
			157	157		
9	I	156	Total	O	0	3
			159	159		
9	J	160	Total	O	0	3
			163	163		

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cholera enterotoxin B subunit

Chain A:  87% 12%




- Molecule 1: Cholera enterotoxin B subunit

Chain B:  86% 14%



- Molecule 1: Cholera enterotoxin B subunit

Chain C:  90% 9%





- Molecule 1: Cholera enterotoxin B subunit

Chain D:  91% 8%



- Molecule 1: Cholera enterotoxin B subunit

Chain E:  87% 12%




- Molecule 1: Cholera enterotoxin B subunit


Chain F:  93% 7%



- Molecule 1: Cholera enterotoxin B subunit





- Molecule 1: Cholera enterotoxin B subunit




- Molecule 1: Cholera enterotoxin B subunit



- Molecule 1: Cholera enterotoxin B subunit



- Molecule 2: alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-alpha-D-glucopyranose



- Molecule 2: alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-alpha-D-glucopyranose



- Molecule 2: alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-alpha-D-glucopyranose

Chain M:  25% 75%


NDG1  
GAL2  
FUC3  
FUC4

- Molecule 2: alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-alpha-D-glucopyranose

Chain N:  25% 75%

NDG1  
GAL2  
FUC3  
FUC4

- Molecule 2: alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-alpha-D-glucopyranose

Chain O:  75% 25%

NDG1  
GAL2  
FUC3  
FUC4

- Molecule 2: alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-alpha-D-glucopyranose

Chain P:  100%


NDG1  
GAL2  
FUC3  
FUC4

- Molecule 2: alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-alpha-D-glucopyranose

Chain Q:  100%

NDG1  
GAL2  
FUC3  
FUC4

- Molecule 2: alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-alpha-D-glucopyranose

Chain R:  75% 25%

NDG1  
GAL2  
FUC3  
FUC4

- Molecule 3: alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-3)-alpha-L-fucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  100%

MAG1  
FUC2  
NDG3  
GAL4  
FUC5

- Molecule 3: alpha-L-fucopyranose-(1-2)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-3)-alpha-L-fucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:



MAG1  
FUC2  
NDG3  
GAL4  
FUC5

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	72.33Å 98.98Å 152.02Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.49 – 1.08 49.49 – 1.08	Depositor EDS
% Data completeness (in resolution range)	79.0 (49.49-1.08) 78.9 (49.49-1.08)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.13 (at 1.08Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, $R_{free}$	0.120 , 0.155 0.135 , 0.165	Depositor DCC
$R_{free}$ test set	18334 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	10.5	Xtriage
Anisotropy	0.491	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 47.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.98	EDS
Total number of atoms	11575	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.92% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BCN, NAG, GLA, CA, NDG, GAL, FUC, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.86	0/904	1.04	6/1219 (0.5%)
1	B	0.93	1/923 (0.1%)	0.99	6/1244 (0.5%)
1	C	0.92	0/927	1.03	5/1246 (0.4%)
1	D	0.95	0/931	1.18	4/1254 (0.3%)
1	E	0.88	1/918 (0.1%)	1.08	6/1236 (0.5%)
1	F	0.94	1/915 (0.1%)	0.98	4/1231 (0.3%)
1	G	0.92	0/937	1.02	6/1262 (0.5%)
1	H	0.91	0/925	0.88	4/1244 (0.3%)
1	I	0.95	0/882	0.96	2/1189 (0.2%)
1	J	0.95	0/909	1.13	7/1226 (0.6%)
All	All	0.92	3/9171 (0.0%)	1.03	50/12351 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	G	0	1
All	All	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	11	GLU	CD-OE1	-6.79	1.18	1.25
1	B	51	GLU	CD-OE1	-5.62	1.19	1.25
1	F	83	GLU	CD-OE2	-5.11	1.20	1.25

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	67[A]	ARG	NE-CZ-NH2	14.46	127.53	120.30
1	D	67[B]	ARG	NE-CZ-NH2	14.46	127.53	120.30
1	D	67[A]	ARG	NE-CZ-NH1	-12.26	114.17	120.30
1	D	67[B]	ARG	NE-CZ-NH1	-12.26	114.17	120.30
1	A	67	ARG	NE-CZ-NH1	11.11	125.86	120.30
1	E	67	ARG	NE-CZ-NH1	10.59	125.60	120.30
1	J	23[A]	LYS	CD-CE-NZ	10.27	135.31	111.70
1	J	23[B]	LYS	CD-CE-NZ	10.27	135.31	111.70
1	C	81[A]	LYS	CD-CE-NZ	9.11	132.64	111.70
1	C	81[B]	LYS	CD-CE-NZ	9.11	132.64	111.70
1	C	67	ARG	NE-CZ-NH1	8.47	124.54	120.30
1	E	59	ASP	CB-CG-OD1	8.39	125.85	118.30
1	G	67	ARG	NE-CZ-NH2	-8.16	116.22	120.30
1	E	35	ARG	NE-CZ-NH1	7.59	124.09	120.30
1	J	67	ARG	NE-CZ-NH1	7.05	123.83	120.30
1	J	81	LYS	CD-CE-NZ	7.02	127.84	111.70
1	A	35	ARG	NE-CZ-NH2	-6.84	116.88	120.30
1	F	67	ARG	NE-CZ-NH2	-6.74	116.93	120.30
1	A	67	ARG	NE-CZ-NH2	-6.67	116.97	120.30
1	A	35	ARG	NE-CZ-NH1	6.67	123.63	120.30
1	E	35	ARG	NE-CZ-NH2	-6.55	117.03	120.30
1	B	63[A]	LYS	CD-CE-NZ	6.50	126.66	111.70
1	B	63[B]	LYS	CD-CE-NZ	6.50	126.66	111.70
1	G	35[A]	ARG	NE-CZ-NH2	-6.23	117.18	120.30
1	G	35[B]	ARG	NE-CZ-NH2	-6.23	117.18	120.30
1	J	43	LYS	CD-CE-NZ	6.23	126.02	111.70
1	I	67	ARG	NE-CZ-NH1	6.19	123.39	120.30
1	G	73	ARG	NE-CZ-NH1	6.06	123.33	120.30
1	B	35	ARG	NE-CZ-NH2	-6.05	117.27	120.30
1	F	67	ARG	NE-CZ-NH1	6.05	123.32	120.30
1	G	35[A]	ARG	NE-CZ-NH1	5.95	123.27	120.30
1	G	35[B]	ARG	NE-CZ-NH1	5.95	123.27	120.30
1	E	59	ASP	CB-CG-OD2	-5.91	112.98	118.30
1	H	67	ARG	NE-CZ-NH2	-5.72	117.44	120.30
1	I	43	LYS	CD-CE-NZ	5.60	124.58	111.70
1	H	35	ARG	NE-CZ-NH1	5.54	123.07	120.30
1	A	51	GLU	OE1-CD-OE2	5.47	129.86	123.30
1	B	22	ASP	CB-CG-OD1	5.41	123.17	118.30
1	C	73	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	F	62[A]	LYS	CD-CE-NZ	-5.36	99.37	111.70
1	F	62[B]	LYS	CD-CE-NZ	-5.36	99.37	111.70
1	B	67	ARG	NE-CZ-NH1	5.33	122.96	120.30
1	C	20	LEU	CB-CG-CD1	5.26	119.94	111.00

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	67	ARG	NE-CZ-NH1	5.22	122.91	120.30
1	E	70	ASP	CB-CG-OD2	-5.19	113.63	118.30
1	H	73	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	A	20	LEU	CA-CB-CG	5.07	126.97	115.30
1	J	29[A]	GLU	CG-CD-OE1	-5.04	108.23	118.30
1	J	29[B]	GLU	CG-CD-OE1	-5.04	108.23	118.30
1	B	20	LEU	CB-CG-CD2	5.01	119.52	111.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	102	ALA	Peptide
1	G	102	ALA	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	874	0	888	8	0
1	B	893	0	915	8	0
1	C	900	0	920	7	0
1	D	892	0	921	18	0
1	E	881	0	911	10	0
1	F	882	0	910	6	0
1	G	894	0	928	13	0
1	H	892	0	921	8	0
1	I	855	0	872	10	0
1	J	878	0	890	9	0
2	K	92	0	76	2	0
2	L	92	0	78	0	0
2	M	92	0	78	2	0
2	N	92	0	78	8	0
2	O	46	0	39	1	0
2	P	46	0	39	0	0
2	Q	92	0	78	0	0
2	R	46	0	39	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	S	92	0	81	0	0
3	T	92	0	81	0	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
4	E	2	0	0	0	0
5	A	12	0	12	0	0
5	B	12	0	12	0	0
5	C	12	0	12	0	0
5	D	12	0	12	0	0
5	E	12	0	12	0	0
5	F	12	0	12	0	0
5	G	12	0	12	0	0
5	H	12	0	12	0	0
5	I	12	0	12	0	0
5	J	12	0	12	1	0
6	A	12	0	12	0	0
6	B	12	0	12	0	0
6	C	12	0	12	0	0
6	D	12	0	12	0	0
6	E	12	0	12	0	0
6	F	12	0	12	0	0
6	G	12	0	12	0	0
6	H	12	0	12	0	0
6	I	12	0	12	0	0
6	J	12	0	12	0	0
7	A	22	0	20	0	0
7	B	22	0	20	0	0
7	C	22	0	20	0	0
7	D	22	0	20	0	0
7	E	22	0	20	0	0
8	G	7	0	10	4	0
9	A	163	0	0	4	0
9	B	169	0	0	3	1
9	C	173	0	0	2	0
9	D	154	0	0	3	0
9	E	143	0	0	6	0
9	F	147	0	0	1	0
9	G	157	0	0	3	0
9	H	157	0	0	3	0
9	I	159	0	0	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	J	163	0	0	1	1
All	All	11575	0	10093	92	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:27[B]:TYR:OH	1:A:29[B]:GLU:OE2	1.78	1.02
1:H:27[B]:TYR:OH	1:H:29[B]:GLU:OE2	1.80	0.99
1:G:27[B]:TYR:OH	1:G:29[B]:GLU:OE2	1.81	0.98
2:N:1[B]:NDG:H6C2	2:N:3[B]:FUC:H3	1.46	0.94
1:D:103:ASN:ND2	9:D:301:HOH:O	2.06	0.87
1:D:67[B]:ARG:HD3	9:E:391[B]:HOH:O	1.75	0.85
1:E:27[A]:TYR:OH	1:E:29[A]:GLU:OE1	2.02	0.78
1:C:23[A]:LYS:HD2	1:J:103:ASN:HD21	1.50	0.77
9:H:1384:HOH:O	2:R:1:NDG:H8C2	1.84	0.76
1:G:35[A]:ARG:NH2	9:G:301:HOH:O	2.20	0.75
1:C:60:SER:O	9:C:335[B]:HOH:O	2.04	0.74
1:H:45:GLY:O	2:R:1:NDG:H8C1	1.92	0.70
1:B:23[A]:LYS:NZ	1:F:103:ASN:ND2	2.40	0.69
1:D:21:ASN:OD1	1:D:81[B]:LYS:NZ	2.29	0.66
1:B:74[B]:ILE:HD13	9:C:424:HOH:O	1.96	0.65
2:M:2[B]:GAL:O3	2:M:3[B]:FUC:C1	2.45	0.65
2:N:1[B]:NDG:H6C2	2:N:3[B]:FUC:H5	1.78	0.65
1:D:103:ASN:ND2	1:I:23[B]:LYS:NZ	2.47	0.63
1:C:23[A]:LYS:CD	1:J:103:ASN:HD21	2.12	0.62
1:B:92[B]:THR:HG23	9:B:301:HOH:O	1.99	0.61
1:C:81[A]:LYS:HE3	1:C:102:ALA:O	2.00	0.61
1:E:63[B]:LYS:NZ	9:E:302:HOH:O	2.33	0.61
2:N:1[B]:NDG:C6	2:N:3[B]:FUC:H3	2.28	0.60
1:D:23[A]:LYS:NZ	1:I:103:ASN:ND2	2.50	0.60
1:D:67[B]:ARG:NH1	1:E:70:ASP:OD1	2.36	0.59
1:G:81[A]:LYS:HE3	1:G:102:ALA:O	2.03	0.58
2:N:1[B]:NDG:H6C1	2:N:2[B]:GAL:C1	2.32	0.58
1:H:74[B]:ILE:HD13	9:I:1423:HOH:O	2.04	0.58
1:A:78[B]:THR:HG22	1:A:78[B]:THR:O	2.04	0.58
5:J:1201[A]:GAL:O1	9:J:1301:HOH:O	2.12	0.57
1:A:103:ASN:HD21	1:G:23[A]:LYS:NZ	2.03	0.57
1:B:43:LYS:NZ	9:B:304:HOH:O	2.38	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:103:ASN:ND2	1:J:23[A]:LYS:HE3	2.19	0.56
1:J:16:GLN:HE21	1:J:18[B]:HIS:CE1	2.24	0.56
1:I:62:LYS:NZ	9:I:1303:HOH:O	2.39	0.55
1:E:23[B]:LYS:HE3	1:H:103:ASN:ND2	2.23	0.54
1:B:16:GLN:HE21	1:B:89:ASN:HD22	1.55	0.53
1:C:74[B]:ILE:HD13	9:D:416:HOH:O	2.09	0.53
1:E:78[B]:THR:HG22	1:E:78[B]:THR:O	2.09	0.53
2:N:1[B]:NDG:C6	2:N:2[B]:GAL:C1	2.86	0.53
1:A:9[B]:CYS:SG	1:A:86:CYS:SG	3.05	0.53
1:D:103:ASN:ND2	1:I:23[B]:LYS:HZ1	2.07	0.52
1:D:74[B]:ILE:HD13	9:E:401:HOH:O	2.09	0.52
1:J:9[B]:CYS:SG	1:J:86:CYS:SG	3.09	0.51
1:D:81[B]:LYS:CE	1:D:102:ALA:O	2.59	0.51
1:E:21:ASN:OD1	1:E:81[A]:LYS:NZ	2.38	0.50
9:E:385:HOH:O	1:H:23[A]:LYS:HG3	2.11	0.49
2:M:1[B]:NDG:H6C1	2:M:2[B]:GAL:C1	2.43	0.49
1:G:84:LYS:NZ	8:G:201:PEG:H21	2.28	0.48
1:G:35[A]:ARG:NH1	9:G:305:HOH:O	2.46	0.48
1:A:74[B]:ILE:HD13	9:B:417:HOH:O	2.15	0.47
1:E:23[A]:LYS:HE3	9:E:392:HOH:O	2.15	0.47
1:D:102:ALA:O	1:D:103:ASN:HB2	2.13	0.47
9:F:1409:HOH:O	1:J:74[B]:ILE:HD13	2.14	0.47
1:A:103:ASN:C	9:A:392:HOH:O	2.52	0.47
1:F:74[B]:ILE:HD13	9:G:420:HOH:O	2.15	0.47
1:J:81:LYS:HE3	1:J:102:ALA:O	2.15	0.47
1:E:94[A]:HIS:CE1	2:O:2:GAL:O4	2.67	0.47
1:D:81[B]:LYS:HE3	1:D:102:ALA:O	2.15	0.46
1:B:23[A]:LYS:HZ2	1:F:103:ASN:ND2	2.11	0.46
9:A:372:HOH:O	2:K:3[B]:FUC:H63	2.15	0.46
2:N:1[B]:NDG:H2	2:N:1[B]:NDG:H8C1	1.54	0.45
1:G:84:LYS:CE	8:G:201:PEG:H21	2.47	0.44
1:H:78[B]:THR:HG22	1:H:78[B]:THR:O	2.18	0.44
1:D:63:LYS:NZ	9:D:302:HOH:O	2.36	0.44
1:G:74[B]:ILE:CD1	9:H:1418:HOH:O	2.65	0.44
1:D:23[A]:LYS:HZ2	1:I:103:ASN:ND2	2.16	0.44
1:B:23[A]:LYS:HZ1	1:F:103:ASN:ND2	2.14	0.43
9:A:372:HOH:O	2:K:3[A]:FUC:H63	2.17	0.43
1:C:43[B]:LYS:HB2	1:C:43[B]:LYS:HE3	1.66	0.43
1:I:12:TYR:CZ	1:J:32:ALA:HB1	2.54	0.43
1:D:74[B]:ILE:CD1	9:E:401:HOH:O	2.67	0.43
1:G:84:LYS:HE3	8:G:201:PEG:H12	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:23[A]:LYS:HZ1	1:I:103:ASN:ND2	2.17	0.42
1:G:84:LYS:HZ1	8:G:201:PEG:H21	1.84	0.42
1:I:81[B]:LYS:HE2	9:I:1302:HOH:O	2.18	0.42
2:N:1[B]:NDG:H6C2	2:N:3[B]:FUC:C3	2.32	0.42
1:A:23[B]:LYS:HD3	1:A:79:GLU:HB3	2.00	0.42
1:H:63[B]:LYS:HD2	9:H:1413[B]:HOH:O	2.20	0.42
1:D:103:ASN:ND2	1:I:23[B]:LYS:HZ2	2.17	0.42
1:D:103:ASN:HD21	1:I:23[B]:LYS:NZ	2.18	0.42
1:E:23[B]:LYS:HE3	1:H:103:ASN:HD21	1.84	0.41
1:E:81[B]:LYS:HB2	1:E:81[B]:LYS:HE2	1.84	0.41
1:G:78[B]:THR:HG22	1:G:78[B]:THR:O	2.20	0.41
1:B:78[B]:THR:HG22	1:B:78[B]:THR:O	2.20	0.41
1:F:81[B]:LYS:HB2	1:F:103:ASN:ND2	2.36	0.41
1:F:88:TRP:CZ3	1:G:31[B]:LEU:HD11	2.56	0.41
1:A:103:ASN:CA	9:A:392:HOH:O	2.67	0.41
2:N:2[B]:GAL:O3	2:N:3[B]:FUC:C1	2.70	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:B:310:HOH:O	9:J:1408:HOH:O[3_545]	2.03	0.17

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	110/103 (107%)	109 (99%)	1 (1%)	0	100	100
1	B	112/103 (109%)	111 (99%)	1 (1%)	0	100	100
1	C	112/103 (109%)	111 (99%)	1 (1%)	0	100	100
1	D	113/103 (110%)	111 (98%)	2 (2%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	111/103 (108%)	110 (99%)	1 (1%)	0	100	100
1	F	111/103 (108%)	110 (99%)	1 (1%)	0	100	100
1	G	113/103 (110%)	112 (99%)	1 (1%)	0	100	100
1	H	112/103 (109%)	111 (99%)	1 (1%)	0	100	100
1	I	107/103 (104%)	106 (99%)	1 (1%)	0	100	100
1	J	110/103 (107%)	109 (99%)	1 (1%)	0	100	100
All	All	1111/1030 (108%)	1100 (99%)	11 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	98/89 (110%)	96 (98%)	2 (2%)	55	17
1	B	100/89 (112%)	100 (100%)	0	100	100
1	C	100/89 (112%)	100 (100%)	0	100	100
1	D	101/89 (114%)	101 (100%)	0	100	100
1	E	99/89 (111%)	99 (100%)	0	100	100
1	F	99/89 (111%)	99 (100%)	0	100	100
1	G	101/89 (114%)	99 (98%)	2 (2%)	55	17
1	H	100/89 (112%)	100 (100%)	0	100	100
1	I	95/89 (107%)	95 (100%)	0	100	100
1	J	98/89 (110%)	97 (99%)	1 (1%)	76	43
All	All	991/890 (111%)	986 (100%)	5 (0%)	92	65

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23[A]	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	23[B]	LYS
1	G	31[A]	LEU
1	G	31[B]	LEU
1	J	43	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	103	ASN
1	B	16	GLN
1	D	103	ASN
1	F	103	ASN
1	I	103	ASN
1	J	103	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

68 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	NDG	K	1[A]	2	15,15,15	1.11	2 (13%)	21,21,21	1.22	2 (9%)
2	NDG	K	1[B]	2	15,15,15	0.58	0	21,21,21	1.91	5 (23%)
2	GAL	K	2[A]	2	11,11,12	2.96	5 (45%)	15,15,17	2.23	9 (60%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	GAL	K	2[B]	2	11,11,12	1.52	2 (18%)	15,15,17	1.73	2 (13%)
2	FUC	K	3[A]	2	10,10,11	1.37	2 (20%)	14,14,16	1.30	2 (14%)
2	FUC	K	3[B]	2	10,10,11	1.25	0	14,14,16	1.60	2 (14%)
2	FUC	K	4[A]	2	10,10,11	1.04	0	14,14,16	0.86	1 (7%)
2	FUC	K	4[B]	2	10,10,11	0.79	1 (10%)	14,14,16	0.81	0
2	NDG	L	1[A]	2	15,15,15	1.10	1 (6%)	21,21,21	1.45	2 (9%)
2	NDG	L	1[B]	2	15,15,15	0.90	1 (6%)	21,21,21	1.57	5 (23%)
2	GAL	L	2[A]	2	11,11,12	2.08	4 (36%)	15,15,17	1.87	3 (20%)
2	GAL	L	2[B]	2	11,11,12	2.00	4 (36%)	15,15,17	1.71	3 (20%)
2	FUC	L	3[A]	2	10,10,11	1.50	1 (10%)	14,14,16	1.80	3 (21%)
2	FUC	L	3[B]	2	10,10,11	1.37	1 (10%)	14,14,16	1.45	2 (14%)
2	FUC	L	4[A]	2	10,10,11	1.06	1 (10%)	14,14,16	1.49	4 (28%)
2	FUC	L	4[B]	2	10,10,11	1.03	0	14,14,16	1.18	1 (7%)
2	NDG	M	1[A]	2	15,15,15	1.35	3 (20%)	21,21,21	1.84	5 (23%)
2	NDG	M	1[B]	2	15,15,15	0.87	1 (6%)	21,21,21	2.05	6 (28%)
2	GAL	M	2[A]	2	11,11,12	1.89	4 (36%)	15,15,17	1.74	5 (33%)
2	GAL	M	2[B]	2	11,11,12	2.64	5 (45%)	15,15,17	3.49	7 (46%)
2	FUC	M	3[A]	2	10,10,11	2.37	6 (60%)	14,14,16	1.74	4 (28%)
2	FUC	M	3[B]	2	10,10,11	1.78	3 (30%)	14,14,16	2.67	8 (57%)
2	FUC	M	4[A]	2	10,10,11	1.62	3 (30%)	14,14,16	1.55	3 (21%)
2	FUC	M	4[B]	2	10,10,11	1.20	1 (10%)	14,14,16	1.17	1 (7%)
2	NDG	N	1[A]	2	15,15,15	1.28	2 (13%)	21,21,21	2.23	4 (19%)
2	NDG	N	1[B]	2	15,15,15	1.34	1 (6%)	21,21,21	2.01	4 (19%)
2	GAL	N	2[A]	2	11,11,12	2.29	5 (45%)	15,15,17	2.37	6 (40%)
2	GAL	N	2[B]	2	11,11,12	2.53	2 (18%)	15,15,17	2.73	10 (66%)
2	FUC	N	3[A]	2	10,10,11	1.39	1 (10%)	14,14,16	1.17	2 (14%)
2	FUC	N	3[B]	2	10,10,11	2.77	5 (50%)	14,14,16	2.71	8 (57%)
2	FUC	N	4[A]	2	10,10,11	1.12	1 (10%)	14,14,16	1.10	1 (7%)
2	FUC	N	4[B]	2	10,10,11	1.17	0	14,14,16	1.08	1 (7%)
2	NDG	O	1	2	15,15,15	1.28	2 (13%)	21,21,21	1.70	5 (23%)
2	GAL	O	2	2	11,11,12	2.01	4 (36%)	15,15,17	3.15	7 (46%)
2	FUC	O	3	2	10,10,11	1.81	3 (30%)	14,14,16	1.10	1 (7%)
2	FUC	O	4	2	10,10,11	1.12	1 (10%)	14,14,16	0.62	0
2	NDG	P	1	2	15,15,15	1.63	3 (20%)	21,21,21	1.39	2 (9%)
2	GAL	P	2	2	11,11,12	2.64	5 (45%)	15,15,17	2.87	5 (33%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	FUC	P	3	2	10,10,11	2.31	4 (40%)	14,14,16	1.12	1 (7%)
2	FUC	P	4	2	10,10,11	1.14	1 (10%)	14,14,16	1.46	3 (21%)
2	NDG	Q	1[A]	2	15,15,15	0.78	0	21,21,21	1.04	2 (9%)
2	NDG	Q	1[B]	2	15,15,15	1.09	2 (13%)	21,21,21	1.38	2 (9%)
2	GAL	Q	2[A]	2	11,11,12	1.17	1 (9%)	15,15,17	3.48	4 (26%)
2	GAL	Q	2[B]	2	11,11,12	2.10	4 (36%)	15,15,17	1.73	6 (40%)
2	FUC	Q	3[A]	2	10,10,11	1.28	1 (10%)	14,14,16	0.91	0
2	FUC	Q	3[B]	2	10,10,11	2.40	4 (40%)	14,14,16	2.27	6 (42%)
2	FUC	Q	4[A]	2	10,10,11	1.16	1 (10%)	14,14,16	0.59	0
2	FUC	Q	4[B]	2	10,10,11	1.52	3 (30%)	14,14,16	1.16	2 (14%)
2	NDG	R	1	2	15,15,15	2.51	6 (40%)	21,21,21	3.39	12 (57%)
2	GAL	R	2	2	11,11,12	2.64	5 (45%)	15,15,17	2.35	6 (40%)
2	FUC	R	3	2	10,10,11	1.44	2 (20%)	14,14,16	1.37	1 (7%)
2	FUC	R	4	2	10,10,11	2.10	4 (40%)	14,14,16	0.99	0
3	NAG	S	1[B]	3	15,15,15	0.84	1 (6%)	21,21,21	1.29	4 (19%)
3	FUC	S	2[A]	3	10,10,11	1.20	0	14,14,16	1.08	0
3	FUC	S	2[B]	3	10,10,11	0.34	0	14,14,16	1.08	2 (14%)
3	NDG	S	3[A]	3	15,15,15	1.35	2 (13%)	21,21,21	0.99	1 (4%)
3	GAL	S	4[A]	3	11,11,12	0.87	1 (9%)	15,15,17	1.20	1 (6%)
3	GAL	S	4[B]	3	11,11,12	1.14	2 (18%)	15,15,17	1.22	2 (13%)
3	FUC	S	5[A]	3	10,10,11	1.10	0	14,14,16	1.26	1 (7%)
3	FUC	S	5[B]	3	10,10,11	1.21	1 (10%)	14,14,16	1.17	1 (7%)
3	NAG	T	1[B]	3	15,15,15	0.90	1 (6%)	21,21,21	1.16	2 (9%)
3	FUC	T	2[A]	3	10,10,11	1.03	0	14,14,16	0.97	0
3	FUC	T	2[B]	3	10,10,11	0.94	0	14,14,16	0.75	0
3	NDG	T	3[A]	3	15,15,15	0.98	0	21,21,21	1.20	1 (4%)
3	GAL	T	4[A]	3	11,11,12	1.42	2 (18%)	15,15,17	1.95	5 (33%)
3	GAL	T	4[B]	3	11,11,12	1.03	1 (9%)	15,15,17	1.82	2 (13%)
3	FUC	T	5[A]	3	10,10,11	1.08	1 (10%)	14,14,16	0.78	0
3	FUC	T	5[B]	3	10,10,11	0.63	0	14,14,16	0.79	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDG	K	1[A]	2	-	2/6/26/26	0/1/1/1
2	NDG	K	1[B]	2	-	0/6/26/26	0/1/1/1
2	GAL	K	2[A]	2	-	0/2/19/22	0/1/1/1
2	GAL	K	2[B]	2	-	2/2/19/22	0/1/1/1
2	FUC	K	3[A]	2	-	-	0/1/1/1
2	FUC	K	3[B]	2	-	-	0/1/1/1
2	FUC	K	4[A]	2	-	-	0/1/1/1
2	FUC	K	4[B]	2	-	-	0/1/1/1
2	NDG	L	1[A]	2	-	0/6/26/26	0/1/1/1
2	NDG	L	1[B]	2	-	1/6/26/26	0/1/1/1
2	GAL	L	2[A]	2	-	0/2/19/22	0/1/1/1
2	GAL	L	2[B]	2	-	1/2/19/22	0/1/1/1
2	FUC	L	3[A]	2	-	-	0/1/1/1
2	FUC	L	3[B]	2	-	-	0/1/1/1
2	FUC	L	4[A]	2	-	-	0/1/1/1
2	FUC	L	4[B]	2	-	-	0/1/1/1
2	NDG	M	1[A]	2	-	0/6/26/26	0/1/1/1
2	NDG	M	1[B]	2	-	2/6/26/26	0/1/1/1
2	GAL	M	2[A]	2	-	1/2/19/22	0/1/1/1
2	GAL	M	2[B]	2	-	1/2/19/22	0/1/1/1
2	FUC	M	3[A]	2	-	-	0/1/1/1
2	FUC	M	3[B]	2	-	-	0/1/1/1
2	FUC	M	4[A]	2	-	-	0/1/1/1
2	FUC	M	4[B]	2	-	-	0/1/1/1
2	NDG	N	1[A]	2	-	2/6/26/26	0/1/1/1
2	NDG	N	1[B]	2	-	4/6/26/26	0/1/1/1
2	GAL	N	2[A]	2	-	0/2/19/22	0/1/1/1
2	GAL	N	2[B]	2	-	1/2/19/22	0/1/1/1
2	FUC	N	3[A]	2	-	-	0/1/1/1
2	FUC	N	3[B]	2	-	-	0/1/1/1
2	FUC	N	4[A]	2	-	-	0/1/1/1
2	FUC	N	4[B]	2	-	-	0/1/1/1
2	NDG	O	1	2	-	4/6/26/26	0/1/1/1
2	GAL	O	2	2	-	2/2/19/22	0/1/1/1
2	FUC	O	3	2	-	-	0/1/1/1
2	FUC	O	4	2	-	-	0/1/1/1
2	NDG	P	1	2	-	1/6/26/26	0/1/1/1
2	GAL	P	2	2	-	1/2/19/22	0/1/1/1
2	FUC	P	3	2	-	-	0/1/1/1
2	FUC	P	4	2	-	-	0/1/1/1
2	NDG	Q	1[A]	2	-	0/6/26/26	0/1/1/1
2	NDG	Q	1[B]	2	-	0/6/26/26	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	Q	2[A]	2	-	2/2/19/22	0/1/1/1
2	GAL	Q	2[B]	2	-	0/2/19/22	0/1/1/1
2	FUC	Q	3[A]	2	-	-	0/1/1/1
2	FUC	Q	3[B]	2	-	-	0/1/1/1
2	FUC	Q	4[A]	2	-	-	0/1/1/1
2	FUC	Q	4[B]	2	-	-	0/1/1/1
2	NDG	R	1	2	-	0/6/26/26	0/1/1/1
2	GAL	R	2	2	-	1/2/19/22	0/1/1/1
2	FUC	R	3	2	-	-	0/1/1/1
2	FUC	R	4	2	-	-	0/1/1/1
3	NAG	S	1[B]	3	-	0/6/26/26	0/1/1/1
3	FUC	S	2[A]	3	-	-	0/1/1/1
3	FUC	S	2[B]	3	-	-	0/1/1/1
3	NDG	S	3[A]	3	-	0/6/26/26	0/1/1/1
3	GAL	S	4[A]	3	-	1/2/19/22	0/1/1/1
3	GAL	S	4[B]	3	-	0/2/19/22	0/1/1/1
3	FUC	S	5[A]	3	-	-	0/1/1/1
3	FUC	S	5[B]	3	-	-	0/1/1/1
3	NAG	T	1[B]	3	-	0/6/26/26	0/1/1/1
3	FUC	T	2[A]	3	-	-	0/1/1/1
3	FUC	T	2[B]	3	-	-	0/1/1/1
3	NDG	T	3[A]	3	-	0/6/26/26	0/1/1/1
3	GAL	T	4[A]	3	-	1/2/19/22	0/1/1/1
3	GAL	T	4[B]	3	-	0/2/19/22	0/1/1/1
3	FUC	T	5[A]	3	-	-	0/1/1/1
3	FUC	T	5[B]	3	-	-	0/1/1/1

All (136) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	N	2[B]	GAL	C2-C3	-7.37	1.41	1.52
2	P	2	GAL	O5-C5	6.32	1.56	1.43
2	K	2[A]	GAL	C1-C2	-6.22	1.38	1.52
2	R	1	NDG	O1-C1	5.81	1.58	1.39
2	N	3[B]	FUC	O3-C3	5.36	1.55	1.43
2	Q	3[B]	FUC	C2-C3	5.21	1.60	1.52
2	R	2	GAL	O4-C4	5.06	1.54	1.43
2	P	3	FUC	O5-C5	5.06	1.54	1.43
2	K	2[A]	GAL	C4-C5	-4.85	1.42	1.53
2	L	2[A]	GAL	O2-C2	4.44	1.52	1.43
2	M	2[B]	GAL	O5-C5	4.41	1.52	1.43
2	R	4	FUC	O5-C1	-4.37	1.36	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	R	1	NDG	O5-C5	4.27	1.54	1.44
2	R	2	GAL	O3-C3	4.15	1.52	1.43
2	O	2	GAL	O5-C5	4.15	1.51	1.43
2	L	3[A]	FUC	C1-C2	4.15	1.61	1.52
2	M	3[A]	FUC	C4-C5	4.10	1.62	1.52
2	M	2[B]	GAL	C2-C3	-3.92	1.46	1.52
2	M	3[B]	FUC	O5-C5	3.92	1.52	1.43
2	N	2[A]	GAL	C2-C3	3.88	1.58	1.52
2	M	2[B]	GAL	C1-C2	3.84	1.61	1.52
2	R	2	GAL	C2-C3	-3.83	1.46	1.52
2	L	2[B]	GAL	O2-C2	3.82	1.51	1.43
2	P	1	NDG	C1-C2	-3.77	1.48	1.52
2	N	2[A]	GAL	O5-C1	-3.77	1.37	1.43
2	Q	2[B]	GAL	O5-C1	3.72	1.49	1.43
2	N	1[B]	NDG	O4-C4	-3.70	1.34	1.43
2	R	1	NDG	C1-C2	-3.63	1.48	1.52
2	M	2[A]	GAL	O5-C5	3.60	1.50	1.43
2	L	1[A]	NDG	C1-C2	3.56	1.57	1.52
2	M	3[A]	FUC	C2-C3	3.55	1.57	1.52
2	L	2[A]	GAL	O5-C5	3.54	1.50	1.43
2	Q	3[B]	FUC	O3-C3	3.51	1.51	1.43
2	P	2	GAL	O4-C4	3.45	1.51	1.43
2	M	2[A]	GAL	O4-C4	3.40	1.51	1.43
2	L	2[B]	GAL	C1-C2	-3.36	1.44	1.52
2	M	3[A]	FUC	C4-C3	3.27	1.60	1.52
3	S	3[A]	NDG	C1-C2	-3.26	1.49	1.52
2	Q	3[B]	FUC	O5-C5	3.24	1.50	1.43
2	R	1	NDG	C8-C7	3.24	1.57	1.50
2	K	2[B]	GAL	O5-C1	3.22	1.48	1.43
2	N	3[B]	FUC	C1-C2	3.22	1.59	1.52
2	M	2[B]	GAL	O5-C1	-3.19	1.38	1.43
2	K	2[A]	GAL	O2-C2	3.15	1.50	1.43
2	O	2	GAL	O3-C3	3.05	1.50	1.43
2	K	2[A]	GAL	O3-C3	-3.03	1.35	1.43
2	N	3[B]	FUC	O2-C2	3.01	1.49	1.43
2	P	3	FUC	C2-C3	3.00	1.56	1.52
2	N	3[A]	FUC	O2-C2	2.98	1.49	1.43
2	N	2[A]	GAL	O3-C3	2.95	1.49	1.43
2	R	4	FUC	O5-C5	2.93	1.49	1.43
2	P	2	GAL	C4-C5	2.92	1.59	1.53
2	P	3	FUC	O5-C1	-2.92	1.39	1.43
2	R	2	GAL	O5-C5	2.90	1.49	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	O	3	FUC	O4-C4	2.89	1.49	1.43
2	K	2[A]	GAL	O5-C5	-2.88	1.37	1.43
2	N	2[B]	GAL	O3-C3	2.85	1.49	1.43
2	N	1[A]	NDG	C4-C5	2.84	1.59	1.53
2	L	3[B]	FUC	O2-C2	-2.82	1.37	1.43
3	T	4[A]	GAL	O5-C1	-2.79	1.39	1.43
2	M	4[A]	FUC	O5-C5	2.79	1.49	1.43
2	M	1[A]	NDG	C3-C2	2.77	1.58	1.53
2	N	3[B]	FUC	C2-C3	2.74	1.56	1.52
2	N	2[A]	GAL	C4-C3	2.73	1.59	1.52
2	O	1	NDG	O5-C5	-2.70	1.37	1.44
2	N	3[B]	FUC	O4-C4	2.69	1.49	1.43
2	Q	2[B]	GAL	C4-C5	-2.68	1.47	1.53
2	L	2[A]	GAL	C1-C2	-2.67	1.46	1.52
2	M	3[A]	FUC	O4-C4	2.66	1.49	1.43
3	S	3[A]	NDG	C8-C7	2.66	1.56	1.50
2	M	3[B]	FUC	O5-C1	2.64	1.47	1.43
2	Q	4[B]	FUC	C2-C3	-2.62	1.48	1.52
2	N	1[A]	NDG	C2-N2	-2.62	1.41	1.45
2	Q	1[B]	NDG	C2-N2	2.61	1.50	1.45
2	M	2[B]	GAL	O3-C3	2.58	1.49	1.43
2	R	3	FUC	C4-C3	2.58	1.58	1.52
2	R	3	FUC	O5-C5	2.58	1.49	1.43
2	Q	1[B]	NDG	C1-C2	2.55	1.56	1.52
2	Q	4[B]	FUC	O5-C5	2.53	1.49	1.43
2	L	1[B]	NDG	C4-C5	-2.51	1.47	1.53
2	M	3[B]	FUC	C2-C3	-2.50	1.48	1.52
3	S	5[B]	FUC	O5-C1	-2.50	1.39	1.43
3	T	4[A]	GAL	O5-C5	2.49	1.48	1.43
2	P	1	NDG	C3-C2	-2.44	1.48	1.53
3	S	1[B]	NAG	O5-C1	-2.39	1.36	1.42
2	Q	2[B]	GAL	O4-C4	-2.39	1.37	1.43
2	M	2[A]	GAL	C1-C2	2.38	1.57	1.52
2	Q	2[B]	GAL	C1-C2	-2.36	1.46	1.52
2	K	1[A]	NDG	C3-C2	2.36	1.57	1.53
2	R	1	NDG	O7-C7	2.35	1.28	1.23
2	Q	3[A]	FUC	C4-C3	2.35	1.58	1.52
2	R	4	FUC	C4-C5	2.33	1.58	1.52
2	Q	4[A]	FUC	C2-C3	-2.31	1.49	1.52
2	L	2[B]	GAL	O4-C4	-2.31	1.37	1.43
2	M	4[B]	FUC	O2-C2	2.31	1.48	1.43
2	L	2[B]	GAL	O5-C5	2.31	1.48	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	T	1[B]	NAG	O5-C5	-2.28	1.38	1.44
2	O	3	FUC	C4-C5	2.27	1.57	1.52
2	O	2	GAL	C1-C2	2.26	1.57	1.52
2	R	2	GAL	C4-C5	2.25	1.57	1.53
2	K	2[B]	GAL	O2-C2	2.25	1.48	1.43
2	N	4[A]	FUC	O4-C4	2.24	1.48	1.43
2	P	3	FUC	O4-C4	2.23	1.48	1.43
2	P	1	NDG	C6-C5	2.22	1.59	1.51
3	S	4[A]	GAL	C4-C5	-2.22	1.48	1.53
2	M	1[A]	NDG	O1-C1	2.22	1.46	1.39
2	O	1	NDG	O7-C7	2.21	1.28	1.23
2	Q	4[B]	FUC	O5-C1	-2.20	1.40	1.43
2	K	1[A]	NDG	O6-C6	-2.20	1.33	1.42
2	P	2	GAL	O2-C2	-2.19	1.38	1.43
2	M	2[A]	GAL	O5-C1	-2.18	1.40	1.43
2	P	4	FUC	O5-C5	2.18	1.48	1.43
2	O	2	GAL	O5-C1	-2.17	1.40	1.43
2	L	4[A]	FUC	C6-C5	2.16	1.56	1.51
2	O	4	FUC	C6-C5	2.16	1.56	1.51
2	R	4	FUC	C1-C2	2.15	1.57	1.52
2	N	2[A]	GAL	O4-C4	2.15	1.48	1.43
2	M	1[B]	NDG	O1-C1	2.14	1.46	1.39
2	K	3[A]	FUC	O2-C2	-2.12	1.38	1.43
3	T	5[A]	FUC	C2-C3	2.12	1.55	1.52
3	S	4[B]	GAL	O4-C4	2.12	1.48	1.43
2	L	2[A]	GAL	O6-C6	2.12	1.51	1.42
3	S	4[B]	GAL	C2-C3	2.12	1.55	1.52
2	M	4[A]	FUC	O3-C3	2.10	1.47	1.43
2	P	2	GAL	O5-C1	-2.10	1.40	1.43
3	T	4[B]	GAL	O2-C2	2.09	1.47	1.43
2	Q	2[A]	GAL	C1-C2	-2.08	1.47	1.52
2	R	1	NDG	C2-N2	2.08	1.49	1.45
2	K	3[A]	FUC	O5-C1	-2.06	1.40	1.43
2	O	3	FUC	C2-C3	2.04	1.55	1.52
2	Q	3[B]	FUC	C1-C2	2.03	1.56	1.52
2	M	4[A]	FUC	O4-C4	-2.03	1.38	1.43
2	K	4[B]	FUC	C2-C3	-2.02	1.49	1.52
2	M	1[A]	NDG	O5-C1	2.02	1.47	1.42
2	M	3[A]	FUC	O3-C3	2.01	1.47	1.43
2	M	3[A]	FUC	O2-C2	2.00	1.47	1.43

All (208) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	Q	2[A]	GAL	O5-C5-C6	8.85	121.08	107.20
2	O	2	GAL	C1-O5-C5	-8.29	100.96	112.19
2	M	2[B]	GAL	C1-O5-C5	-8.16	101.14	112.19
2	Q	2[A]	GAL	C1-O5-C5	-7.99	101.36	112.19
2	P	2	GAL	O5-C5-C6	7.63	119.16	107.20
2	R	1	NDG	C1-C2-N2	-7.62	101.90	110.73
2	M	2[B]	GAL	C1-C2-C3	6.93	118.18	109.67
2	N	1[A]	NDG	O5-C1-C2	-6.43	103.05	109.52
2	N	1[B]	NDG	C1-C2-N2	-6.10	103.66	110.73
2	M	2[B]	GAL	O5-C5-C6	-5.93	97.91	107.20
2	R	1	NDG	C1-C2-C3	5.88	118.57	110.54
3	T	4[B]	GAL	C1-C2-C3	5.52	116.45	109.67
2	M	1[A]	NDG	C1-C2-N2	5.23	116.78	110.73
2	R	1	NDG	C2-N2-C7	-5.17	110.60	123.18
2	K	1[B]	NDG	C1-O5-C5	-5.16	103.92	113.66
2	N	2[A]	GAL	O5-C5-C6	-5.13	99.16	107.20
2	L	2[A]	GAL	C1-C2-C3	-5.11	103.39	109.67
2	P	2	GAL	C1-C2-C3	5.00	115.81	109.67
2	N	1[A]	NDG	C1-C2-N2	-4.98	104.96	110.73
2	Q	3[B]	FUC	O5-C1-C2	-4.97	103.10	110.77
2	M	1[B]	NDG	C1-O5-C5	-4.84	104.52	113.66
2	L	1[A]	NDG	O5-C1-C2	-4.81	104.68	109.52
2	O	2	GAL	O5-C5-C6	4.78	114.70	107.20
2	R	2	GAL	C1-C2-C3	4.72	115.47	109.67
2	O	2	GAL	C1-C2-C3	4.61	115.33	109.67
2	N	2[B]	GAL	O5-C1-C2	4.53	117.77	110.77
2	M	3[B]	FUC	C1-C2-C3	-4.42	104.24	109.67
2	R	1	NDG	O7-C7-C8	4.38	130.18	122.06
2	M	3[B]	FUC	C3-C4-C5	-4.36	102.99	109.77
2	M	3[B]	FUC	C1-O5-C5	-4.32	102.97	112.78
2	N	3[B]	FUC	O3-C3-C2	4.32	118.26	109.99
2	R	1	NDG	C3-C2-N2	-4.29	102.52	110.62
2	R	2	GAL	C1-O5-C5	-4.28	106.40	112.19
2	N	3[B]	FUC	O4-C4-C3	4.19	120.04	110.35
2	M	1[B]	NDG	C1-C2-N2	-4.18	105.89	110.73
2	R	1	NDG	O7-C7-N2	-4.17	114.29	121.95
2	N	2[A]	GAL	O6-C6-C5	-4.14	97.10	111.29
2	N	2[B]	GAL	C6-C5-C4	-4.13	103.33	113.00
2	K	2[B]	GAL	O5-C5-C6	4.11	113.64	107.20
2	N	3[B]	FUC	C6-C5-C4	-4.07	105.56	113.07
2	M	1[B]	NDG	O5-C5-C6	4.05	116.51	106.44
2	N	2[A]	GAL	O2-C2-C1	-4.05	100.86	109.15
2	M	3[B]	FUC	C2-C3-C4	-4.05	103.89	110.89

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	3[A]	FUC	O2-C2-C1	3.96	117.25	109.15
2	Q	2[A]	GAL	O5-C1-C2	-3.95	104.67	110.77
3	T	4[A]	GAL	C3-C4-C5	-3.89	103.30	110.24
2	Q	1[B]	NDG	C4-C3-C2	-3.86	104.69	110.34
2	L	1[B]	NDG	C1-C2-N2	-3.86	106.26	110.73
2	Q	3[B]	FUC	C1-C2-C3	3.82	114.36	109.67
2	P	2	GAL	C6-C5-C4	-3.80	104.11	113.00
2	N	2[B]	GAL	C1-C2-C3	3.76	114.29	109.67
2	Q	3[B]	FUC	O5-C5-C6	3.72	115.34	107.33
2	K	2[A]	GAL	O5-C1-C2	-3.70	105.06	110.77
2	M	3[A]	FUC	C3-C4-C5	-3.65	104.09	109.77
2	K	3[B]	FUC	O5-C1-C2	-3.64	105.15	110.77
2	Q	2[B]	GAL	O3-C3-C2	-3.60	103.09	109.99
2	K	2[A]	GAL	C2-C3-C4	3.59	117.11	110.89
2	K	1[B]	NDG	O5-C1-C2	3.52	113.05	109.52
2	R	1	NDG	O1-C1-C2	-3.52	101.91	109.22
2	R	1	NDG	C1-O5-C5	-3.49	107.07	113.66
2	N	4[B]	FUC	C6-C5-C4	-3.47	106.66	113.07
2	O	1	NDG	O5-C1-C2	-3.47	106.03	109.52
2	L	2[A]	GAL	O5-C5-C4	-3.46	102.42	110.83
2	N	3[B]	FUC	C3-C4-C5	-3.43	104.43	109.77
3	T	4[A]	GAL	C1-C2-C3	3.38	113.82	109.67
2	L	2[B]	GAL	O4-C4-C3	-3.37	102.55	110.35
2	K	1[B]	NDG	C1-C2-N2	-3.37	106.83	110.73
3	T	3[A]	NDG	C1-C2-N2	-3.35	106.85	110.73
2	N	2[B]	GAL	O5-C5-C6	3.34	112.44	107.20
2	N	2[B]	GAL	C1-O5-C5	-3.31	107.70	112.19
2	N	2[B]	GAL	C3-C4-C5	3.31	116.14	110.24
2	R	2	GAL	O5-C1-C2	3.28	115.84	110.77
2	P	1	NDG	C1-C2-N2	-3.27	106.94	110.73
2	L	3[B]	FUC	O5-C1-C2	-3.25	105.75	110.77
2	R	1	NDG	O4-C4-C5	3.23	117.32	109.30
2	O	1	NDG	C1-C2-N2	-3.21	107.01	110.73
2	K	2[B]	GAL	O5-C1-C2	3.18	115.68	110.77
2	L	2[B]	GAL	O5-C5-C6	3.18	112.19	107.20
2	L	2[A]	GAL	O3-C3-C2	-3.15	103.96	109.99
3	T	4[B]	GAL	C1-O5-C5	-3.15	107.92	112.19
2	K	3[A]	FUC	O5-C1-C2	-3.12	105.95	110.77
2	L	3[A]	FUC	C3-C4-C5	-3.12	104.92	109.77
2	N	1[B]	NDG	C1-O5-C5	-3.11	107.79	113.66
2	P	2	GAL	O6-C6-C5	-3.11	100.63	111.29
2	N	1[A]	NDG	C1-C2-C3	3.09	114.76	110.54

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	Q	1[B]	NDG	O5-C1-C2	-3.05	106.45	109.52
2	K	2[A]	GAL	O3-C3-C2	-3.05	104.16	109.99
2	P	4	FUC	C1-C2-C3	3.02	113.38	109.67
2	M	2[A]	GAL	O6-C6-C5	-3.02	100.92	111.29
2	K	1[A]	NDG	O5-C5-C6	3.02	113.94	106.44
2	N	1[B]	NDG	C4-C3-C2	-3.01	105.94	110.34
2	L	1[B]	NDG	O3-C3-C4	-2.99	103.44	110.35
2	M	2[A]	GAL	O5-C5-C6	2.98	111.88	107.20
2	N	3[B]	FUC	O3-C3-C4	2.97	117.22	110.35
2	O	1	NDG	C2-N2-C7	2.96	130.38	123.18
2	M	1[A]	NDG	O7-C7-C8	-2.95	116.57	122.06
2	M	1[B]	NDG	O5-C5-C4	-2.94	104.36	109.69
2	O	2	GAL	O5-C1-C2	2.91	115.27	110.77
2	M	2[B]	GAL	O5-C5-C4	2.90	117.89	110.83
2	R	1	NDG	O4-C4-C3	-2.89	103.67	110.35
2	R	2	GAL	O4-C4-C3	-2.87	103.72	110.35
2	M	3[B]	FUC	O5-C5-C6	2.84	113.45	107.33
2	R	2	GAL	O5-C5-C6	-2.83	102.77	107.20
2	M	4[A]	FUC	O5-C1-C2	-2.82	106.42	110.77
2	N	1[A]	NDG	C4-C3-C2	-2.81	106.22	110.34
2	O	2	GAL	O6-C6-C5	-2.80	101.68	111.29
2	P	2	GAL	O4-C4-C3	-2.79	103.90	110.35
2	Q	4[B]	FUC	C6-C5-C4	2.76	118.16	113.07
2	K	2[A]	GAL	C1-O5-C5	2.75	115.92	112.19
2	K	2[A]	GAL	O6-C6-C5	-2.74	101.88	111.29
2	L	3[B]	FUC	C3-C4-C5	-2.74	105.51	109.77
2	P	4	FUC	O4-C4-C5	2.73	115.72	109.67
2	N	3[B]	FUC	O5-C1-C2	2.73	114.98	110.77
2	M	2[B]	GAL	O3-C3-C2	-2.71	104.81	109.99
2	M	4[A]	FUC	O4-C4-C5	2.71	115.67	109.67
3	S	1[B]	NAG	O5-C1-C2	2.70	112.23	109.52
3	T	1[B]	NAG	O1-C1-C2	2.69	114.80	109.22
2	N	2[B]	GAL	C2-C3-C4	-2.68	106.27	110.89
2	O	1	NDG	O6-C6-C5	-2.66	102.18	111.29
2	Q	2[A]	GAL	O5-C5-C4	-2.64	104.41	110.83
2	M	2[A]	GAL	C3-C4-C5	-2.62	105.56	110.24
2	Q	1[A]	NDG	C1-C2-N2	-2.62	107.69	110.73
2	M	4[B]	FUC	C1-C2-C3	-2.62	106.45	109.67
2	Q	2[B]	GAL	O6-C6-C5	-2.61	102.35	111.29
2	N	4[A]	FUC	O4-C4-C5	2.60	115.44	109.67
2	L	3[A]	FUC	O5-C1-C2	-2.60	106.76	110.77
2	N	2[A]	GAL	O2-C2-C3	2.59	115.33	110.14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	N	3[B]	FUC	C1-O5-C5	-2.59	106.91	112.78
2	K	1[A]	NDG	C3-C2-N2	2.57	115.47	110.62
3	S	5[B]	FUC	C1-O5-C5	2.55	118.56	112.78
2	M	1[A]	NDG	O7-C7-N2	2.55	126.64	121.95
3	S	4[B]	GAL	C3-C4-C5	-2.54	105.70	110.24
2	K	3[B]	FUC	O2-C2-C1	2.53	114.32	109.15
2	Q	2[B]	GAL	C3-C4-C5	2.52	114.73	110.24
2	K	1[B]	NDG	O5-C5-C6	-2.52	100.18	106.44
2	K	3[A]	FUC	C1-O5-C5	2.51	118.47	112.78
2	K	2[A]	GAL	O2-C2-C1	-2.51	104.02	109.15
3	S	5[A]	FUC	O2-C2-C1	2.48	114.23	109.15
2	L	4[A]	FUC	O4-C4-C5	2.47	115.15	109.67
2	N	2[B]	GAL	O4-C4-C3	-2.47	104.64	110.35
2	M	4[A]	FUC	C1-O5-C5	2.47	118.37	112.78
3	T	4[A]	GAL	O5-C5-C6	-2.47	103.34	107.20
2	M	2[B]	GAL	O6-C6-C5	-2.44	102.91	111.29
2	L	2[B]	GAL	C1-O5-C5	2.43	115.49	112.19
2	N	3[B]	FUC	C2-C3-C4	-2.43	106.69	110.89
3	S	3[A]	NDG	O1-C1-C2	2.43	114.26	109.22
2	Q	1[A]	NDG	C4-C3-C2	-2.42	106.80	110.34
2	P	1	NDG	C1-C2-C3	2.40	113.81	110.54
2	N	3[A]	FUC	O2-C2-C3	-2.39	105.35	110.14
2	N	2[A]	GAL	C1-C2-C3	2.38	112.60	109.67
2	K	2[A]	GAL	C3-C4-C5	-2.37	106.01	110.24
2	N	2[B]	GAL	O3-C3-C2	-2.36	105.47	109.99
3	T	4[A]	GAL	O3-C3-C2	2.36	114.51	109.99
3	S	1[B]	NAG	O1-C1-C2	2.35	114.11	109.22
2	L	1[B]	NDG	O3-C3-C2	2.34	114.39	109.66
2	M	3[A]	FUC	O3-C3-C2	-2.33	105.53	109.99
2	M	2[B]	GAL	C6-C5-C4	2.33	118.46	113.00
2	P	3	FUC	C3-C4-C5	-2.29	106.21	109.77
2	L	1[A]	NDG	C4-C3-C2	-2.29	106.99	110.34
3	S	4[B]	GAL	O5-C5-C6	-2.28	103.62	107.20
2	Q	2[B]	GAL	C1-C2-C3	2.27	112.46	109.67
2	K	2[A]	GAL	O5-C5-C6	2.27	110.76	107.20
2	M	3[A]	FUC	O4-C4-C3	2.26	115.58	110.35
2	P	4	FUC	O5-C5-C6	-2.25	102.47	107.33
2	N	1[B]	NDG	O5-C1-C2	2.24	111.77	109.52
2	M	3[B]	FUC	O5-C1-C2	2.24	114.23	110.77
2	L	1[B]	NDG	C4-C3-C2	-2.24	107.06	110.34
2	M	1[A]	NDG	C1-C2-C3	-2.24	107.49	110.54
2	R	1	NDG	O6-C6-C5	-2.23	103.63	111.29

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	4[A]	FUC	O3-C3-C2	-2.23	105.73	109.99
2	K	4[A]	FUC	O5-C5-C4	2.22	113.51	109.52
2	M	1[B]	NDG	C2-N2-C7	-2.22	117.78	123.18
2	L	4[B]	FUC	C2-C3-C4	-2.22	107.06	110.89
2	L	1[B]	NDG	O5-C1-C2	-2.21	107.30	109.52
3	S	2[B]	FUC	O3-C3-C4	-2.20	105.26	110.35
2	O	2	GAL	C6-C5-C4	-2.20	107.86	113.00
2	N	2[B]	GAL	O2-C2-C3	-2.19	105.75	110.14
2	O	2	GAL	O3-C3-C2	-2.19	105.80	109.99
2	Q	3[B]	FUC	C3-C4-C5	-2.19	106.37	109.77
3	S	4[A]	GAL	O5-C1-C2	-2.18	107.40	110.77
2	M	3[B]	FUC	O2-C2-C1	2.18	113.60	109.15
2	K	1[B]	NDG	O6-C6-C5	-2.17	103.85	111.29
2	R	1	NDG	C8-C7-N2	-2.16	112.44	116.10
2	L	4[A]	FUC	O5-C1-C2	2.16	114.11	110.77
2	L	4[A]	FUC	O5-C5-C6	2.15	111.97	107.33
3	S	2[B]	FUC	O2-C2-C3	2.13	114.41	110.14
3	T	4[A]	GAL	O5-C1-C2	-2.13	107.48	110.77
2	Q	3[B]	FUC	C6-C5-C4	-2.13	109.14	113.07
2	M	3[B]	FUC	C6-C5-C4	-2.12	109.16	113.07
2	Q	4[B]	FUC	O5-C1-C2	2.11	114.03	110.77
3	S	1[B]	NAG	C2-N2-C7	-2.10	118.08	123.18
2	M	2[A]	GAL	O4-C4-C5	2.09	114.50	109.30
2	N	2[A]	GAL	C3-C4-C5	-2.08	106.53	110.24
2	R	2	GAL	O6-C6-C5	-2.07	104.18	111.29
3	T	1[B]	NAG	C2-N2-C7	-2.07	118.15	123.18
2	M	3[A]	FUC	O3-C3-C4	2.07	115.13	110.35
2	O	1	NDG	C4-C3-C2	-2.06	107.33	110.34
2	R	3	FUC	O5-C1-C2	-2.06	107.60	110.77
2	Q	2[B]	GAL	O4-C4-C5	-2.05	104.21	109.30
3	S	1[B]	NAG	C1-C2-N2	-2.04	108.36	110.73
2	M	1[B]	NDG	O5-C1-C2	-2.04	107.46	109.52
2	O	3	FUC	O4-C4-C5	2.04	114.19	109.67
2	M	1[A]	NDG	C1-O5-C5	2.02	117.47	113.66
2	Q	3[B]	FUC	O3-C3-C2	2.01	113.85	109.99
2	K	2[A]	GAL	C1-C2-C3	-2.01	107.19	109.67
2	Q	2[B]	GAL	C2-C3-C4	2.01	114.37	110.89
2	N	3[A]	FUC	C6-C5-C4	-2.00	109.37	113.07
2	M	2[A]	GAL	O3-C3-C4	-2.00	105.72	110.35

There are no chirality outliers.

All (30) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	Q	2[A]	GAL	O5-C5-C6-O6
2	M	1[B]	NDG	O5-C5-C6-O6
2	K	1[A]	NDG	O5-C5-C6-O6
2	Q	2[A]	GAL	C4-C5-C6-O6
2	M	1[B]	NDG	C4-C5-C6-O6
2	O	2	GAL	O5-C5-C6-O6
2	K	2[B]	GAL	C4-C5-C6-O6
2	N	1[B]	NDG	O5-C5-C6-O6
2	K	1[A]	NDG	C4-C5-C6-O6
2	O	1	NDG	C8-C7-N2-C2
2	O	1	NDG	O7-C7-N2-C2
2	N	1[A]	NDG	C8-C7-N2-C2
2	N	1[A]	NDG	O7-C7-N2-C2
2	N	1[B]	NDG	C8-C7-N2-C2
2	N	1[B]	NDG	O7-C7-N2-C2
2	N	1[B]	NDG	C4-C5-C6-O6
2	O	2	GAL	C4-C5-C6-O6
2	O	1	NDG	C4-C5-C6-O6
2	K	2[B]	GAL	O5-C5-C6-O6
2	L	2[B]	GAL	O5-C5-C6-O6
2	M	2[B]	GAL	C4-C5-C6-O6
2	N	2[B]	GAL	O5-C5-C6-O6
2	R	2	GAL	O5-C5-C6-O6
3	T	4[A]	GAL	O5-C5-C6-O6
2	O	1	NDG	O5-C5-C6-O6
3	S	4[A]	GAL	O5-C5-C6-O6
2	M	2[A]	GAL	C4-C5-C6-O6
2	P	2	GAL	O5-C5-C6-O6
2	L	1[B]	NDG	O5-C5-C6-O6
2	P	1	NDG	C4-C5-C6-O6

There are no ring outliers.

10 monomers are involved in 15 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	N	2[B]	GAL	3	0
2	N	1[B]	NDG	7	0
2	M	3[B]	FUC	1	0
2	M	1[B]	NDG	1	0
2	O	2	GAL	1	0
2	M	2[B]	GAL	2	0
2	N	3[B]	FUC	5	0
2	K	3[A]	FUC	1	0



*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	R	1	NDG	2	0
2	K	3[B]	FUC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




























**Oligosaccharide Chain S****Bond lengths****Bond angles****Torsions****Rings****Oligosaccharide Chain T****Bond lengths****Bond angles****Torsions****Rings**

## 5.6 Ligand geometry

Of 41 ligands modelled in this entry, 10 are monoatomic - leaving 31 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
5	GAL	C	202[A]	-	12,12,12	0.82	0	17,17,17	0.80	0
5	GAL	A	202[A]	-	12,12,12	1.71	3 (25%)	17,17,17	1.17	2 (11%)
6	GLA	I	1202[B]	-	12,12,12	0.93	1 (8%)	17,17,17	0.92	1 (5%)
6	GLA	H	1202[B]	-	12,12,12	0.90	0	17,17,17	0.93	0
5	GAL	E	204[A]	-	12,12,12	0.67	0	17,17,17	0.62	0
7	BCN	A	206	4	7,10,10	0.64	0	8,11,11	1.31	1 (12%)
7	BCN	A	204	4	7,10,10	1.45	1 (14%)	8,11,11	2.37	2 (25%)
5	GAL	H	1201[A]	-	12,12,12	1.01	0	17,17,17	0.84	0
8	PEG	G	201	-	6,6,6	0.70	0	5,5,5	2.70	3 (60%)
6	GLA	F	1201[A]	-	12,12,12	0.88	0	17,17,17	0.94	0
7	BCN	E	201	4	7,10,10	0.65	0	8,11,11	1.96	2 (25%)
5	GAL	J	1201[A]	-	12,12,12	0.90	1 (8%)	17,17,17	0.91	0
6	GLA	D	205[B]	-	12,12,12	0.77	0	17,17,17	0.81	0
7	BCN	B	202	4	7,10,10	1.26	2 (28%)	8,11,11	1.65	2 (25%)
7	BCN	E	203	4	7,10,10	1.05	0	8,11,11	1.29	1 (12%)
7	BCN	D	203	4	7,10,10	1.04	1 (14%)	8,11,11	1.95	3 (37%)
7	BCN	C	206	4	7,10,10	1.48	1 (14%)	8,11,11	1.44	2 (25%)
5	GAL	I	1201[A]	-	12,12,12	0.84	1 (8%)	17,17,17	0.74	0
6	GLA	E	205[B]	-	12,12,12	0.80	0	17,17,17	0.71	0
7	BCN	C	205	4	7,10,10	1.22	1 (14%)	8,11,11	2.41	3 (37%)
5	GAL	B	203[A]	-	12,12,12	1.10	1 (8%)	17,17,17	1.22	1 (5%)
6	GLA	C	203[B]	-	12,12,12	0.43	0	17,17,17	0.83	0
7	BCN	B	206	4	7,10,10	1.23	1 (14%)	8,11,11	1.40	1 (12%)
6	GLA	A	203[B]	-	12,12,12	1.67	3 (25%)	17,17,17	1.13	0
6	GLA	G	202[A]	-	12,12,12	0.93	1 (8%)	17,17,17	1.17	3 (17%)
6	GLA	B	204[B]	-	12,12,12	1.48	1 (8%)	17,17,17	1.49	3 (17%)
6	GLA	J	1202[B]	-	12,12,12	0.99	1 (8%)	17,17,17	0.86	0
5	GAL	F	1202[B]	-	12,12,12	0.46	0	17,17,17	1.02	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	GAL	D	204[A]	-	12,12,12	0.96	0	17,17,17	0.66	0
7	BCN	D	201	4	7,10,10	1.70	2 (28%)	8,11,11	1.14	1 (12%)
5	GAL	G	203[B]	-	12,12,12	0.99	0	17,17,17	1.23	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GAL	C	202[A]	-	-	0/2/22/22	0/1/1/1
5	GAL	A	202[A]	-	-	0/2/22/22	0/1/1/1
6	GLA	I	1202[B]	-	-	0/2/22/22	0/1/1/1
6	GLA	H	1202[B]	-	-	0/2/22/22	0/1/1/1
5	GAL	E	204[A]	-	-	0/2/22/22	0/1/1/1
7	BCN	A	206	4	-	2/8/10/10	-
7	BCN	A	204	4	-	1/8/10/10	-
5	GAL	H	1201[A]	-	-	0/2/22/22	0/1/1/1
8	PEG	G	201	-	-	4/4/4/4	-
6	GLA	F	1201[A]	-	-	0/2/22/22	0/1/1/1
7	BCN	E	201	4	-	2/8/10/10	-
5	GAL	J	1201[A]	-	-	0/2/22/22	0/1/1/1
6	GLA	D	205[B]	-	-	0/2/22/22	0/1/1/1
7	BCN	B	202	4	-	1/8/10/10	-
7	BCN	E	203	4	-	2/8/10/10	-
7	BCN	D	203	4	-	2/8/10/10	-
7	BCN	C	206	4	-	2/8/10/10	-
5	GAL	I	1201[A]	-	-	0/2/22/22	0/1/1/1
6	GLA	E	205[B]	-	-	0/2/22/22	0/1/1/1
7	BCN	C	205	4	-	1/8/10/10	-
5	GAL	B	203[A]	-	-	2/2/22/22	0/1/1/1
6	GLA	C	203[B]	-	-	0/2/22/22	0/1/1/1
7	BCN	B	206	4	-	2/8/10/10	-
6	GLA	A	203[B]	-	-	2/2/22/22	0/1/1/1
6	GLA	G	202[A]	-	-	0/2/22/22	0/1/1/1
6	GLA	B	204[B]	-	-	0/2/22/22	0/1/1/1
6	GLA	J	1202[B]	-	-	0/2/22/22	0/1/1/1
5	GAL	F	1202[B]	-	-	0/2/22/22	0/1/1/1
5	GAL	D	204[A]	-	-	0/2/22/22	0/1/1/1
7	BCN	D	201	4	-	2/8/10/10	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GAL	G	203[B]	-	-	0/2/22/22	0/1/1/1

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	202[A]	GAL	O3-C3	3.81	1.52	1.43
6	B	204[B]	GLA	O2-C2	3.40	1.51	1.43
7	D	201	BCN	C5-N1	-3.32	1.39	1.47
7	C	206	BCN	C5-N1	-3.20	1.40	1.47
7	A	204	BCN	C3-N1	-3.13	1.40	1.47
6	A	203[B]	GLA	O2-C2	2.81	1.49	1.43
6	A	203[B]	GLA	O3-C3	2.76	1.49	1.43
5	A	202[A]	GAL	O2-C2	2.63	1.49	1.43
6	A	203[B]	GLA	O5-C5	2.53	1.50	1.44
5	B	203[A]	GAL	O2-C2	2.47	1.48	1.43
7	B	206	BCN	C5-N1	-2.42	1.41	1.47
5	J	1201[A]	GAL	O1-C1	2.32	1.47	1.39
7	C	205	BCN	C3-N1	-2.29	1.42	1.47
5	A	202[A]	GAL	C4-C5	2.28	1.57	1.53
7	D	201	BCN	C3-N1	2.17	1.52	1.47
7	B	202	BCN	C5-N1	-2.17	1.42	1.47
6	J	1202[B]	GLA	O1-C1	2.16	1.46	1.39
7	D	203	BCN	C5-N1	-2.13	1.42	1.47
5	I	1201[A]	GAL	O3-C3	2.13	1.48	1.43
7	B	202	BCN	C3-N1	-2.10	1.42	1.47
6	G	202[A]	GLA	O1-C1	2.09	1.46	1.39
6	I	1202[B]	GLA	O3-C3	2.08	1.47	1.43

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	C	205	BCN	O6-C6-C5	-5.20	89.62	111.19
7	A	204	BCN	O6-C6-C5	-5.08	90.10	111.19
8	G	201	PEG	C3-O2-C2	4.39	132.32	113.29
7	D	203	BCN	C5-N1-C3	-3.91	102.15	111.44
7	B	206	BCN	O4-C4-C3	-3.68	95.95	111.19
7	B	202	BCN	C5-N1-C3	-3.46	103.22	111.44
7	E	201	BCN	O4-C4-C3	-3.13	98.20	111.19
7	E	203	BCN	O4-C4-C3	-3.10	98.33	111.19
7	E	201	BCN	C5-N1-C3	-3.08	104.11	111.44
7	C	205	BCN	C2-C1-N1	3.06	117.84	113.48
5	G	203[B]	GAL	C6-C5-C4	-2.97	106.04	113.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	G	201	PEG	O2-C3-C4	-2.95	97.12	110.07
7	A	206	BCN	O4-C4-C3	-2.85	99.38	111.19
6	B	204[B]	GLA	O5-C5-C6	2.84	113.49	106.44
7	D	201	BCN	O4-C4-C3	-2.80	99.59	111.19
6	B	204[B]	GLA	C3-C4-C5	-2.69	105.45	110.24
7	C	206	BCN	C5-N1-C3	-2.68	105.08	111.44
5	A	202[A]	GAL	C1-O5-C5	-2.67	108.63	113.66
7	D	203	BCN	C1-N1-C3	2.57	116.72	111.29
5	B	203[A]	GAL	O5-C5-C6	-2.51	100.20	106.44
7	C	205	BCN	C5-N1-C3	2.50	117.38	111.44
7	D	203	BCN	O4-C4-C3	-2.43	101.13	111.19
8	G	201	PEG	O1-C1-C2	2.37	125.57	111.81
7	B	202	BCN	C2-C1-N1	2.17	116.58	113.48
6	G	202[A]	GLA	C3-C4-C5	-2.13	106.45	110.24
5	A	202[A]	GAL	O5-C5-C4	2.10	113.52	109.69
6	G	202[A]	GLA	O1-C1-O5	-2.10	104.08	110.38
7	C	206	BCN	O4-C4-C3	-2.08	102.57	111.19
6	I	1202[B]	GLA	C6-C5-C4	-2.06	108.17	113.00
6	G	202[A]	GLA	C6-C5-C4	-2.05	108.21	113.00
6	B	204[B]	GLA	C6-C5-C4	-2.03	108.24	113.00
5	G	203[B]	GAL	C1-O5-C5	-2.02	109.86	113.66
7	A	204	BCN	C1-N1-C3	2.00	115.52	111.29

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	G	201	PEG	O2-C3-C4-O4
8	G	201	PEG	O1-C1-C2-O2
6	A	203[B]	GLA	C4-C5-C6-O6
5	B	203[A]	GAL	C4-C5-C6-O6
7	E	201	BCN	C2-C1-N1-C5
7	B	202	BCN	C2-C1-N1-C5
7	C	206	BCN	C2-C1-N1-C5
8	G	201	PEG	C1-C2-O2-C3
7	D	203	BCN	C2-C1-N1-C5
6	A	203[B]	GLA	O5-C5-C6-O6
5	B	203[A]	GAL	O5-C5-C6-O6
7	B	206	BCN	C2-C1-N1-C3
7	A	204	BCN	C2-C1-N1-C5
7	E	201	BCN	C2-C1-N1-C3
7	C	205	BCN	C2-C1-N1-C5

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
7	D	201	BCN	C2-C1-N1-C5
7	B	206	BCN	C2-C1-N1-C5
7	A	206	BCN	C2-C1-N1-C3
7	A	206	BCN	C2-C1-N1-C5
7	D	201	BCN	C2-C1-N1-C3
7	E	203	BCN	C2-C1-N1-C5
7	D	203	BCN	C2-C1-N1-C3
7	E	203	BCN	C2-C1-N1-C3
7	C	206	BCN	C2-C1-N1-C3
8	G	201	PEG	C4-C3-O2-C2

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	G	201	PEG	4	0
5	J	1201[A]	GAL	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	103/103 (100%)	-0.57	0 100 100	8, 13, 21, 37	0
1	B	103/103 (100%)	-0.57	0 100 100	7, 11, 18, 35	0
1	C	103/103 (100%)	-0.60	1 (0%) 82 77	7, 10, 16, 38	0
1	D	103/103 (100%)	-0.56	0 100 100	7, 11, 18, 31	0
1	E	103/103 (100%)	-0.53	0 100 100	8, 14, 21, 43	0
1	F	103/103 (100%)	-0.50	1 (0%) 82 77	8, 12, 18, 36	0
1	G	103/103 (100%)	-0.45	1 (0%) 82 77	7, 10, 19, 37	0
1	H	103/103 (100%)	-0.51	1 (0%) 82 77	8, 12, 18, 51	0
1	I	103/103 (100%)	-0.54	1 (0%) 82 77	8, 12, 21, 51	0
1	J	103/103 (100%)	-0.53	0 100 100	8, 13, 20, 35	0
All	All	1030/1030 (100%)	-0.54	5 (0%) 91 88	7, 12, 20, 51	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	103	ASN	4.4
1	C	103	ASN	3.4
1	I	103	ASN	3.3
1	F	103	ASN	3.3
1	G	103	ASN	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	FUC	O	3	10/11	0.78	0.21	34,40,47,48	0
2	FUC	N	3[A]	10/11	0.80	0.25	20,26,34,36	10
2	FUC	N	3[B]	10/11	0.80	0.25	27,35,39,41	10
2	FUC	M	3[B]	10/11	0.85	0.20	16,26,33,34	10
2	FUC	M	3[A]	10/11	0.85	0.20	26,28,34,34	10
2	FUC	R	3	10/11	0.89	0.29	24,31,45,52	0
2	GAL	O	2	11/12	0.89	0.12	29,39,48,53	0
2	GAL	P	2	11/12	0.89	0.18	24,30,39,49	0
2	FUC	Q	3[B]	10/11	0.90	0.14	16,25,37,39	10
2	FUC	Q	3[A]	10/11	0.90	0.14	15,18,20,25	10
2	GAL	R	2	11/12	0.91	0.14	19,27,35,42	0
2	NDG	R	1	15/15	0.91	0.15	18,24,36,38	0
2	GAL	M	2[B]	11/12	0.92	0.12	18,22,33,38	11
2	GAL	M	2[A]	11/12	0.92	0.12	24,28,34,35	11
2	FUC	P	3	10/11	0.92	0.22	28,31,42,45	0
2	FUC	K	3[B]	10/11	0.93	0.11	16,19,21,22	10
2	FUC	K	3[A]	10/11	0.93	0.11	28,33,43,47	10
2	NDG	P	1	15/15	0.93	0.13	18,24,38,45	0
2	GAL	N	2[B]	11/12	0.94	0.16	21,26,33,39	11
2	GAL	N	2[A]	11/12	0.94	0.16	23,26,32,34	11
2	FUC	L	3[B]	10/11	0.95	0.08	13,15,17,18	10
2	FUC	L	3[A]	10/11	0.95	0.08	18,26,34,36	10
2	NDG	O	1	15/15	0.95	0.10	21,28,37,44	0
2	NDG	N	1[A]	15/15	0.96	0.13	15,23,31,35	15
2	NDG	N	1[B]	15/15	0.96	0.13	18,25,32,36	15
2	NDG	M	1[B]	15/15	0.97	0.12	16,19,23,25	15
2	FUC	O	4	10/11	0.97	0.06	16,19,24,26	0
2	GAL	K	2[A]	11/12	0.97	0.09	23,24,27,30	11
2	NDG	M	1[A]	15/15	0.97	0.12	11,17,21,23	15
2	GAL	K	2[B]	11/12	0.97	0.09	17,20,23,24	11
2	GAL	L	2[B]	11/12	0.97	0.11	11,12,15,22	11
2	GAL	L	2[A]	11/12	0.97	0.11	15,18,26,28	11
2	GAL	Q	2[B]	11/12	0.98	0.12	15,20,24,30	11
2	FUC	L	4[B]	10/11	0.98	0.04	13,18,22,23	10
3	FUC	T	5[A]	10/11	0.98	0.05	10,11,12,15	10
3	FUC	T	5[B]	10/11	0.98	0.05	12,14,14,16	10
2	FUC	M	4[B]	10/11	0.98	0.06	13,18,23,24	10

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NDG	K	1[A]	15/15	0.98	0.06	14,16,24,27	15
3	GAL	T	4[A]	11/12	0.98	0.05	11,12,19,20	11
3	FUC	S	5[A]	10/11	0.98	0.06	13,14,17,19	10
2	FUC	P	4	10/11	0.98	0.05	14,17,27,29	0
2	FUC	M	4[A]	10/11	0.98	0.06	9,11,16,17	10
2	FUC	L	4[A]	10/11	0.98	0.04	10,11,14,14	10
3	FUC	S	5[B]	10/11	0.98	0.06	12,12,14,15	10
3	NDG	T	3[A]	15/15	0.98	0.05	11,12,15,15	15
3	NAG	S	1[B]	15/15	0.98	0.06	13,15,18,19	15
3	GAL	S	4[B]	11/12	0.98	0.07	14,16,18,20	11
2	NDG	K	1[B]	15/15	0.98	0.06	15,19,21,25	15
2	NDG	L	1[B]	15/15	0.98	0.05	12,15,21,28	15
2	FUC	N	4[A]	10/11	0.98	0.05	11,14,20,23	10
3	GAL	S	4[A]	11/12	0.98	0.07	11,13,20,21	11
2	NDG	L	1[A]	15/15	0.98	0.05	10,13,17,17	15
2	GAL	Q	2[A]	11/12	0.98	0.12	17,20,32,32	11
3	NDG	S	3[A]	15/15	0.98	0.06	11,13,18,22	15
2	FUC	K	4[A]	10/11	0.98	0.05	15,18,20,24	10
2	FUC	K	4[B]	10/11	0.98	0.05	17,18,19,21	10
2	FUC	R	4	10/11	0.98	0.04	12,15,23,24	0
2	FUC	N	4[B]	10/11	0.98	0.05	14,16,19,23	10
3	GAL	T	4[B]	11/12	0.98	0.05	14,15,19,19	11
3	FUC	T	2[B]	10/11	0.99	0.04	13,14,17,18	10
2	FUC	Q	4[B]	10/11	0.99	0.04	9,10,13,13	10
3	FUC	S	2[B]	10/11	0.99	0.06	12,14,16,18	10
2	NDG	Q	1[A]	15/15	0.99	0.06	10,11,17,20	15
3	FUC	S	2[A]	10/11	0.99	0.06	11,12,15,16	10
3	FUC	T	2[A]	10/11	0.99	0.04	10,11,14,15	10
2	FUC	Q	4[A]	10/11	0.99	0.04	10,11,13,13	10
3	NAG	T	1[B]	15/15	0.99	0.06	13,15,18,18	15
2	NDG	Q	1[B]	15/15	0.99	0.06	10,10,13,13	15

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around Chain K:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain L:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain M:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around Chain N:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around Chain O:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain P:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain Q:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain R:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain S:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
8	PEG	G	201	7/7	0.91	0.16	22,26,30,33	7
6	GLA	B	204[B]	12/12	0.95	0.13	15,16,20,23	12
5	GAL	B	203[A]	12/12	0.96	0.13	13,15,17,22	12
6	GLA	A	203[B]	12/12	0.96	0.10	15,17,19,23	12
5	GAL	A	202[A]	12/12	0.96	0.10	15,17,18,23	12
7	BCN	E	203	11/11	0.97	0.06	12,15,24,25	0
7	BCN	C	205	11/11	0.97	0.06	11,16,23,23	0
7	BCN	A	204	11/11	0.97	0.06	11,19,22,25	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	GAL	D	204[A]	12/12	0.97	0.07	13,14,15,16	12
7	BCN	B	206	11/11	0.97	0.05	12,17,23,26	0
6	GLA	D	205[B]	12/12	0.97	0.07	13,15,16,21	12
7	BCN	D	201	11/11	0.97	0.06	10,17,22,27	0
7	BCN	B	202	11/11	0.98	0.06	12,18,27,29	0
5	GAL	E	204[A]	12/12	0.98	0.06	14,15,18,20	12
7	BCN	D	203	11/11	0.98	0.05	11,19,26,26	0
7	BCN	C	206	11/11	0.98	0.05	11,19,25,27	0
6	GLA	E	205[B]	12/12	0.98	0.06	14,16,19,21	12
7	BCN	A	206	11/11	0.98	0.04	12,17,23,26	0
5	GAL	H	1201[A]	12/12	0.98	0.06	12,14,17,19	12
6	GLA	H	1202[B]	12/12	0.98	0.07	12,15,18,21	12
7	BCN	E	201	11/11	0.98	0.05	12,17,23,26	0
5	GAL	J	1201[A]	12/12	0.98	0.07	12,13,16,16	12
6	GLA	J	1202[B]	12/12	0.98	0.07	13,14,18,20	12
6	GLA	G	202[A]	12/12	0.98	0.07	11,13,17,19	12
5	GAL	G	203[B]	12/12	0.98	0.07	11,13,18,20	12
5	GAL	C	202[A]	12/12	0.99	0.04	9,11,13,14	12
6	GLA	F	1201[A]	12/12	0.99	0.06	11,13,15,16	12
6	GLA	I	1202[B]	12/12	0.99	0.05	12,14,17,19	12
5	GAL	F	1202[B]	12/12	0.99	0.06	12,15,16,18	12
6	GLA	C	203[B]	12/12	0.99	0.04	10,11,13,14	12
5	GAL	I	1201[A]	12/12	0.99	0.05	12,14,17,19	12
4	CA	A	205	1/1	1.00	0.03	12,12,12,12	0
4	CA	B	205	1/1	1.00	0.03	12,12,12,12	0
4	CA	D	202	1/1	1.00	0.03	11,11,11,11	0
4	CA	E	202	1/1	1.00	0.03	11,11,11,11	0
4	CA	D	206	1/1	1.00	0.03	11,11,11,11	0
4	CA	C	204	1/1	1.00	0.03	11,11,11,11	0
4	CA	C	201	1/1	1.00	0.04	11,11,11,11	0
4	CA	E	206	1/1	1.00	0.03	12,12,12,12	0
4	CA	A	201	1/1	1.00	0.03	11,11,11,11	0
4	CA	B	201	1/1	1.00	0.04	11,11,11,11	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.