



Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2022 – 08:14 PM JST

PDB ID : 7EUU
Title : Crystal structures of 2-oxoglutarate dependent dioxygenase (CTB9) in complex with N-oxalylglycine and pre-cercosporin
Authors : Hou, X.D.; Liu, X.Z.; Yuan, Z.B.; Rao, Y.J.
Deposited on : 2021-05-18
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.28.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.28.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	333	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 0%, red 1%, orange 1%, orange 14%, yellow 14%, yellow 72%, green 72%, green 100%);"></div> <div style="display: flex; justify-content: space-between; padding: 0 5px;"> % 72% 14% • 14% </div> </div>
1	B	333	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 0%, red 5%, orange 5%, orange 67%, yellow 67%, yellow 89%, green 89%, green 100%);"></div> <div style="display: flex; justify-content: space-between; padding: 0 5px;"> 5% 67% 20% 14% </div> </div>

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 5080 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called 2-oxoglutarate (2-OG)-dependent dioxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	288	Total	C	N	O	S	0	0	0
			2366	1487	430	439	10			
1	B	288	Total	C	N	O	S	0	0	0
			2366	1487	430	439	10			

- Molecule 2 is COPPER (II) ION (three-letter code: CU) (formula: Cu).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cu	0	0
			1	1		
2	B	1	Total	Cu	0	0
			1	1		

- Molecule 3 is N-OXALYLGLYCINE (three-letter code: OGA) (formula: C₄H₅NO₅).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			10	4	1	5		
3	B	1	Total	C	N	O	0	0
			10	4	1	5		

- Molecule 4 is 2,6,11-trimethoxy-4,7,9-tris(oxidanyl)-1,12-bis[(2R)-2-oxidanylpropyl]perylene-3,10-dione (three-letter code: JD9) (formula: C₂₉H₂₈O₁₀) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			39	29	10		
4	B	1	Total	C	O	0	0
			39	29	10		

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	131	Total	O	0	0
			131	131		
6	B	109	Total	O	0	0
			109	109		

- Molecule 1: 2-oxoglutarate (2-OG)-dependent dioxygenase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	42.03Å 97.90Å 153.04Å 90.00° 94.04° 90.00°	Depositor
Resolution (Å)	25.44 – 2.20 41.21 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.1 (25.44-2.20) 98.2 (41.21-2.20)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.83 (at 2.20Å)	Xtriage
Refinement program	PHENIX 1.12_2829	Depositor
R, R_{free}	0.207 , 0.246 0.208 , 0.244	Depositor DCC
R_{free} test set	3090 reflections (10.04%)	wwPDB-VP
Wilson B-factor (Å ²)	28.6	Xtriage
Anisotropy	0.076	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 52.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5080	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OGA, JD9, EDO, CU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/2432	0.52	0/3302
1	B	0.38	0/2432	0.54	0/3302
All	All	0.38	0/4864	0.53	0/6604

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2366	0	2270	30	0
1	B	2366	0	2270	56	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	10	0	3	0	0
3	B	10	0	3	0	0
4	A	39	0	0	4	0
4	B	39	0	0	4	0
5	B	8	0	12	1	0
6	A	131	0	0	3	0
6	B	109	0	0	2	0
All	All	5080	0	4558	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:41:GLU:HG2	1:B:70:THR:CG2	2.07	0.84
1:A:188:GLN:O	1:A:192:ARG:HG3	1.79	0.82
1:A:258:THR:HG22	1:A:260:THR:H	1.45	0.82
1:B:130:THR:HG21	1:B:319:GLU:H	1.47	0.79
1:B:313:ARG:NH2	4:B:403:JD9:O09	2.20	0.75
1:A:313:ARG:NH1	4:A:403:JD9:O09	2.21	0.72
1:B:258:THR:HG22	1:B:260:THR:H	1.55	0.71
1:B:299:THR:HG22	1:B:301:ASP:H	1.56	0.70
4:B:403:JD9:O08	4:B:403:JD9:O06	2.10	0.67
1:B:41:GLU:OE1	1:B:70:THR:HG21	1.95	0.66
1:B:299:THR:HB	1:B:302:ASP:OD1	1.98	0.63
1:B:258:THR:HB	1:B:261:GLN:HB2	1.82	0.62
1:A:198:ARG:NE	1:A:284:LYS:HG3	2.17	0.58
1:B:114:PRO:O	1:B:118:GLU:HG3	2.05	0.57
1:A:130:THR:HG21	1:A:319:GLU:HB2	1.86	0.56
1:A:146:ASP:O	1:A:150:GLU:HG3	2.05	0.56
1:B:80:GLY:N	1:B:82:GLU:OE1	2.37	0.56
1:B:299:THR:CG2	1:B:300:PRO:HD2	2.36	0.56
1:B:140:ARG:NH2	6:B:504:HOH:O	2.37	0.55
1:B:130:THR:CG2	1:B:319:GLU:H	2.17	0.54
1:A:155:PRO:HB3	1:B:242:ASP:HA	1.89	0.53
1:A:203:ASN:HB2	1:A:280:MET:HE2	1.91	0.53
1:B:193:ARG:HG2	1:B:193:ARG:HH11	1.72	0.53
1:A:198:ARG:HD3	1:A:318:TRP:CE3	2.43	0.52
1:A:108:LEU:O	1:A:112:GLN:HG3	2.09	0.52
1:B:130:THR:HG23	1:B:319:GLU:OE2	2.08	0.52
1:B:212:THR:HG22	1:B:303:PHE:O	2.10	0.52
1:B:202:ILE:HD12	1:B:316:VAL:HG21	1.92	0.51
1:B:299:THR:HG22	1:B:301:ASP:OD1	2.11	0.51
1:A:234:HIS:HE1	4:A:403:JD9:C30	2.24	0.50
1:B:299:THR:HG22	1:B:300:PRO:HD2	1.94	0.50
1:A:129:ALA:HA	1:A:318:TRP:CD1	2.47	0.50
1:B:216:LEU:HD23	1:B:276:LEU:HD23	1.94	0.49
1:B:214:GLU:HG3	6:B:549:HOH:O	2.11	0.49
1:B:313:ARG:NH1	4:B:403:JD9:C32	2.76	0.48
1:A:140:ARG:HD2	1:A:311:GLU:OE1	2.13	0.48
1:A:135:ILE:HD12	1:A:185:ASP:HB3	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:140:ARG:HG3	6:A:537:HOH:O	2.11	0.48
1:A:246:GLN:OE1	4:A:403:JD9:O10	2.32	0.48
1:A:111:ARG:HG2	1:A:116:TYR:CE2	2.49	0.47
1:B:40:VAL:HG12	1:B:41:GLU:N	2.30	0.47
1:B:258:THR:HG22	1:B:260:THR:N	2.26	0.47
1:B:229:LEU:HB3	1:B:251:TRP:CE3	2.49	0.47
1:B:81:ASN:OD1	1:B:84:ASN:ND2	2.48	0.46
1:B:299:THR:CG2	1:B:300:PRO:CD	2.93	0.46
1:A:35:LYS:HE2	1:A:301:ASP:OD2	2.14	0.46
1:B:208:VAL:CG2	1:B:308:ALA:HB3	2.45	0.45
1:B:122:MET:C	1:B:122:MET:SD	2.94	0.45
1:A:171:VAL:HB	1:A:251:TRP:HB2	1.99	0.45
1:A:267:VAL:O	6:A:501:HOH:O	2.20	0.45
1:B:41:GLU:HG2	1:B:70:THR:HG21	1.95	0.45
1:B:76:ASN:HB3	1:B:78:GLU:OE2	2.16	0.44
1:B:208:VAL:HG21	1:B:308:ALA:HB3	1.99	0.44
1:A:318:TRP:HB3	1:A:321:GLN:HG3	2.00	0.44
1:A:100:SER:OG	1:A:118:GLU:OE2	2.27	0.44
1:B:65:ARG:NH1	1:B:156:ASP:OD1	2.50	0.44
1:A:144:TYR:O	1:A:148:THR:HG23	2.18	0.44
4:A:403:JD9:O08	4:A:403:JD9:O06	2.34	0.44
1:B:233:LEU:HD13	1:B:249:GLN:HG2	1.99	0.44
1:B:117:GLY:N	5:B:404:EDO:O2	2.47	0.44
1:A:145:ASN:O	1:A:148:THR:OG1	2.30	0.43
1:B:299:THR:HG22	1:B:300:PRO:CD	2.48	0.43
1:B:299:THR:HA	1:B:300:PRO:HD3	1.83	0.43
1:B:138:LEU:HD11	1:B:163:GLN:HG3	2.00	0.43
1:B:171:VAL:HB	1:B:251:TRP:HB2	1.99	0.43
1:B:233:LEU:HD13	1:B:233:LEU:HA	1.91	0.42
1:A:57:TRP:HH2	1:B:57:TRP:HH2	1.67	0.42
1:B:122:MET:SD	1:B:123:LEU:N	2.92	0.42
1:B:164:THR:HG22	1:B:165:PRO:O	2.20	0.42
1:B:41:GLU:HG2	1:B:70:THR:HG23	1.99	0.42
1:B:203:ASN:HB2	1:B:280:MET:HE2	2.02	0.42
1:A:284:LYS:HD2	1:A:286:ASP:OD1	2.20	0.41
1:B:183:TYR:HE1	1:B:192:ARG:HG2	1.85	0.41
1:A:157:MET:HB2	1:B:241:PRO:CB	2.51	0.41
1:B:299:THR:HG23	1:B:300:PRO:HD2	2.02	0.41
1:B:130:THR:HG22	1:B:317:PHE:O	2.20	0.41
1:A:135:ILE:HD11	1:A:315:PHE:CD2	2.55	0.41
1:B:143:ASN:HB2	1:B:306:PRO:HG3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:403:JD9:O02	4:B:403:JD9:O07	2.36	0.41
1:A:88:ASP:OD1	6:A:502:HOH:O	2.22	0.41
1:A:242:ASP:HA	1:B:155:PRO:HB3	2.02	0.41
1:B:35:LYS:HA	1:B:36:PRO:HD3	1.89	0.41
1:B:279:LYS:NZ	1:B:289:ALA:O	2.48	0.40
1:B:94:TRP:NE1	1:B:276:LEU:HD13	2.36	0.40
1:B:301:ASP:OD1	1:B:301:ASP:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	286/333 (86%)	281 (98%)	5 (2%)	0	100	100
1	B	286/333 (86%)	278 (97%)	8 (3%)	0	100	100
All	All	572/666 (86%)	559 (98%)	13 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	253/294 (86%)	244 (96%)	9 (4%)	35	45

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	B	253/294 (86%)	248 (98%)	5 (2%)	55 69
All	All	506/588 (86%)	492 (97%)	14 (3%)	43 56

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ASP
1	A	130	THR
1	A	131	LYS
1	A	152	LYS
1	A	190	GLU
1	A	266	TYR
1	A	284	LYS
1	A	291	ARG
1	A	313	ARG
1	B	121	GLU
1	B	131	LYS
1	B	291	ARG
1	B	301	ASP
1	B	312	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	145	ASN
1	A	246	GLN
1	A	321	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	OGA	A	402	2	3,9,9	3.28	2 (66%)	4,11,11	2.19	1 (25%)
4	JD9	A	403	-	40,43,43	3.23	17 (42%)	44,67,67	4.62	19 (43%)
5	EDO	B	405	-	3,3,3	0.47	0	2,2,2	0.33	0
3	OGA	B	402	2	3,9,9	3.35	2 (66%)	4,11,11	2.19	1 (25%)
5	EDO	B	404	-	3,3,3	0.41	0	2,2,2	0.35	0
4	JD9	B	403	-	40,43,43	3.21	17 (42%)	44,67,67	4.11	16 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OGA	A	402	2	-	0/3/9/9	-
4	JD9	A	403	-	-	7/14/46/46	0/5/5/5
5	EDO	B	405	-	-	1/1/1/1	-
3	OGA	B	402	2	-	0/3/9/9	-
5	EDO	B	404	-	-	1/1/1/1	-
4	JD9	B	403	-	-	5/14/46/46	0/5/5/5

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	403	JD9	O06-C26	8.16	1.40	1.23
4	B	403	JD9	O06-C26	8.13	1.40	1.23
4	B	403	JD9	O02-C28	8.13	1.40	1.23
4	A	403	JD9	O02-C28	8.06	1.40	1.23
4	A	403	JD9	C23-C33	7.14	1.56	1.41
4	B	403	JD9	C23-C33	6.88	1.55	1.41
4	B	403	JD9	C32-C17	6.87	1.48	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	403	JD9	C32-C17	6.85	1.48	1.38
4	A	403	JD9	C35-C30	6.72	1.57	1.43
4	B	403	JD9	C35-C30	6.53	1.57	1.43
3	B	402	OGA	C2-N1	5.41	1.45	1.33
3	A	402	OGA	C2-N1	5.25	1.45	1.33
4	B	403	JD9	C35-C17	-4.67	1.28	1.39
4	A	403	JD9	C35-C17	-4.62	1.28	1.39
4	B	403	JD9	C29-C24	4.41	1.46	1.37
4	A	403	JD9	C29-C24	4.09	1.45	1.37
4	B	403	JD9	C29-C30	3.48	1.50	1.43
4	A	403	JD9	C21-C15	-3.37	1.35	1.42
4	A	403	JD9	C29-C30	3.36	1.50	1.43
4	B	403	JD9	C18-C16	-3.31	1.29	1.36
4	A	403	JD9	C18-C16	-3.28	1.29	1.36
4	A	403	JD9	C27-C22	-3.16	1.29	1.36
4	B	403	JD9	C27-C22	-2.89	1.30	1.36
4	B	403	JD9	C21-C15	-2.88	1.36	1.42
4	A	403	JD9	C33-C21	-2.75	1.33	1.43
4	A	403	JD9	C25-C16	2.68	1.54	1.50
4	B	403	JD9	C33-C21	-2.64	1.34	1.43
4	B	403	JD9	C32-C23	-2.63	1.29	1.37
4	A	403	JD9	C32-C23	-2.61	1.29	1.37
4	B	403	JD9	C25-C16	2.56	1.53	1.50
4	A	403	JD9	C19-C22	2.29	1.53	1.50
4	B	403	JD9	O01-C23	2.29	1.40	1.36
4	A	403	JD9	O08-C12	2.25	1.41	1.36
4	A	403	JD9	O01-C23	2.19	1.40	1.36
4	B	403	JD9	O08-C12	2.17	1.40	1.36
4	B	403	JD9	C19-C22	2.17	1.53	1.50
3	A	402	OGA	O2'-C2	-2.14	1.18	1.23
3	B	402	OGA	O2'-C2	-2.11	1.19	1.23

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	403	JD9	C12-C31-C15	-13.39	109.69	119.40
4	A	403	JD9	C31-C15-C24	-12.46	103.86	120.21
4	A	403	JD9	C21-C33-C30	-11.40	107.53	119.10
4	A	403	JD9	C12-C31-C15	-10.94	111.46	119.40
4	A	403	JD9	C35-C30-C29	-10.65	106.23	120.21
4	A	403	JD9	C33-C21-C15	-10.06	108.89	119.10
4	B	403	JD9	C33-C21-C15	-9.23	109.74	119.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	403	JD9	C12-C31-C26	-9.02	106.74	120.57
4	B	403	JD9	C15-C31-C26	-8.75	109.54	120.06
4	A	403	JD9	C15-C31-C26	-8.35	110.02	120.06
4	B	403	JD9	C12-C13-C20	-8.21	111.96	120.14
4	B	403	JD9	C31-C15-C24	-8.05	109.65	120.21
4	B	403	JD9	C35-C30-C29	-7.38	110.53	120.21
4	A	403	JD9	C12-C31-C26	-7.30	109.38	120.57
4	A	403	JD9	C12-C13-C20	-7.26	112.90	120.14
4	A	403	JD9	C23-C33-C30	-5.13	111.01	117.56
4	B	403	JD9	C30-C35-C28	-4.87	114.20	120.06
4	B	403	JD9	C13-C20-C21	4.48	126.18	120.61
3	B	402	OGA	C1-C2-N1	4.21	119.78	115.60
3	A	402	OGA	C1-C2-N1	4.06	119.64	115.60
4	B	403	JD9	C20-C21-C15	-4.00	110.90	117.55
4	A	403	JD9	C13-C20-C21	3.91	125.47	120.61
4	A	403	JD9	C20-C21-C15	-3.76	111.30	117.55
4	B	403	JD9	C21-C33-C30	-3.70	115.34	119.10
4	A	403	JD9	O01-C23-C32	-3.33	117.41	123.34
4	B	403	JD9	O04-C20-C13	-2.98	112.44	121.17
4	A	403	JD9	C31-C26-C18	2.98	121.55	115.86
4	A	403	JD9	O04-C20-C13	-2.87	112.75	121.17
4	B	403	JD9	C31-C26-C18	2.73	121.07	115.86
4	B	403	JD9	C23-C33-C30	-2.66	114.16	117.56
4	A	403	JD9	C35-C28-C27	2.55	120.73	115.86
4	A	403	JD9	C23-C33-C21	-2.48	121.98	125.03
4	B	403	JD9	O01-C23-C32	-2.46	118.96	123.34
4	A	403	JD9	O01-C23-C33	2.44	120.37	117.20
4	B	403	JD9	C22-C27-C28	-2.39	118.92	122.58
4	A	403	JD9	C11-O01-C23	-2.18	114.70	117.75
4	A	403	JD9	C17-C32-C23	2.06	122.07	119.15

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	403	JD9	O09-C14-C25-C16
4	A	403	JD9	C38-C14-C25-C16
4	A	403	JD9	C18-C16-C25-C14
4	B	403	JD9	C24-C16-C25-C14
4	B	403	JD9	C18-C16-C25-C14
4	B	403	JD9	C22-C19-C34-C36
5	B	404	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	B	405	EDO	O1-C1-C2-O2
4	A	403	JD9	C32-C23-O01-C11
4	A	403	JD9	C24-C16-C25-C14
4	B	403	JD9	C32-C23-O01-C11
4	A	403	JD9	C22-C19-C34-O10
4	A	403	JD9	C22-C19-C34-C36
4	B	403	JD9	C22-C19-C34-O10


There are no ring outliers.

3 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	403	JD9	4	0
5	B	404	EDO	1	0
4	B	403	JD9	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand JD9 A 403




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	288/333 (86%)	-0.10	2 (0%) 87 86	16, 30, 49, 60	0
1	B	288/333 (86%)	0.16	15 (5%) 27 26	18, 35, 57, 72	0
All	All	576/666 (86%)	0.03	17 (2%) 50 48	16, 32, 53, 72	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	38	TYR	3.9
1	A	320	ASP	3.6
1	B	196	LYS	3.4
1	B	320	ASP	3.2
1	B	301	ASP	2.9
1	B	322	GLU	2.9
1	B	35	LYS	2.7
1	B	37	TYR	2.6
1	B	80	GLY	2.5
1	B	112	GLN	2.5
1	B	269	GLY	2.5
1	B	190	GLU	2.4
1	B	192	ARG	2.4
1	B	303	PHE	2.4
1	A	189	GLU	2.3
1	B	36	PRO	2.3
1	B	193	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	JD9	A	403	39/39	0.88	0.19	27,35,43,47	0
4	JD9	B	403	39/39	0.90	0.14	27,35,39,49	0
5	EDO	B	405	4/4	0.90	0.16	35,37,41,46	0
5	EDO	B	404	4/4	0.92	0.24	33,35,36,57	0
3	OGA	A	402	10/10	0.95	0.14	18,25,26,27	0
3	OGA	B	402	10/10	0.97	0.11	13,20,25,25	0
2	CU	A	401	1/1	0.99	0.09	20,20,20,20	0
2	CU	B	401	1/1	0.99	0.10	23,23,23,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around JD9 A 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around JD9 B 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.