



# Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 06:31 am BST

PDB ID : 2EV4  
Title : Structure of Rv1264N, the regulatory domain of the mycobacterial adenylyl cyclase Rv1264, with a salt precipitant  
Authors : Findeisen, F.; Tews, I.; Sinning, I.  
Deposited on : 2005-10-30  
Resolution : 2.28 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6980 (2.30-2.26)
Clashscore	141614	7711 (2.30-2.26)
Ramachandran outliers	138981	7597 (2.30-2.26)
Sidechain outliers	138945	7598 (2.30-2.26)
RSRZ outliers	127900	6849 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	222	
1	B	222	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OLA	A	1001	-	-	X	X
3	OLA	A	1002	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2999 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hypothetical protein Rv1264/MT1302.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	186	Total	C	N	O	S	0	2	0
			1425	889	255	272	9			
1	B	183	Total	C	N	O	S	0	5	0
			1422	888	258	266	10			

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	EXPRESSION TAG	UNP Q11055
A	-10	ARG	-	EXPRESSION TAG	UNP Q11055
A	-9	GLY	-	EXPRESSION TAG	UNP Q11055
A	-8	SER	-	EXPRESSION TAG	UNP Q11055
A	-7	HIS	-	EXPRESSION TAG	UNP Q11055
A	-6	HIS	-	EXPRESSION TAG	UNP Q11055
A	-5	HIS	-	EXPRESSION TAG	UNP Q11055
A	-4	HIS	-	EXPRESSION TAG	UNP Q11055
A	-3	HIS	-	EXPRESSION TAG	UNP Q11055
A	-2	HIS	-	EXPRESSION TAG	UNP Q11055
A	-1	GLY	-	EXPRESSION TAG	UNP Q11055
A	0	SER	-	EXPRESSION TAG	UNP Q11055
A	208	SER	-	EXPRESSION TAG	UNP Q11055
A	209	SER	-	EXPRESSION TAG	UNP Q11055
A	210	PRO	-	EXPRESSION TAG	UNP Q11055
B	-11	MET	-	EXPRESSION TAG	UNP Q11055
B	-10	ARG	-	EXPRESSION TAG	UNP Q11055
B	-9	GLY	-	EXPRESSION TAG	UNP Q11055
B	-8	SER	-	EXPRESSION TAG	UNP Q11055
B	-7	HIS	-	EXPRESSION TAG	UNP Q11055
B	-6	HIS	-	EXPRESSION TAG	UNP Q11055
B	-5	HIS	-	EXPRESSION TAG	UNP Q11055
B	-4	HIS	-	EXPRESSION TAG	UNP Q11055
B	-3	HIS	-	EXPRESSION TAG	UNP Q11055
B	-2	HIS	-	EXPRESSION TAG	UNP Q11055

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-1	GLY	-	EXPRESSION TAG	UNP Q11055
B	0	SER	-	EXPRESSION TAG	UNP Q11055
B	208	SER	-	EXPRESSION TAG	UNP Q11055
B	209	SER	-	EXPRESSION TAG	UNP Q11055
B	210	PRO	-	EXPRESSION TAG	UNP Q11055

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Cl 1 1	0	0

- Molecule 3 is OLEIC ACID (three-letter code: OLA) (formula: C<sub>18</sub>H<sub>34</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 20 18 2	0	0
3	A	1	Total C O 20 18 2	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	49	Total O 49 49	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	62	Total	O	0	0
			62	62		



- Molecule 1: Hypothetical protein Rv1264/MT1302



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	120.08 Å   53.92 Å   89.81 Å 90.00°   132.34°   90.00°	Depositor
Resolution (Å)	30.00 – 2.28 21.67 – 2.28	Depositor EDS
% Data completeness (in resolution range)	96.1 (30.00-2.28) 96.2 (21.67-2.28)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.62 (at 2.28 Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.218 , 0.266 0.224 , 0.266	Depositor DCC
$R_{free}$ test set	961 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	47.3	Xtriage
Anisotropy	0.104	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 58.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.016 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	2999	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.32% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OLA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.60	0/1451	0.70	0/1968
1	B	0.58	0/1460	0.72	1/1977 (0.1%)
All	All	0.59	0/2911	0.71	1/3945 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	88	ARG	NE-CZ-NH1	5.66	123.13	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1425	0	1443	33	0
1	B	1422	0	1448	22	0
2	A	1	0	0	0	0
3	A	40	0	66	15	0
4	A	49	0	0	0	0
4	B	62	0	0	2	0
All	All	2999	0	2957	51	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (51) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:131:VAL:HG21	3:A:1001:OLA:H182	1.50	0.94
1:A:181:MET:HG2	1:B:113[B]:ARG:HH21	1.40	0.87
1:A:146:ARG:HH11	1:A:146:ARG:HG3	1.42	0.84
1:A:181:MET:HG2	1:B:113[B]:ARG:NH2	1.98	0.79
1:A:131:VAL:CG2	3:A:1001:OLA:H182	2.13	0.78
1:A:127:VAL:HG12	3:A:1001:OLA:H183	1.67	0.75
1:A:78:VAL:HG23	1:A:115:GLN:HB2	1.70	0.72
1:B:94:ARG:O	1:B:95:VAL:C	2.26	0.71
1:A:146:ARG:HH12	3:A:1002:OLA:H22	1.59	0.66
1:B:90:VAL:HG12	1:B:92:LEU:HD23	1.81	0.62
1:A:114:ALA:CB	3:A:1001:OLA:H181	2.30	0.62
1:A:68:SER:HB2	1:A:98:PRO:O	2.01	0.60
1:B:57:ARG:HH11	1:B:57:ARG:CG	2.13	0.60
1:A:123:ASN:HD22	1:A:126:GLN:HG2	1.68	0.59
1:A:131:VAL:HG23	3:A:1001:OLA:C16	2.32	0.58
1:A:58:HIS:HA	1:A:62:ASP:O	2.03	0.58
1:A:146:ARG:HG3	1:A:146:ARG:NH1	2.09	0.57
1:A:114:ALA:HB1	3:A:1001:OLA:H181	1.85	0.56
1:A:84:GLN:O	1:A:88:ARG:HG3	2.07	0.55
1:B:117:PHE:HB3	1:B:122:LEU:HD12	1.92	0.52
1:B:105:ARG:HG3	1:B:105:ARG:HH11	1.75	0.52
1:A:146:ARG:HH11	1:A:146:ARG:CG	2.20	0.49
1:A:48:THR:HB	1:A:54:LEU:HD11	1.95	0.48
1:A:116:ARG:NH1	1:A:119:GLU:OE2	2.46	0.47
1:A:131:VAL:HG23	3:A:1001:OLA:H162	1.97	0.47
3:A:1001:OLA:H81	1:B:174:ILE:HG21	1.97	0.46
1:B:188:MET:O	1:B:192:HIS:HD2	1.98	0.46
1:A:114:ALA:HA	3:A:1001:OLA:H171	1.97	0.46
1:B:13:ILE:O	1:B:16:LEU:N	2.49	0.45
1:B:94:ARG:O	1:B:95:VAL:O	2.35	0.44
1:A:146:ARG:NH1	3:A:1002:OLA:H22	2.30	0.43
1:A:182:ILE:CD1	1:B:134:LEU:HD22	2.47	0.43
1:A:126:GLN:HE22	1:B:147:TYR:HE2	1.63	0.43
1:B:141:ALA:C	1:B:145:MET:HE2	2.39	0.42
1:B:141:ALA:O	1:B:145:MET:HE2	2.19	0.42
1:B:57:ARG:HH11	1:B:57:ARG:HG2	1.82	0.42
3:A:1001:OLA:H112	1:B:145:MET:HG2	2.02	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:114:ALA:HB2	3:A:1001:OLA:H181	2.00	0.42
1:B:94:ARG:NH2	1:B:96:ASP:OD2	2.54	0.41
1:A:94:ARG:O	1:A:95:VAL:HB	2.19	0.41
1:A:104:MET:HE1	4:B:239:HOH:O	2.20	0.41
1:B:43:ASP:HA	1:B:46:ARG:HH11	1.86	0.41
1:A:57:ARG:NE	4:B:239:HOH:O	2.54	0.41
1:B:132[A]:ARG:NH1	1:B:136:GLU:OE2	2.54	0.41
1:A:97:ASP:OD1	1:A:98:PRO:HD2	2.22	0.40
1:A:114:ALA:HA	3:A:1001:OLA:C17	2.51	0.40
1:A:127:VAL:CG1	3:A:1001:OLA:H183	2.46	0.40
1:B:116:ARG:HD2	1:B:116:ARG:HA	1.83	0.40
1:A:94:ARG:HH11	1:A:95:VAL:HG12	1.87	0.40
1:A:78:VAL:HG22	1:A:79:ASP:N	2.37	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	186/222 (84%)	179 (96%)	6 (3%)	1 (0%)	29	34
1	B	186/222 (84%)	179 (96%)	4 (2%)	3 (2%)	9	8
All	All	372/444 (84%)	358 (96%)	10 (3%)	4 (1%)	14	14

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	95	VAL
1	A	95	VAL
1	B	14	ASP
1	B	193	MET

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	150/175 (86%)	144 (96%)	6 (4%)	31	42
1	B	151/175 (86%)	145 (96%)	6 (4%)	31	42
All	All	301/350 (86%)	289 (96%)	12 (4%)	30	42

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	43	ASP
1	A	88	ARG
1	A	94	ARG
1	A	97	ASP
1	A	116	ARG
1	A	146	ARG
1	B	37	GLU
1	B	57	ARG
1	B	92	LEU
1	B	105	ARG
1	B	151	GLU
1	B	155	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	123	ASN
1	A	189	GLN
1	B	12	ASN
1	B	183	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	OLA	A	1001	-	16,19,19	0.66	1 (6%)	15,19,19	0.85	1 (6%)
3	OLA	A	1002	-	16,19,19	0.64	1 (6%)	15,19,19	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OLA	A	1001	-	-	8/15/17/17	-
3	OLA	A	1002	-	-	9/15/17/17	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1001	OLA	C10-C9	2.51	1.46	1.31
3	A	1002	OLA	C10-C9	2.41	1.45	1.31

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1001	OLA	C13-C12-C11	-2.01	105.04	113.79

There are no chirality outliers.

All (17) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1002	OLA	C1-C2-C3-C4
3	A	1002	OLA	C11-C10-C9-C8
3	A	1001	OLA	C12-C13-C14-C15
3	A	1002	OLA	C11-C12-C13-C14
3	A	1001	OLA	C6-C7-C8-C9
3	A	1002	OLA	C12-C13-C14-C15
3	A	1002	OLA	C6-C7-C8-C9
3	A	1002	OLA	C10-C11-C12-C13
3	A	1002	OLA	C3-C4-C5-C6
3	A	1001	OLA	C2-C3-C4-C5
3	A	1001	OLA	C11-C10-C9-C8
3	A	1002	OLA	C5-C6-C7-C8
3	A	1001	OLA	C11-C12-C13-C14
3	A	1001	OLA	C3-C4-C5-C6
3	A	1001	OLA	C15-C16-C17-C18
3	A	1001	OLA	C9-C10-C11-C12
3	A	1002	OLA	C7-C8-C9-C10

There are no ring outliers.

2 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1001	OLA	13	0
3	A	1002	OLA	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	186/222 (83%)	1.21	44 (23%) 0 0	49, 57, 70, 81	0
1	B	183/222 (82%)	1.10	40 (21%) 0 1	52, 58, 67, 73	0
All	All	369/444 (83%)	1.16	84 (22%) 0 1	49, 57, 69, 81	0

All (84) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	196	THR	8.0
1	B	194	MET	7.8
1	A	94	ARG	6.0
1	A	155	ARG	5.9
1	A	11	ALA	5.8
1	B	41	THR	5.6
1	B	147	TYR	5.5
1	A	95	VAL	5.2
1	A	147	TYR	5.2
1	B	111	ALA	4.4
1	B	86	VAL	4.3
1	A	23	THR	4.2
1	A	156	PRO	4.2
1	B	39	GLY	4.2
1	B	94	ARG	4.1
1	A	86	VAL	4.1
1	A	157	GLY	3.9
1	B	43	ASP	3.8
1	A	48	THR	3.8
1	A	185[A]	MET	3.7
1	A	154	MET	3.7
1	A	111	ALA	3.7
1	B	37	GLU	3.7
1	A	171	VAL	3.6

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	158	ALA	3.5
1	A	83	LEU	3.4
1	B	12	ASN	3.4
1	A	97	ASP	3.2
1	B	185[A]	MET	3.2
1	B	13	ILE	3.1
1	A	47	ALA	3.1
1	B	155	ARG	3.1
1	A	49	ASN	3.1
1	B	156	PRO	3.0
1	B	181[A]	MET	3.0
1	B	42	PRO	2.9
1	B	90	VAL	2.9
1	A	43	ASP	2.8
1	B	131	VAL	2.8
1	A	186	LEU	2.8
1	B	83	LEU	2.7
1	A	192	HIS	2.7
1	A	77	GLY	2.7
1	A	35	LEU	2.6
1	B	54	LEU	2.6
1	B	178	LEU	2.6
1	A	114	ALA	2.6
1	A	158	ALA	2.6
1	B	157	GLY	2.6
1	A	84	GLN	2.6
1	B	110	ALA	2.5
1	B	53	LEU	2.5
1	A	22	GLY	2.5
1	A	112	ALA	2.4
1	A	56	THR	2.4
1	A	188	MET	2.4
1	B	46	ARG	2.4
1	A	12	ASN	2.4
1	A	98	PRO	2.4
1	A	92	LEU	2.4
1	B	52	LEU	2.4
1	A	87	GLN	2.3
1	B	171	VAL	2.3
1	B	114	ALA	2.3
1	A	93	ALA	2.3
1	B	186	LEU	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	190	LEU	2.3
1	B	55	ALA	2.3
1	A	88	ARG	2.2
1	A	53	LEU	2.2
1	A	178	LEU	2.2
1	B	113[A]	ARG	2.2
1	A	190	LEU	2.1
1	B	65	THR	2.1
1	B	146	ARG	2.1
1	A	102	VAL	2.0
1	A	131	VAL	2.0
1	B	57	ARG	2.0
1	A	143	GLU	2.0
1	B	14	ASP	2.0
1	A	90	VAL	2.0
1	B	95	VAL	2.0
1	B	130	VAL	2.0
1	B	174	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.


## 6.4 Ligands ⓘ


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	OLA	A	1002	20/20	0.63	0.53	64,71,81,83	0
3	OLA	A	1001	20/20	0.71	0.48	73,79,92,93	0
2	CL	A	211	1/1	0.91	0.11	72,72,72,72	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.