



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 31, 2022 – 01:03 PM EDT

PDB ID : 8EY5
Title : Human Serum Albumin with Cobalt (II) and Myristic Acid - crystal 3
Authors : Gucwa, M.; Cooper, D.R.; Stewart, A.J.; Minor, W.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2022-10-26
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.31.2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	585	 66% 31% .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4801 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Serum albumin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	584	Total	C	N	O	S	0	0	0
			4629	2918	783	887	41			

- Molecule 2 is COBALT (II) ION (three-letter code: CO) (formula: Co) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	5	Total	Co	0	0
			5	5		

- Molecule 3 is MYRISTIC ACID (three-letter code: MYR) (formula: C₁₄H₂₈O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			16	14	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			16	14	2		
3	A	1	Total	C	O	0	0
			16	14	2		
3	A	1	Total	C	O	0	0
			16	14	2		
3	A	1	Total	C	O	0	0
			16	14	2		
3	A	1	Total	C	O	0	0
			16	14	2		
3	A	1	Total	C	O	0	0
			16	14	2		
3	A	1	Total	C	O	0	0
			16	14	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	23	Total	O	0	0
			23	23		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Serum albumin



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	185.97Å 38.55Å 93.41Å 90.00° 103.75° 90.00°	Depositor
Resolution (Å)	37.18 – 3.10 37.15 – 3.07	Depositor EDS
% Data completeness (in resolution range)	93.7 (37.18-3.10) 92.3 (37.15-3.07)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.33 (at 3.06Å)	Xtriage
Refinement program	REFMAC 5.8.0352	Depositor
R, R_{free}	0.204 , 0.295 0.208 , 0.291	Depositor DCC
R_{free} test set	593 reflections (5.13%)	wwPDB-VP
Wilson B-factor (Å ²)	54.1	Xtriage
Anisotropy	0.053	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 61.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4801	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MYR, CO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/4718	0.69	0/6367

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	81	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4629	0	4563	154	0
2	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	144	0	243	26	0
4	A	23	0	0	1	0
All	All	4801	0	4806	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:529:LEU:O	1:A:533:VAL:HG23	1.56	1.05
1:A:266:GLU:C	1:A:267:ASN:HD22	1.61	1.03
1:A:257:ARG:HH11	3:A:1007:MYR:H51	1.37	0.89
1:A:513:ILE:HD12	1:A:559:CYS:HB2	1.54	0.89
1:A:75:CYS:HG	1:A:91:CYS:HG	1.14	0.85
1:A:545:LYS:O	1:A:549:ASP:HB2	1.76	0.84
1:A:59:ALA:HB3	1:A:62:CYS:SG	2.24	0.77
1:A:197:ARG:HH12	3:A:1009:MYR:H102	1.50	0.77
1:A:502:PHE:CE2	1:A:580:GLN:NE2	2.53	0.77
1:A:360:CYS:HG	1:A:369:CYS:HG	1.20	0.75
1:A:541:LYS:O	1:A:545:LYS:HG3	1.86	0.74
1:A:360:CYS:SG	1:A:360:CYS:O	2.49	0.70
1:A:186:ARG:NH1	1:A:187:ASP:OD1	2.26	0.68
1:A:224:PRO:HD2	1:A:296:ASP:HB3	1.78	0.65
1:A:257:ARG:NH1	3:A:1007:MYR:H51	2.12	0.62
1:A:314:ASP:O	1:A:318:ASN:ND2	2.33	0.62
1:A:77:VAL:O	1:A:80:LEU:HB2	1.99	0.61
1:A:410:ARG:HH11	3:A:1004:MYR:H22	1.67	0.60
1:A:72:ASP:O	1:A:76:THR:HG23	2.02	0.60
1:A:42:LEU:O	1:A:46:VAL:HG23	2.01	0.59
1:A:169:CYS:O	1:A:170:GLN:HG2	2.03	0.59
1:A:314:ASP:HB3	1:A:318:ASN:HD21	1.67	0.59
1:A:267:ASN:HD22	1:A:267:ASN:N	1.98	0.59
1:A:241:VAL:HG22	1:A:256:ASP:HB3	1.85	0.58
1:A:10:ARG:HE	1:A:66:LEU:CD1	2.15	0.58
1:A:314:ASP:HB3	1:A:318:ASN:ND2	2.19	0.58
1:A:386:ASN:O	1:A:390:GLN:HG3	2.04	0.57
1:A:567:CYS:O	1:A:571:GLU:HB2	2.04	0.57
1:A:14:LEU:O	1:A:18:ASN:ND2	2.38	0.57
1:A:380:LEU:O	1:A:384:PRO:HD2	2.05	0.56
1:A:20:LYS:CG	1:A:47:THR:HG21	2.36	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:316:CYS:HG	1:A:361:CYS:CB	2.17	0.56
1:A:545:LYS:O	1:A:549:ASP:CB	2.50	0.56
1:A:197:ARG:NH2	3:A:1009:MYR:O1	2.40	0.55
1:A:305:LEU:O	1:A:309:PHE:HB2	2.07	0.55
1:A:545:LYS:C	1:A:547:VAL:H	2.10	0.55
1:A:548:MET:HA	1:A:551:PHE:HB2	1.90	0.54
1:A:10:ARG:HG2	4:A:712:HOH:O	2.07	0.53
1:A:414:LYS:HA	1:A:493:VAL:HA	1.91	0.53
1:A:73:LYS:O	1:A:76:THR:OG1	2.24	0.53
1:A:551:PHE:CZ	3:A:1005:MYR:H62	2.44	0.53
1:A:173:ASP:OD2	1:A:176:ALA:N	2.36	0.53
1:A:314:ASP:O	1:A:318:ASN:CG	2.47	0.52
1:A:173:ASP:OD2	1:A:176:ALA:CB	2.57	0.52
3:A:1010:MYR:H21	3:A:1010:MYR:H122	1.92	0.52
1:A:532:LEU:HD13	3:A:1005:MYR:H82	1.91	0.52
1:A:5:SER:HB2	1:A:8:ALA:HB3	1.91	0.51
1:A:199:LYS:HD3	3:A:1008:MYR:H62	1.91	0.51
1:A:209:ARG:NE	1:A:324:ASP:OD1	2.26	0.51
1:A:536:LYS:HG2	1:A:583:LEU:HB3	1.93	0.51
1:A:546:ALA:HA	1:A:549:ASP:HB3	1.92	0.51
1:A:266:GLU:O	1:A:267:ASN:ND2	2.42	0.51
1:A:322:ALA:HB1	1:A:325:VAL:HB	1.93	0.51
1:A:507:PHE:CE2	3:A:1005:MYR:H132	2.46	0.51
1:A:377:PHE:O	1:A:381:VAL:HG23	2.11	0.51
1:A:426:VAL:O	1:A:430:LEU:HG	2.10	0.50
1:A:374:PHE:CD1	1:A:377:PHE:CE2	2.99	0.50
1:A:510:HIS:O	1:A:511:ALA:C	2.49	0.50
1:A:233:LYS:HE3	1:A:263:TYR:CE2	2.47	0.50
1:A:557:LYS:O	1:A:558:CYS:SG	2.68	0.50
1:A:26:ALA:O	1:A:30:TYR:HD1	1.95	0.50
1:A:99:ASN:C	1:A:99:ASN:ND2	2.65	0.50
1:A:341:TYR:CG	1:A:345:LEU:HD23	2.46	0.50
1:A:513:ILE:HD12	1:A:559:CYS:CB	2.35	0.49
1:A:199:LYS:HD3	3:A:1008:MYR:H82	1.94	0.49
1:A:314:ASP:CB	1:A:318:ASN:HD21	2.25	0.49
1:A:79:THR:HA	1:A:82:GLU:HG2	1.93	0.49
1:A:10:ARG:HE	1:A:66:LEU:HD11	1.75	0.49
1:A:116:VAL:O	1:A:118:PRO:HD3	2.11	0.49
1:A:265:CYS:O	1:A:268:GLN:HG3	2.12	0.49
1:A:151:ALA:HB3	1:A:152:PRO:HD3	1.95	0.49
1:A:415:VAL:HG12	1:A:418:VAL:HG23	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:283:LEU:O	1:A:284:LEU:HB2	2.12	0.49
1:A:314:ASP:O	1:A:318:ASN:N	2.42	0.49
1:A:314:ASP:C	1:A:318:ASN:ND2	2.66	0.49
1:A:333:GLU:OE1	1:A:333:GLU:HA	2.13	0.49
1:A:554:PHE:CD2	1:A:575:LEU:HD22	2.48	0.49
1:A:93:LYS:HB2	1:A:98:ARG:HB2	1.95	0.48
1:A:199:LYS:CD	3:A:1008:MYR:H82	2.43	0.48
1:A:307:ALA:O	1:A:308:ASP:OD1	2.31	0.48
1:A:370:TYR:O	1:A:371:ALA:C	2.50	0.48
1:A:200:CYS:HA	1:A:246:CYS:SG	2.54	0.48
3:A:1001:MYR:H21	3:A:1010:MYR:H141	1.95	0.48
1:A:353:TYR:CE2	1:A:357:LEU:HD11	2.48	0.48
1:A:11:PHE:CD1	1:A:54:VAL:HG21	2.47	0.48
1:A:430:LEU:HD23	1:A:456:VAL:HG11	1.96	0.48
1:A:476:CYS:HG	1:A:487:CYS:HG	1.53	0.48
1:A:257:ARG:HH11	3:A:1007:MYR:H72	1.79	0.48
1:A:401:TYR:HA	1:A:404:GLN:OE1	2.14	0.47
1:A:551:PHE:HE1	3:A:1005:MYR:H92	1.79	0.47
1:A:117:ARG:NH2	1:A:183:ASP:OD1	2.43	0.47
1:A:200:CYS:SG	3:A:1009:MYR:H72	2.55	0.47
1:A:502:PHE:O	1:A:502:PHE:CG	2.66	0.47
1:A:434:GLY:O	1:A:438:CYS:SG	2.73	0.47
1:A:50:ALA:O	1:A:54:VAL:HG23	2.14	0.47
1:A:526:GLN:O	1:A:530:VAL:HG23	2.14	0.47
1:A:523:ILE:O	1:A:527:THR:OG1	2.26	0.46
1:A:547:VAL:HG12	1:A:548:MET:N	2.29	0.46
1:A:410:ARG:O	1:A:414:LYS:HG3	2.16	0.46
1:A:79:THR:HA	1:A:82:GLU:OE2	2.15	0.46
1:A:580:GLN:HG3	3:A:1005:MYR:H143	1.97	0.46
1:A:238:LEU:HD11	3:A:1008:MYR:H142	1.96	0.46
1:A:169:CYS:C	1:A:170:GLN:HG2	2.36	0.46
1:A:532:LEU:HD13	3:A:1005:MYR:C8	2.46	0.45
1:A:305:LEU:HD11	1:A:337:ARG:HD2	1.99	0.45
1:A:452:TYR:O	1:A:456:VAL:HG23	2.16	0.45
1:A:453:LEU:O	1:A:454:SER:C	2.55	0.45
1:A:80:LEU:O	1:A:84:TYR:HB2	2.17	0.45
1:A:305:LEU:CD1	1:A:337:ARG:HD2	2.47	0.45
1:A:408:LEU:HD22	1:A:530:VAL:HG22	1.99	0.45
1:A:446:MET:HB3	1:A:447:PRO:HD3	1.98	0.45
1:A:20:LYS:HG3	1:A:47:THR:HG21	1.99	0.45
1:A:502:PHE:CE2	1:A:504:ALA:HB2	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:513:ILE:HG13	1:A:559:CYS:SG	2.57	0.45
1:A:265:CYS:CB	1:A:279:CYS:HG	2.25	0.44
1:A:263:TYR:CD1	1:A:263:TYR:C	2.90	0.44
1:A:99:ASN:C	1:A:99:ASN:HD22	2.20	0.44
1:A:410:ARG:NH1	3:A:1004:MYR:H22	2.33	0.44
1:A:466:LYS:O	1:A:467:THR:HG23	2.17	0.44
1:A:554:PHE:CE2	1:A:575:LEU:HD22	2.53	0.44
1:A:34:CYS:HB2	1:A:39:HIS:CE1	2.52	0.44
1:A:485:ARG:HB3	1:A:486:PRO:HD3	2.00	0.43
1:A:529:LEU:O	1:A:532:LEU:HB3	2.18	0.43
1:A:408:LEU:HD21	1:A:424:VAL:HA	1.98	0.43
1:A:551:PHE:O	1:A:555:VAL:HG23	2.18	0.43
1:A:230:GLU:O	1:A:231:VAL:C	2.57	0.43
1:A:272:SER:HB3	1:A:275:LEU:HG	2.00	0.43
1:A:366:PRO:O	1:A:367:HIS:C	2.56	0.43
1:A:551:PHE:CE1	3:A:1005:MYR:H92	2.53	0.43
1:A:117:ARG:HG3	3:A:1001:MYR:H31	2.01	0.43
1:A:314:ASP:CB	1:A:318:ASN:ND2	2.82	0.43
1:A:522:GLN:O	1:A:523:ILE:C	2.56	0.43
1:A:222:ARG:NH1	1:A:293:VAL:O	2.48	0.42
3:A:1010:MYR:H111	3:A:1010:MYR:H41	2.01	0.42
1:A:186:ARG:CZ	1:A:186:ARG:HB3	2.50	0.42
1:A:137:LYS:O	1:A:140:TYR:HB3	2.20	0.42
1:A:472:ARG:NH2	1:A:492:GLU:O	2.51	0.42
1:A:214:TRP:CE3	3:A:1008:MYR:H71	2.54	0.42
1:A:384:PRO:O	1:A:388:ILE:HG13	2.19	0.42
1:A:502:PHE:CZ	1:A:504:ALA:HB2	2.55	0.42
1:A:345:LEU:O	1:A:349:LEU:HG	2.20	0.42
1:A:20:LYS:HG2	1:A:47:THR:HG21	2.01	0.42
1:A:146:HIS:CE1	3:A:1010:MYR:H52	2.54	0.42
1:A:129:ASP:O	1:A:130:ASN:OD1	2.38	0.42
1:A:224:PRO:CD	1:A:296:ASP:HB3	2.47	0.42
1:A:476:CYS:SG	1:A:487:CYS:SG	3.07	0.42
1:A:553:ALA:O	1:A:557:LYS:N	2.47	0.41
1:A:233:LYS:HE3	1:A:263:TYR:CZ	2.56	0.41
1:A:186:ARG:NH1	1:A:186:ARG:HB3	2.35	0.41
1:A:378:LYS:N	1:A:379:PRO:HD2	2.36	0.41
1:A:214:TRP:HB3	3:A:1008:MYR:H72	2.01	0.41
1:A:305:LEU:CD1	1:A:337:ARG:CD	2.99	0.41
1:A:108:ASP:CG	1:A:148:TYR:HE2	2.24	0.40
1:A:154:LEU:HD12	1:A:154:LEU:HA	1.93	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:244:GLU:HG3	1:A:256:ASP:OD2	2.21	0.40
1:A:4:LYS:O	1:A:63:ASP:HA	2.21	0.40
1:A:95:GLU:OE1	1:A:99:ASN:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	582/585 (100%)	515 (88%)	55 (10%)	12 (2%)	7 30

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	56	ASP
1	A	172	ALA
1	A	511	ALA
1	A	547	VAL
1	A	369	CYS
1	A	546	ALA
1	A	558	CYS
1	A	85	GLY
1	A	231	VAL
1	A	303	PRO
1	A	358	GLU
1	A	366	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	507/511 (99%)	482 (95%)	25 (5%)	25	57

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	83	THR
1	A	99	ASN
1	A	121	ASP
1	A	137	LYS
1	A	144	ARG
1	A	156	PHE
1	A	166	THR
1	A	197	ARG
1	A	262	LYS
1	A	267	ASN
1	A	269	ASP
1	A	278	CYS
1	A	321	GLU
1	A	354	GLU
1	A	360	CYS
1	A	372	LYS
1	A	378	LYS
1	A	417	GLN
1	A	425	GLU
1	A	445	ARG
1	A	451	ASP
1	A	454	SER
1	A	479	GLU
1	A	554	PHE
1	A	575	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	ASN
1	A	32	GLN
1	A	99	ASN
1	A	267	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	318	ASN
1	A	417	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 14 ligands modelled in this entry, 5 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	MYR	A	1007	-	15,15,15	0.68	0	15,15,15	0.79	1 (6%)
3	MYR	A	1003	-	15,15,15	0.56	0	15,15,15	0.54	0
3	MYR	A	1009	-	15,15,15	0.53	0	15,15,15	0.73	1 (6%)
3	MYR	A	1001	-	15,15,15	0.57	0	15,15,15	0.51	0
3	MYR	A	1006	-	15,15,15	0.57	0	15,15,15	0.64	0
3	MYR	A	1010	-	15,15,15	0.57	0	15,15,15	0.55	0
3	MYR	A	1008	-	15,15,15	0.72	0	15,15,15	0.41	0
3	MYR	A	1005	-	15,15,15	0.58	0	15,15,15	0.65	0
3	MYR	A	1004	-	15,15,15	0.58	0	15,15,15	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MYR	A	1007	-	-	8/13/13/13	-
3	MYR	A	1003	-	-	8/13/13/13	-
3	MYR	A	1009	-	-	5/13/13/13	-
3	MYR	A	1001	-	-	5/13/13/13	-
3	MYR	A	1006	-	-	9/13/13/13	-
3	MYR	A	1010	-	-	7/13/13/13	-
3	MYR	A	1008	-	-	10/13/13/13	-
3	MYR	A	1005	-	-	10/13/13/13	-
3	MYR	A	1004	-	-	4/13/13/13	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1009	MYR	O1-C1-C2	-2.02	116.59	123.08
3	A	1007	MYR	O1-C1-C2	-2.02	116.59	123.08

There are no chirality outliers.

All (66) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1006	MYR	C1-C2-C3-C4
3	A	1001	MYR	C1-C2-C3-C4
3	A	1005	MYR	C1-C2-C3-C4
3	A	1006	MYR	C9-C10-C11-C12
3	A	1007	MYR	C11-C10-C9-C8
3	A	1008	MYR	C9-C10-C11-C12
3	A	1010	MYR	C10-C11-C12-C13
3	A	1001	MYR	C2-C3-C4-C5
3	A	1005	MYR	C4-C5-C6-C7
3	A	1008	MYR	C11-C10-C9-C8
3	A	1010	MYR	C5-C6-C7-C8
3	A	1008	MYR	C3-C4-C5-C6
3	A	1008	MYR	C4-C5-C6-C7
3	A	1009	MYR	C1-C2-C3-C4
3	A	1007	MYR	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	1001	MYR	C10-C11-C12-C13
3	A	1007	MYR	C4-C5-C6-C7
3	A	1003	MYR	C2-C3-C4-C5
3	A	1010	MYR	C7-C8-C9-C10
3	A	1003	MYR	C3-C4-C5-C6
3	A	1004	MYR	C5-C6-C7-C8
3	A	1008	MYR	C10-C11-C12-C13
3	A	1007	MYR	C1-C2-C3-C4
3	A	1009	MYR	C2-C3-C4-C5
3	A	1007	MYR	C9-C10-C11-C12
3	A	1008	MYR	C7-C8-C9-C10
3	A	1007	MYR	C10-C11-C12-C13
3	A	1004	MYR	C4-C5-C6-C7
3	A	1004	MYR	C2-C3-C4-C5
3	A	1006	MYR	C3-C4-C5-C6
3	A	1003	MYR	C4-C5-C6-C7
3	A	1008	MYR	C11-C12-C13-C14
3	A	1005	MYR	C5-C6-C7-C8
3	A	1006	MYR	C7-C8-C9-C10
3	A	1005	MYR	C3-C4-C5-C6
3	A	1010	MYR	C9-C10-C11-C12
3	A	1009	MYR	C9-C10-C11-C12
3	A	1004	MYR	C3-C4-C5-C6
3	A	1009	MYR	C5-C6-C7-C8
3	A	1003	MYR	C1-C2-C3-C4
3	A	1003	MYR	C6-C7-C8-C9
3	A	1005	MYR	C2-C3-C4-C5
3	A	1010	MYR	C11-C10-C9-C8
3	A	1005	MYR	C10-C11-C12-C13
3	A	1001	MYR	C11-C10-C9-C8
3	A	1008	MYR	C2-C3-C4-C5
3	A	1005	MYR	C6-C7-C8-C9
3	A	1006	MYR	C2-C3-C4-C5
3	A	1003	MYR	C11-C12-C13-C14
3	A	1003	MYR	O2-C1-C2-C3
3	A	1008	MYR	O1-C1-C2-C3
3	A	1006	MYR	C6-C7-C8-C9
3	A	1001	MYR	C5-C6-C7-C8
3	A	1010	MYR	C2-C3-C4-C5
3	A	1003	MYR	O1-C1-C2-C3
3	A	1008	MYR	O2-C1-C2-C3
3	A	1010	MYR	C3-C4-C5-C6

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
3	A	1005	MYR	O1-C1-C2-C3
3	A	1005	MYR	O2-C1-C2-C3
3	A	1007	MYR	C11-C12-C13-C14
3	A	1007	MYR	C6-C7-C8-C9
3	A	1005	MYR	C11-C10-C9-C8
3	A	1006	MYR	O2-C1-C2-C3
3	A	1006	MYR	C5-C6-C7-C8
3	A	1009	MYR	C10-C11-C12-C13
3	A	1006	MYR	O1-C1-C2-C3




There are no ring outliers.




7 monomers are involved in 26 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1007	MYR	3	0
3	A	1009	MYR	3	0
3	A	1001	MYR	2	0
3	A	1010	MYR	4	0
3	A	1008	MYR	6	0
3	A	1005	MYR	7	0
3	A	1004	MYR	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	584/585 (99%)	-0.43	2 (0%) 94 88	24, 62, 120, 150	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	549	ASP	3.3
1	A	553	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CO	A	610	1/1	0.80	0.29	80,80,80,80	0
2	CO	A	604	1/1	0.83	0.12	139,139,139,139	0
3	MYR	A	1004	16/16	0.85	0.33	46,55,93,94	0
3	MYR	A	1010	16/16	0.86	0.30	54,73,84,85	0
3	MYR	A	1006	16/16	0.89	0.35	52,63,68,68	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	MYR	A	1005	16/16	0.89	0.46	55,62,74,82	0
3	MYR	A	1009	16/16	0.90	0.21	42,45,54,68	0
3	MYR	A	1007	16/16	0.91	0.24	30,43,54,56	0
3	MYR	A	1008	16/16	0.91	0.26	27,40,74,77	0
2	CO	A	607	1/1	0.92	0.25	95,95,95,95	0
3	MYR	A	1001	16/16	0.93	0.32	63,74,85,86	0
3	MYR	A	1003	16/16	0.96	0.19	28,54,69,71	0
2	CO	A	609	1/1	0.96	0.10	74,74,74,74	0
2	CO	A	611	1/1	0.98	0.21	75,75,75,75	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CO A 610:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CO A 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MYR A 1004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around MYR A 1010:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MYR A 1006:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MYR A 1005:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around MYR A 1009:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MYR A 1007:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MYR A 1008:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CO A 607:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MYR A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)


**Electron density around MYR A 1003:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CO A 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CO A 611:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.