



Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 10:21 am BST

PDB ID : 4F3X
Title : Crystal structure of putative aldehyde dehydrogenase from *Sinorhizobium meliloti* 1021 complexed with NAD
Authors : Malashkevich, V.N.; Bhosle, R.; Toro, R.; Hillerich, B.; Gizzi, A.; Garforth, S.; Kar, A.; Chan, M.K.; Laffuer, J.; Patel, H.; Matikainen, B.; Chamala, S.; Lim, S.; Celikgil, A.; Villegas, G.; Evans, B.; Zenchek, W.; Love, J.; Fiser, A.; Khafizov, K.; Seidel, R.; Bonanno, J.B.; Almo, S.C.; New York Structural Genomics Research Consortium (NYSGRG)
Deposited on : 2012-05-09
Resolution : 2.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	498	<div> <div>2%</div> <div> <div></div> <div>83%</div> <div>13%</div> <div>•</div> </div> </div>
1	B	498	<div> <div>2%</div> <div> <div></div> <div>83%</div> <div>13%</div> <div>•</div> </div> </div>
1	C	498	<div> <div>3%</div> <div> <div></div> <div>82%</div> <div>13%</div> <div>•</div> </div> </div>
1	D	498	<div> <div>13%</div> <div> <div></div> <div>82%</div> <div>13%</div> <div>5%</div> </div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 15314 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative aldehyde dehydrogenase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	476	Total	C	N	O	S	Se	0	2	0
			3621	2276	636	692	5	12			
1	B	476	Total	C	N	O	S	Se	0	4	0
			3628	2281	636	693	5	13			
1	C	476	Total	C	N	O	S	Se	0	2	0
			3618	2274	633	694	5	12			
1	D	475	Total	C	N	O	S	Se	0	0	0
			3599	2262	632	689	5	11			

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MSE	-	EXPRESSION TAG	UNP Q92ND9
A	-21	HIS	-	EXPRESSION TAG	UNP Q92ND9
A	-20	HIS	-	EXPRESSION TAG	UNP Q92ND9
A	-19	HIS	-	EXPRESSION TAG	UNP Q92ND9
A	-18	HIS	-	EXPRESSION TAG	UNP Q92ND9
A	-17	HIS	-	EXPRESSION TAG	UNP Q92ND9
A	-16	HIS	-	EXPRESSION TAG	UNP Q92ND9
A	-15	SER	-	EXPRESSION TAG	UNP Q92ND9
A	-14	SER	-	EXPRESSION TAG	UNP Q92ND9
A	-13	GLY	-	EXPRESSION TAG	UNP Q92ND9
A	-12	VAL	-	EXPRESSION TAG	UNP Q92ND9
A	-11	ASP	-	EXPRESSION TAG	UNP Q92ND9
A	-10	LEU	-	EXPRESSION TAG	UNP Q92ND9
A	-9	GLY	-	EXPRESSION TAG	UNP Q92ND9
A	-8	THR	-	EXPRESSION TAG	UNP Q92ND9
A	-7	GLU	-	EXPRESSION TAG	UNP Q92ND9
A	-6	ASN	-	EXPRESSION TAG	UNP Q92ND9
A	-5	LEU	-	EXPRESSION TAG	UNP Q92ND9
A	-4	TYR	-	EXPRESSION TAG	UNP Q92ND9
A	-3	PHE	-	EXPRESSION TAG	UNP Q92ND9
A	-2	GLN	-	EXPRESSION TAG	UNP Q92ND9

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	SER	-	EXPRESSION TAG	UNP Q92ND9
A	0	MSE	-	EXPRESSION TAG	UNP Q92ND9
B	-22	MSE	-	EXPRESSION TAG	UNP Q92ND9
B	-21	HIS	-	EXPRESSION TAG	UNP Q92ND9
B	-20	HIS	-	EXPRESSION TAG	UNP Q92ND9
B	-19	HIS	-	EXPRESSION TAG	UNP Q92ND9
B	-18	HIS	-	EXPRESSION TAG	UNP Q92ND9
B	-17	HIS	-	EXPRESSION TAG	UNP Q92ND9
B	-16	HIS	-	EXPRESSION TAG	UNP Q92ND9
B	-15	SER	-	EXPRESSION TAG	UNP Q92ND9
B	-14	SER	-	EXPRESSION TAG	UNP Q92ND9
B	-13	GLY	-	EXPRESSION TAG	UNP Q92ND9
B	-12	VAL	-	EXPRESSION TAG	UNP Q92ND9
B	-11	ASP	-	EXPRESSION TAG	UNP Q92ND9
B	-10	LEU	-	EXPRESSION TAG	UNP Q92ND9
B	-9	GLY	-	EXPRESSION TAG	UNP Q92ND9
B	-8	THR	-	EXPRESSION TAG	UNP Q92ND9
B	-7	GLU	-	EXPRESSION TAG	UNP Q92ND9
B	-6	ASN	-	EXPRESSION TAG	UNP Q92ND9
B	-5	LEU	-	EXPRESSION TAG	UNP Q92ND9
B	-4	TYR	-	EXPRESSION TAG	UNP Q92ND9
B	-3	PHE	-	EXPRESSION TAG	UNP Q92ND9
B	-2	GLN	-	EXPRESSION TAG	UNP Q92ND9
B	-1	SER	-	EXPRESSION TAG	UNP Q92ND9
B	0	MSE	-	EXPRESSION TAG	UNP Q92ND9
C	-22	MSE	-	EXPRESSION TAG	UNP Q92ND9
C	-21	HIS	-	EXPRESSION TAG	UNP Q92ND9
C	-20	HIS	-	EXPRESSION TAG	UNP Q92ND9
C	-19	HIS	-	EXPRESSION TAG	UNP Q92ND9
C	-18	HIS	-	EXPRESSION TAG	UNP Q92ND9
C	-17	HIS	-	EXPRESSION TAG	UNP Q92ND9
C	-16	HIS	-	EXPRESSION TAG	UNP Q92ND9
C	-15	SER	-	EXPRESSION TAG	UNP Q92ND9
C	-14	SER	-	EXPRESSION TAG	UNP Q92ND9
C	-13	GLY	-	EXPRESSION TAG	UNP Q92ND9
C	-12	VAL	-	EXPRESSION TAG	UNP Q92ND9
C	-11	ASP	-	EXPRESSION TAG	UNP Q92ND9
C	-10	LEU	-	EXPRESSION TAG	UNP Q92ND9
C	-9	GLY	-	EXPRESSION TAG	UNP Q92ND9
C	-8	THR	-	EXPRESSION TAG	UNP Q92ND9
C	-7	GLU	-	EXPRESSION TAG	UNP Q92ND9
C	-6	ASN	-	EXPRESSION TAG	UNP Q92ND9

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-5	LEU	-	EXPRESSION TAG	UNP Q92ND9
C	-4	TYR	-	EXPRESSION TAG	UNP Q92ND9
C	-3	PHE	-	EXPRESSION TAG	UNP Q92ND9
C	-2	GLN	-	EXPRESSION TAG	UNP Q92ND9
C	-1	SER	-	EXPRESSION TAG	UNP Q92ND9
C	0	MSE	-	EXPRESSION TAG	UNP Q92ND9
D	-22	MSE	-	EXPRESSION TAG	UNP Q92ND9
D	-21	HIS	-	EXPRESSION TAG	UNP Q92ND9
D	-20	HIS	-	EXPRESSION TAG	UNP Q92ND9
D	-19	HIS	-	EXPRESSION TAG	UNP Q92ND9
D	-18	HIS	-	EXPRESSION TAG	UNP Q92ND9
D	-17	HIS	-	EXPRESSION TAG	UNP Q92ND9
D	-16	HIS	-	EXPRESSION TAG	UNP Q92ND9
D	-15	SER	-	EXPRESSION TAG	UNP Q92ND9
D	-14	SER	-	EXPRESSION TAG	UNP Q92ND9
D	-13	GLY	-	EXPRESSION TAG	UNP Q92ND9
D	-12	VAL	-	EXPRESSION TAG	UNP Q92ND9
D	-11	ASP	-	EXPRESSION TAG	UNP Q92ND9
D	-10	LEU	-	EXPRESSION TAG	UNP Q92ND9
D	-9	GLY	-	EXPRESSION TAG	UNP Q92ND9
D	-8	THR	-	EXPRESSION TAG	UNP Q92ND9
D	-7	GLU	-	EXPRESSION TAG	UNP Q92ND9
D	-6	ASN	-	EXPRESSION TAG	UNP Q92ND9
D	-5	LEU	-	EXPRESSION TAG	UNP Q92ND9
D	-4	TYR	-	EXPRESSION TAG	UNP Q92ND9
D	-3	PHE	-	EXPRESSION TAG	UNP Q92ND9
D	-2	GLN	-	EXPRESSION TAG	UNP Q92ND9
D	-1	SER	-	EXPRESSION TAG	UNP Q92ND9
D	0	MSE	-	EXPRESSION TAG	UNP Q92ND9

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	187	Total	O	0	0
			187	187		
4	B	170	Total	O	0	0
			170	170		
4	C	165	Total	O	0	0
			165	165		
4	D	120	Total	O	0	0
			120	120		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Putative aldehyde dehydrogenase



• Molecule 1: Putative aldehyde dehydrogenase





• Molecule 1: Putative aldehyde dehydrogenase





• Molecule 1: Putative aldehyde dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	85.44Å 96.91Å 121.81Å 90.00° 89.98° 90.00°	Depositor
Resolution (Å)	19.91 – 2.01 19.87 – 2.01	Depositor EDS
% Data completeness (in resolution range)	95.5 (19.91-2.01) 95.7 (19.87-2.01)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 2.01Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.180 , 0.233 0.179 , 0.233	Depositor DCC
R_{free} test set	6378 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	39.8	Xtriage
Anisotropy	0.166	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 57.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.018 for h,-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	15314	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	0/3686	0.65	0/4987
1	B	0.46	0/3698	0.66	1/5001 (0.0%)
1	C	0.45	0/3683	0.64	0/4984
1	D	0.44	0/3659	0.61	0/4954
All	All	0.46	0/14726	0.64	1/19926 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	419	MSE	CG-SE-CE	6.73	113.70	98.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3621	0	3589	47	0
1	B	3628	0	3601	47	0
1	C	3618	0	3580	48	0
1	D	3599	0	3561	39	0
2	A	44	0	26	6	0
2	B	44	0	26	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	44	0	26	7	0
2	D	44	0	26	2	0
3	A	6	0	8	1	0
3	B	12	0	16	2	0
3	C	6	0	8	2	0
3	D	6	0	8	0	0
4	A	187	0	0	4	0
4	B	170	0	0	2	0
4	C	165	0	0	1	0
4	D	120	0	0	3	0
All	All	15314	0	14475	177	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (177) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:378:GLU:OE1	2:C:500:NAD:H5N	1.79	0.83
1:A:261:LEU:HD11	1:A:292:ILE:HD12	1.63	0.80
1:C:280:CYS:HB2	4:C:703:HOH:O	1.81	0.80
1:A:442:MSE:SE	1:B:134:ILE:HD11	2.33	0.79
1:B:286:ILE:HD12	1:B:384:VAL:HG13	1.65	0.78
1:C:442:MSE:SE	1:D:134:ILE:HD11	2.34	0.78
1:D:248:GLY:HA3	2:D:500:NAD:H5N	1.65	0.78
1:B:163:ILE:HD11	1:B:197:VAL:CG2	2.14	0.78
1:D:26:THR:O	1:D:356:GLU:HG3	1.85	0.76
1:A:69:LYS:HE3	3:A:501:GOL:H2	1.68	0.75
1:C:339:ALA:HB2	1:C:346:ILE:HD11	1.70	0.73
1:B:118:LEU:HD21	1:B:461:LEU:HD23	1.68	0.73
1:A:443:PRO:HB2	1:A:454:LYS:HD2	1.71	0.72
1:C:322:LEU:HD12	1:C:328:ARG:HA	1.71	0.72
1:C:69:LYS:NZ	3:C:501:GOL:H11	2.07	0.69
1:C:268:ILE:HD13	1:C:286:ILE:HD13	1.73	0.69
1:B:119:HIS:HE1	4:B:627:HOH:O	1.75	0.68
1:B:286:ILE:HD12	1:B:384:VAL:CG1	2.24	0.68
1:C:333:SER:OG	1:C:337:ARG:NH1	2.27	0.67
1:C:248:GLY:HA2	1:C:280:CYS:SG	2.34	0.67
1:C:137:ASP:OD2	1:C:468:ARG:HD3	1.97	0.65
1:A:35:GLU:OE2	1:A:203[B]:ARG:HG3	1.97	0.65
1:D:376:ARG:HG3	4:D:713:HOH:O	1.96	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:280:CYS:HB2	4:B:719:HOH:O	1.97	0.64
1:A:442:MSE:HE3	1:B:126:TYR:CE1	2.32	0.64
1:C:163:ILE:HD11	1:C:197:VAL:HG22	1.81	0.62
2:C:500:NAD:O2A	2:C:500:NAD:H51N	2.00	0.62
1:A:137:ASP:OD2	1:A:468:ARG:HD3	1.98	0.62
1:C:286:ILE:HD11	1:C:384:VAL:HG11	1.83	0.61
1:A:280:CYS:HB2	4:A:743:HOH:O	2.02	0.60
1:A:334:PHE:HZ	1:A:377:ARG:HG2	1.66	0.60
1:C:15:THR:HB	1:C:37:SER:HB3	1.84	0.60
1:A:255:VAL:HG12	1:A:292:ILE:HD11	1.84	0.59
1:D:58:THR:O	1:D:63:ARG:NH2	2.36	0.58
1:C:154:MSE:HE1	1:C:223:THR:OG1	2.03	0.58
1:A:475:GLY:HA2	4:A:734:HOH:O	2.03	0.58
1:C:339:ALA:HB2	1:C:346:ILE:CD1	2.34	0.58
1:B:163:ILE:HD11	1:B:197:VAL:HG21	1.85	0.57
1:C:69:LYS:HZ3	3:C:501:GOL:H11	1.69	0.57
1:A:280:CYS:SG	2:A:500:NAD:H4N	2.46	0.56
1:D:370:GLN:HB2	4:D:690:HOH:O	2.04	0.56
1:B:437:MSE:HA	1:B:437:MSE:HE2	1.86	0.56
1:B:69:LYS:HE3	3:B:503:GOL:H31	1.86	0.55
1:C:104:ILE:HG12	1:C:153:MSE:HA	1.88	0.55
1:D:223:THR:HG23	1:D:246:GLU:HB3	1.88	0.55
1:A:57:GLN:HG3	4:A:757:HOH:O	2.05	0.55
1:B:155:MSE:SE	1:B:181:ALA:HA	2.57	0.55
1:A:154:MSE:HE1	1:A:157:TRP:CZ3	2.41	0.54
1:A:419:MSE:HE1	1:A:432:ILE:HG13	1.88	0.54
1:C:322:LEU:CD1	1:C:328:ARG:HA	2.37	0.54
1:A:322:LEU:CD1	1:A:328:ARG:HA	2.37	0.54
1:A:163:ILE:HD11	1:A:197:VAL:HG21	1.89	0.54
1:D:284:CYS:HB3	4:D:694:HOH:O	2.07	0.53
1:A:248:GLY:HA2	1:A:280:CYS:SG	2.48	0.53
1:B:419:MSE:CE	1:B:432:ILE:HD13	2.38	0.53
1:A:415:ILE:HG13	1:C:415:ILE:HD12	1.90	0.53
1:C:142:VAL:HG22	1:C:219:MSE:HB3	1.91	0.53
1:B:286:ILE:CD1	1:B:384:VAL:CG1	2.87	0.53
1:C:422:ALA:HB2	1:C:432:ILE:HD11	1.91	0.53
1:D:284:CYS:HA	1:D:384:VAL:HG22	1.91	0.53
1:B:322:LEU:HD13	1:B:328[B]:ARG:HA	1.91	0.52
1:B:322:LEU:HD13	1:B:328[A]:ARG:HA	1.92	0.52
1:A:147:PRO:HG3	1:A:223:THR:HG22	1.91	0.52
1:B:416:SER:HB3	1:B:420:ARG:HH22	1.75	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:260:ASP:HB2	1:B:413:LYS:HE3	1.92	0.51
1:A:416:SER:HB3	1:A:420:ARG:HH22	1.75	0.51
1:A:134:ILE:HD11	1:B:442:MSE:SE	2.61	0.51
1:A:154:MSE:HE1	1:A:157:TRP:CE3	2.45	0.51
1:A:416:SER:HB3	1:A:420:ARG:NH2	2.26	0.50
1:B:419:MSE:CE	1:B:432:ILE:CD1	2.89	0.50
1:A:163:ILE:HD11	1:A:197:VAL:CG2	2.42	0.50
1:A:155:MSE:SE	1:A:181:ALA:HA	2.62	0.50
1:A:35:GLU:HG2	1:A:202:GLY:HA2	1.93	0.50
1:B:286:ILE:CD1	1:B:384:VAL:HG13	2.39	0.50
1:A:145:ILE:HB	1:A:222:ILE:HD12	1.94	0.49
1:D:37:SER:O	1:D:41:ILE:HG13	2.11	0.49
1:B:415:ILE:O	1:B:419:MSE:HG2	2.11	0.49
1:D:188:ILE:CG2	1:D:192:LEU:HD12	2.41	0.49
2:A:500:NAD:H2N	2:A:500:NAD:O1N	2.12	0.49
1:B:447:ILE:HG22	1:B:448:LYS:N	2.28	0.49
1:A:334:PHE:CZ	1:A:377:ARG:HG2	2.47	0.48
1:B:416:SER:HB3	1:B:420:ARG:NH2	2.27	0.48
1:C:378:GLU:OE1	2:C:500:NAD:C5N	2.57	0.48
1:B:280:CYS:SG	2:B:502:NAD:H4N	2.54	0.48
1:D:435:HIS:O	1:D:436:PHE:CB	2.62	0.48
1:A:286:ILE:HD11	1:A:384:VAL:HG11	1.95	0.48
1:C:126:TYR:CE1	1:D:442:MSE:HE3	2.49	0.48
1:C:293:TYR:O	1:C:297:VAL:HG23	2.14	0.48
1:B:419:MSE:HE2	1:B:432:ILE:CD1	2.43	0.48
1:D:80:GLU:CD	1:D:80:GLU:H	2.15	0.48
1:A:248:GLY:HA3	2:A:500:NAD:H5N	1.94	0.47
1:D:155:MSE:SE	1:D:184:LEU:HD23	2.64	0.47
1:A:322:LEU:HD13	1:A:328:ARG:HA	1.95	0.47
1:B:173:PRO:HD2	1:B:200:ILE:O	2.15	0.47
1:C:163:ILE:HD11	1:C:197:VAL:CG2	2.44	0.47
1:B:11:PHE:CZ	1:B:186:ARG:HA	2.50	0.47
1:B:154[A]:MSE:HE1	1:B:157:TRP:CZ3	2.50	0.47
1:B:288:ALA:HB2	1:B:296:LEU:HD23	1.96	0.47
1:B:188:ILE:HG23	1:B:192:LEU:HD12	1.97	0.46
1:C:52:PHE:CE1	1:C:140:GLY:HA2	2.50	0.46
1:D:271:PHE:HB3	1:D:436:PHE:HB2	1.98	0.46
1:B:0:MSE:HE2	1:B:2:ASP:HA	1.98	0.46
1:A:148:TRP:HE1	2:A:500:NAD:C5D	2.29	0.46
1:C:155:MSE:HG3	1:C:171:PHE:CZ	2.50	0.46
2:C:500:NAD:N7N	2:C:500:NAD:O1N	2.49	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:5:LEU:HD21	1:D:201:THR:OG1	2.16	0.46
2:C:500:NAD:O1N	2:C:500:NAD:H2N	2.16	0.45
1:C:33:LEU:HD21	1:C:182:LEU:HD11	1.98	0.45
1:A:237:ALA:O	1:B:230:LYS:HG2	2.15	0.45
1:D:437:MSE:HA	1:D:437:MSE:HE2	1.98	0.45
1:C:16:GLU:HG2	1:C:37:SER:HA	1.97	0.45
1:B:137:ASP:OD2	1:B:468:ARG:HD3	2.16	0.45
1:A:115:VAL:HA	1:A:461:LEU:HD21	1.98	0.45
1:B:95:ALA:O	1:B:99:ASP:HB2	2.17	0.45
1:D:226:ILE:HD11	1:D:404:TYR:CE1	2.52	0.45
1:B:251:ALA:HB3	1:B:282:ALA:O	2.17	0.44
1:D:322:LEU:HD13	1:D:328:ARG:HA	1.99	0.44
1:D:308:ARG:HB3	1:D:311:LEU:HD12	2.00	0.44
1:D:271:PHE:CE1	1:D:437:MSE:HE3	2.53	0.44
1:D:253:VAL:HG21	1:D:283:ALA:HB1	2.00	0.43
1:C:175:GLU:HG2	1:C:176:GLN:NE2	2.33	0.43
1:A:173:PRO:HD2	1:A:200:ILE:O	2.18	0.43
1:C:268:ILE:HG21	1:C:286:ILE:HD11	2.01	0.43
1:A:147:PRO:HD3	1:A:223:THR:HB	1.99	0.43
1:C:73:ALA:HB1	1:C:187:LEU:HD13	2.00	0.43
1:A:455:ASP:O	1:A:456:MSE:HB2	2.18	0.43
1:A:333:SER:OG	1:A:337:ARG:NH1	2.46	0.43
1:C:77:GLU:OE2	1:C:187:LEU:HD11	2.19	0.43
1:D:154:MSE:O	1:D:158:LYS:HG2	2.19	0.43
1:D:248:GLY:HA3	2:D:500:NAD:C5N	2.44	0.43
1:D:426:GLN:HB3	1:D:447:ILE:HD11	2.00	0.43
1:B:150:TYR:O	1:B:154[B]:MSE:HG2	2.18	0.42
1:B:346:ILE:HD12	1:B:365:VAL:HG22	2.01	0.42
1:C:154:MSE:HE1	1:C:223:THR:CB	2.49	0.42
1:C:268:ILE:HD13	1:C:286:ILE:CD1	2.46	0.42
2:A:500:NAD:N7N	2:A:500:NAD:O1N	2.52	0.42
1:D:301:THR:HG23	1:D:348:THR:HB	2.02	0.42
1:D:70:ILE:O	1:D:74:ILE:HG13	2.19	0.42
1:C:16:GLU:HB2	1:C:35:GLU:HB2	2.00	0.42
1:A:426:GLN:HB3	1:A:447:ILE:HD11	2.01	0.42
1:B:11:PHE:HZ	1:B:186:ARG:HA	1.84	0.42
1:D:137:ASP:OD2	1:D:468:ARG:HD3	2.19	0.42
1:B:138:PRO:HG3	1:B:166:GLY:HA3	2.00	0.42
1:B:407:ALA:HB1	1:B:431:TRP:CZ3	2.54	0.42
1:B:422:ALA:HB2	1:B:432:ILE:HD11	2.02	0.42
1:C:115:VAL:HA	1:C:461:LEU:HD21	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:25:ARG:HG2	1:D:321:PRO:HG3	2.01	0.42
1:C:71:ALA:HB2	1:C:108:TRP:HB2	2.01	0.42
1:D:16:GLU:HB2	1:D:35:GLU:HG3	2.01	0.42
1:A:145:ILE:HG21	2:A:500:NAD:H1B	2.02	0.41
1:D:354:SER:OG	1:D:359:PHE:HB2	2.19	0.41
1:D:435:HIS:O	1:D:436:PHE:HB3	2.19	0.41
1:A:137:ASP:HB3	1:A:138:PRO:CD	2.50	0.41
1:B:214:HIS:HA	1:B:215:PRO:HD3	1.92	0.41
1:C:145:ILE:HG21	2:C:500:NAD:H1B	2.03	0.41
1:A:18:GLU:HA	1:A:34:ALA:HA	2.02	0.41
1:B:49:GLU:HA	1:B:141:ILE:HD11	2.02	0.41
1:C:18:GLU:HA	1:C:34:ALA:HA	2.03	0.41
1:D:406:LEU:HA	1:D:446:GLY:HA2	2.01	0.41
1:A:158:LYS:HD3	1:A:158:LYS:HA	1.92	0.41
1:A:286:ILE:CD1	1:A:384:VAL:CG1	2.98	0.41
1:D:162:ALA:O	1:D:167:ASN:HB2	2.20	0.41
1:C:155:MSE:SE	1:C:181:ALA:HA	2.70	0.41
1:D:188:ILE:HG23	1:D:192:LEU:HD12	2.03	0.41
1:B:419:MSE:HE2	1:B:432:ILE:HD13	2.01	0.41
1:D:252:PRO:HD3	1:D:285:ARG:NH2	2.36	0.41
1:A:442:MSE:HE3	1:B:126:TYR:CZ	2.55	0.40
1:C:173:PRO:HD2	1:C:200:ILE:O	2.21	0.40
1:C:286:ILE:CD1	1:C:384:VAL:CG1	2.99	0.40
1:C:134:ILE:HD11	1:D:443:PRO:HD2	2.03	0.40
1:B:69:LYS:HE3	3:B:503:GOL:H12	2.03	0.40
1:C:154:MSE:HB3	1:C:154:MSE:HE3	1.78	0.40
1:C:288:ALA:HB2	1:C:296:LEU:HD23	2.02	0.40
1:C:280:CYS:SG	2:C:500:NAD:H4N	2.62	0.40
1:A:388:ARG:HD2	4:A:678:HOH:O	2.22	0.40
1:C:286:ILE:HD11	1:C:384:VAL:CG1	2.51	0.40
1:D:214:HIS:HA	1:D:215:PRO:HD3	1.91	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	476/498 (96%)	463 (97%)	13 (3%)	0	100	100
1	B	478/498 (96%)	463 (97%)	15 (3%)	0	100	100
1	C	476/498 (96%)	461 (97%)	15 (3%)	0	100	100
1	D	473/498 (95%)	458 (97%)	14 (3%)	1 (0%)	47	44
All	All	1903/1992 (96%)	1845 (97%)	57 (3%)	1 (0%)	51	49

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	405	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	372/377 (99%)	363 (98%)	9 (2%)	49	51
1	B	374/377 (99%)	366 (98%)	8 (2%)	53	57
1	C	372/377 (99%)	362 (97%)	10 (3%)	44	46
1	D	369/377 (98%)	363 (98%)	6 (2%)	62	67
All	All	1487/1508 (99%)	1454 (98%)	33 (2%)	53	55

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	88	ASN
1	A	246[A]	GLU
1	A	246[B]	GLU
1	A	262	GLU
1	A	295	LYS
1	A	302	SER
1	A	336	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	371	GLU
1	A	380	PHE
1	B	88	ASN
1	B	97	LYS
1	B	158	LYS
1	B	231	LYS
1	B	238	LYS
1	B	316	GLU
1	B	356	GLU
1	B	380	PHE
1	C	0	MSE
1	C	1	MSE
1	C	3	THR
1	C	57	GLN
1	C	88	ASN
1	C	127	LEU
1	C	246[A]	GLU
1	C	246[B]	GLU
1	C	326	ARG
1	C	380	PHE
1	D	88	ASN
1	D	144	SER
1	D	176	GLN
1	D	246	GLU
1	D	250	LYS
1	D	315	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	119	HIS
1	C	341	GLN
1	D	94	ASN
1	D	444	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	GOL	B	501	-	5,5,5	0.22	0	5,5,5	0.38	0
3	GOL	A	501	-	5,5,5	0.24	0	5,5,5	0.68	0
2	NAD	B	502	-	42,48,48	0.97	3 (7%)	50,73,73	1.11	4 (8%)
3	GOL	C	501	-	5,5,5	0.35	0	5,5,5	0.48	0
3	GOL	D	501	-	5,5,5	0.29	0	5,5,5	0.37	0
3	GOL	B	503	-	5,5,5	0.25	0	5,5,5	0.17	0
2	NAD	C	500	-	42,48,48	0.91	4 (9%)	50,73,73	1.12	3 (6%)
2	NAD	D	500	-	42,48,48	0.87	3 (7%)	50,73,73	1.24	4 (8%)
2	NAD	A	500	-	42,48,48	0.87	3 (7%)	50,73,73	1.24	5 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	501	-	-	4/4/4/4	-
3	GOL	A	501	-	-	0/4/4/4	-
2	NAD	B	502	-	-	3/26/62/62	0/5/5/5
3	GOL	C	501	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	D	501	-	-	4/4/4/4	-
3	GOL	B	503	-	-	2/4/4/4	-
2	NAD	C	500	-	-	5/26/62/62	0/5/5/5
2	NAD	D	500	-	-	3/26/62/62	0/5/5/5
2	NAD	A	500	-	-	5/26/62/62	0/5/5/5

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	502	NAD	O4B-C1B	3.22	1.45	1.41
2	C	500	NAD	C5A-C4A	2.51	1.47	1.40
2	B	502	NAD	C5A-C4A	2.46	1.47	1.40
2	A	500	NAD	O4D-C1D	2.33	1.44	1.41
2	D	500	NAD	O4D-C1D	2.28	1.44	1.41
2	C	500	NAD	O4B-C1B	2.21	1.44	1.41
2	D	500	NAD	C5A-C4A	2.21	1.46	1.40
2	A	500	NAD	C5A-C4A	2.20	1.46	1.40
2	C	500	NAD	O4D-C1D	2.14	1.44	1.41
2	A	500	NAD	C2A-N3A	2.13	1.35	1.32
2	B	502	NAD	O4D-C1D	2.10	1.44	1.41
2	D	500	NAD	O4B-C1B	2.05	1.43	1.41
2	C	500	NAD	C2A-N3A	2.00	1.35	1.32

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	NAD	O4B-C1B-C2B	-4.10	100.94	106.93
2	D	500	NAD	N3A-C2A-N1A	-3.55	123.13	128.68
2	D	500	NAD	PN-O3-PA	-3.43	121.07	132.83
2	D	500	NAD	C4A-C5A-N7A	-3.15	106.12	109.40
2	B	502	NAD	N3A-C2A-N1A	-3.08	123.86	128.68
2	C	500	NAD	N3A-C2A-N1A	-2.97	124.03	128.68
2	A	500	NAD	N3A-C2A-N1A	-2.82	124.26	128.68
2	A	500	NAD	PN-O3-PA	-2.77	123.32	132.83
2	D	500	NAD	C3D-C2D-C1D	2.66	104.98	100.98
2	A	500	NAD	C4A-C5A-N7A	-2.56	106.73	109.40
2	B	502	NAD	C4A-C5A-N7A	-2.54	106.75	109.40
2	C	500	NAD	C4A-C5A-N7A	-2.49	106.80	109.40
2	B	502	NAD	PN-O3-PA	-2.49	124.29	132.83
2	C	500	NAD	C3D-C2D-C1D	2.22	104.31	100.98
2	A	500	NAD	C3D-C2D-C1D	2.11	104.15	100.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	502	NAD	C3D-C2D-C1D	2.02	104.02	100.98

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	501	GOL	O1-C1-C2-C3
3	B	501	GOL	C1-C2-C3-O3
2	B	502	NAD	C5D-O5D-PN-O1N
2	B	502	NAD	C5D-O5D-PN-O2N
3	D	501	GOL	O1-C1-C2-C3
3	D	501	GOL	C1-C2-C3-O3
2	D	500	NAD	O4D-C4D-C5D-O5D
2	C	500	NAD	PN-O3-PA-O5B
2	C	500	NAD	C5D-O5D-PN-O3
2	A	500	NAD	C5D-O5D-PN-O1N
2	D	500	NAD	C3D-C4D-C5D-O5D
3	B	503	GOL	O1-C1-C2-O2
3	D	501	GOL	O1-C1-C2-O2
3	D	501	GOL	O2-C2-C3-O3
3	C	501	GOL	C1-C2-C3-O3
3	B	503	GOL	O1-C1-C2-C3
3	B	501	GOL	O2-C2-C3-O3
2	C	500	NAD	C4D-C5D-O5D-PN
2	A	500	NAD	PN-O3-PA-O5B
3	B	501	GOL	O1-C1-C2-O2
2	C	500	NAD	C5D-O5D-PN-O1N
2	C	500	NAD	C5D-O5D-PN-O2N
2	A	500	NAD	C5D-O5D-PN-O2N
2	A	500	NAD	C4D-C5D-O5D-PN
3	C	501	GOL	O2-C2-C3-O3
2	B	502	NAD	C5D-O5D-PN-O3
2	A	500	NAD	C5D-O5D-PN-O3
2	D	500	NAD	PA-O3-PN-O1N

There are no ring outliers.

7 monomers are involved in 21 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	501	GOL	1	0
2	B	502	NAD	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	501	GOL	2	0
3	B	503	GOL	2	0
2	C	500	NAD	7	0
2	D	500	NAD	2	0
2	A	500	NAD	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	464/498 (93%)	-0.04	12 (2%) 56 54	27, 44, 69, 95	0
1	B	464/498 (93%)	-0.11	12 (2%) 56 54	28, 45, 65, 83	0
1	C	464/498 (93%)	-0.06	14 (3%) 50 49	31, 47, 66, 86	0
1	D	464/498 (93%)	0.56	63 (13%) 3 2	31, 50, 104, 122	0
All	All	1856/1992 (93%)	0.09	101 (5%) 25 24	27, 47, 81, 122	0

All (101) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	355	ASP	7.1
1	D	315	THR	7.0
1	D	271	PHE	7.0
1	D	340	ASP	6.9
1	D	313	ASP	5.7
1	D	377	ARG	5.7
1	D	311	LEU	5.7
1	D	342	LYS	5.6
1	D	326	ARG	5.5
1	D	339	ALA	5.5
1	D	20	HIS	5.4
1	D	316	GLU	5.2
1	D	312	ASP	5.2
1	D	371	GLU	5.0
1	D	351	ARG	4.9
1	D	282	ALA	4.9
1	D	343	HIS	4.9
1	D	17	ALA	4.6
1	D	341	GLN	4.6
1	D	305	SER	4.5
1	D	475	GLY	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	475	GLY	4.3
1	A	355	ASP	4.3
1	D	354	SER	4.3
1	D	376	ARG	4.2
1	D	378	GLU	4.2
1	D	309	TYR	4.0
1	D	325	ARG	4.0
1	D	374	ILE	4.0
1	C	10	ARG	3.8
1	D	329	ASP	3.7
1	C	20	HIS	3.7
1	D	280	CYS	3.6
1	D	353	GLY	3.6
1	D	314	ASP	3.5
1	A	376	ARG	3.5
1	D	379	VAL	3.4
1	D	348	THR	3.4
1	D	345	GLU	3.3
1	D	356	GLU	3.3
1	D	337	ARG	3.3
1	D	338	ALA	3.3
1	B	404	TYR	3.2
1	D	307	ILE	3.2
1	D	9	SER	3.2
1	B	312	ASP	3.2
1	D	27	GLY	3.2
1	D	303	ALA	3.2
1	A	475	GLY	3.1
1	A	286	ILE	3.1
1	D	319	ILE	3.1
1	D	375	VAL	3.1
1	D	346	ILE	3.0
1	C	392	LYS	3.0
1	D	336	GLU	3.0
1	D	302	SER	3.0
1	B	10	ARG	3.0
1	D	10	ARG	2.9
1	A	337	ARG	2.8
1	C	340	ASP	2.8
1	B	286	ILE	2.8
1	C	286	ILE	2.8
1	D	28	ALA	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	315	THR	2.7
1	D	370	GLN	2.7
1	B	376	ARG	2.7
1	A	340	ASP	2.7
1	A	356	GLU	2.7
1	D	330	ARG	2.7
1	D	333	SER	2.6
1	A	326	ARG	2.6
1	D	26	THR	2.6
1	D	347	THR	2.5
1	B	410	VAL	2.5
1	D	331	VAL	2.5
1	D	200	ILE	2.4
1	A	384	VAL	2.4
1	A	377	ARG	2.4
1	B	392	LYS	2.4
1	C	391	GLY	2.4
1	B	53	VAL	2.3
1	D	357	GLY	2.3
1	A	330	ARG	2.3
1	B	254	ILE	2.3
1	D	432	ILE	2.3
1	B	355	ASP	2.2
1	D	306	THR	2.2
1	A	342	LYS	2.2
1	D	321	PRO	2.2
1	C	290	ALA	2.2
1	C	316	GLU	2.2
1	C	355	ASP	2.2
1	B	253	VAL	2.1
1	D	334	PHE	2.1
1	C	79	ASP	2.1
1	D	386	VAL	2.1
1	D	392	LYS	2.1
1	C	432	ILE	2.1
1	D	358	PHE	2.1
1	B	429	CYS	2.0
1	C	255	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GOL	B	503	6/6	0.83	0.16	59,68,69,73	0
3	GOL	C	501	6/6	0.89	0.16	55,57,61,70	0
3	GOL	D	501	6/6	0.92	0.16	59,62,66,67	0
3	GOL	A	501	6/6	0.94	0.12	53,61,62,79	0
3	GOL	B	501	6/6	0.94	0.13	56,63,73,76	0
2	NAD	D	500	44/44	0.94	0.14	43,58,119,121	0
2	NAD	B	502	44/44	0.95	0.14	37,52,99,104	0
2	NAD	C	500	44/44	0.95	0.13	45,60,111,124	0
2	NAD	A	500	44/44	0.96	0.13	35,49,114,121	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAD D 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD C 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD A 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.