



Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 09:53 am BST

PDB ID : 4FCI
Title : Crystal Structure of the Mn²⁺-Human Arginase I-AGPA Complex
Authors : D'Antonio, E.L.; Christianson, D.W.
Deposited on : 2012-05-25
Resolution : 1.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	7484 (1.84-1.80)
Clashscore	141614	8401 (1.84-1.80)
Ramachandran outliers	138981	8290 (1.84-1.80)
Sidechain outliers	138945	8290 (1.84-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	322	
1	B	322	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5026 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Arginase-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	313	Total	C	N	O	S	0	0	0
			2379	1516	405	452	6			
1	B	313	Total	C	N	O	S	0	0	0
			2379	1516	405	452	6			

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Mn	0	0
			2	2		
2	A	2	Total	Mn	0	0
			2	2		

- Molecule 3 is 2-AMINO-3-GUANIDINO-PROPIONIC ACID (three-letter code: GPA) (formula: $C_4H_{10}N_4O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			10	4	4	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	146	Total	O	0	0
			146	146		
4	B	108	Total	O	0	0
			108	108		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Arginase-1



• Molecule 1: Arginase-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 3	Depositor
Cell constants a, b, c, α , β , γ	90.85Å 90.85Å 69.77Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 1.82 34.27 – 1.82	Depositor EDS
% Data completeness (in resolution range)	99.7 (50.00-1.82) 99.6 (34.27-1.82)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.73 (at 1.82Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.279 , 0.310 0.275 , 0.306	Depositor DCC
R_{free} test set	2827 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	21.8	Xtriage
Anisotropy	0.068	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 34.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.39$, $\langle L^2 \rangle = 0.21$	Xtriage
Estimated twinning fraction	0.426 for -h,-k,l 0.118 for h,-h-k,-l 0.118 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	5026	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, GPA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/2429	0.67	1/3296 (0.0%)
1	B	0.33	0/2429	0.66	0/3296
All	All	0.33	0/4858	0.66	1/6592 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	99	GLY	N-CA-C	-6.80	96.10	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2379	0	2421	76	0
1	B	2379	0	2421	110	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	10	0	9	2	0
4	A	146	0	0	8	0
4	B	108	0	0	5	0
All	All	5026	0	4851	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:53:LEU:HD21	1:A:83:LYS:HG2	1.33	1.06
1:B:208:ILE:HD11	1:B:260:ILE:HD11	1.43	1.00
1:B:315:ILE:HG13	1:B:316:ASP:H	1.27	1.00
1:A:66:ILE:HD13	1:A:66:ILE:H	1.32	0.94
1:A:208:ILE:HD11	1:A:260:ILE:HD11	1.48	0.92
1:A:224:LYS:HG3	1:A:269:LEU:HD11	1.53	0.88
1:B:16:SER:HB3	1:B:25:GLU:HG3	1.56	0.84
1:A:6:ARG:HA	1:A:6:ARG:NH1	1.93	0.83
1:B:211:VAL:O	1:B:215:THR:HG23	1.80	0.82
1:A:233:VAL:HG21	1:A:278:VAL:HG22	1.61	0.81
1:A:79:GLN:O	1:A:83:LYS:HD3	1.82	0.80
1:A:6:ARG:HA	1:A:6:ARG:CZ	2.12	0.80
1:B:12:GLY:HA3	1:B:52:ASP:OD2	1.85	0.76
1:B:315:ILE:HG13	1:B:316:ASP:N	2.02	0.75
1:B:66:ILE:H	1:B:66:ILE:HD13	1.54	0.73
1:B:48:LYS:HG2	1:B:92:ARG:NH2	2.03	0.73
1:B:6:ARG:NE	1:B:6:ARG:HA	2.03	0.72
1:B:315:ILE:CG1	1:B:316:ASP:H	2.02	0.71
1:B:198:PHE:CE1	1:B:215:THR:HG22	2.27	0.70
1:A:233:VAL:HG21	1:A:278:VAL:CG2	2.22	0.70
1:A:258:LEU:O	1:A:262:GLU:HG3	1.91	0.70
1:B:169:ILE:O	1:B:169:ILE:HD12	1.92	0.70
1:A:75:LYS:O	1:A:79:GLN:HG3	1.92	0.69
1:B:224:LYS:HD2	1:B:224:LYS:N	2.07	0.69
1:A:180:ARG:HG3	1:A:248:VAL:HG11	1.75	0.68
1:B:30:VAL:HG11	1:B:293:VAL:HG21	1.75	0.68
1:B:143:GLN:N	1:B:144:PRO:HD2	2.09	0.68
1:B:153:LYS:HE2	1:B:167:PRO:HD2	1.75	0.68
1:A:261:THR:HG21	1:A:299:ILE:HG23	1.75	0.67
1:A:143:GLN:N	1:A:144:PRO:HD2	2.09	0.67
1:B:48:LYS:HG2	1:B:92:ARG:CZ	2.24	0.66
1:A:180:ARG:NH2	1:A:235:GLY:O	2.29	0.66
1:B:87:VAL:HG21	1:B:94:SER:HB3	1.78	0.66
1:B:180:ARG:NH2	1:B:235:GLY:O	2.28	0.65
1:A:153:LYS:HD3	1:A:167:PRO:HG2	1.78	0.65
1:B:30:VAL:CG1	1:B:293:VAL:HG21	2.28	0.64
1:A:6:ARG:HD3	1:A:93:ILE:HD11	1.80	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:236:LEU:HD11	1:B:299:ILE:HD11	1.79	0.64
1:A:66:ILE:CD1	1:A:66:ILE:H	2.10	0.64
1:B:143:GLN:N	1:B:144:PRO:CD	2.61	0.63
1:B:210:LYS:HE2	1:B:213:GLU:OE1	1.98	0.63
1:A:83:LYS:HD2	1:A:83:LYS:N	2.14	0.63
1:B:37:LEU:HD12	4:B:600:HOH:O	1.99	0.63
1:A:58:ILE:N	1:A:58:ILE:HD12	2.14	0.63
1:B:16:SER:HB3	1:B:25:GLU:CG	2.29	0.62
1:B:6:ARG:HA	1:B:6:ARG:CZ	2.28	0.62
1:B:208:ILE:HD11	1:B:260:ILE:CD1	2.26	0.62
1:B:65:GLN:HE22	1:B:133:LEU:HD23	1.64	0.62
1:B:261:THR:HG21	1:B:299:ILE:HG23	1.82	0.61
1:B:307:ALA:H	1:B:311:ASN:HD21	1.46	0.61
1:B:180:ARG:HG3	1:B:248:VAL:HG11	1.83	0.60
1:A:118:LEU:C	1:A:118:LEU:HD12	2.22	0.60
1:A:22:GLY:O	1:A:25:GLU:HG2	2.01	0.60
1:B:83:LYS:O	1:B:87:VAL:HG13	2.02	0.59
1:A:53:LEU:HD21	1:A:83:LYS:CG	2.20	0.59
1:B:174:ILE:HG23	1:B:195:ILE:HG23	1.85	0.59
1:A:103:LEU:HB2	1:A:276:MET:HE1	1.86	0.58
1:B:11:ILE:HD12	1:B:83:LYS:HG3	1.86	0.58
1:B:11:ILE:HD13	1:B:50:TYR:HB2	1.86	0.57
1:B:256:GLU:O	1:B:260:ILE:HG12	2.04	0.57
1:A:143:GLN:N	1:A:144:PRO:CD	2.67	0.57
1:B:236:LEU:HD11	1:B:299:ILE:CD1	2.33	0.57
1:A:208:ILE:HD11	1:A:260:ILE:CD1	2.30	0.57
1:B:233:VAL:HG13	1:B:276:MET:O	2.05	0.56
1:A:40:LEU:O	1:A:45:CYS:HB2	2.05	0.56
1:B:233:VAL:HG11	1:B:278:VAL:CG2	2.36	0.56
1:B:285:THR:OG1	1:B:288:GLU:HG3	2.06	0.56
1:B:312:HIS:HB2	1:B:317:TYR:CE2	2.40	0.56
1:B:15:PHE:CZ	1:B:17:LYS:HB2	2.42	0.55
1:B:8:ILE:HG21	1:B:95:LEU:HD12	1.88	0.55
1:A:183:ASP:OD2	3:A:403:GPA:N	2.40	0.55
1:B:149:LEU:HD23	1:B:169:ILE:CD1	2.38	0.54
1:B:253:THR:HG22	1:B:254:TYR:N	2.22	0.54
1:A:152:LEU:HD13	1:A:193:LEU:HD21	1.88	0.54
1:A:143:GLN:H	1:A:144:PRO:CD	2.21	0.54
1:A:6:ARG:HD3	1:A:93:ILE:CD1	2.37	0.54
1:A:38:GLU:O	1:A:42:GLU:HG3	2.08	0.53
1:B:262:GLU:O	1:B:266:LYS:HD3	2.08	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:ILE:HG13	1:A:37:LEU:HD21	1.89	0.53
1:B:26:GLU:HG2	4:B:598:HOH:O	2.07	0.53
1:A:35:GLY:HA2	1:A:38:GLU:OE1	2.09	0.53
1:B:11:ILE:HD11	1:B:87:VAL:HG11	1.91	0.53
1:A:32:ARG:HD3	4:A:629:HOH:O	2.08	0.52
1:B:58:ILE:HD12	1:B:72:SER:HA	1.91	0.52
1:B:231:PHE:CZ	1:B:299:ILE:HD13	2.45	0.52
1:B:11:ILE:HD12	1:B:83:LYS:CG	2.40	0.52
1:B:128:ASP:HB3	1:B:144:PRO:HG2	1.91	0.52
1:B:175:VAL:HG23	1:B:219:LEU:HD21	1.92	0.52
1:A:30:VAL:HA	1:A:33:LYS:HG2	1.91	0.52
1:A:230:SER:HA	1:A:274:ASP:HB2	1.92	0.51
1:A:83:LYS:HG3	4:A:586:HOH:O	2.11	0.51
1:B:315:ILE:CG1	1:B:316:ASP:N	2.68	0.51
1:A:15:PHE:O	1:A:99:GLY:HA3	2.10	0.51
1:A:87:VAL:HG21	1:A:94:SER:HB3	1.93	0.51
1:B:153:LYS:HE2	1:B:167:PRO:CD	2.41	0.51
1:B:95:LEU:HD22	1:B:97:LEU:CD2	2.41	0.51
1:B:84:VAL:O	1:B:88:LYS:HG2	2.11	0.51
1:A:236:LEU:HD11	1:A:299:ILE:CD1	2.41	0.50
1:B:185:GLY:O	1:B:189:ILE:HG13	2.11	0.50
1:B:64:PHE:O	1:B:65:GLN:HB2	2.11	0.50
1:A:66:ILE:N	1:A:66:ILE:HD13	2.14	0.50
1:B:87:VAL:CG2	1:B:94:SER:HB3	2.41	0.50
1:B:85:ALA:O	1:B:89:LYS:HG3	2.12	0.49
1:B:128:ASP:HB3	1:B:144:PRO:CG	2.42	0.49
1:B:61:ASP:OD2	1:B:69:ASN:HA	2.12	0.49
1:A:287:GLU:OE2	1:A:291:ARG:NH2	2.33	0.49
1:B:143:GLN:H	1:B:144:PRO:CD	2.24	0.49
1:A:180:ARG:HG3	1:A:248:VAL:CG1	2.42	0.49
1:B:28:PRO:HG3	1:B:97:LEU:O	2.13	0.49
1:B:40:LEU:O	1:B:45:CYS:HB2	2.13	0.49
1:A:103:LEU:HB2	1:A:276:MET:CE	2.43	0.48
1:A:15:PHE:CZ	1:A:17:LYS:HB2	2.47	0.48
1:A:180:ARG:HH22	1:A:235:GLY:C	2.17	0.48
1:B:289:VAL:O	1:B:293:VAL:HG23	2.14	0.48
1:B:19:GLN:HB2	1:B:20:PRO:HD2	1.95	0.48
1:A:83:LYS:CD	1:A:83:LYS:N	2.77	0.47
1:B:233:VAL:HG11	1:B:278:VAL:HG22	1.95	0.47
1:A:84:VAL:O	1:A:87:VAL:HG22	2.15	0.46
1:A:32:ARG:HH11	1:A:32:ARG:HG3	1.79	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:95:LEU:HD22	1:B:97:LEU:HD21	1.96	0.46
1:A:64:PHE:O	1:A:65:GLN:HB2	2.16	0.46
1:B:273:LEU:C	1:B:273:LEU:HD13	2.36	0.46
1:A:256:GLU:O	1:A:260:ILE:HG12	2.16	0.46
1:B:6:ARG:CA	1:B:6:ARG:NE	2.76	0.46
1:A:61:ASP:HB3	4:A:633:HOH:O	2.16	0.45
1:A:143:GLN:H	1:A:144:PRO:HD2	1.77	0.45
1:B:118:LEU:HD12	1:B:118:LEU:O	2.16	0.45
1:A:128:ASP:OD2	3:A:403:GPA:NH2	2.48	0.44
1:A:89:LYS:HD2	4:A:634:HOH:O	2.17	0.44
1:A:30:VAL:HG12	1:A:33:LYS:HE3	1.98	0.44
1:A:6:ARG:HB2	4:A:628:HOH:O	2.18	0.44
1:B:177:ILE:HD11	1:B:215:THR:HG21	1.99	0.44
1:B:26:GLU:O	1:B:30:VAL:HG23	2.18	0.44
1:B:131:THR:OG1	1:B:134:THR:HG23	2.18	0.44
1:A:57:ASP:C	1:A:58:ILE:HD12	2.39	0.43
1:B:155:LYS:HA	1:B:155:LYS:HD3	1.82	0.43
1:B:11:ILE:HD11	1:B:87:VAL:CG1	2.48	0.43
1:A:48:LYS:N	1:A:92:ARG:HH21	2.16	0.43
1:B:46:ASP:OD1	1:B:48:LYS:HE2	2.19	0.43
1:B:265:TYR:CZ	1:B:305:GLY:HA2	2.54	0.43
1:B:84:VAL:O	1:B:87:VAL:HG22	2.19	0.43
1:A:58:ILE:CD1	1:A:58:ILE:N	2.81	0.43
1:B:153:LYS:HB2	1:B:167:PRO:HG2	2.00	0.42
1:B:275:ILE:CD1	1:B:300:THR:OG1	2.67	0.42
1:A:33:LYS:HG3	4:A:630:HOH:O	2.19	0.42
1:A:153:LYS:HD2	4:A:640:HOH:O	2.20	0.42
1:B:149:LEU:HA	1:B:169:ILE:HD12	2.01	0.42
1:A:137:SER:CA	1:B:222:ARG:HH21	2.31	0.42
1:B:297:VAL:O	1:B:301:LEU:HG	2.19	0.42
1:B:266:LYS:HE3	4:B:580:HOH:O	2.19	0.42
1:A:170:SER:HB2	1:A:172:LYS:HG2	2.01	0.42
1:B:118:LEU:HD12	1:B:118:LEU:C	2.39	0.42
1:B:95:LEU:HD21	1:B:275:ILE:HD12	2.02	0.42
1:A:10:ILE:HG13	1:A:37:LEU:CD2	2.50	0.42
1:A:136:THR:C	1:B:222:ARG:HH21	2.23	0.42
1:A:233:VAL:CG1	1:A:241:THR:HB	2.50	0.42
1:B:180:ARG:HG3	1:B:248:VAL:CG1	2.49	0.42
1:B:220:LEU:HD11	1:B:227:ILE:HD11	2.01	0.42
1:B:44:GLU:HG2	4:B:542:HOH:O	2.20	0.42
1:B:149:LEU:HD23	1:B:169:ILE:HD12	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:224:LYS:N	1:B:224:LYS:CD	2.80	0.41
1:B:281:SER:HB3	4:B:597:HOH:O	2.19	0.41
1:A:236:LEU:HD11	1:A:299:ILE:HD11	2.01	0.41
1:A:24:VAL:HG22	1:A:99:GLY:HA2	2.02	0.41
1:A:37:LEU:O	1:A:41:LYS:HG3	2.21	0.41
1:B:180:ARG:CZ	1:B:251:GLY:HA2	2.51	0.41
1:A:32:ARG:HG3	1:A:32:ARG:NH1	2.35	0.41
1:B:240:PHE:CE1	1:B:254:TYR:HB2	2.55	0.41
1:B:32:ARG:NH1	1:B:52:ASP:OD2	2.53	0.41
1:A:137:SER:N	1:B:222:ARG:HH21	2.19	0.41
1:B:23:GLY:HA3	1:B:279:ASN:OD1	2.21	0.41
1:B:206:LEU:HB3	1:B:210:LYS:HB3	2.03	0.41
1:B:150:LYS:HD3	1:B:167:PRO:O	2.21	0.41
1:B:7:THR:CG2	1:B:92:ARG:NH1	2.84	0.41
1:B:258:LEU:O	1:B:262:GLU:HG3	2.21	0.41
1:A:5:SER:N	4:A:581:HOH:O	2.54	0.40
1:B:152:LEU:O	1:B:155:LYS:HB2	2.21	0.40
1:B:236:LEU:HD23	1:B:252:LEU:HB2	2.03	0.40
1:A:66:ILE:N	1:A:66:ILE:CD1	2.80	0.40
1:B:122:TRP:HB2	1:B:174:ILE:HD11	2.02	0.40
1:B:30:VAL:HG11	1:B:293:VAL:CG2	2.47	0.40
1:B:15:PHE:HB2	1:B:55:PHE:CE2	2.55	0.40
1:A:83:LYS:O	1:A:86:GLU:HB3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	311/322 (97%)	298 (96%)	12 (4%)	1 (0%)	41	27
1	B	311/322 (97%)	292 (94%)	17 (6%)	2 (1%)	25	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	622/644 (97%)	590 (95%)	29 (5%)	3 (0%)	29	15

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	143	GLN
1	B	143	GLN
1	B	221	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	262/270 (97%)	251 (96%)	11 (4%)	30	14
1	B	262/270 (97%)	253 (97%)	9 (3%)	37	22
All	All	524/540 (97%)	504 (96%)	20 (4%)	33	18

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	ARG
1	A	26	GLU
1	A	44	GLU
1	A	66	ILE
1	A	95	LEU
1	A	101	HIS
1	A	141	HIS
1	A	152	LEU
1	A	225	ARG
1	A	273	LEU
1	A	287	GLU
1	B	6	ARG
1	B	66	ILE
1	B	101	HIS
1	B	141	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	152	LEU
1	B	193	LEU
1	B	213	GLU
1	B	225	ARG
1	B	287	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	65	GLN
1	A	79	GLN
1	A	90	ASN
1	A	115	HIS
1	B	65	GLN
1	B	90	ASN
1	B	311	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 4 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GPA	A	403	-	5,9,9	2.02	2 (40%)	3,11,11	1.58	1 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GPA	A	403	-	-	2/5/9/9	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	403	GPA	CZ-NE	3.64	1.40	1.33
3	A	403	GPA	CZ-NH2	2.19	1.41	1.32

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	403	GPA	NH1-CZ-NE	2.04	123.91	119.19

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	403	GPA	CA-CD-NE-CZ
3	A	403	GPA	C-CA-CD-NE

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	403	GPA	2	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.