



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 16, 2022 – 04:38 PM JST

PDB ID : 7FHD
Title : Structure of prenyltransferase mutant Y288P from Streptomyces sp. (strain CL190)
Authors : Xue, B.; Lim, K.J.H.; Hartono, Y.D.; Go, M.D.K.; Fan, H.; Yew, W.S.
Deposited on : 2021-07-29
Resolution : 3.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.28.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.28.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1659 (3.60-3.40)
Clashscore	141614	1036 (3.58-3.42)
Ramachandran outliers	138981	1005 (3.58-3.42)
Sidechain outliers	138945	1006 (3.58-3.42)
RSRZ outliers	127900	1559 (3.60-3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	
1	B	309	
1	C	309	
1	D	309	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 8673 atoms, of which 0 are hydrogens and 0 are deuteriums.


In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prenyltransferase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	280	Total	C	N	O	S	0	0	0
			2166	1392	346	418	10			
1	B	280	Total	C	N	O	S	0	0	0
			2167	1393	346	418	10			
1	C	280	Total	C	N	O	S	0	0	0
			2166	1392	346	418	10			
1	D	281	Total	C	N	O	S	0	0	0
			2174	1398	347	419	10			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP Q4R2T2
A	0	PRO	-	expression tag	UNP Q4R2T2
A	288	PRO	TYR	engineered mutation	UNP Q4R2T2
B	-1	GLY	-	expression tag	UNP Q4R2T2
B	0	PRO	-	expression tag	UNP Q4R2T2
B	288	PRO	TYR	engineered mutation	UNP Q4R2T2
C	-1	GLY	-	expression tag	UNP Q4R2T2
C	0	PRO	-	expression tag	UNP Q4R2T2
C	288	PRO	TYR	engineered mutation	UNP Q4R2T2
D	-1	GLY	-	expression tag	UNP Q4R2T2
D	0	PRO	-	expression tag	UNP Q4R2T2
D	288	PRO	TYR	engineered mutation	UNP Q4R2T2



● Molecule 1: Prenyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	44.29Å 75.16Å 87.61Å 89.94° 89.90° 90.00°	Depositor
Resolution (Å)	29.20 – 3.50 29.20 – 3.50	Depositor EDS
% Data completeness (in resolution range)	95.9 (29.20-3.50) 95.5 (29.20-3.50)	Depositor EDS
R_{merge}	0.26	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.52 (at 3.47Å)	Xtriage
Refinement program	PHENIX 1.19.1_4122	Depositor
R, R_{free}	0.243 , 0.313 0.255 , 0.319	Depositor DCC
R_{free} test set	764 reflections (5.60%)	wwPDB-VP
Wilson B-factor (Å ²)	38.3	Xtriage
Anisotropy	1.649	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , -6.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.35$, $\langle L^2 \rangle = 0.18$	Xtriage
Estimated twinning fraction	0.337 for h,-k,-l 0.346 for -h,k,-l 0.327 for -h,-k,l	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	8673	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/2219	0.56	0/3018
1	B	0.31	0/2220	0.57	0/3019
1	C	0.30	0/2219	0.57	0/3018
1	D	0.32	0/2227	0.58	0/3029
All	All	0.31	0/8885	0.57	0/12084

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2166	0	2120	55	0
1	B	2167	0	2122	53	0
1	C	2166	0	2120	41	0
1	D	2174	0	2131	50	0
All	All	8673	0	8493	199	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (199) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:219:LEU:HD21	1:B:226:ILE:HG12	1.62	0.82
1:C:108:ALA:HB3	1:C:121:TYR:HB2	1.63	0.81
1:A:135:LEU:HD11	1:A:160:VAL:HG21	1.67	0.75
1:C:270:LEU:HD23	1:C:285:LEU:HD11	1.69	0.73
1:A:108:ALA:HB3	1:A:121:TYR:HB2	1.70	0.73
1:D:49:VAL:HB	1:D:64:SER:HB2	1.69	0.72
1:C:161:GLN:HB2	1:C:177:SER:HB2	1.74	0.69
1:C:8:GLU:O	1:C:12:ALA:N	2.23	0.69
1:C:30:ILE:HD11	1:C:113:VAL:HA	1.73	0.68
1:A:280:GLU:HG2	1:A:281:GLU:H	1.59	0.68
1:A:256:ALA:HB1	1:A:270:LEU:HD21	1.79	0.65
1:A:30:ILE:HD11	1:A:113:VAL:HA	1.78	0.64
1:B:182:GLN:N	1:B:182:GLN:OE1	2.30	0.64
1:D:100:LYS:HE2	1:D:101:HIS:NE2	2.15	0.61
1:A:11:TYR:CZ	1:A:27:ARG:HG3	2.34	0.61
1:B:196:LEU:HD22	1:B:226:ILE:HB	1.82	0.61
1:D:161:GLN:HG3	1:D:162:MET:HG2	1.82	0.61
1:A:270:LEU:HD23	1:A:285:LEU:HD11	1.82	0.60
1:B:237:ASP:HB3	1:B:240:LEU:HG	1.83	0.60
1:D:280:GLU:HG2	1:D:281:GLU:H	1.67	0.59
1:A:190:LEU:O	1:A:194:ARG:HG3	2.03	0.59
1:D:175:TYR:HA	1:D:216:TYR:HB3	1.83	0.59
1:C:212:SER:HA	1:C:233:VAL:HG22	1.84	0.59
1:A:110:ASP:HB3	1:A:119:LYS:HG2	1.84	0.59
1:A:145:VAL:HG22	1:A:174:LEU:HD11	1.85	0.58
1:B:68:PRO:HG2	1:B:71:HIS:CD2	2.38	0.58
1:B:111:GLY:HA2	1:B:118:LYS:HG2	1.85	0.58
1:B:97:ASP:HB3	1:B:138:ILE:HG23	1.86	0.58
1:C:216:TYR:HE1	1:C:232:ALA:HB2	1.67	0.58
1:D:141:MET:HG3	1:D:142:PRO:HD2	1.85	0.58
1:C:256:ALA:HB1	1:C:270:LEU:HD21	1.85	0.57
1:B:89:HIS:ND1	1:B:91:VAL:HG23	2.19	0.57
1:D:78:VAL:HB	1:D:83:LEU:HB2	1.87	0.57
1:C:161:GLN:N	1:C:175:TYR:O	2.30	0.57
1:C:237:ASP:HB3	1:C:240:LEU:HG	1.85	0.57
1:B:49:VAL:HB	1:B:64:SER:HB2	1.87	0.57
1:D:152:PHE:HE1	1:D:217:PRO:HG3	1.69	0.57
1:D:280:GLU:HG2	1:D:281:GLU:N	2.20	0.56
1:D:184:LEU:HB3	1:D:210:LYS:HA	1.87	0.56
1:D:108:ALA:HB3	1:D:121:TYR:HB2	1.87	0.56
1:A:32:PRO:O	1:A:36:THR:OG1	2.21	0.56
1:A:280:GLU:HG2	1:A:281:GLU:N	2.22	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96:ALA:O	1:B:100:LYS:HG3	2.06	0.55
1:D:31:TYR:HA	1:D:34:LEU:HD12	1.88	0.55
1:D:244:SER:HA	1:D:249:ILE:HD11	1.89	0.55
1:A:217:PRO:HB3	1:A:229:LEU:HD12	1.87	0.55
1:A:61:LEU:HD23	1:A:113:VAL:HG11	1.89	0.55
1:B:104:VAL:HG11	1:B:107:PHE:CE1	2.42	0.55
1:D:33:LEU:HD11	1:D:109:ILE:HD12	1.88	0.55
1:A:175:TYR:HA	1:A:216:TYR:HB3	1.88	0.54
1:B:144:ALA:HA	1:B:147:GLU:HB2	1.90	0.54
1:D:273:GLY:HA3	1:D:284:LYS:HB2	1.88	0.54
1:B:193:VAL:HG13	1:B:198:LEU:HB2	1.89	0.54
1:A:244:SER:HA	1:A:249:ILE:HD11	1.90	0.53
1:D:97:ASP:HA	1:D:100:LYS:HB3	1.90	0.53
1:B:244:SER:HA	1:B:249:ILE:HD11	1.90	0.53
1:A:110:ASP:HB3	1:A:119:LYS:CG	2.39	0.53
1:A:53:ALA:O	1:A:58:SER:HA	2.08	0.52
1:C:151:LEU:HG	1:C:155:TYR:HE2	1.73	0.52
1:B:91:VAL:HG22	1:B:221:TRP:CZ3	2.44	0.52
1:A:161:GLN:NE2	1:A:162:MET:SD	2.83	0.52
1:B:91:VAL:HG21	1:B:170:ARG:HB3	1.91	0.52
1:D:190:LEU:O	1:D:194:ARG:HG2	2.09	0.51
1:C:51:SER:O	1:C:61:LEU:HD12	2.10	0.51
1:D:273:GLY:N	1:D:284:LYS:O	2.39	0.51
1:B:78:VAL:HB	1:B:83:LEU:HB2	1.93	0.51
1:A:193:VAL:HG13	1:A:198:LEU:HB2	1.93	0.50
1:D:89:HIS:HE1	1:D:221:TRP:CE3	2.30	0.50
1:A:97:ASP:HB3	1:A:138:ILE:HG23	1.93	0.50
1:C:142:PRO:O	1:C:145:VAL:HG12	2.12	0.50
1:D:275:THR:OG1	1:D:284:LYS:HE2	2.11	0.50
1:C:46:SER:HA	1:C:66:SER:OG	2.11	0.50
1:D:130:PRO:HD2	1:D:160:VAL:O	2.12	0.50
1:A:105:SER:OG	1:A:125:PRO:HG3	2.11	0.49
1:A:144:ALA:O	1:A:148:ASN:ND2	2.32	0.49
1:D:131:GLY:O	1:D:135:LEU:HD12	2.12	0.49
1:A:67:VAL:O	1:A:107:PHE:HB2	2.11	0.49
1:B:51:SER:HA	1:B:286:GLY:HA2	1.94	0.49
1:C:48:VAL:HA	1:C:64:SER:O	2.13	0.49
1:A:51:SER:O	1:A:61:LEU:HD12	2.12	0.49
1:A:47:VAL:HB	1:A:66:SER:HB3	1.95	0.49
1:B:175:TYR:HA	1:B:216:TYR:HB3	1.94	0.49
1:C:201:PRO:HD3	1:C:276:LEU:HD13	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:97:ASP:HA	1:B:100:LYS:HE2	1.94	0.49
1:B:110:ASP:HB3	1:B:119:LYS:HG2	1.95	0.49
1:D:256:ALA:HB2	1:D:285:LEU:HD21	1.95	0.49
1:B:6:ASP:OD1	1:B:9:ARG:NH1	2.41	0.49
1:A:159:LYS:HG3	1:A:178:GLU:OE1	2.13	0.48
1:C:174:LEU:O	1:C:217:PRO:HD2	2.13	0.48
1:A:78:VAL:HB	1:A:83:LEU:HB2	1.95	0.48
1:B:109:ILE:HG22	1:B:120:THR:HG22	1.94	0.48
1:B:135:LEU:O	1:B:141:MET:HG3	2.14	0.48
1:C:47:VAL:HB	1:C:66:SER:HB3	1.94	0.48
1:C:100:LYS:HE2	1:C:101:HIS:NE2	2.28	0.48
1:A:273:GLY:N	1:A:284:LYS:O	2.46	0.47
1:B:54:SER:HB3	1:B:252:PHE:CE1	2.50	0.47
1:D:67:VAL:O	1:D:107:PHE:HB2	2.14	0.47
1:B:67:VAL:O	1:B:107:PHE:HB2	2.15	0.47
1:C:53:ALA:O	1:C:58:SER:HA	2.14	0.47
1:D:97:ASP:HB3	1:D:138:ILE:HG23	1.96	0.47
1:B:270:LEU:HB3	1:B:285:LEU:HD11	1.96	0.47
1:D:110:ASP:HB3	1:D:119:LYS:HG2	1.96	0.47
1:D:237:ASP:HB3	1:D:240:LEU:HG	1.96	0.47
1:C:73:ASP:OD1	1:C:95:LEU:HD22	2.15	0.46
1:B:75:TYR:O	1:B:79:VAL:HG23	2.15	0.46
1:B:190:LEU:O	1:B:194:ARG:HG3	2.15	0.46
1:C:94:LEU:HD22	1:C:165:MET:HG2	1.96	0.46
1:B:161:GLN:HB2	1:B:177:SER:HB2	1.98	0.46
1:B:54:SER:HB3	1:B:252:PHE:CZ	2.51	0.46
1:B:172:VAL:O	1:B:218:THR:HA	2.16	0.46
1:C:202:ASN:O	1:C:206:LEU:HD13	2.16	0.46
1:D:184:LEU:HD22	1:D:209:CYS:O	2.16	0.46
1:A:63:PHE:O	1:A:110:ASP:HA	2.16	0.46
1:B:95:LEU:HD21	1:B:107:PHE:CE1	2.51	0.46
1:D:119:LYS:HD2	1:D:164:SER:HB2	1.96	0.46
1:B:49:VAL:O	1:B:64:SER:N	2.35	0.45
1:B:73:ASP:OD1	1:B:95:LEU:HD22	2.16	0.45
1:B:89:HIS:CE1	1:B:91:VAL:HG23	2.52	0.45
1:C:26:ALA:O	1:C:30:ILE:HG12	2.15	0.45
1:B:14:MET:SD	1:B:30:ILE:HG21	2.56	0.45
1:A:164:SER:OG	1:A:173:ASN:HB2	2.16	0.45
1:B:108:ALA:HB3	1:B:121:TYR:HB2	1.98	0.45
1:C:168:LYS:HA	1:C:168:LYS:HD2	1.45	0.45
1:A:49:VAL:O	1:A:63:PHE:HA	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:161:GLN:HG2	1:D:175:TYR:O	2.17	0.45
1:C:18:ALA:HB1	1:C:23:VAL:HG13	1.99	0.45
1:A:69:THR:HG21	1:A:104:VAL:O	2.17	0.44
1:A:270:LEU:HD22	1:A:272:TYR:OH	2.16	0.44
1:B:119:LYS:HD3	1:B:164:SER:HB2	1.98	0.44
1:A:138:ILE:HB	1:A:141:MET:HB2	1.98	0.44
1:D:38:GLN:HA	1:D:41:LEU:HD12	1.99	0.44
1:D:101:HIS:CE1	1:D:139:PRO:HD3	2.52	0.44
1:A:281:GLU:OE2	1:A:283:TYR:OH	2.25	0.44
1:D:47:VAL:HB	1:D:66:SER:HB3	1.98	0.44
1:C:97:ASP:HB3	1:C:138:ILE:HG23	1.99	0.44
1:C:190:LEU:O	1:C:194:ARG:HG3	2.17	0.44
1:B:196:LEU:HD21	1:B:226:ILE:HD12	2.00	0.44
1:D:89:HIS:CD2	1:D:170:ARG:HD3	2.52	0.44
1:A:11:TYR:OH	1:A:27:ARG:HG3	2.18	0.44
1:B:49:VAL:HA	1:B:288:PRO:HA	1.99	0.44
1:C:89:HIS:CG	1:C:90:PRO:HD2	2.53	0.44
1:D:94:LEU:HD23	1:D:98:THR:HG1	1.82	0.44
1:C:32:PRO:O	1:C:36:THR:OG1	2.28	0.44
1:B:91:VAL:HG22	1:B:221:TRP:CH2	2.52	0.43
1:A:68:PRO:HG2	1:A:71:HIS:ND1	2.34	0.43
1:D:21:LEU:HD21	1:D:255:TYR:CD1	2.53	0.43
1:C:51:SER:HA	1:C:286:GLY:HA2	2.00	0.43
1:D:89:HIS:CG	1:D:90:PRO:HD2	2.54	0.43
1:A:187:GLU:HG3	1:A:188:SER:H	1.84	0.43
1:B:6:ASP:HA	1:B:9:ARG:NH1	2.33	0.43
1:D:49:VAL:HA	1:D:288:PRO:HA	2.00	0.43
1:D:100:LYS:HE2	1:D:101:HIS:CD2	2.54	0.43
1:B:87:THR:HB	1:B:170:ARG:HH12	1.84	0.43
1:D:147:GLU:N	1:D:147:GLU:OE1	2.51	0.43
1:C:232:ALA:HA	1:C:272:TYR:O	2.19	0.43
1:A:141:MET:HG3	1:A:142:PRO:HD2	2.01	0.42
1:A:202:ASN:O	1:A:206:LEU:HD12	2.19	0.42
1:D:230:CYS:HA	1:D:274:LEU:O	2.19	0.42
1:C:31:TYR:HB3	1:C:32:PRO:HD3	2.01	0.42
1:D:159:LYS:HA	1:D:159:LYS:HD3	1.82	0.42
1:D:171:GLN:OE1	1:D:228:ARG:NH2	2.52	0.42
1:A:100:LYS:HE2	1:A:101:HIS:NE2	2.34	0.42
1:D:61:LEU:HD23	1:D:113:VAL:HG11	2.02	0.42
1:D:230:CYS:HA	1:D:275:THR:HA	2.01	0.42
1:C:138:ILE:HG22	1:C:141:MET:H	1.84	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:47:VAL:O	1:D:66:SER:N	2.46	0.42
1:A:68:PRO:HG2	1:A:71:HIS:CE1	2.55	0.42
1:C:256:ALA:CB	1:C:270:LEU:HD21	2.49	0.42
1:B:36:THR:OG1	1:B:81:LYS:HD2	2.19	0.42
1:C:3:GLU:HG3	1:C:6:ASP:H	1.83	0.42
1:A:186:ALA:HA	1:A:206:LEU:HD22	2.01	0.42
1:B:18:ALA:HB1	1:B:23:VAL:HG13	2.01	0.42
1:D:182:GLN:OE1	1:D:182:GLN:N	2.53	0.42
1:A:111:GLY:HA2	1:A:118:LYS:HG2	2.02	0.42
1:B:214:SER:HB3	1:B:232:ALA:HB3	2.02	0.42
1:A:10:VAL:O	1:A:14:MET:N	2.53	0.41
1:D:104:VAL:HG11	1:D:107:PHE:CE1	2.55	0.41
1:B:217:PRO:HB3	1:B:229:LEU:HD12	2.02	0.41
1:C:68:PRO:HG2	1:C:71:HIS:CE1	2.54	0.41
1:C:189:VAL:O	1:C:193:VAL:HG23	2.20	0.41
1:A:237:ASP:HB3	1:A:240:LEU:HG	2.02	0.41
1:B:242:PRO:HG2	1:B:283:TYR:CD1	2.56	0.41
1:C:95:LEU:HD21	1:C:107:PHE:CE1	2.55	0.41
1:C:135:LEU:HD11	1:C:160:VAL:HG21	2.02	0.41
1:A:89:HIS:CG	1:A:90:PRO:HD2	2.55	0.41
1:B:273:GLY:N	1:B:284:LYS:O	2.53	0.41
1:A:256:ALA:CB	1:A:270:LEU:HD21	2.50	0.41
1:B:207:LYS:O	1:B:207:LYS:HD3	2.21	0.41
1:A:130:PRO:HD2	1:A:160:VAL:O	2.21	0.41
1:A:142:PRO:HG3	1:A:221:TRP:CE2	2.56	0.41
1:D:270:LEU:HB3	1:D:285:LEU:HD11	2.02	0.41
1:A:144:ALA:HA	1:A:147:GLU:HB2	2.03	0.41
1:C:113:VAL:HG23	1:C:114:THR:HG23	2.03	0.40
1:A:26:ALA:O	1:A:30:ILE:HG12	2.20	0.40
1:B:218:THR:HG21	1:B:228:ARG:NH2	2.35	0.40
1:A:166:ASP:HB3	1:A:171:GLN:HB2	2.02	0.40
1:A:212:SER:HA	1:A:233:VAL:HG22	2.03	0.40
1:B:225:LYS:HE2	1:B:225:LYS:HB3	1.89	0.40
1:D:193:VAL:HG13	1:D:198:LEU:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/309 (89%)	265 (97%)	9 (3%)	0	100	100
1	B	274/309 (89%)	267 (97%)	6 (2%)	1 (0%)	34	72
1	C	274/309 (89%)	264 (96%)	10 (4%)	0	100	100
1	D	275/309 (89%)	268 (98%)	7 (2%)	0	100	100
All	All	1097/1236 (89%)	1064 (97%)	32 (3%)	1 (0%)	51	84

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	128	ASN

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	235/258 (91%)	230 (98%)	5 (2%)	53	79
1	B	235/258 (91%)	225 (96%)	10 (4%)	29	62
1	C	235/258 (91%)	223 (95%)	12 (5%)	24	57
1	D	236/258 (92%)	229 (97%)	7 (3%)	41	71
All	All	941/1032 (91%)	907 (96%)	34 (4%)	35	66

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	GLU
1	A	97	ASP
1	A	170	ARG
1	A	277	SER
1	A	284	LYS
1	B	28	ASP
1	B	31	TYR
1	B	38	GLN
1	B	69	THR
1	B	70	SER
1	B	101	HIS
1	B	132	VAL
1	B	207	LYS
1	B	277	SER
1	B	290	HIS
1	C	8	GLU
1	C	9	ARG
1	C	91	VAL
1	C	93	ASP
1	C	97	ASP
1	C	118	LYS
1	C	165	MET
1	C	168	LYS
1	C	206	LEU
1	C	216	TYR
1	C	277	SER
1	C	289	TYR
1	D	71	HIS
1	D	141	MET
1	D	165	MET
1	D	204	LEU
1	D	270	LEU
1	D	277	SER
1	D	290	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	161	GLN
1	B	71	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	280/309 (90%)	-0.55	0 100 100	10, 25, 43, 68	0
1	B	280/309 (90%)	-0.45	1 (0%) 92 90	14, 29, 50, 76	0
1	C	280/309 (90%)	-0.49	0 100 100	14, 29, 45, 74	0
1	D	281/309 (90%)	-0.48	0 100 100	12, 28, 44, 78	0
All	All	1121/1236 (90%)	-0.49	1 (0%) 95 95	10, 27, 46, 78	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	60	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.