



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 12, 2021 – 11:29 AM EDT

PDB ID : 2FJP
Title : Human dipeptidyl peptidase IV/CD26 in complex with an inhibitor
Authors : Scapin, G.; Patel, S.B.; Becker, J.W.
Deposited on : 2006-01-03
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	728	<div> <div>2%</div> <div> <div></div> <div>78%</div> <div>20%</div> <div>.</div> </div> </div>
1	B	728	<div> <div>%</div> <div> <div></div> <div>79%</div> <div>19%</div> <div>.</div> </div> </div>
2	C	2	<div> <div></div> <div>50%</div> <div>50%</div> </div>
2	D	2	<div> <div></div> <div>100%</div> </div>
2	E	2	<div> <div></div> <div>50%</div> <div>50%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	2	 50% 50%
2	G	2	 100%
2	H	2	 50% 50%
2	I	2	 100%
2	J	2	 100%
2	K	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	C	2	X	-	-	-
2	NAG	D	1	X	-	-	-
2	NAG	F	2	X	-	-	-
2	NAG	G	2	-	-	-	X
3	NAG	A	1092	-	-	-	X
3	NAG	A	1520	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12990 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dipeptidyl peptidase 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	728	Total	C	N	O	S	0	1	0
			5977	3837	983	1131	26			
1	B	728	Total	C	N	O	S	0	1	0
			5977	3837	983	1131	26			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	39	THR	SER	engineered mutation	UNP P27487
B	39	THR	SER	engineered mutation	UNP P27487

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	E	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	F	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	G	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	H	2	Total	C	N	O	0	0	0
			28	16	2	10			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	J	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	K	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is 6-(4-((1S,2S)-2-AMINO-1-[(DIMETHYLAMINO)CARBONYL]-3-[(3S)-3-FLUOROPYRROLIDIN-1-YL]-3-OXOPROPYL}PHENYL)-1H-[1,2,4]TRIAZOLO[1,5-A]PYRIDIN-4-IUM (three-letter code: S14) (formula: $C_{22}H_{25}FN_6O_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	F	N	O	0	0
			31	22	1	6	2		
4	B	1	Total	C	F	N	O	0	0
			31	22	1	6	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	332	Total	O	0	0
			332	332		
5	B	306	Total	O	0	0
			306	306		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Dipeptidyl peptidase 4



• Molecule 1: Dipeptidyl peptidase 4





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	118.13Å 125.58Å 137.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.40 37.92 – 2.40	Depositor EDS
% Data completeness (in resolution range)	94.9 (30.00-2.40) 94.6 (37.92-2.40)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.59 (at 2.39Å)	Xtriage
Refinement program	CNX	Depositor
R, R_{free}	0.194 , 0.240 0.191 , 0.235	Depositor DCC
R_{free} test set	3872 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	35.1	Xtriage
Anisotropy	0.344	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12990	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: S14, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/6150	0.69	1/8364 (0.0%)
1	B	0.49	0/6150	0.69	1/8364 (0.0%)
All	All	0.49	0/12300	0.69	2/16728 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	300	LEU	N-CA-C	-5.49	96.17	111.00
1	B	388	GLN	N-CA-C	-5.49	96.17	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	700	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5977	0	5685	112	0
1	B	5977	0	5687	110	0
2	C	28	0	25	1	0
2	D	28	0	25	4	0
2	E	28	0	25	1	0
2	F	28	0	25	1	0
2	G	28	0	25	0	0
2	H	28	0	25	0	0
2	I	28	0	25	0	0
2	J	28	0	25	0	0
2	K	28	0	25	0	0
3	A	42	0	39	5	0
3	B	42	0	39	0	0
4	A	31	0	25	0	0
4	B	31	0	25	0	0
5	A	332	0	0	3	0
5	B	306	0	0	2	0
All	All	12990	0	11725	222	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (222) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:149:PRO:HA	2:D:1:NAG:H82	1.43	0.99
1:B:237:GLU:HG2	1:B:253:ARG:HG2	1.53	0.90
1:B:75:ASN:HB3	1:B:92:ASN:H	1.40	0.87
1:B:640:LEU:HD11	1:B:650:GLY:HA3	1.56	0.86
1:A:691:ARG:HD2	5:A:1525:HOH:O	1.76	0.82
1:A:596:ARG:O	1:A:597:ARG:HD2	1.83	0.78
1:B:320:GLN:OE1	1:B:669:ARG:HD3	1.89	0.73
1:A:75:ASN:HD21	3:A:1092:NAG:HN2	1.36	0.72
1:B:726:VAL:HG23	1:B:728:VAL:HG23	1.72	0.72
1:B:651:ILE:HD13	1:B:755:MET:HE2	1.72	0.71
1:A:492:ARG:HH11	1:A:492:ARG:HB3	1.55	0.71
1:B:258:LYS:NZ	1:B:712:HIS:HD2	1.87	0.71
1:A:640:LEU:HD11	1:A:650:GLY:HA3	1.70	0.71
1:B:66:HIS:HB3	1:B:467:TYR:HE2	1.55	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:651:ILE:HG21	1:A:755:MET:HE2	1.74	0.69
1:A:581:ARG:NH1	3:A:1520:NAG:H62	2.07	0.69
1:A:184:ARG:HH11	1:A:187:TRP:HA	1.57	0.69
1:A:258:LYS:NZ	1:A:712:HIS:HD2	1.91	0.68
1:B:173:TYR:CE2	1:B:184:ARG:HG2	2.28	0.68
1:B:75:ASN:HB3	1:B:92:ASN:N	2.08	0.66
1:A:320:GLN:OE1	1:A:669:ARG:HD3	1.96	0.65
1:B:47:ASP:HA	1:B:52:THR:HG23	1.78	0.65
1:B:75:ASN:HD22	1:B:92:ASN:ND2	1.94	0.64
1:B:310:ARG:HG3	1:B:329:ASP:OD1	1.98	0.64
1:B:272:ASN:C	1:B:272:ASN:HD22	2.01	0.63
1:B:487:ASN:H	1:B:487:ASN:HD22	1.47	0.62
1:B:114:ILE:HG23	1:B:135:TYR:HB3	1.81	0.62
1:A:95:PHE:HB3	1:A:98:PHE:HB2	1.82	0.61
1:B:651:ILE:HG21	1:B:755:MET:CE	2.30	0.61
1:A:93:SER:O	1:A:96:ASP:HB2	2.01	0.61
1:A:502:LYS:O	1:A:505:GLN:HG2	2.00	0.61
1:B:501:ASP:O	1:B:505:GLN:HG2	2.01	0.61
1:B:614:SER:HB2	1:B:621:ASN:OD1	2.01	0.61
1:B:507:VAL:HG13	1:B:509:MET:HG2	1.83	0.60
1:A:159:PRO:HD3	1:A:216:TRP:CB	2.32	0.59
1:A:184:ARG:HD3	1:A:186:THR:O	2.03	0.59
1:A:581:ARG:CZ	3:A:1520:NAG:H62	2.31	0.59
1:B:93:SER:HA	1:B:96:ASP:OD1	2.01	0.59
1:A:149:PRO:HA	2:D:1:NAG:C8	2.26	0.59
1:B:422:TYR:CE2	1:B:423:LYS:HE2	2.38	0.59
1:A:60:LEU:HD12	1:A:60:LEU:C	2.24	0.58
1:B:547[A]:TYR:CD2	1:B:552:SER:HB2	2.38	0.58
1:B:258:LYS:HZ1	1:B:712:HIS:HD2	1.50	0.58
1:B:402:TRP:CD2	1:B:421:GLU:HB2	2.39	0.58
1:A:621:ASN:C	1:A:621:ASN:HD22	2.06	0.58
1:B:114:ILE:CG2	1:B:135:TYR:HB3	2.34	0.58
1:A:248:TYR:CZ	1:B:234:PRO:HB2	2.39	0.57
1:A:621:ASN:HD22	1:A:622:LYS:N	2.02	0.57
1:B:658:ARG:HG2	1:B:661:TYR:CE2	2.40	0.57
1:B:651:ILE:HG21	1:B:755:MET:HE2	1.87	0.57
1:B:39:THR:HG22	1:B:40:ARG:H	1.70	0.57
1:A:388:GLN:HB3	1:A:391:LYS:HB2	1.87	0.56
1:A:331:ASP:HB3	1:A:334:SER:HB3	1.88	0.56
1:B:272:ASN:HD21	1:B:274:ASP:HB2	1.70	0.56
1:A:390:ASP:O	1:A:391:LYS:HD2	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:107:ILE:HG22	1:B:108:SER:O	2.06	0.56
1:B:82:GLU:HG2	1:B:83:TYR:CZ	2.39	0.56
1:A:388:GLN:CB	1:A:391:LYS:HB2	2.36	0.56
1:B:66:HIS:HB3	1:B:467:TYR:CE2	2.38	0.56
1:A:258:LYS:HZ1	1:A:712:HIS:HD2	1.55	0.55
1:A:658:ARG:HB2	1:A:687:THR:HG22	1.87	0.55
1:A:184:ARG:NH1	1:A:187:TRP:HA	2.20	0.55
1:A:240:PHE:HB3	1:A:250:LYS:HG3	1.89	0.55
1:B:513:LYS:O	1:B:527:GLN:HA	2.07	0.55
1:A:170:ASN:N	1:A:170:ASN:HD22	2.05	0.55
1:A:65:ASP:OD2	1:A:466:LYS:HB2	2.07	0.54
1:A:193:ILE:HG22	1:A:194:ILE:HG12	1.90	0.54
1:B:651:ILE:CD1	1:B:755:MET:HE2	2.36	0.54
1:A:745:SER:O	1:A:749:GLN:HG3	2.08	0.54
1:B:696:LYS:HG3	1:B:728:VAL:HG22	1.89	0.54
1:B:159:PRO:HD3	1:B:216:TRP:CB	2.37	0.54
1:A:107:ILE:HG22	1:A:108:SER:O	2.08	0.54
1:A:512:LYS:HE3	1:A:527:GLN:OE1	2.07	0.54
1:A:150:ASN:O	1:A:151:ASN:HB2	2.09	0.53
1:A:153:GLN:HE22	1:A:170:ASN:ND2	2.07	0.53
1:A:253:ARG:HH21	1:B:253:ARG:NH1	2.07	0.53
1:A:330:TYR:CE2	2:E:2:NAG:H83	2.44	0.53
1:B:159:PRO:HG3	1:B:217:SER:O	2.09	0.53
1:B:506:ASN:O	1:B:506:ASN:ND2	2.41	0.53
1:A:658:ARG:HG2	1:A:661:TYR:CE2	2.43	0.52
1:B:418:ILE:HA	1:B:430:ASN:O	2.09	0.52
1:A:91:GLU:HB2	1:A:94:THR:OG1	2.08	0.52
1:B:415:LEU:C	1:B:415:LEU:HD23	2.29	0.52
1:B:71:LYS:HE3	1:B:105:TYR:HE1	1.75	0.52
1:A:236:ILE:CG2	1:A:254:VAL:HG13	2.40	0.52
1:B:614:SER:HA	1:B:619:VAL:HB	1.91	0.52
1:A:111:GLY:O	1:A:137:LEU:HD12	2.10	0.52
1:B:81:ALA:O	1:B:492:ARG:NH2	2.43	0.52
1:B:620:ASP:OD2	1:B:623:ARG:HD3	2.10	0.52
1:A:651:ILE:HG21	1:A:755:MET:CE	2.39	0.51
1:B:156:THR:HG21	1:B:214:LEU:HD11	1.92	0.51
1:A:136:ASP:CG	1:A:139:LYS:HG2	2.31	0.51
1:B:158:SER:HB3	1:B:163:LYS:HB2	1.92	0.51
1:A:47:ASP:HA	1:A:52:THR:HG23	1.92	0.51
1:B:75:ASN:ND2	1:B:92:ASN:ND2	2.59	0.51
1:A:415:LEU:HD23	1:A:415:LEU:C	2.31	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:510:PRO:HD3	1:B:569:SER:HB2	1.93	0.51
1:A:214:LEU:HD23	1:A:214:LEU:O	2.10	0.51
1:B:741:GLY:O	1:B:742:ILE:C	2.48	0.51
1:A:73:GLU:HB3	3:A:1092:NAG:H3	1.93	0.51
1:A:75:ASN:ND2	3:A:1092:NAG:HN2	2.08	0.51
1:B:74:ASN:HB3	1:B:92:ASN:HB2	1.93	0.50
1:A:125:ARG:HG2	1:A:126:HIS:NE2	2.26	0.50
1:A:680:LEU:HD11	1:A:684:ARG:CZ	2.42	0.50
1:B:60:LEU:C	1:B:60:LEU:HD12	2.32	0.50
1:B:109:PRO:HG2	1:B:158:SER:O	2.12	0.50
1:B:258:LYS:HZ3	1:B:712:HIS:HD2	1.58	0.50
1:A:726:VAL:HG23	1:A:728:VAL:HG12	1.93	0.50
1:B:236:ILE:CG2	1:B:254:VAL:HG13	2.41	0.50
1:B:258:LYS:HZ3	1:B:712:HIS:CD2	2.29	0.50
1:B:272:ASN:HD22	1:B:274:ASP:H	1.60	0.50
1:B:484:SER:HB3	1:B:487:ASN:HD21	1.75	0.50
1:B:477:LEU:HD22	1:B:500:LEU:HD23	1.94	0.49
1:A:159:PRO:HG3	1:A:217:SER:O	2.12	0.49
1:B:334:SER:O	1:B:336:ARG:HG2	2.12	0.49
1:B:649:CYS:HB3	1:B:699:GLU:HB2	1.94	0.49
1:B:691:ARG:HD2	5:B:2350:HOH:O	2.12	0.49
1:B:544:LEU:HD21	1:B:606:GLN:HG3	1.94	0.49
1:B:272:ASN:ND2	1:B:274:ASP:H	2.11	0.49
1:B:658:ARG:HB2	1:B:687:THR:HG22	1.96	0.48
1:B:60:LEU:HD12	1:B:60:LEU:O	2.14	0.48
1:B:487:ASN:N	1:B:487:ASN:ND2	2.62	0.48
1:A:41:LYS:HE2	1:A:53:TYR:OH	2.14	0.47
1:A:258:LYS:HZ3	1:A:712:HIS:HD2	1.63	0.47
1:A:293:MET:HG2	1:A:315:TRP:HB3	1.96	0.47
1:A:621:ASN:C	1:A:621:ASN:ND2	2.67	0.47
1:B:520:ASN:O	1:B:521:GLU:HB2	2.14	0.47
1:A:547[A]:TYR:CD2	1:A:552:SER:HB2	2.50	0.47
1:B:487:ASN:HD22	1:B:487:ASN:N	2.06	0.47
1:A:723:LEU:HB3	1:A:728:VAL:HG13	1.97	0.47
1:A:474:GLY:HA3	1:A:557:THR:O	2.15	0.47
1:A:139:LYS:HG3	1:A:141:GLN:HB2	1.98	0.46
1:A:546:VAL:CG2	1:A:547[B]:TYR:N	2.78	0.46
1:A:676:PRO:HG2	1:A:677:GLU:OE2	2.15	0.46
1:B:738:GLU:OE1	1:B:744:SER:HB3	2.16	0.46
2:D:2:NAG:O7	2:D:2:NAG:H3	2.16	0.46
1:B:184:ARG:NH1	1:B:187:TRP:HA	2.31	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:620:ASP:OD2	1:A:623:ARG:HD3	2.16	0.46
1:B:658:ARG:O	1:B:658:ARG:HG3	2.16	0.46
1:A:154:TRP:CE2	1:A:212:SER:HB2	2.51	0.46
1:A:234:PRO:HB2	1:B:248:TYR:CZ	2.51	0.46
1:B:487:ASN:H	1:B:487:ASN:ND2	2.11	0.46
1:A:459:VAL:HG22	1:A:460:SER:N	2.32	0.45
1:A:175:LYS:HG3	1:A:182:SER:HB3	1.98	0.45
1:A:159:PRO:HD3	1:A:216:TRP:HB3	1.98	0.45
1:A:651:ILE:CD1	1:A:755:MET:HE2	2.46	0.45
1:B:98:PHE:CD2	1:B:100:HIS:HB2	2.51	0.45
1:B:459:VAL:HG22	1:B:460:SER:N	2.31	0.45
1:A:139:LYS:O	1:A:141:GLN:HG2	2.17	0.45
1:A:197:GLY:C	1:A:213:ALA:HB3	2.37	0.45
1:A:336:ARG:HG3	1:A:336:ARG:HH11	1.81	0.45
1:A:321:ASN:HA	1:A:354:VAL:HG23	1.99	0.45
1:A:39:THR:O	1:A:40:ARG:HB2	2.17	0.45
1:B:98:PHE:HE1	1:B:142:LEU:HD21	1.81	0.45
1:B:313:LEU:O	1:B:325:MET:HA	2.17	0.44
1:B:530:LEU:HA	1:B:531:PRO:HD3	1.90	0.44
1:A:268:PHE:CD2	1:A:313:LEU:HD21	2.52	0.44
1:A:378:GLU:HG2	5:A:1568:HOH:O	2.17	0.44
1:A:206:GLU:OE2	1:A:663:ASP:OD2	2.36	0.44
1:A:542:LEU:HD23	1:A:542:LEU:C	2.38	0.44
1:A:66:HIS:HB3	5:A:1669:HOH:O	2.18	0.44
1:A:217:SER:HB3	1:A:222:PHE:HB2	1.99	0.44
1:A:548:ALA:HB3	1:A:635:VAL:HG21	1.99	0.44
1:B:125:ARG:HG2	1:B:126:HIS:NE2	2.33	0.44
1:B:765:LEU:HB2	1:B:766:PRO:O	2.17	0.43
1:B:756:SER:O	1:B:760:LYS:HG3	2.17	0.43
1:A:55:LEU:CD1	1:A:561:LEU:HD12	2.47	0.43
1:A:588:ASP:O	1:A:592:HIS:HB2	2.18	0.43
1:A:90:LEU:HD21	1:A:95:PHE:HE2	1.84	0.43
1:A:765:LEU:HA	1:A:766:PRO:HD3	1.86	0.43
1:B:416:TYR:CE2	1:B:433:LYS:HD3	2.53	0.43
1:B:546:VAL:HG23	1:B:547[B]:TYR:N	2.32	0.43
1:A:596:ARG:C	1:A:597:ARG:HD2	2.37	0.43
1:B:152:THR:HG21	1:B:155:VAL:CG2	2.48	0.43
1:A:143:ILE:CD1	1:A:178:PRO:HB2	2.49	0.43
1:B:491:LEU:O	1:B:492:ARG:HB3	2.19	0.42
1:B:192:ASP:O	1:B:193:ILE:HD13	2.19	0.42
1:B:658:ARG:HD3	1:B:660:GLU:HB2	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:546:VAL:CG2	1:A:547[A]:TYR:N	2.83	0.42
1:B:214:LEU:HD12	1:B:214:LEU:O	2.19	0.42
1:B:474:GLY:HA3	1:B:557:THR:O	2.20	0.42
1:B:54:ARG:HE	1:B:54:ARG:HB2	1.63	0.42
1:A:51:ASN:HB3	1:A:54:ARG:NH1	2.35	0.42
1:B:65:ASP:CG	1:B:464:GLU:HB2	2.40	0.42
1:B:517:ILE:HD12	1:B:612:GLN:HG3	2.01	0.42
2:F:2:NAG:O7	2:F:2:NAG:H5	2.20	0.42
1:A:121:VAL:O	1:A:128:TYR:HB2	2.20	0.42
1:A:402:TRP:CD2	1:A:421:GLU:HB2	2.55	0.42
1:B:760:LYS:HA	1:B:765:LEU:HD23	2.01	0.42
1:B:150:ASN:O	1:B:151:ASN:HB2	2.20	0.42
1:A:254:VAL:HA	1:A:255:PRO:HD3	1.88	0.41
1:A:446:SER:HB2	1:A:457:TYR:CE2	2.55	0.41
1:A:160:VAL:HG12	1:A:161:GLY:N	2.35	0.41
1:A:388:GLN:HB2	1:A:391:LYS:HB2	2.02	0.41
1:A:723:LEU:O	1:A:728:VAL:HG12	2.20	0.41
1:B:154:TRP:CE2	1:B:212:SER:HB3	2.54	0.41
1:B:388:GLN:HG3	5:B:2421:HOH:O	2.19	0.41
1:B:546:VAL:CG2	1:B:547[B]:TYR:N	2.83	0.41
2:D:1:NAG:H4	2:D:2:NAG:H2	1.76	0.41
1:A:56:LYS:C	1:A:57:LEU:HD12	2.40	0.41
1:A:240:PHE:HB3	1:A:250:LYS:CG	2.48	0.41
1:B:258:LYS:NZ	1:B:712:HIS:CD2	2.75	0.41
1:B:62:TRP:CG	1:B:462:SER:HA	2.56	0.41
1:A:78:VAL:HG13	2:C:1:NAG:H81	2.01	0.41
1:B:125:ARG:HG2	1:B:126:HIS:CD2	2.56	0.41
1:A:237:GLU:HA	1:A:252:VAL:O	2.21	0.41
1:A:741:GLY:O	1:A:742:ILE:C	2.60	0.41
1:B:62:TRP:CD2	1:B:462:SER:HA	2.55	0.41
1:B:504:LEU:HA	1:B:507:VAL:HG12	2.02	0.41
1:A:116:LEU:O	1:A:132:TYR:HA	2.21	0.41
1:A:544:LEU:HD12	1:A:576:ALA:O	2.21	0.41
1:B:254:VAL:HA	1:B:255:PRO:HD3	1.92	0.41
1:A:534:PHE:HZ	1:A:618:PHE:CG	2.39	0.40
1:B:405:ILE:HG13	1:B:429:ARG:CD	2.51	0.40
1:A:312:SER:C	1:A:313:LEU:HD12	2.41	0.40
1:A:536:LYS:H	1:A:536:LYS:HG2	1.61	0.40
1:B:627:TRP:CE3	1:B:755:MET:CE	3.03	0.40
1:A:651:ILE:HD13	1:A:755:MET:HE2	2.03	0.40
1:B:684:ARG:HD3	1:B:684:ARG:HA	1.93	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:489:LYS:HB2	1:A:489:LYS:HE3	1.74	0.40
1:A:751:ILE:HG23	1:A:752:TYR:N	2.37	0.40
1:B:195:TYR:HB3	1:B:198:ILE:HG13	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	727/728 (100%)	687 (94%)	38 (5%)	2 (0%)	41	55
1	B	727/728 (100%)	688 (95%)	37 (5%)	2 (0%)	41	55
All	All	1454/1456 (100%)	1375 (95%)	75 (5%)	4 (0%)	41	55

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	320	GLN
1	A	320	GLN
1	B	40	ARG
1	A	40	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	654/653 (100%)	631 (96%)	23 (4%)	36	55
1	B	654/653 (100%)	632 (97%)	22 (3%)	37	56
All	All	1308/1306 (100%)	1263 (97%)	45 (3%)	38	56

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	THR
1	A	54	ARG
1	A	96	ASP
1	A	145	GLU
1	A	170	ASN
1	A	184	ARG
1	A	202	VAL
1	A	214	LEU
1	A	254	VAL
1	A	344	GLN
1	A	388	GLN
1	A	391	LYS
1	A	448	GLU
1	A	458	SER
1	A	472	CYS
1	A	492	ARG
1	A	547[A]	TYR
1	A	547[B]	TYR
1	A	566	TYR
1	A	608	GLU
1	A	621	ASN
1	A	658	ARG
1	A	677	GLU
1	B	66	HIS
1	B	82	GLU
1	B	184	ARG
1	B	230	ASP
1	B	254	VAL
1	B	272	ASN
1	B	385	CYS
1	B	388	GLN
1	B	448	GLU
1	B	472	CYS
1	B	487	ASN
1	B	492	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	506	ASN
1	B	522	THR
1	B	546	VAL
1	B	547[A]	TYR
1	B	547[B]	TYR
1	B	566	TYR
1	B	597	ARG
1	B	658	ARG
1	B	744	SER
1	B	761	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	ASN
1	A	123	GLN
1	A	169	ASN
1	A	170	ASN
1	A	572	ASN
1	A	621	ASN
1	A	712	HIS
1	A	761	GLN
1	B	51	ASN
1	B	74	ASN
1	B	75	ASN
1	B	123	GLN
1	B	169	ASN
1	B	272	ASN
1	B	345	HIS
1	B	435	GLN
1	B	487	ASN
1	B	506	ASN
1	B	595	ASN
1	B	685	ASN
1	B	712	HIS
1	B	761	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

18 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	1,2	14,14,15	0.83	1 (7%)	17,19,21	1.39	2 (11%)
2	NAG	C	2	2	14,14,15	0.87	0	17,19,21	0.84	0
2	NAG	D	1	1,2	14,14,15	0.82	1 (7%)	17,19,21	0.89	0
2	NAG	D	2	2	14,14,15	0.91	1 (7%)	17,19,21	0.75	0
2	NAG	E	1	1,2	14,14,15	0.69	0	17,19,21	0.81	0
2	NAG	E	2	2	14,14,15	0.84	0	17,19,21	0.82	0
2	NAG	F	1	1,2	14,14,15	0.71	0	17,19,21	0.82	0
2	NAG	F	2	2	14,14,15	1.03	1 (7%)	17,19,21	1.17	1 (5%)
2	NAG	G	1	1,2	14,14,15	0.77	0	17,19,21	0.90	0
2	NAG	G	2	2	14,14,15	0.79	0	17,19,21	0.66	0
2	NAG	H	1	1,2	14,14,15	0.63	0	17,19,21	0.69	0
2	NAG	H	2	2	14,14,15	0.93	1 (7%)	17,19,21	0.88	1 (5%)
2	NAG	I	1	1,2	14,14,15	0.59	0	17,19,21	0.66	0
2	NAG	I	2	2	14,14,15	0.65	0	17,19,21	0.75	0
2	NAG	J	1	1,2	14,14,15	0.57	0	17,19,21	1.00	0
2	NAG	J	2	2	14,14,15	0.71	0	17,19,21	0.73	0
2	NAG	K	1	1,2	14,14,15	0.64	0	17,19,21	0.83	0
2	NAG	K	2	2	14,14,15	0.77	0	17,19,21	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	2	2	1/1/5/7	2/6/23/26	0/1/1/1
2	NAG	D	1	1,2	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	D	2	2	-	3/6/23/26	0/1/1/1
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	NAG	F	1	1,2	-	1/6/23/26	0/1/1/1
2	NAG	F	2	2	1/1/5/7	3/6/23/26	0/1/1/1
2	NAG	G	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	2/6/23/26	0/1/1/1
2	NAG	H	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	4/6/23/26	0/1/1/1
2	NAG	I	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	2/6/23/26	0/1/1/1
2	NAG	J	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	J	2	2	-	0/6/23/26	0/1/1/1
2	NAG	K	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	K	2	2	-	2/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	2	NAG	C1-C2	2.67	1.56	1.52
2	F	2	NAG	C1-C2	2.66	1.56	1.52
2	D	2	NAG	C1-C2	2.33	1.55	1.52
2	C	1	NAG	C1-C2	2.25	1.55	1.52
2	D	1	NAG	C1-C2	2.19	1.55	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1	NAG	C4-C3-C2	-4.37	104.61	111.02
2	F	2	NAG	C4-C3-C2	3.60	116.29	111.02
2	H	2	NAG	C4-C3-C2	2.51	114.70	111.02
2	C	1	NAG	C2-N2-C7	-2.06	119.97	122.90

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	C	2	NAG	C1
2	D	1	NAG	C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
2	F	2	NAG	C1

All (22) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	K	2	NAG	O5-C5-C6-O6
2	H	2	NAG	C1-C2-N2-C7
2	I	2	NAG	O5-C5-C6-O6
2	H	2	NAG	O5-C5-C6-O6
2	I	2	NAG	C4-C5-C6-O6
2	K	2	NAG	C4-C5-C6-O6
2	F	2	NAG	O5-C5-C6-O6
2	H	2	NAG	C4-C5-C6-O6
2	F	2	NAG	C4-C5-C6-O6
2	D	2	NAG	O5-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
2	F	1	NAG	O5-C5-C6-O6
2	F	2	NAG	C3-C2-N2-C7
2	K	1	NAG	C4-C5-C6-O6
2	D	2	NAG	C4-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
2	G	2	NAG	C1-C2-N2-C7
2	K	1	NAG	O5-C5-C6-O6
2	D	2	NAG	C3-C2-N2-C7
2	H	2	NAG	C3-C2-N2-C7
2	C	2	NAG	C4-C5-C6-O6
2	G	2	NAG	C3-C2-N2-C7


There are no ring outliers.


5 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1	NAG	1	0
2	E	2	NAG	1	0
2	D	1	NAG	3	0
2	D	2	NAG	2	0
2	F	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.























5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	1520	1	14,14,15	0.95	0	17,19,21	0.75	0
4	S14	A	1001	-	28,34,34	2.56	8 (28%)	34,49,49	1.04	2 (5%)
3	NAG	A	1092	1	14,14,15	1.09	1 (7%)	17,19,21	0.65	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	B	2321	1	14,14,15	0.80	0	17,19,21	0.98	2 (11%)
3	NAG	A	1281	1	14,14,15	0.96	1 (7%)	17,19,21	0.80	0
4	S14	B	1002	-	28,34,34	2.75	9 (32%)	34,49,49	1.08	2 (5%)
3	NAG	B	2092	1	14,14,15	0.86	1 (7%)	17,19,21	0.79	0
3	NAG	B	2150	1	14,14,15	0.95	1 (7%)	17,19,21	0.88	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	1520	1	-	2/6/23/26	0/1/1/1
4	S14	A	1001	-	-	3/28/37/37	0/4/4/4
3	NAG	A	1092	1	-	2/6/23/26	0/1/1/1
3	NAG	B	2321	1	-	0/6/23/26	0/1/1/1
3	NAG	A	1281	1	-	2/6/23/26	0/1/1/1
4	S14	B	1002	-	-	2/28/37/37	0/4/4/4
3	NAG	B	2092	1	-	2/6/23/26	0/1/1/1
3	NAG	B	2150	1	-	0/6/23/26	0/1/1/1

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1002	S14	C24-C28	8.05	1.62	1.53
4	A	1001	S14	C24-C28	6.70	1.60	1.53
4	B	1002	S14	C3-C4	5.87	1.51	1.39
4	B	1002	S14	C2-C1	5.83	1.49	1.40
4	A	1001	S14	C28-N34	5.69	1.42	1.34
4	A	1001	S14	C3-C4	5.17	1.50	1.39
4	B	1002	S14	C28-N34	4.97	1.41	1.34
4	A	1001	S14	C2-C1	4.84	1.47	1.40
4	B	1002	S14	C25-C26	3.82	1.57	1.53
4	A	1001	S14	C18-C17	3.49	1.44	1.39
4	B	1002	S14	C18-C17	3.29	1.44	1.39
4	A	1001	S14	C25-C26	3.15	1.56	1.53
4	A	1001	S14	C43-N27	2.99	1.52	1.46
3	A	1092	NAG	C1-C2	2.83	1.56	1.52
4	B	1002	S14	C43-N27	2.53	1.51	1.46
3	B	2150	NAG	C1-C2	2.39	1.55	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1002	S14	C17-C24	2.37	1.55	1.52
3	B	2092	NAG	C1-C2	2.20	1.55	1.52
4	B	1002	S14	C16-C17	2.09	1.42	1.39
3	A	1281	NAG	C1-C2	2.04	1.55	1.52
4	A	1001	S14	C19-C18	2.03	1.42	1.38

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1002	S14	C3-C2-C1	-2.48	116.75	119.76
3	B	2321	NAG	C2-N2-C7	-2.41	119.48	122.90
4	A	1001	S14	C18-C17-C24	2.12	124.25	120.85
3	B	2321	NAG	C4-C3-C2	-2.09	107.96	111.02
4	B	1002	S14	C18-C17-C24	2.06	124.15	120.85
4	A	1001	S14	C16-C17-C24	-2.01	117.61	120.85

There are no chirality outliers.

All (13) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	1001	S14	C18-C17-C24-C28
4	A	1001	S14	O32-C26-N27-C43
4	B	1002	S14	C18-C17-C24-C28
3	A	1281	NAG	O5-C5-C6-O6
3	A	1092	NAG	O5-C5-C6-O6
3	A	1281	NAG	C4-C5-C6-O6
3	A	1092	NAG	C4-C5-C6-O6
4	B	1002	S14	C16-C17-C24-C28
3	B	2092	NAG	C4-C5-C6-O6
4	A	1001	S14	C16-C17-C24-C28
3	A	1520	NAG	C3-C2-N2-C7
3	A	1520	NAG	C1-C2-N2-C7
3	B	2092	NAG	O5-C5-C6-O6


There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1520	NAG	2	0
3	A	1092	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	728/728 (100%)	-0.32	12 (1%) 72 70	19, 31, 52, 67	0
1	B	728/728 (100%)	-0.29	10 (1%) 75 73	21, 31, 51, 68	0
All	All	1456/1456 (100%)	-0.30	22 (1%) 73 72	19, 31, 51, 68	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	39	THR	6.1
1	B	39	THR	5.1
1	B	766	PRO	4.2
1	B	765	LEU	3.8
1	B	547[A]	TYR	3.6
1	A	73	GLU	3.5
1	A	547[A]	TYR	3.4
1	B	74	ASN	3.2
1	A	74	ASN	3.2
1	A	766	PRO	3.2
1	A	92	ASN	3.0
1	A	105	TYR	3.0
1	A	279	VAL	2.8
1	A	99	GLY	2.6
1	B	73	GLU	2.5
1	A	278	SER	2.5
1	B	40	ARG	2.5
1	B	546	VAL	2.5
1	A	97	GLU	2.3
1	B	506	ASN	2.2
1	B	100	HIS	2.2
1	A	75	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAG	C	2	14/15	0.68	0.26	62,66,67,67	0
2	NAG	D	2	14/15	0.70	0.28	65,68,71,71	0
2	NAG	K	2	14/15	0.71	0.24	54,59,60,60	0
2	NAG	G	2	14/15	0.73	0.44	60,62,64,65	0
2	NAG	D	1	14/15	0.75	0.25	57,62,66,66	0
2	NAG	F	2	14/15	0.77	0.33	55,60,64,64	0
2	NAG	H	2	14/15	0.83	0.41	68,70,71,72	0
2	NAG	H	1	14/15	0.84	0.14	54,58,60,64	0
2	NAG	E	2	14/15	0.88	0.21	51,54,58,58	0
2	NAG	J	2	14/15	0.89	0.29	52,58,61,62	0
2	NAG	G	1	14/15	0.89	0.28	53,56,57,61	0
2	NAG	C	1	14/15	0.90	0.13	49,50,55,61	0
2	NAG	I	2	14/15	0.90	0.16	45,50,53,54	0
2	NAG	K	1	14/15	0.93	0.14	38,40,47,50	0
2	NAG	E	1	14/15	0.93	0.14	42,46,49,49	0
2	NAG	J	1	14/15	0.94	0.14	39,41,47,50	0
2	NAG	I	1	14/15	0.95	0.14	36,43,47,47	0
2	NAG	F	1	14/15	0.96	0.13	43,46,49,52	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain D:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain E:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain H:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain J:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	A	1092	14/15	0.59	0.42	68,69,70,70	0
3	NAG	A	1520	14/15	0.68	0.42	62,67,69,70	0
3	NAG	B	2092	14/15	0.72	0.33	64,65,69,70	0
3	NAG	B	2150	14/15	0.78	0.32	58,61,63,63	0
3	NAG	A	1281	14/15	0.87	0.17	48,51,52,54	0
3	NAG	B	2321	14/15	0.88	0.19	48,50,52,53	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	S14	A	1001	31/31	0.97	0.18	21,25,27,29	0
4	S14	B	1002	31/31	0.97	0.19	22,25,28,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.