



# Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 09:35 pm BST

PDB ID : 2FJU  
Title : Activated Rac1 bound to its effector phospholipase C beta 2  
Authors : Jezyk, M.R.; Snyder, J.T.; Harden, T.K.; Sondek, J.  
Deposited on : 2006-01-03  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	178	<div> <div>10%</div> <div> <div></div> <div>80%</div> <div>19%</div> <div>.</div> </div> </div>
2	B	799	<div> <div>3%</div> <div> <div></div> <div>64%</div> <div>20%</div> <div>..</div> <div>13%</div> </div> </div>

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7514 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ras-related C3 botulinum toxin substrate 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	177	Total	C	N	O	S	0	0	0
			1383	889	228	258	8			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	178	SER	-	INSERTION	UNP P63000


- Molecule 2 is a protein called 1-phosphatidylinositol-4,5-bisphosphate phosphodiesterase beta 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	696	Total	C	N	O	S	0	0	0
			5611	3602	928	1042	39			

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		

- Molecule 4 is 5'-GUANOSINE-DIPHOSPHATE-MONOTHIOPHOSPHATE (three-letter code: GSP) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>5</sub>O<sub>13</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	S	0	0
			32	10	5	13	3	1		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total Ca 1 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	72	Total O 72 72	0	0
6	B	414	Total O 414 414	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ras-related C3 botulinum toxin substrate 1



- Molecule 2: 1-phosphatidylinositol-4,5-bisphosphate phosphodiesterase beta 2



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	185.82Å 185.82Å 93.82Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	15.00 – 2.20 29.64 – 2.20	Depositor EDS
% Data completeness (in resolution range)	(Not available) (15.00-2.20) 99.6 (29.64-2.20)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.40 (at 2.20Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.208 , 0.226 0.203 , 0.221	Depositor DCC
$R_{free}$ test set	4701 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	25.0	Xtriage
Anisotropy	0.182	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 48.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.020 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	7514	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.61% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GSP, CA, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.31	0/1413	0.59	0/1922
2	B	0.52	5/5748 (0.1%)	0.76	14/7759 (0.2%)
All	All	0.49	5/7161 (0.1%)	0.73	14/9681 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	5

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	194	LYS	C-N	21.85	1.84	1.34
2	B	191	PRO	C-N	16.58	1.72	1.34
2	B	196	ASP	C-N	6.29	1.48	1.34
2	B	192	LYS	C-N	6.16	1.44	1.33
2	B	195	ASN	C-N	5.49	1.46	1.34

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	192	LYS	O-C-N	-20.14	88.95	123.20
2	B	333	ALA	C-N-CA	19.08	162.36	122.30
2	B	195	ASN	O-C-N	-13.13	101.68	122.70
2	B	193	GLY	O-C-N	-11.74	103.92	122.70
2	B	192	LYS	C-N-CA	-9.28	102.81	122.30
2	B	194	LYS	C-N-CA	-8.01	101.68	121.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	195	ASN	C-N-CA	7.18	139.65	121.70
2	B	191	PRO	O-C-N	6.83	133.63	122.70
2	B	191	PRO	CA-C-N	-6.34	103.26	117.20
2	B	30	THR	N-CA-C	5.67	126.30	111.00
2	B	191	PRO	C-N-CA	-5.51	107.91	121.70
2	B	194	LYS	CA-C-N	-5.45	105.20	117.20
2	B	47	LEU	N-CA-C	-5.27	96.77	111.00
2	B	205	GLU	N-CA-C	-5.20	96.95	111.00

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	192	LYS	Mainchain
2	B	193	GLY	Mainchain
2	B	195	ASN	Mainchain
2	B	29	GLU	Peptide
2	B	333	ALA	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1383	0	1405	18	0
2	B	5611	0	5564	166	0
3	A	1	0	0	0	0
4	A	32	0	12	0	0
5	B	1	0	0	0	0
6	A	72	0	0	0	0
6	B	414	0	0	10	0
All	All	7514	0	6981	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:191:PRO:C	2:B:192:LYS:N	1.72	1.41
2:B:194:LYS:C	2:B:195:ASN:N	1.84	1.31
2:B:291:MET:HE2	2:B:295:LEU:HG	1.51	0.92
2:B:92:ASN:HD22	2:B:94:PHE:H	1.14	0.89
2:B:75:MET:HE1	2:B:98:THR:HG21	1.56	0.87
2:B:291:MET:HE3	2:B:294:PHE:HD2	1.41	0.85
2:B:573:THR:HG22	2:B:576:LYS:H	1.37	0.85
2:B:164:LYS:HE3	2:B:197:ALA:HB3	1.59	0.85
2:B:206:PRO:HB2	6:B:1240:HOH:O	1.78	0.84
2:B:573:THR:HG23	2:B:575:LEU:H	1.41	0.84
2:B:584:ALA:HB1	2:B:587:GLN:HG2	1.60	0.83
2:B:594:ARG:HH11	2:B:595:GLN:HE21	1.25	0.83
2:B:168:LYS:HG2	2:B:172:GLN:HE21	1.44	0.81
2:B:596:MET:SD	2:B:622:GLN:HG3	2.21	0.80
2:B:30:THR:HG22	2:B:31:THR:HG23	1.66	0.78
2:B:312:HIS:HD2	2:B:652:LEU:H	1.34	0.76
2:B:193:GLY:O	2:B:195:ASN:N	2.19	0.75
2:B:82:ARG:HG2	2:B:87:MET:CE	2.16	0.74
2:B:218:ARG:HG3	2:B:218:ARG:HH11	1.52	0.74
2:B:194:LYS:C	2:B:195:ASN:CA	2.56	0.74
2:B:218:ARG:NH2	2:B:775:HIS:HE1	1.87	0.72
2:B:191:PRO:C	2:B:192:LYS:CA	2.57	0.72
2:B:76:PRO:HG2	2:B:87:MET:CE	2.20	0.72
2:B:584:ALA:HB1	2:B:587:GLN:CG	2.21	0.71
2:B:594:ARG:HH11	2:B:595:GLN:NE2	1.89	0.71
2:B:191:PRO:CA	2:B:192:LYS:N	2.55	0.70
2:B:29:GLU:HB2	2:B:32:VAL:HB	1.74	0.69
2:B:193:GLY:C	2:B:195:ASN:N	2.47	0.69
1:A:68:ARG:HB3	1:A:69:PRO:HD3	1.74	0.68
2:B:92:ASN:ND2	2:B:94:PHE:H	1.90	0.68
2:B:178:ARG:NH1	2:B:194:LYS:HE2	2.09	0.68
1:A:98:TYR:HB3	1:A:99:PRO:HD3	1.76	0.67
2:B:218:ARG:NH2	2:B:775:HIS:CE1	2.62	0.67
2:B:610:ASN:HB2	2:B:634:PRO:HG2	1.77	0.66
2:B:53:SER:O	2:B:54:LYS:HB2	1.95	0.66
2:B:573:THR:HG23	2:B:575:LEU:N	2.10	0.66
2:B:517:LEU:HD21	2:B:534:LEU:HB3	1.77	0.65
2:B:594:ARG:HD2	2:B:595:GLN:HE21	1.61	0.65
2:B:597:SER:H	2:B:622:GLN:NE2	1.95	0.65
2:B:25:LYS:HE3	2:B:28:ASP:HB3	1.77	0.65
2:B:573:THR:CG2	2:B:576:LYS:H	2.11	0.63
2:B:291:MET:HE2	2:B:295:LEU:CG	2.27	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:373:THR:HG23	2:B:380:THR:O	1.98	0.62
2:B:291:MET:CE	2:B:294:PHE:HD2	2.11	0.62
2:B:716:THR:HG23	2:B:717:LYS:O	2.00	0.61
2:B:654:HIS:HB2	2:B:744:LEU:HD11	1.83	0.60
2:B:778:LEU:HD12	2:B:789:PRO:HB2	1.83	0.60
2:B:779:HIS:HD2	2:B:783:ASN:ND2	1.99	0.60
2:B:82:ARG:HG2	2:B:87:MET:HE3	1.83	0.60
2:B:654:HIS:HD2	2:B:656:PHE:HB2	1.68	0.59
2:B:688:GLN:HG3	6:B:1028:HOH:O	2.02	0.59
2:B:153:VAL:O	2:B:157:MET:HB2	2.03	0.58
2:B:394:SER:HA	2:B:397:LYS:HG3	1.85	0.58
2:B:622:GLN:H	2:B:622:GLN:NE2	2.02	0.58
2:B:631:MET:CE	2:B:782:SER:HA	2.35	0.57
1:A:176:VAL:O	1:A:177:LEU:HB2	2.05	0.57
2:B:78:SER:O	2:B:82:ARG:HG3	2.04	0.57
2:B:779:HIS:HE1	6:B:1011:HOH:O	1.87	0.56
2:B:219:PRO:HA	2:B:222:ASP:OD2	2.05	0.56
2:B:218:ARG:NH1	2:B:220:GLU:OE1	2.38	0.56
2:B:221:ILE:HD12	2:B:292:VAL:HG22	1.87	0.56
2:B:528:ASP:OD1	2:B:573:THR:HG21	2.06	0.56
2:B:206:PRO:HG3	6:B:1426:HOH:O	2.05	0.56
2:B:743:GLU:HA	2:B:767:ASN:HD22	1.72	0.55
2:B:335:GLN:O	2:B:374:HIS:HD2	1.90	0.55
2:B:194:LYS:CA	2:B:195:ASN:N	2.68	0.55
2:B:237:THR:H	2:B:240:HIS:HD2	1.55	0.55
2:B:597:SER:H	2:B:622:GLN:HE21	1.55	0.55
2:B:520:GLU:O	2:B:523:LYS:HB3	2.07	0.54
2:B:373:THR:HG22	2:B:374:HIS:H	1.72	0.54
2:B:743:GLU:N	2:B:767:ASN:ND2	2.56	0.54
2:B:82:ARG:HA	2:B:87:MET:CE	2.38	0.54
2:B:291:MET:CE	2:B:295:LEU:HG	2.33	0.53
2:B:307:LYS:HE3	6:B:1482:HOH:O	2.08	0.53
1:A:127:GLU:O	1:A:131:GLU:HG3	2.08	0.53
2:B:342:ALA:CB	2:B:386:GLU:HG2	2.38	0.53
1:A:176:VAL:O	1:A:177:LEU:CB	2.56	0.53
2:B:218:ARG:HG3	2:B:218:ARG:NH1	2.21	0.52
2:B:66:ASP:HB2	2:B:350:LEU:HD13	1.90	0.52
2:B:193:GLY:O	2:B:194:LYS:C	2.47	0.52
2:B:680:LEU:C	2:B:680:LEU:HD13	2.30	0.51
2:B:376:PHE:CD1	2:B:522:ILE:HD12	2.46	0.51
2:B:698:TYR:CE1	2:B:715:ARG:HD2	2.46	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:178:ARG:O	2:B:182:GLU:HG3	2.10	0.51
1:A:122:ASP:O	1:A:126:ILE:HG13	2.10	0.51
2:B:74:LYS:HD3	2:B:114:ASN:HD21	1.76	0.50
2:B:680:LEU:HD13	2:B:681:SER:N	2.27	0.50
2:B:164:LYS:HE3	2:B:197:ALA:CB	2.37	0.50
2:B:287:SER:HB2	2:B:288:PRO:HD2	1.92	0.50
2:B:631:MET:HE2	2:B:781:GLU:O	2.10	0.50
2:B:614:GLN:HE21	2:B:637:GLN:HE22	1.59	0.50
2:B:716:THR:CG2	2:B:717:LYS:O	2.59	0.50
1:A:161:THR:O	1:A:162:GLN:HB2	2.12	0.50
2:B:65:ARG:HD3	2:B:347:GLN:HE22	1.77	0.50
2:B:82:ARG:HA	2:B:87:MET:HE2	1.93	0.50
2:B:11:PRO:HD3	2:B:136:HIS:NE2	2.27	0.49
2:B:151:ILE:HG12	2:B:173:MET:CE	2.42	0.49
2:B:76:PRO:HG2	2:B:87:MET:HE2	1.93	0.49
1:A:142:GLY:HA3	1:A:154:TYR:CZ	2.47	0.49
2:B:65:ARG:HD3	2:B:347:GLN:NE2	2.28	0.49
2:B:319:ASN:H	2:B:319:ASN:HD22	1.60	0.49
2:B:362:LYS:HE2	6:B:1410:HOH:O	2.11	0.49
2:B:401:TYR:HB3	2:B:402:PRO:HD2	1.94	0.49
2:B:218:ARG:HG2	2:B:221:ILE:HD12	1.95	0.49
1:A:139:TYR:HB3	1:A:140:PRO:HD3	1.95	0.48
2:B:168:LYS:HG2	2:B:172:GLN:NE2	2.21	0.48
2:B:349:LEU:HD22	2:B:403:ILE:HD13	1.96	0.48
2:B:706:LEU:HD21	2:B:744:LEU:HD23	1.97	0.47
2:B:151:ILE:HG12	2:B:173:MET:HE2	1.97	0.47
2:B:655:GLU:HB3	2:B:658:ARG:NH2	2.29	0.47
2:B:70:GLY:HA2	2:B:95:LEU:O	2.14	0.47
2:B:304:ALA:O	2:B:307:LYS:HB2	2.14	0.47
2:B:76:PRO:HG2	2:B:87:MET:SD	2.55	0.47
2:B:723:ASN:HD21	2:B:726:ASN:H	1.62	0.47
2:B:250:ARG:O	2:B:251:ASP:O	2.32	0.47
2:B:655:GLU:HG3	6:B:1300:HOH:O	2.15	0.47
1:A:111:ILE:HD12	1:A:172:ALA:HA	1.97	0.47
1:A:12:GLY:O	1:A:13:ALA:HB3	2.15	0.46
2:B:631:MET:HE2	2:B:782:SER:HA	1.97	0.46
2:B:368:GLU:HG3	2:B:415:ARG:NH2	2.29	0.46
2:B:152:LEU:HD11	2:B:156:LYS:HD2	1.97	0.46
2:B:213:MET:HG3	2:B:289:GLU:HG3	1.97	0.46
2:B:53:SER:O	2:B:54:LYS:CB	2.63	0.46
1:A:8:VAL:HG21	1:A:20:LEU:HD21	1.96	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:373:THR:HG22	2:B:374:HIS:N	2.31	0.46
2:B:522:ILE:O	2:B:526:GLN:HB2	2.15	0.46
2:B:194:LYS:N	2:B:195:ASN:N	2.64	0.46
2:B:236:MET:HG2	2:B:240:HIS:HB2	1.97	0.46
2:B:631:MET:HE1	2:B:639:MET:HG3	1.98	0.45
2:B:779:HIS:HD2	2:B:783:ASN:HD21	1.62	0.45
2:B:243:LYS:HG2	2:B:247:GLN:OE1	2.17	0.45
2:B:191:PRO:HA	2:B:192:LYS:N	2.29	0.45
2:B:27:ASP:C	2:B:29:GLU:N	2.68	0.45
2:B:333:ALA:O	2:B:629:GLN:HG3	2.17	0.45
2:B:168:LYS:HE2	2:B:172:GLN:NE2	2.32	0.45
2:B:30:THR:O	2:B:31:THR:OG1	2.27	0.45
2:B:558:GLU:CD	2:B:558:GLU:H	2.20	0.44
1:A:56:TRP:CD1	1:A:56:TRP:N	2.86	0.44
2:B:680:LEU:HD23	2:B:797:MET:SD	2.57	0.44
2:B:361:TRP:CZ2	2:B:375:GLY:HA3	2.53	0.44
2:B:385:LYS:O	2:B:389:GLU:HG3	2.18	0.44
2:B:520:GLU:OE2	2:B:523:LYS:HD3	2.18	0.43
2:B:327:HIS:O	2:B:328:ASN:C	2.56	0.43
2:B:346:ARG:O	2:B:350:LEU:HG	2.17	0.43
2:B:701:VAL:HA	2:B:748:ARG:O	2.18	0.43
2:B:173:MET:HE2	2:B:788:MET:HE1	2.00	0.43
2:B:25:LYS:HE3	2:B:28:ASP:CB	2.44	0.43
2:B:518:ASP:OD1	2:B:519:GLU:N	2.52	0.43
2:B:186:SER:OG	2:B:192:LYS:HD3	2.18	0.43
2:B:357:GLU:C	2:B:358:LEU:HD12	2.37	0.43
2:B:692:GLU:HG2	6:B:1286:HOH:O	2.19	0.43
2:B:695:VAL:HG23	6:B:1205:HOH:O	2.17	0.43
2:B:138:LEU:N	2:B:138:LEU:HD22	2.34	0.43
2:B:723:ASN:C	2:B:723:ASN:ND2	2.72	0.43
2:B:49:TRP:CE2	2:B:57:GLU:HB3	2.54	0.43
1:A:19:LEU:HD11	1:A:157:CYS:SG	2.58	0.42
2:B:180:ARG:HH12	2:B:723:ASN:ND2	2.17	0.42
2:B:221:ILE:CD1	2:B:292:VAL:HG22	2.49	0.42
2:B:250:ARG:HG2	2:B:251:ASP:N	2.35	0.42
2:B:743:GLU:CA	2:B:767:ASN:HD22	2.33	0.42
2:B:655:GLU:O	2:B:659:ARG:HG3	2.19	0.42
1:A:37:PHE:CD1	1:A:37:PHE:C	2.93	0.42
2:B:136:HIS:CE1	2:B:138:LEU:HB2	2.54	0.42
1:A:108:THR:HA	1:A:109:PRO:HD3	1.91	0.41
2:B:359:ASP:O	2:B:372:ILE:HA	2.19	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:743:GLU:CA	2:B:767:ASN:ND2	2.83	0.41
2:B:723:ASN:ND2	2:B:725:ILE:H	2.19	0.41
2:B:86:ASN:OD1	2:B:89:PHE:HB2	2.20	0.41
2:B:93:SER:HB2	2:B:96:LEU:HD12	2.03	0.41
2:B:218:ARG:CG	2:B:218:ARG:NH1	2.80	0.41
2:B:27:ASP:O	2:B:29:GLU:O	2.39	0.41
2:B:547:ASN:ND2	2:B:548:TYR:H	2.17	0.41
1:A:4:ILE:HD12	1:A:51:VAL:HG11	2.02	0.41
2:B:243:LYS:O	2:B:247:GLN:HG3	2.21	0.41
2:B:74:LYS:HD3	2:B:114:ASN:ND2	2.35	0.41
2:B:196:ASP:N	2:B:196:ASP:OD1	2.53	0.41
2:B:587:GLN:H	2:B:587:GLN:CD	2.19	0.41
1:A:83:SER:HB3	1:A:86:SER:HB3	2.02	0.41
2:B:335:GLN:O	2:B:374:HIS:CD2	2.74	0.40
2:B:20:GLY:HA2	2:B:39:ARG:HG2	2.04	0.40
2:B:753:GLU:HG3	6:B:1303:HOH:O	2.21	0.40
2:B:194:LYS:C	2:B:195:ASN:HA	2.39	0.40
2:B:418:ALA:O	2:B:422:GLU:HG3	2.22	0.40
2:B:518:ASP:H	2:B:521:GLU:HB2	1.86	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	175/178 (98%)	172 (98%)	3 (2%)	0	100	100
2	B	684/799 (86%)	654 (96%)	28 (4%)	2 (0%)	41	46
All	All	859/977 (88%)	826 (96%)	31 (4%)	2 (0%)	47	55

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	194	LYS
2	B	334	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	153/154 (99%)	151 (99%)	2 (1%)	69	81
2	B	629/717 (88%)	608 (97%)	21 (3%)	38	49
All	All	782/871 (90%)	759 (97%)	23 (3%)	42	54

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	67	LEU
1	A	160	LEU
2	B	75	MET
2	B	86	ASN
2	B	99	LEU
2	B	196	ASP
2	B	218	ARG
2	B	220	GLU
2	B	251	ASP
2	B	312	HIS
2	B	318	LEU
2	B	374	HIS
2	B	547	ASN
2	B	573	THR
2	B	587	GLN
2	B	588	PHE
2	B	634	PRO
2	B	655	GLU
2	B	688	GLN
2	B	713	ARG
2	B	715	ARG
2	B	716	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	723	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	ASN
1	A	52	ASN
2	B	92	ASN
2	B	172	GLN
2	B	240	HIS
2	B	246	ASN
2	B	268	GLN
2	B	300	ASN
2	B	305	GLN
2	B	312	HIS
2	B	319	ASN
2	B	347	GLN
2	B	374	HIS
2	B	547	ASN
2	B	595	GLN
2	B	614	GLN
2	B	622	GLN
2	B	723	ASN
2	B	761	HIS
2	B	767	ASN
2	B	770	ASN
2	B	775	HIS
2	B	779	HIS
2	B	783	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	GSP	A	2466	3	26,34,34	1.85	8 (30%)	28,54,54	2.68	7 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GSP	A	2466	3	-	2/17/38/38	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	2466	GSP	C6-N1	4.52	1.40	1.33
4	A	2466	GSP	C2-N1	3.12	1.40	1.35
4	A	2466	GSP	O4'-C1'	3.03	1.45	1.41
4	A	2466	GSP	C4-N3	2.52	1.39	1.35
4	A	2466	GSP	C6-C5	2.37	1.45	1.41
4	A	2466	GSP	C2'-C1'	2.33	1.57	1.53
4	A	2466	GSP	C8-N7	-2.27	1.30	1.34
4	A	2466	GSP	PG-O2G	-2.16	1.48	1.54

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	2466	GSP	C5-C6-N1	-9.75	110.09	123.43

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	2466	GSP	C6-N1-C2	7.10	127.21	115.93
4	A	2466	GSP	N3-C2-N1	-3.78	122.18	127.22
4	A	2466	GSP	C2-N3-C4	-2.66	112.32	115.36
4	A	2466	GSP	O4'-C1'-C2'	-2.44	103.36	106.93
4	A	2466	GSP	C1'-N9-C4	-2.10	122.95	126.64
4	A	2466	GSP	O3G-PG-O3B	2.01	111.36	104.64

There are no chirality outliers.


All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	2466	GSP	PA-O3A-PB-O1B
4	A	2466	GSP	PA-O3A-PB-O2B

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	B	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	194:LYS	C	195:ASN	N	1.84
1	B	191:PRO	C	192:LYS	N	1.72

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	177/178 (99%)	-0.01	18 (10%) 6 6	18, 28, 87, 108	0
2	B	696/799 (87%)	-0.29	20 (2%) 51 49	13, 25, 68, 131	0
All	All	873/977 (89%)	-0.24	38 (4%) 34 32	13, 26, 75, 131	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	29	GLU	7.9
2	B	235	TYR	6.3
2	B	91	ASP	6.0
2	B	28	ASP	6.0
1	A	132	LYS	4.4
1	A	128	LYS	4.2
1	A	123	LYS	3.8
2	B	89	PHE	3.7
1	A	1	MET	3.7
1	A	131	GLU	3.5
1	A	124	ASP	3.2
2	B	524	LYS	3.2
2	B	527	SER	3.1
2	B	226	THR	3.0
2	B	194	LYS	2.9
1	A	125	THR	2.9
1	A	177	LEU	2.9
2	B	90	PRO	2.8
2	B	659	ARG	2.7
1	A	127	GLU	2.6
1	A	129	LEU	2.6
2	B	655	GLU	2.6
1	A	30	GLY	2.6
1	A	130	LYS	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	121	ASP	2.5
2	B	522	ILE	2.4
2	B	518	ASP	2.4
2	B	521	GLU	2.4
1	A	134	LEU	2.3
2	B	227	SER	2.3
1	A	3	ALA	2.2
1	A	49	LYS	2.2
2	B	238	LYS	2.1
2	B	205	GLU	2.1
1	A	122	ASP	2.1
1	A	133	LYS	2.1
2	B	512	GLU	2.0
2	B	239	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ


There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	MG	A	179	1/1	0.80	0.12	29,29,29,29	0
4	GSP	A	2466	32/32	0.95	0.10	29,29,29,29	0
5	CA	B	1000	1/1	0.99	0.04	8,8,8,8	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.