



Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 11:05 am BST

PDB ID : 1FNN
Title : CRYSTAL STRUCTURE OF CDC6P FROM PYROBACULUM AEROPHILUM
Authors : Liu, J.; Smith, C.L.; DeRyckere, D.; DeAngelis, K.; Martin, G.S.; Berger, J.M.
Deposited on : 2000-08-22
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	389	<div> <div>2%</div> <div> <div></div> <div>73%</div> <div>20%</div> <div>...</div> </div> </div>
1	B	389	<div> <div>%</div> <div> <div></div> <div>75%</div> <div>19%</div> <div>...</div> </div> </div>

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called CELL DIVISION CONTROL PROTEIN 6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	379	Total 3044	C 1949	N 533	O 558	S 4	0	0	0
1	B	379	Total 3044	C 1949	N 533	O 558	S 4	0	0	0

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Mg 1 1	0	0
2	A	1	Total Mg 1 1	0	0

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{10}\text{P}_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	156	Total	O	0	0
			156	156		
4	B	171	Total	O	0	0
			171	171		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CELL DIVISION CONTROL PROTEIN 6



• Molecule 1: CELL DIVISION CONTROL PROTEIN 6



4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	132.07Å 132.07Å 82.20Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.00 114.38 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.4 (20.00-2.00) 98.4 (114.38-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.49 (at 2.00Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.221 , 0.257 0.208 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	33.4	Xtriage
Anisotropy	0.222	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 81.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.011 for -h,-k,l 0.019 for h,-h-k,-l 0.011 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6471	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.64	0/3104	1.41	42/4204 (1.0%)
1	B	0.71	0/3104	1.43	34/4204 (0.8%)
All	All	0.68	0/6208	1.42	76/8408 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	9
1	B	0	9
All	All	0	18

There are no bond length outliers.

All (76) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	37	ARG	NE-CZ-NH2	-13.20	113.70	120.30
1	B	298	ARG	NE-CZ-NH2	-11.97	114.32	120.30
1	B	240	ARG	NE-CZ-NH1	11.08	125.84	120.30
1	B	158	ARG	NE-CZ-NH2	10.63	125.61	120.30
1	B	37	ARG	NE-CZ-NH1	10.23	125.42	120.30
1	B	317	TYR	CB-CG-CD2	-10.22	114.87	121.00
1	B	51	ARG	NE-CZ-NH2	10.20	125.40	120.30
1	A	327	ARG	NE-CZ-NH1	10.18	125.39	120.30
1	B	45	ARG	NE-CZ-NH2	-9.98	115.31	120.30
1	A	61	ARG	NE-CZ-NH1	9.73	125.16	120.30
1	A	179	ARG	CD-NE-CZ	9.61	137.05	123.60
1	A	45	ARG	NE-CZ-NH2	-9.36	115.62	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	240	ARG	NE-CZ-NH1	9.27	124.94	120.30
1	A	146	ARG	CD-NE-CZ	9.16	136.42	123.60
1	A	61	ARG	CD-NE-CZ	9.03	136.25	123.60
1	B	248	ARG	NE-CZ-NH1	8.88	124.74	120.30
1	A	327	ARG	CD-NE-CZ	8.84	135.98	123.60
1	B	45	ARG	NE-CZ-NH1	8.82	124.71	120.30
1	B	248	ARG	NE-CZ-NH2	-8.48	116.06	120.30
1	A	327	ARG	NE-CZ-NH2	-8.30	116.15	120.30
1	A	51	ARG	NE-CZ-NH2	8.16	124.38	120.30
1	B	240	ARG	CD-NE-CZ	8.10	134.94	123.60
1	A	6	ASP	CB-CG-OD1	7.99	125.49	118.30
1	A	74	ARG	NE-CZ-NH2	-7.95	116.33	120.30
1	A	51	ARG	NE-CZ-NH1	-7.85	116.37	120.30
1	A	158	ARG	NE-CZ-NH2	7.54	124.07	120.30
1	B	74	ARG	NE-CZ-NH1	7.30	123.95	120.30
1	A	104	ARG	NE-CZ-NH1	7.23	123.92	120.30
1	B	388	ARG	NE-CZ-NH1	-7.21	116.70	120.30
1	B	74	ARG	NE-CZ-NH2	-7.17	116.72	120.30
1	A	350	ARG	CD-NE-CZ	7.00	133.41	123.60
1	A	146	ARG	NE-CZ-NH1	6.86	123.73	120.30
1	A	342	ARG	CD-NE-CZ	6.84	133.18	123.60
1	A	240	ARG	NE-CZ-NH2	-6.75	116.93	120.30
1	B	37	ARG	CD-NE-CZ	6.67	132.94	123.60
1	B	17	ARG	CD-NE-CZ	6.63	132.88	123.60
1	A	103	ARG	NE-CZ-NH1	6.63	123.61	120.30
1	B	317	TYR	CB-CG-CD1	6.54	124.92	121.00
1	A	388	ARG	CG-CD-NE	6.45	125.34	111.80
1	A	350	ARG	CA-CB-CG	6.39	127.46	113.40
1	A	258	ARG	NE-CZ-NH1	-6.36	117.12	120.30
1	B	6	ASP	CB-CG-OD1	6.35	124.02	118.30
1	A	95	ARG	NE-CZ-NH1	6.34	123.47	120.30
1	B	273	VAL	N-CA-CB	-6.28	97.68	111.50
1	A	342	ARG	NE-CZ-NH1	6.15	123.38	120.30
1	B	103	ARG	NE-CZ-NH1	6.15	123.38	120.30
1	B	61	ARG	NE-CZ-NH2	6.13	123.37	120.30
1	B	84	ARG	NE-CZ-NH2	-6.02	117.29	120.30
1	A	265	ASP	CB-CG-OD2	-5.92	112.97	118.30
1	A	240	ARG	CD-NE-CZ	5.91	131.88	123.60
1	A	95	ARG	CD-NE-CZ	5.83	131.77	123.60
1	B	362	THR	CA-C-N	5.73	129.81	117.20
1	A	45	ARG	CD-NE-CZ	5.71	131.59	123.60
1	A	288	HIS	CA-CB-CG	-5.70	103.91	113.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	21	ARG	CG-CD-NE	5.70	123.77	111.80
1	A	337	TYR	CB-CG-CD1	-5.61	117.64	121.00
1	B	5	ASP	CB-CG-OD1	5.61	123.34	118.30
1	B	342	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	A	179	ARG	NE-CZ-NH1	5.54	123.07	120.30
1	A	265	ASP	CB-CG-OD1	-5.51	113.34	118.30
1	B	63	LEU	CA-CB-CG	-5.47	102.71	115.30
1	A	265	ASP	OD1-CG-OD2	5.47	133.69	123.30
1	B	54	THR	CA-CB-CG2	-5.47	104.74	112.40
1	B	244	ASP	CB-CG-OD2	5.41	123.17	118.30
1	A	120	ARG	NE-CZ-NH2	-5.33	117.63	120.30
1	A	385	GLU	CA-CB-CG	5.29	125.04	113.40
1	B	329	ARG	NE-CZ-NH1	5.28	122.94	120.30
1	A	204	ARG	NE-CZ-NH2	-5.27	117.66	120.30
1	B	324	TYR	CA-CB-CG	-5.25	103.43	113.40
1	A	179	ARG	CG-CD-NE	5.25	122.81	111.80
1	B	17	ARG	NE-CZ-NH1	5.23	122.91	120.30
1	A	386	GLU	CA-CB-CG	5.15	124.74	113.40
1	A	146	ARG	NE-CZ-NH2	-5.09	117.75	120.30
1	A	335	TRP	CA-CB-CG	-5.08	104.04	113.70
1	B	298	ARG	NE-CZ-NH1	5.07	122.84	120.30
1	B	273	VAL	CG1-CB-CG2	5.06	118.99	110.90

There are no chirality outliers.

All (18) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	211	GLU	Mainchain
1	A	225	ILE	Mainchain
1	A	227	GLY	Mainchain
1	A	259	LYS	Mainchain
1	A	281	VAL	Mainchain
1	A	295	ALA	Mainchain
1	A	305	THR	Mainchain
1	A	314	GLU	Mainchain
1	A	381	LYS	Mainchain
1	B	126	MET	Mainchain
1	B	167	ASN	Mainchain
1	B	232	LEU	Mainchain
1	B	271	LYS	Mainchain
1	B	285	LEU	Mainchain
1	B	349	THR	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	4	VAL	Mainchain
1	B	70	LYS	Mainchain
1	B	82	ILE	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3044	0	3100	56	0
1	B	3044	0	3100	40	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	27	0	12	0	0
3	B	27	0	12	1	0
4	A	156	0	0	4	0
4	B	171	0	0	2	0
All	All	6471	0	6224	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:232:LEU:HD13	1:B:234:THR:OG1	1.63	0.97
1:A:194:LYS:NZ	1:A:229:GLN:HE21	1.66	0.93
1:A:194:LYS:HZ1	1:A:229:GLN:HE21	1.23	0.83
1:A:342:ARG:NH2	1:A:343:GLU:OE1	2.17	0.78
1:A:241:LEU:HD21	1:A:274:LEU:HD21	1.66	0.77
1:A:104:ARG:HB2	1:A:104:ARG:HH11	1.51	0.74
1:A:375:LEU:O	1:A:379:ILE:HG13	1.93	0.68
1:B:241:LEU:HD21	1:B:274:LEU:HD21	1.74	0.68
1:B:258:ARG:HH11	1:B:258:ARG:HG3	1.57	0.68
1:A:145:ILE:HG23	1:A:182:MET:CE	2.25	0.66
1:B:278:SER:OG	1:B:280:GLU:HG2	1.94	0.66
1:B:241:LEU:HD11	1:B:273:VAL:HG13	1.80	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:234:THR:O	1:A:234:THR:HG22	1.96	0.64
1:B:233:ASP:OD1	1:B:236:ARG:HB2	1.98	0.64
1:A:145:ILE:HG12	1:A:182:MET:HE3	1.80	0.63
1:A:145:ILE:HG23	1:A:182:MET:HE2	1.80	0.62
1:B:60:LEU:HD21	1:B:162:VAL:HG11	1.84	0.60
1:A:167:ASN:HD22	1:A:169:ALA:H	1.48	0.60
1:A:150:GLU:OE1	1:A:153:LYS:HD2	2.00	0.60
1:B:47:THR:OG1	1:B:182:MET:HG2	2.01	0.60
1:A:176:PRO:HA	1:A:179:ARG:NH1	2.17	0.60
1:A:277:ILE:N	1:A:370:GLU:OE2	2.27	0.59
1:B:220:GLN:HG2	4:B:547:HOH:O	2.04	0.58
1:B:255:GLN:HG2	1:B:255:GLN:O	2.02	0.58
1:B:240:ARG:HH11	1:B:240:ARG:HG2	1.69	0.57
1:A:264:GLU:O	1:A:268:LYS:HG3	2.04	0.57
1:A:373:ASP:HB2	4:A:506:HOH:O	2.04	0.57
1:B:258:ARG:HG3	1:B:258:ARG:NH1	2.20	0.57
1:B:4:VAL:O	1:B:4:VAL:HG12	2.05	0.57
1:A:139:ASP:OD1	1:A:140:ILE:N	2.38	0.56
1:A:301:LYS:HE3	1:A:376:GLU:OE2	2.06	0.56
1:B:276:GLY:HA3	1:B:370:GLU:OE2	2.06	0.56
1:A:339:ASN:OD1	1:A:342:ARG:NH1	2.39	0.55
1:A:305:THR:CG2	1:A:307:TYR:O	2.54	0.54
1:B:167:ASN:HD22	1:B:169:ALA:H	1.56	0.54
1:B:230:THR:O	1:B:233:ASP:HB3	2.08	0.54
1:A:23:GLN:HG2	1:A:27:GLN:HE21	1.72	0.54
1:A:95:ARG:HH11	1:A:95:ARG:HB3	1.73	0.53
1:A:194:LYS:NZ	1:A:229:GLN:NE2	2.48	0.53
1:A:194:LYS:HZ2	1:A:229:GLN:HE21	1.51	0.52
1:A:40:GLY:HA2	1:A:157:PHE:O	2.10	0.52
1:A:277:ILE:HB	1:A:370:GLU:HG3	1.92	0.51
1:A:48:LEU:HD11	1:A:60:LEU:HG	1.92	0.50
1:A:23:GLN:HG2	1:A:27:GLN:NE2	2.27	0.50
1:B:108:ARG:NH2	1:B:139:ASP:OD2	2.45	0.49
1:A:305:THR:HG23	1:A:307:TYR:O	2.12	0.49
1:A:45:ARG:HG3	1:A:182:MET:HE1	1.94	0.49
1:B:4:VAL:O	1:B:4:VAL:CG1	2.60	0.49
1:A:51:ARG:HB2	1:A:52:PRO:CD	2.43	0.48
1:A:145:ILE:HG23	1:A:182:MET:HE3	1.94	0.48
1:A:51:ARG:HB2	1:A:52:PRO:HD2	1.95	0.48
1:B:20:HIS:CG	1:B:196:GLN:HG2	2.49	0.47
1:B:37:ARG:NH2	1:B:67:TYR:OH	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:322:GLU:HG3	4:B:491:HOH:O	2.14	0.47
1:B:38:ASN:OD1	1:B:41:HIS:CD2	2.68	0.46
1:A:234:THR:O	1:A:234:THR:CG2	2.63	0.46
1:B:102:PRO:HG3	1:B:106:LEU:HD21	1.97	0.46
1:B:120:ARG:NH1	1:B:153:LYS:O	2.48	0.46
1:A:255:GLN:O	1:A:255:GLN:HG2	2.16	0.46
1:A:10:SER:HB3	1:B:98:ASN:HD21	1.81	0.46
1:A:175:ASP:OD1	1:A:178:THR:OG1	2.29	0.45
1:A:194:LYS:HZ2	1:A:229:GLN:NE2	2.13	0.45
1:A:298:ARG:HH12	1:A:323:GLU:CD	2.20	0.45
1:B:380:THR:HG22	1:B:384:LYS:HD2	1.99	0.45
1:A:175:ASP:OD1	1:A:178:THR:CB	2.65	0.44
1:B:258:ARG:HD2	1:B:260:HIS:O	2.17	0.44
1:B:351:GLN:O	1:B:352:ASN:HB3	2.18	0.44
1:A:374:THR:HB	4:A:539:HOH:O	2.18	0.44
1:B:45:ARG:HA	1:B:161:LEU:O	2.17	0.44
1:A:104:ARG:NH1	1:A:104:ARG:HB2	2.28	0.43
1:A:327:ARG:H	1:A:327:ARG:HG2	1.57	0.43
1:B:301:LYS:HE3	1:B:376:GLU:OE2	2.18	0.43
1:B:39:PRO:HB2	1:B:125:TYR:CD2	2.53	0.43
1:A:51:ARG:HG3	1:A:54:THR:HG23	2.01	0.43
1:A:17:ARG:HG2	4:A:434:HOH:O	2.19	0.43
1:A:298:ARG:NH1	1:A:323:GLU:OE2	2.52	0.43
1:B:167:ASN:C	1:B:167:ASN:HD22	2.21	0.43
1:A:264:GLU:O	1:A:268:LYS:CG	2.67	0.42
1:A:176:PRO:HA	1:A:179:ARG:HH11	1.83	0.42
1:A:221:MET:O	1:A:225:ILE:HG13	2.19	0.42
1:A:194:LYS:HE3	1:A:229:GLN:HG3	2.00	0.42
1:A:39:PRO:HB2	1:A:125:TYR:CD2	2.54	0.42
1:A:351:GLN:HE21	1:A:362:THR:HB	1.83	0.42
1:B:131:ASP:O	1:B:132:ASP:C	2.58	0.42
1:A:142:SER:OG	1:A:178:THR:HG21	2.19	0.42
1:B:240:ARG:NH1	1:B:240:ARG:HG2	2.35	0.41
1:A:17:ARG:HG3	4:A:527:HOH:O	2.21	0.41
1:B:216:GLU:O	1:B:220:GLN:HG3	2.21	0.41
1:B:28:LEU:HD23	1:B:28:LEU:HA	1.87	0.41
1:B:233:ASP:O	1:B:233:ASP:OD1	2.39	0.40
1:A:276:GLY:HA3	1:A:370:GLU:OE2	2.21	0.40
1:A:289:GLU:OE1	1:A:340:ASP:OD2	2.40	0.40
1:B:167:ASN:ND2	1:B:169:ALA:H	2.17	0.40
1:B:387:LEU:HA	1:B:387:LEU:HD23	1.89	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:399:ADP:O5'	3:B:399:ADP:H2'	2.21	0.40
1:B:42:HIS:O	1:B:44:PRO:HD3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	375/389 (96%)	373 (100%)	2 (0%)	0	100	100
1	B	375/389 (96%)	368 (98%)	6 (2%)	1 (0%)	41	37
All	All	750/778 (96%)	741 (99%)	8 (1%)	1 (0%)	51	49

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	183	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	329/336 (98%)	308 (94%)	21 (6%)	17	13
1	B	329/336 (98%)	314 (95%)	15 (5%)	27	23
All	All	658/672 (98%)	622 (94%)	36 (6%)	21	17

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	ARG
1	A	45	ARG
1	A	51	ARG
1	A	68	LYS
1	A	95	ARG
1	A	97	LEU
1	A	104	ARG
1	A	139	ASP
1	A	141	LEU
1	A	167	ASN
1	A	177	SER
1	A	179	ARG
1	A	219	LEU
1	A	230	THR
1	A	268	LYS
1	A	305	THR
1	A	327	ARG
1	A	330	VAL
1	A	335	TRP
1	A	347	VAL
1	A	350	ARG
1	B	16	LYS
1	B	45	ARG
1	B	51	ARG
1	B	103	ARG
1	B	108	ARG
1	B	111	PHE
1	B	152	ASP
1	B	167	ASN
1	B	177	SER
1	B	232	LEU
1	B	233	ASP
1	B	240	ARG
1	B	256	ASN
1	B	273	VAL
1	B	352	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	167	ASN
1	A	173	ASN
1	A	229	GLN
1	A	351	GLN
1	B	41	HIS
1	B	166	HIS
1	B	167	ASN
1	B	304	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	ADP	A	398	2	24,29,29	1.33	4 (16%)	29,45,45	1.15	3 (10%)
3	ADP	B	399	2	24,29,29	1.17	3 (12%)	29,45,45	1.18	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	A	398	2	-	2/12/32/32	0/3/3/3
3	ADP	B	399	2	-	1/12/32/32	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	398	ADP	PB-O2B	-3.17	1.42	1.54
3	B	399	ADP	PB-O3B	-2.74	1.44	1.54
3	B	399	ADP	C8-N7	-2.40	1.30	1.34
3	A	398	ADP	C8-N7	-2.39	1.30	1.34
3	A	398	ADP	PB-O3B	-2.20	1.46	1.54
3	B	399	ADP	PB-O2B	-2.05	1.46	1.54
3	A	398	ADP	O4'-C1'	-2.04	1.38	1.41

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	398	ADP	O4'-C1'-C2'	-3.14	102.34	106.93
3	B	399	ADP	O4'-C1'-C2'	-2.84	102.77	106.93
3	A	398	ADP	O3B-PB-O1B	-2.37	101.42	110.68
3	A	398	ADP	C4-C5-N7	2.20	111.69	109.40
3	B	399	ADP	C4-C5-N7	2.16	111.65	109.40

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	398	ADP	PA-O3A-PB-O1B
3	A	398	ADP	PA-O3A-PB-O2B
3	B	399	ADP	PA-O3A-PB-O2B


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	399	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	379/389 (97%)	0.16	8 (2%) 63 62	32, 43, 71, 103	0
1	B	379/389 (97%)	0.21	4 (1%) 80 79	26, 41, 72, 96	0
All	All	758/778 (97%)	0.18	12 (1%) 72 70	26, 42, 72, 103	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	275	PHE	6.0
1	A	275	PHE	4.3
1	B	232	LEU	4.2
1	B	233	ASP	3.8
1	A	229	GLN	3.3
1	A	184	LYS	3.2
1	A	335	TRP	3.0
1	A	232	LEU	2.9
1	A	234	THR	2.8
1	A	235	ASN	2.6
1	A	362	THR	2.1
1	B	153	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	MG	B	391	1/1	0.96	0.10	35,35,35,35	0
2	MG	A	390	1/1	0.97	0.08	40,40,40,40	0
3	ADP	A	398	27/27	0.98	0.13	29,35,37,39	0
3	ADP	B	399	27/27	0.98	0.14	24,30,35,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around ADP B 399:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.