



Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 08:53 pm BST

PDB ID : 5FRB
Title : Crystal structure of sterol 14- α demethylase (CYP51B) from a pathogenic filamentous fungus *Aspergillus fumigatus* in complex with a tetrazole-based inhibitor VT-1598
Authors : Hargrove, T.Y.; Wawrzak, Z.; Lepesheva, G.I.
Deposited on : 2015-12-16
Resolution : 2.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	473	<div> <div>16%</div> <div>71%</div> <div>24%</div> <div>..</div> </div>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3838 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called STEROL 14-ALPHA DEMETHYLASE, CYP51B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	470	3752	2411	639	685	17	0	0	0

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	47	MET	-	expression tag	UNP A0A0J5PJX1
A	48	ALA	-	expression tag	UNP A0A0J5PJX1
A	49	LYS	-	expression tag	UNP A0A0J5PJX1
A	50	LYS	HIS	engineered mutation	UNP A0A0J5PJX1
A	51	THR	GLU	engineered mutation	UNP A0A0J5PJX1
A	519	HIS	-	expression tag	UNP A0A0J5PJX1

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is (R)-4-((4-((6-(2-(2,4-difluorophenyl)-1,1-difluoro-2-hydroxy-3-(1H-tetrazol-1-yl)propyl)pyridin-3-yl)ethynyl)phenoxy)methyl)benzonitrile (three-letter code: VT2) (formula: C₃₁H₂₂F₄N₆O₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	0	0
			43	31	4	6	2		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: STEROL 14-ALPHA DEMETHYLASE, CYP51B



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	109.86 Å 109.86 Å 84.84 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	95.14 – 2.99 26.39 – 2.99	Depositor EDS
% Data completeness (in resolution range)	99.2 (95.14-2.99) 99.4 (26.39-2.99)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.04 (at 3.00 Å)	Xtriage
Refinement program	REFMAC 5.8.0131	Depositor
R, R_{free}	0.258 , 0.280 0.257 , 0.259	Depositor DCC
R_{free} test set	649 reflections (5.34%)	wwPDB-VP
Wilson B-factor (Å ²)	115.9	Xtriage
Anisotropy	0.120	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 99.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.028 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3838	wwPDB-VP
Average B, all atoms (Å ²)	155.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, VT2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.30	0/3854	0.47	3/5229 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	62	ILE	N-CA-C	-6.79	92.67	111.00
1	A	51	THR	C-N-CD	5.31	139.55	128.40
1	A	508	LEU	N-CA-C	5.02	124.55	111.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	273	ASP	Peptide
1	A	432	ALA	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3752	0	3719	155	0
2	A	43	0	30	10	0
3	A	43	0	0	13	0
All	All	3838	0	3749	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:374:HIS:HE1	3:A:590:VT2:CAR	1.58	1.16
1:A:72:PRO:HG2	1:A:374:HIS:HD2	1.09	1.12
1:A:72:PRO:HG2	1:A:374:HIS:CD2	1.93	1.03
1:A:374:HIS:CE1	3:A:590:VT2:CAR	2.40	1.03
1:A:307:ALA:HB1	3:A:590:VT2:NBD	1.79	0.96
1:A:503:LEU:O	3:A:590:VT2:CAM	2.18	0.91
1:A:51:THR:HG23	1:A:52:PRO:CD	2.10	0.81
1:A:307:ALA:HB2	3:A:590:VT2:CAX	2.09	0.81
1:A:307:ALA:HB1	3:A:590:VT2:NBC	1.95	0.81
1:A:232:ILE:O	1:A:232:ILE:HD12	1.82	0.79
1:A:229:PHE:CD1	1:A:503:LEU:HD11	2.17	0.79
1:A:229:PHE:CD1	1:A:503:LEU:CD1	2.67	0.78
1:A:65:THR:CG2	1:A:91:LEU:HA	2.14	0.77
1:A:51:THR:HG23	1:A:52:PRO:HD2	1.66	0.77
1:A:364:LYS:HE3	1:A:429:ALA:H	1.50	0.77
1:A:135:VAL:HG12	1:A:136:TYR:H	1.50	0.76
2:A:580:HEM:HMC2	2:A:580:HEM:HBC2	1.67	0.76
1:A:106:ASP:HB2	1:A:449:THR:HG21	1.70	0.74
1:A:65:THR:HG22	1:A:91:LEU:CB	2.18	0.74
1:A:135:VAL:HG12	1:A:136:TYR:N	2.04	0.73
1:A:51:THR:OG1	1:A:52:PRO:HD3	1.88	0.73
1:A:58:TRP:HB3	1:A:59:PHE:CE1	2.23	0.73
1:A:91:LEU:O	1:A:91:LEU:HD12	1.89	0.73
2:A:580:HEM:CMC	2:A:580:HEM:HBC2	2.19	0.72
1:A:376:ILE:HD13	2:A:580:HEM:CGA	2.20	0.71
1:A:234:PHE:HB3	1:A:235:MET:HE3	1.73	0.71
1:A:59:PHE:HB3	1:A:60:PRO:HD2	1.73	0.71
1:A:58:TRP:HB3	1:A:59:PHE:CD1	2.26	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:235:MET:C	1:A:236:LEU:HD23	2.12	0.70
1:A:213:LYS:O	1:A:218:PHE:HB2	1.92	0.69
1:A:373:ILE:N	1:A:373:ILE:HD12	2.07	0.69
1:A:135:VAL:O	1:A:138:CYS:SG	2.51	0.68
1:A:57:HIS:HD2	1:A:59:PHE:O	1.75	0.68
1:A:307:ALA:HB2	3:A:590:VT2:CBJ	2.24	0.68
1:A:50:LYS:O	1:A:51:THR:HG22	1.93	0.68
1:A:307:ALA:CB	3:A:590:VT2:NBD	2.57	0.67
1:A:102:THR:O	1:A:449:THR:HG21	1.96	0.66
1:A:374:HIS:HE1	3:A:590:VT2:CBL	2.06	0.66
1:A:59:PHE:HB3	1:A:60:PRO:CD	2.26	0.66
1:A:231:PRO:O	1:A:234:PHE:HB2	1.97	0.65
1:A:65:THR:HG21	1:A:92:LEU:HD12	1.79	0.64
1:A:222:TYR:CZ	1:A:305:LEU:HG	2.32	0.64
1:A:102:THR:O	1:A:449:THR:CG2	2.48	0.61
1:A:61:PHE:O	1:A:92:LEU:HA	1.99	0.61
1:A:231:PRO:O	1:A:234:PHE:N	2.32	0.61
1:A:65:THR:HG22	1:A:91:LEU:HA	1.83	0.60
1:A:65:THR:HG23	1:A:91:LEU:HA	1.82	0.60
1:A:234:PHE:C	1:A:235:MET:HE3	2.22	0.59
1:A:229:PHE:HD1	1:A:503:LEU:HD11	1.65	0.59
1:A:449:THR:C	1:A:451:SER:H	2.04	0.59
3:A:590:VT2:CAZ	3:A:590:VT2:FAD	2.40	0.59
1:A:265:ARG:HH11	1:A:278:VAL:HG13	1.67	0.59
1:A:65:THR:HG22	1:A:91:LEU:CA	2.33	0.58
1:A:378:ARG:HB2	1:A:399:VAL:HG23	1.86	0.58
1:A:51:THR:OG1	1:A:392:VAL:O	2.21	0.58
1:A:152:TYR:HB3	1:A:279:TRP:CZ2	2.38	0.58
1:A:65:THR:HG22	1:A:91:LEU:HB2	1.85	0.57
1:A:230:ALA:O	1:A:233:ASN:HB2	2.05	0.57
1:A:265:ARG:NH2	1:A:275:GLU:OE2	2.33	0.57
1:A:106:ASP:HB2	1:A:449:THR:CG2	2.34	0.57
1:A:50:LYS:O	1:A:51:THR:CG2	2.52	0.57
1:A:210:VAL:HG13	1:A:218:PHE:CE2	2.40	0.57
1:A:57:HIS:CD2	1:A:59:PHE:O	2.56	0.57
1:A:125:LEU:HD13	1:A:234:PHE:HA	1.87	0.56
1:A:510:ARG:HA	1:A:510:ARG:HE	1.69	0.56
1:A:449:THR:O	1:A:451:SER:N	2.38	0.56
1:A:356:LEU:HB3	1:A:359:HIS:HB2	1.87	0.56
1:A:229:PHE:CD1	1:A:503:LEU:HD12	2.40	0.56
1:A:210:VAL:HG13	1:A:218:PHE:HE2	1.70	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:68:TYR:OH	1:A:375:SER:HB3	2.05	0.55
1:A:65:THR:CG2	1:A:91:LEU:CA	2.85	0.55
2:A:580:HEM:HBB2	2:A:580:HEM:CMB	2.37	0.54
1:A:216:SER:O	1:A:217:THR:OG1	2.24	0.54
1:A:374:HIS:CE1	3:A:590:VT2:CBL	2.85	0.54
1:A:378:ARG:HH22	2:A:580:HEM:CGA	2.21	0.53
1:A:449:THR:C	1:A:451:SER:N	2.59	0.53
1:A:121:VAL:HG11	1:A:377:ILE:HG22	1.90	0.53
1:A:437:LYS:HE3	1:A:446:SER:HB2	1.91	0.53
1:A:135:VAL:HG12	1:A:136:TYR:CG	2.44	0.53
1:A:143:LEU:O	1:A:147:LYS:HG3	2.09	0.53
1:A:115:ASP:HB3	1:A:384:MET:HE1	1.89	0.53
1:A:266:ARG:NH2	1:A:294:ASP:OD2	2.42	0.53
1:A:231:PRO:C	1:A:234:PHE:H	2.13	0.52
1:A:236:LEU:N	1:A:237:PRO:CD	2.72	0.52
1:A:106:ASP:N	1:A:449:THR:HG21	2.25	0.52
1:A:91:LEU:O	1:A:91:LEU:CD1	2.57	0.51
1:A:90:ILE:HG22	1:A:94:LYS:O	2.10	0.51
1:A:51:THR:CG2	1:A:52:PRO:CD	2.84	0.51
1:A:284:CYS:O	1:A:292:VAL:N	2.43	0.51
1:A:284:CYS:O	1:A:292:VAL:HG23	2.10	0.51
1:A:108:ILE:HD12	1:A:401:SER:HB3	1.93	0.51
1:A:235:MET:C	1:A:237:PRO:HD3	2.31	0.51
1:A:432:ALA:O	1:A:433:GLU:HB2	2.09	0.51
1:A:135:VAL:HG12	1:A:136:TYR:CD1	2.46	0.51
1:A:275:GLU:HG3	1:A:277:MET:H	1.76	0.50
1:A:62:ILE:O	1:A:65:THR:HG23	2.11	0.50
1:A:373:ILE:N	1:A:373:ILE:CD1	2.74	0.50
1:A:125:LEU:HD21	1:A:503:LEU:HD21	1.94	0.50
1:A:123:SER:N	1:A:124:PRO:HD2	2.27	0.50
1:A:64:SER:O	1:A:67:SER:N	2.45	0.50
1:A:61:PHE:O	1:A:61:PHE:CG	2.64	0.49
1:A:376:ILE:O	1:A:400:LEU:HA	2.11	0.49
1:A:50:LYS:C	1:A:51:THR:HG22	2.33	0.49
1:A:68:TYR:CE1	1:A:72:PRO:HB3	2.47	0.48
1:A:229:PHE:O	1:A:230:ALA:C	2.51	0.48
1:A:449:THR:HG22	1:A:449:THR:O	2.11	0.48
1:A:232:ILE:C	1:A:232:ILE:HD12	2.33	0.48
1:A:231:PRO:O	1:A:234:PHE:CB	2.62	0.48
1:A:59:PHE:CB	1:A:60:PRO:CD	2.91	0.48
1:A:61:PHE:O	1:A:61:PHE:CD2	2.66	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:277:MET:O	1:A:281:LEU:HG	2.14	0.47
2:A:580:HEM:HHA	2:A:580:HEM:HBD2	1.95	0.47
1:A:235:MET:C	1:A:237:PRO:CD	2.82	0.47
1:A:286:TYR:CE2	1:A:292:VAL:HG22	2.50	0.46
1:A:307:ALA:HB2	3:A:590:VT2:FAD	2.05	0.46
1:A:64:SER:O	1:A:65:THR:C	2.53	0.46
1:A:127:THR:HB	1:A:128:PRO:HD3	1.98	0.46
1:A:236:LEU:N	1:A:236:LEU:HD23	2.27	0.46
1:A:432:ALA:HB1	1:A:433:GLU:HG2	1.97	0.45
1:A:50:LYS:HB3	1:A:50:LYS:HE2	1.62	0.45
1:A:52:PRO:HB3	1:A:86:ILE:CG2	2.46	0.45
1:A:125:LEU:HD12	1:A:233:ASN:HB3	1.99	0.45
1:A:202:SER:HA	1:A:206:GLN:HB2	1.99	0.45
1:A:135:VAL:CG1	1:A:136:TYR:N	2.73	0.45
1:A:106:ASP:CB	1:A:449:THR:HG21	2.43	0.44
1:A:386:VAL:HG23	1:A:389:THR:H	1.82	0.44
3:A:590:VT2:CBJ	3:A:590:VT2:NBD	2.80	0.44
1:A:51:THR:HG23	1:A:52:PRO:N	2.32	0.44
1:A:53:PRO:HD3	1:A:391:TYR:CE1	2.53	0.44
1:A:261:ILE:O	1:A:265:ARG:HG3	2.18	0.44
1:A:275:GLU:HG3	1:A:277:MET:HB3	2.00	0.44
1:A:134:VAL:HG21	1:A:299:HIS:HB3	2.00	0.43
1:A:135:VAL:CG1	1:A:136:TYR:H	2.18	0.43
1:A:275:GLU:HG2	1:A:278:VAL:HG22	2.00	0.43
2:A:580:HEM:HMC2	2:A:580:HEM:CBC	2.42	0.43
1:A:310:HIS:HB3	1:A:504:PHE:CD2	2.54	0.43
1:A:318:TRP:CD1	1:A:370:HIS:HB3	2.54	0.42
1:A:193:ILE:HD13	1:A:193:ILE:HA	1.87	0.42
1:A:195:GLU:O	1:A:198:ILE:HG22	2.18	0.42
1:A:437:LYS:HB3	1:A:444:LEU:HD22	2.01	0.42
1:A:365:GLU:HG3	1:A:419:TRP:CD1	2.54	0.42
1:A:296:GLU:O	1:A:300:MET:HG3	2.19	0.42
1:A:340:VAL:HG12	1:A:341:LEU:HD23	2.01	0.42
1:A:297:ILE:O	1:A:301:MET:HG2	2.19	0.42
1:A:53:PRO:HD2	1:A:86:ILE:HG22	2.02	0.42
1:A:461:HIS:ND1	2:A:580:HEM:O2D	2.52	0.42
1:A:59:PHE:CD1	1:A:59:PHE:N	2.87	0.42
1:A:302:ILE:O	1:A:306:MET:HG2	2.20	0.42
1:A:376:ILE:CD1	2:A:580:HEM:CGA	2.96	0.42
1:A:236:LEU:N	1:A:237:PRO:HD3	2.34	0.41
1:A:374:HIS:ND1	1:A:374:HIS:N	2.60	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:361:LYS:NZ	1:A:424:TRP:O	2.54	0.41
1:A:433:GLU:HB3	1:A:434:ASP:H	1.65	0.41
1:A:99:TYR:CG	1:A:104:GLY:HA2	2.55	0.41
1:A:121:VAL:HG21	1:A:378:ARG:HA	2.03	0.41
1:A:499:ASP:HB2	1:A:508:LEU:HD12	2.03	0.41
1:A:435:ASP:HB2	1:A:448:GLY:HA3	2.04	0.41
1:A:152:TYR:HB3	1:A:279:TRP:HZ2	1.83	0.40
1:A:221:LEU:HD23	1:A:221:LEU:HA	1.95	0.40
1:A:446:SER:C	1:A:448:GLY:H	2.25	0.40
1:A:233:ASN:OD1	1:A:243:HIS:HE1	2.03	0.40
1:A:311:SER:HB2	2:A:580:HEM:CAB	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	468/473 (99%)	448 (96%)	16 (3%)	4 (1%)	17 55

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	51	THR
1	A	433	GLU
1	A	135	VAL
1	A	450	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	411/413 (100%)	389 (95%)	22 (5%)	22	57

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	87	PHE
1	A	90	ILE
1	A	91	LEU
1	A	99	TYR
1	A	152	TYR
1	A	218	PHE
1	A	232	ILE
1	A	234	PHE
1	A	252	ARG
1	A	273	ASP
1	A	278	VAL
1	A	305	LEU
1	A	374	HIS
1	A	376	ILE
1	A	389	THR
1	A	390	SER
1	A	428	ILE
1	A	434	ASP
1	A	435	ASP
1	A	462	ARG
1	A	510	ARG
1	A	519	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	57	HIS
1	A	243	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	A	580	1,3	27,50,50	0.86	2 (7%)	17,82,82	1.40	2 (11%)
3	VT2	A	590	2	43,47,47	3.18	9 (20%)	53,67,67	3.09	13 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	580	1,3	-	1/6/54/54	-
3	VT2	A	590	2	-	9/35/38/38	0/5/5/5

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	590	VT2	CBQ-CBN	-13.99	1.39	1.52
3	A	590	VT2	NBD-NBO	-9.77	1.15	1.34
3	A	590	VT2	CAI-CAH	-5.76	1.03	1.31
3	A	590	VT2	NBA-NBC	-5.43	1.15	1.33
3	A	590	VT2	CAY-CBK	-4.66	1.39	1.50
3	A	590	VT2	NBD-NBC	-4.59	1.20	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	590	VT2	CBI-CAI	-3.30	1.38	1.47
3	A	590	VT2	CBH-CAH	-3.11	1.38	1.47
3	A	590	VT2	CAV-NBB	2.95	1.40	1.34
2	A	580	HEM	C3B-C2B	-2.49	1.36	1.40
2	A	580	HEM	C4D-C3D	2.07	1.47	1.42

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	590	VT2	CBH-CAH-CAI	13.20	177.94	125.87
3	A	590	VT2	CBI-CAI-CAH	12.76	176.21	125.87
3	A	590	VT2	CBI-CAV-NBB	-5.87	117.73	124.21
3	A	590	VT2	CAX-CBJ-CBN	-3.94	119.73	124.00
3	A	590	VT2	CAY-OBE-CBL	-3.77	108.33	117.65
3	A	590	VT2	CAO-CBI-CAV	3.67	121.15	117.09
3	A	590	VT2	CBJ-CAX-CBF	3.39	120.18	116.62
3	A	590	VT2	CAU-CBN-CBJ	3.19	120.07	116.10
3	A	590	VT2	CAO-CBI-CAI	-2.70	111.59	121.29
3	A	590	VT2	CAJ-CBF-CAX	-2.58	119.94	123.29
3	A	590	VT2	CAT-CBM-CBP	-2.54	117.06	120.96
3	A	590	VT2	CAN-CBH-CAM	2.49	121.32	117.64
2	A	580	HEM	CBA-CAA-C2A	-2.33	108.19	112.49
2	A	580	HEM	CAD-CBD-CGD	-2.22	108.95	112.67
3	A	590	VT2	CAU-CBN-CBQ	-2.06	117.93	120.82

There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	590	VT2	CBH-CAH-CAI-CBI
3	A	590	VT2	CBQ-CAZ-NBO-CAW
3	A	590	VT2	CBJ-CBN-CBQ-OAB
3	A	590	VT2	CBJ-CBN-CBQ-CAZ
3	A	590	VT2	CAI-CAH-CBH-CAM
3	A	590	VT2	CAI-CAH-CBH-CAN
2	A	580	HEM	C2D-C3D-CAD-CBD
3	A	590	VT2	CAU-CBN-CBQ-OAB
3	A	590	VT2	NBB-CBM-CBP-FAE
3	A	590	VT2	CAT-CBM-CBP-FAF


There are no ring outliers.

2 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	580	HEM	10	0
3	A	590	VT2	13	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	470/473 (99%)	0.82	76 (16%) 1 0	74, 152, 230, 288	0

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	428	ILE	12.9
1	A	429	ALA	11.9
1	A	56	PHE	10.6
1	A	436	GLU	5.9
1	A	427	ASN	5.0
1	A	390	SER	4.7
1	A	110	ASN	4.7
1	A	113	LEU	4.6
1	A	400	LEU	4.3
1	A	81	ALA	4.1
1	A	264	ALA	3.9
1	A	432	ALA	3.9
1	A	305	LEU	3.8
1	A	99	TYR	3.8
1	A	401	SER	3.8
1	A	376	ILE	3.7
1	A	206	GLN	3.5
1	A	267	GLN	3.5
1	A	387	ASP	3.5
1	A	241	LEU	3.5
1	A	83	TYR	3.4
1	A	114	ARG	3.4
1	A	433	GLU	3.4
1	A	268	ALA	3.4
1	A	285	VAL	3.4
1	A	301	MET	3.3
1	A	338	ILE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	345	LEU	3.1
1	A	273	ASP	3.1
1	A	304	LEU	3.1
1	A	97	THR	3.0
1	A	399	VAL	2.9
1	A	152	TYR	2.9
1	A	430	ALA	2.8
1	A	438	VAL	2.8
1	A	156	SER	2.7
1	A	319	ILE	2.6
1	A	116	VAL	2.6
1	A	415	ASN	2.6
1	A	141	ALA	2.5
1	A	87	PHE	2.5
1	A	485	ARG	2.5
1	A	157	ASP	2.5
1	A	391	TYR	2.5
1	A	435	ASP	2.5
1	A	98	VAL	2.4
1	A	61	PHE	2.4
1	A	402	SER	2.4
1	A	282	MET	2.4
1	A	296	GLU	2.4
1	A	242	PRO	2.4
1	A	120	GLU	2.3
1	A	308	GLY	2.3
1	A	411	GLU	2.3
1	A	50	LYS	2.3
1	A	58	TRP	2.3
1	A	454	LEU	2.3
1	A	445	VAL	2.3
1	A	375	SER	2.3
1	A	332	GLU	2.3
1	A	384	MET	2.3
1	A	94	LYS	2.2
1	A	303	ALA	2.2
1	A	230	ALA	2.2
1	A	112	LYS	2.2
1	A	380	VAL	2.2
1	A	425	ASP	2.2
1	A	93	GLY	2.2
1	A	300	MET	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	377	ILE	2.1
1	A	382	ASN	2.1
1	A	447	LYS	2.1
1	A	302	ILE	2.0
1	A	115	ASP	2.0
1	A	374	HIS	2.0
1	A	307	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	VT2	A	590	43/43	0.90	0.27	108,138,163,199	0
2	HEM	A	580	43/43	0.98	0.25	103,129,197,212	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around VT2 A 590:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HEM A 580:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.