



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 10, 2021 – 02:34 PM EDT

PDB ID : 3FSU  
Title : Crystal Structure of Escherichia coli Methylenetetrahydrofolate Reductase  
Double Mutant Phe223LeuGlu28Gln complexed with methyltetrahydrofolate  
Authors : Tanner, J.J.  
Deposited on : 2009-01-12  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.23.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	304	<div> <div>2%</div> <div>87% 7% 6%</div> </div>
1	C	304	<div> <div>82% 6% 12%</div> </div>
1	E	304	<div> <div>17%</div> <div>83% 8% 9%</div> </div>

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7097 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5,10-methylenetetrahydrofolate reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	285	Total	C	N	O	S	0	12	0
			2267	1439	396	419	13			
1	C	266	Total	C	N	O	S	0	11	0
			2097	1337	359	390	11			
1	E	278	Total	C	N	O	S	0	7	0
			2095	1334	362	387	12			

There are 30 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	28	GLN	GLU	engineered mutation	UNP P0AEZ1
A	223	LEU	PHE	engineered mutation	UNP P0AEZ1
A	297	LEU	-	expression tag	UNP P0AEZ1
A	298	GLU	-	expression tag	UNP P0AEZ1
A	299	HIS	-	expression tag	UNP P0AEZ1
A	300	HIS	-	expression tag	UNP P0AEZ1
A	301	HIS	-	expression tag	UNP P0AEZ1
A	302	HIS	-	expression tag	UNP P0AEZ1
A	303	HIS	-	expression tag	UNP P0AEZ1
A	304	HIS	-	expression tag	UNP P0AEZ1
C	28	GLN	GLU	engineered mutation	UNP P0AEZ1
C	223	LEU	PHE	engineered mutation	UNP P0AEZ1
C	297	LEU	-	expression tag	UNP P0AEZ1
C	298	GLU	-	expression tag	UNP P0AEZ1
C	299	HIS	-	expression tag	UNP P0AEZ1
C	300	HIS	-	expression tag	UNP P0AEZ1
C	301	HIS	-	expression tag	UNP P0AEZ1
C	302	HIS	-	expression tag	UNP P0AEZ1
C	303	HIS	-	expression tag	UNP P0AEZ1
C	304	HIS	-	expression tag	UNP P0AEZ1
E	28	GLN	GLU	engineered mutation	UNP P0AEZ1
E	223	LEU	PHE	engineered mutation	UNP P0AEZ1
E	297	LEU	-	expression tag	UNP P0AEZ1

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	298	GLU	-	expression tag	UNP P0AEZ1
E	299	HIS	-	expression tag	UNP P0AEZ1
E	300	HIS	-	expression tag	UNP P0AEZ1
E	301	HIS	-	expression tag	UNP P0AEZ1
E	302	HIS	-	expression tag	UNP P0AEZ1
E	303	HIS	-	expression tag	UNP P0AEZ1
E	304	HIS	-	expression tag	UNP P0AEZ1

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	E	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is 5-METHYL-5,6,7,8-TETRAHYDROFOLIC ACID (three-letter code: C2F) (formula:  $C_{20}H_{25}N_7O_6$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			33	20	7	6		
3	E	1	Total	C	N	O	0	0
			33	20	7	6		

- Molecule 4 is MESO-ERYTHRITOL (three-letter code: MRY) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			8	4	4		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	E	1	Total	O	S	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	161	Total	O	0	0
			161	161		
6	C	173	Total	O	0	0
			173	173		
6	E	66	Total	O	0	0
			66	66		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5,10-methylenetetrahydrofolate reductase



- Molecule 1: 5,10-methylenetetrahydrofolate reductase



- Molecule 1: 5,10-methylenetetrahydrofolate reductase



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	102.91Å 127.91Å 97.61Å 90.00° 121.73° 90.00°	Depositor
Resolution (Å)	43.71 – 1.70 43.71 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.8 (43.71-1.70) 99.8 (43.71-1.70)	Depositor EDS
$R_{merge}$	0.03	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.56 (at 1.70Å)	Xtriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.197 , 0.220 0.214 , 0.231	Depositor DCC
$R_{free}$ test set	5867 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.9	Xtriage
Anisotropy	0.345	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 44.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.52$ , $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.000 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7097	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.97% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: C2F, SO4, FAD, MRY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.35	0/2345	0.51	0/3175
1	C	0.35	0/2171	0.54	0/2947
1	E	0.28	0/2155	0.44	0/2933
All	All	0.33	0/6671	0.50	0/9055

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2267	0	2267	16	0
1	C	2097	0	2071	16	0
1	E	2095	0	2006	22	0
2	A	53	0	30	0	0
2	C	53	0	30	2	0
2	E	53	0	29	2	0
3	A	33	0	25	1	0
3	E	33	0	25	1	0
4	C	8	0	10	0	0
5	E	5	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	161	0	0	0	0
6	C	173	0	0	0	0
6	E	66	0	0	0	0
All	All	7097	0	6493	47	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:255:ASN:HD22	1:E:255:ASN:HD22	1.22	0.84
1:A:277:LEU:HD13	3:A:995:C2F:HG2	1.68	0.74
1:C:238:MET:HG3	1:C:252[A]:VAL:HG11	1.71	0.71
1:C:255:ASN:HD22	1:E:255:ASN:ND2	1.91	0.69
1:E:277:LEU:HD13	3:E:995:C2F:HG2	1.74	0.68
1:E:16:LEU:O	1:E:19:VAL:HG22	1.98	0.64
1:A:163:GLN:HE21	1:A:163:GLN:H	1.45	0.63
1:A:238[A]:MET:HG3	1:A:252[A]:VAL:HG11	1.81	0.62
1:C:222:LYS:O	1:C:226:MET:HG3	2.01	0.60
1:C:263:ILE:HD11	1:E:9:ARG:HD2	1.84	0.59
1:C:179:ARG:HB2	1:C:179:ARG:CZ	2.32	0.59
1:E:117:LEU:HD13	2:E:395:FAD:C4X	2.32	0.58
1:C:238:MET:HG3	1:C:252[A]:VAL:CG1	2.34	0.58
1:A:20:GLN:HG2	1:A:291:GLY:HA3	1.84	0.58
1:A:163:GLN:H	1:A:163:GLN:NE2	2.01	0.58
1:C:263:ILE:CD1	1:E:9:ARG:HD2	2.36	0.56
1:A:63:ASN:OD1	1:A:93:ASP:HB3	2.07	0.55
1:A:238[A]:MET:HG3	1:A:252[A]:VAL:CG1	2.37	0.54
1:E:45:ILE:HD13	1:E:77:ILE:HG12	1.92	0.52
1:A:104[B]:ARG:HG3	1:A:142:VAL:HG13	1.92	0.51
1:A:19:VAL:CG1	1:A:23:ILE:HG12	2.41	0.51
1:C:61:GLY:HA3	1:C:64:SER:OG	2.11	0.51
1:C:263:ILE:CD1	1:E:9:ARG:CD	2.90	0.50
1:A:218:LYS:HE3	1:A:243:ASP:CG	2.33	0.48
1:E:196:ASP:O	1:E:199:VAL:HG12	2.15	0.46
1:E:138:LEU:C	1:E:138:LEU:HD23	2.36	0.46
1:E:168:ASN:O	1:E:172:LYS:HG3	2.16	0.45
1:E:209:PRO:HD2	1:E:271:ASP:O	2.16	0.45
2:C:395:FAD:H9	2:C:395:FAD:H1'2	1.72	0.45
1:A:104[B]:ARG:HG3	1:A:142:VAL:CG1	2.47	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:VAL:HG13	1:A:23:ILE:HG12	2.00	0.44
1:C:263:ILE:HD11	1:E:9:ARG:CD	2.47	0.44
1:E:221:LYS:HA	1:E:231[A]:ILE:HD11	1.98	0.44
1:A:209:PRO:HD2	1:A:271:ASP:O	2.18	0.44
1:E:153:PRO:HA	1:E:194:PHE:CG	2.53	0.43
1:E:117:LEU:HD13	2:E:395:FAD:N5	2.33	0.43
1:E:163:GLN:NE2	1:E:163:GLN:HA	2.34	0.43
1:C:263:ILE:HD12	1:E:9:ARG:CD	2.49	0.42
1:C:251:LEU:HD23	1:E:251:LEU:HD23	2.02	0.42
1:A:163:GLN:NE2	1:A:163:GLN:N	2.67	0.42
1:C:132:ALA:HB3	1:C:172:LYS:HD3	2.01	0.42
1:A:92:ILE:HB	1:A:118[A]:ARG:HD2	2.02	0.42
2:C:395:FAD:O5'	2:C:395:FAD:H2'	2.20	0.42
1:C:263:ILE:HD12	1:E:9:ARG:HD3	2.01	0.42
1:C:96:PRO:O	1:C:100[A]:ARG:HG3	2.20	0.41
1:A:167:LEU:HD23	1:A:167:LEU:HA	1.90	0.40
1:E:145:PHE:HB2	1:E:147:ILE:HD11	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	293/304 (96%)	289 (99%)	3 (1%)	1 (0%)	41	24
1	C	273/304 (90%)	269 (98%)	3 (1%)	1 (0%)	34	18
1	E	279/304 (92%)	273 (98%)	5 (2%)	1 (0%)	34	18
All	All	845/912 (93%)	831 (98%)	11 (1%)	3 (0%)	34	18

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	155	VAL
1	C	155	VAL
1	E	155	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	244/258 (95%)	240 (98%)	4 (2%)	62	48
1	C	223/258 (86%)	220 (99%)	3 (1%)	69	56
1	E	210/258 (81%)	209 (100%)	1 (0%)	88	83
All	All	677/774 (88%)	669 (99%)	8 (1%)	73	59

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	163	GLN
1	A	206	GLU
1	A	259[A]	ASP
1	A	259[B]	ASP
1	C	118	ARG
1	C	121	LEU
1	C	259	ASP
1	E	146	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	GLN
1	A	28	GLN
1	A	163	GLN
1	A	228	ASN
1	C	28	GLN
1	E	14	GLN
1	E	20	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	28	GLN
1	E	163	GLN
1	E	228	ASN
1	E	255	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	C2F	E	995	-	27,35,35	5.77	17 (62%)	27,49,49	2.26	7 (25%)
3	C2F	A	995	-	27,35,35	5.50	16 (59%)	27,49,49	2.22	10 (37%)
5	SO4	E	305	-	4,4,4	0.14	0	6,6,6	0.11	0
2	FAD	E	395	-	51,58,58	4.59	36 (70%)	60,89,89	2.32	19 (31%)
2	FAD	A	395	-	51,58,58	3.89	27 (52%)	60,89,89	2.49	16 (26%)
4	MRY	C	5320	-	7,7,7	0.87	0	8,8,8	1.28	2 (25%)
2	FAD	C	395	-	51,58,58	3.85	30 (58%)	60,89,89	2.36	15 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	C2F	E	995	-	-	3/16/35/35	0/3/3/3
3	C2F	A	995	-	-	2/16/35/35	0/3/3/3
2	FAD	E	395	-	-	2/30/50/50	0/6/6/6
2	FAD	A	395	-	-	4/30/50/50	0/6/6/6
4	MRY	C	5320	-	-	1/8/8/8	-
2	FAD	C	395	-	-	3/30/50/50	0/6/6/6

All (126) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	395	FAD	O2'-C2'	-13.07	1.15	1.43
2	A	395	FAD	O2'-C2'	-12.89	1.16	1.43
2	C	395	FAD	O2'-C2'	-11.08	1.19	1.43
2	E	395	FAD	C2A-N3A	10.54	1.49	1.32
3	E	995	C2F	C16-C15	9.50	1.55	1.39
2	C	395	FAD	C4X-C10	9.27	1.48	1.38
3	A	995	C2F	C16-C15	9.17	1.54	1.39
3	E	995	C2F	C13-C12	9.12	1.54	1.39
2	E	395	FAD	C4X-C10	8.96	1.47	1.38
3	E	995	C2F	C17-C12	8.95	1.54	1.39
3	E	995	C2F	C4-C4A	8.85	1.53	1.41
3	A	995	C2F	C13-C12	8.61	1.54	1.39
2	A	395	FAD	C2A-N3A	8.58	1.45	1.32
3	E	995	C2F	C14-C15	8.57	1.53	1.39
3	E	995	C2F	C14-C13	8.48	1.54	1.38
3	A	995	C2F	C4-C4A	8.36	1.52	1.41
2	E	395	FAD	C2A-N1A	8.32	1.49	1.33
3	A	995	C2F	C17-C12	8.31	1.53	1.39
2	C	395	FAD	C2A-N3A	8.30	1.45	1.32
3	A	995	C2F	C14-C15	8.27	1.53	1.39
3	E	995	C2F	C2-N3	8.18	1.49	1.35
3	A	995	C2F	C14-C13	8.14	1.53	1.38
2	E	395	FAD	C4A-N3A	8.00	1.46	1.35
3	E	995	C2F	C17-C16	7.97	1.53	1.38
3	E	995	C2F	C2-N1	7.84	1.49	1.35
3	A	995	C2F	C2-N3	7.77	1.49	1.35
3	A	995	C2F	C17-C16	7.70	1.52	1.38
2	E	395	FAD	C4X-N5	7.61	1.44	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	995	C2F	C2-N1	7.56	1.48	1.35
2	A	395	FAD	C2A-N1A	7.46	1.47	1.33
3	E	995	C2F	C8A-N1	7.46	1.48	1.34
2	A	395	FAD	C4X-C10	7.46	1.46	1.38
3	A	995	C2F	C8A-N1	7.26	1.48	1.34
2	C	395	FAD	C2A-N1A	7.21	1.47	1.33
2	E	395	FAD	C10-N1	6.80	1.42	1.33
3	E	995	C2F	C4-N3	6.78	1.44	1.33
2	E	395	FAD	C6-C5X	6.61	1.52	1.41
2	E	395	FAD	C1'-N10	-6.50	1.41	1.48
2	C	395	FAD	C4X-N5	6.32	1.42	1.33
3	E	995	C2F	O4-C4	6.26	1.40	1.24
3	A	995	C2F	C4-N3	6.16	1.43	1.33
2	E	395	FAD	C8A-N7A	6.02	1.45	1.34
2	E	395	FAD	C4-N3	6.01	1.43	1.33
3	A	995	C2F	O4-C4	5.82	1.39	1.24
2	A	395	FAD	C4A-N3A	5.81	1.43	1.35
3	E	995	C2F	C2-NA2	5.72	1.45	1.33
2	C	395	FAD	C1'-N10	-5.67	1.42	1.48
3	A	995	C2F	C2-NA2	5.55	1.45	1.33
2	A	395	FAD	C4X-N5	5.39	1.41	1.33
2	C	395	FAD	C4A-N3A	5.34	1.43	1.35
3	E	995	C2F	C-N	5.29	1.45	1.34
2	E	395	FAD	C9-C9A	5.26	1.51	1.40
2	E	395	FAD	C9-C8	5.25	1.51	1.37
3	A	995	C2F	C-N	5.17	1.45	1.34
2	C	395	FAD	C9-C9A	5.10	1.50	1.40
2	A	395	FAD	C9-C9A	5.07	1.50	1.40
2	A	395	FAD	C6-C5X	5.07	1.49	1.41
2	A	395	FAD	C8-C7	4.80	1.52	1.40
2	A	395	FAD	C8A-N7A	4.80	1.43	1.34
2	C	395	FAD	C9-C8	4.78	1.49	1.37
2	E	395	FAD	C8-C7	4.74	1.52	1.40
2	C	395	FAD	C4-N3	4.69	1.41	1.33
2	E	395	FAD	C2-N1	4.68	1.47	1.38
2	C	395	FAD	C8-C7	4.60	1.52	1.40
2	C	395	FAD	C6-C5X	4.58	1.49	1.41
2	C	395	FAD	C10-N1	4.56	1.39	1.33
2	A	395	FAD	C4-N3	4.51	1.40	1.33
2	E	395	FAD	O4-C4	4.49	1.35	1.24
2	C	395	FAD	C8A-N7A	4.43	1.42	1.34
2	A	395	FAD	C6-C7	4.40	1.48	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	395	FAD	C6-C7	4.36	1.48	1.37
2	A	395	FAD	C10-N1	4.34	1.38	1.33
2	C	395	FAD	C6-C7	4.34	1.48	1.37
2	A	395	FAD	C1'-N10	-4.33	1.43	1.48
2	A	395	FAD	PA-O2A	-4.29	1.35	1.55
2	A	395	FAD	C5X-N5	4.24	1.42	1.35
2	E	395	FAD	C9A-N10	4.14	1.44	1.38
2	A	395	FAD	C9-C8	4.09	1.48	1.37
2	E	395	FAD	C5X-N5	3.95	1.41	1.35
2	A	395	FAD	O4-C4	3.89	1.34	1.24
2	E	395	FAD	C9A-C5X	3.84	1.50	1.42
2	C	395	FAD	C2-N1	3.74	1.45	1.38
2	E	395	FAD	C2-N3	3.72	1.45	1.38
2	A	395	FAD	C9A-C5X	3.64	1.49	1.42
2	E	395	FAD	P-O2P	-3.55	1.38	1.55
2	C	395	FAD	PA-O2A	-3.51	1.38	1.55
2	A	395	FAD	C2-N1	3.49	1.45	1.38
2	A	395	FAD	P-O2P	-3.43	1.39	1.55
2	C	395	FAD	P-O2P	-3.39	1.39	1.55
2	C	395	FAD	C5X-N5	3.28	1.40	1.35
2	C	395	FAD	O4-C4	3.21	1.32	1.24
2	C	395	FAD	C4-C4X	3.16	1.46	1.41
2	E	395	FAD	O4B-C1B	3.16	1.45	1.41
2	C	395	FAD	C2-N3	3.15	1.44	1.38
2	C	395	FAD	C9A-C5X	3.10	1.48	1.42
2	A	395	FAD	C4-C4X	3.09	1.46	1.41
3	A	995	C2F	C7-C6	3.06	1.55	1.52
2	A	395	FAD	O4'-C4'	-3.02	1.37	1.43
2	E	395	FAD	PA-O2A	-3.02	1.41	1.55
2	E	395	FAD	C4-C4X	2.77	1.46	1.41
2	E	395	FAD	C6A-N6A	2.76	1.44	1.34
2	A	395	FAD	C6A-N6A	2.70	1.43	1.34
2	E	395	FAD	O3B-C3B	-2.67	1.36	1.43
2	A	395	FAD	C2-N3	2.64	1.43	1.38
2	C	395	FAD	O4'-C4'	-2.60	1.37	1.43
2	A	395	FAD	O5B-C5B	-2.58	1.34	1.44
2	E	395	FAD	C5'-C4'	2.54	1.55	1.51
2	C	395	FAD	P-O1P	2.52	1.59	1.50
2	C	395	FAD	C6A-N6A	2.51	1.43	1.34
2	E	395	FAD	O4'-C4'	-2.50	1.38	1.43
3	E	995	C2F	C7-C6	2.46	1.55	1.52
2	E	395	FAD	PA-O1A	2.44	1.59	1.50

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	995	C2F	C4A-C8A	2.35	1.45	1.41
3	A	995	C2F	O-C	-2.28	1.18	1.23
2	E	395	FAD	C5A-C4A	2.27	1.46	1.40
2	A	395	FAD	O5'-C5'	-2.26	1.36	1.44
3	E	995	C2F	C15-N10	2.25	1.45	1.38
2	C	395	FAD	O2B-C2B	-2.25	1.37	1.43
2	E	395	FAD	O3'-C3'	-2.19	1.37	1.43
2	E	395	FAD	C2'-C3'	-2.16	1.49	1.53
2	E	395	FAD	O2B-C2B	-2.13	1.38	1.43
2	E	395	FAD	O5B-C5B	-2.11	1.36	1.44
2	C	395	FAD	O5'-C5'	-2.10	1.36	1.44
2	C	395	FAD	C9A-N10	2.07	1.41	1.38
2	C	395	FAD	O5B-C5B	-2.03	1.36	1.44
2	E	395	FAD	O5'-C5'	-2.00	1.37	1.44

All (69) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	395	FAD	C4-N3-C2	9.34	123.03	115.14
2	C	395	FAD	C4-N3-C2	8.93	122.68	115.14
2	E	395	FAD	N3A-C2A-N1A	-7.55	116.88	128.68
2	A	395	FAD	C1'-N10-C9A	7.40	124.12	118.29
3	E	995	C2F	C4-C4A-C8A	6.67	119.65	114.44
2	C	395	FAD	C5X-C9A-N10	6.36	122.32	117.72
2	A	395	FAD	C5X-C9A-N10	6.15	122.17	117.72
3	A	995	C2F	C4-C4A-C8A	6.08	119.19	114.44
2	E	395	FAD	C1'-N10-C9A	5.67	122.75	118.29
2	A	395	FAD	N3A-C2A-N1A	-5.61	119.90	128.68
2	C	395	FAD	N3A-C2A-N1A	-5.49	120.10	128.68
2	E	395	FAD	C4-N3-C2	5.41	119.71	115.14
2	C	395	FAD	C1'-N10-C10	5.21	123.08	118.41
3	E	995	C2F	C11-N5-C4A	5.04	120.15	113.30
2	A	395	FAD	C4X-C4-N3	-4.96	116.65	123.43
2	A	395	FAD	C9A-N10-C10	-4.61	115.87	121.91
2	E	395	FAD	C9A-N10-C10	-4.49	116.03	121.91
2	C	395	FAD	C4X-C4-N3	-4.45	117.35	123.43
2	E	395	FAD	C5X-C9A-N10	4.36	120.88	117.72
2	C	395	FAD	O2'-C2'-C3'	4.27	119.49	109.10
2	E	395	FAD	C7-C6-C5X	-4.22	115.25	121.22
2	E	395	FAD	C6-C5X-N5	-4.01	114.64	119.05
2	E	395	FAD	C4X-C4-N3	-4.00	117.96	123.43
3	A	995	C2F	N3-C2-N1	-3.96	119.21	125.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	395	FAD	C7-C6-C5X	-3.62	116.10	121.22
3	E	995	C2F	N3-C2-N1	-3.54	119.87	125.42
2	C	395	FAD	C6-C5X-C9A	3.53	123.68	119.05
2	C	395	FAD	O3'-C3'-C2'	3.52	117.32	108.81
2	A	395	FAD	O4B-C1B-C2B	-3.42	101.92	106.93
3	A	995	C2F	CA-N-C	-3.36	118.00	122.34
2	C	395	FAD	C9A-N10-C10	-3.17	117.76	121.91
2	E	395	FAD	C1'-N10-C10	3.08	121.17	118.41
2	C	395	FAD	C7-C6-C5X	-3.07	116.88	121.22
3	E	995	C2F	C4-N3-C2	3.04	120.76	115.93
2	A	395	FAD	C6-C5X-C9A	3.02	123.02	119.05
2	C	395	FAD	C6-C5X-N5	-3.01	115.74	119.05
2	C	395	FAD	C10-C4X-N5	2.99	123.33	121.26
2	C	395	FAD	C1B-N9A-C4A	-2.96	121.44	126.64
2	A	395	FAD	C6-C5X-N5	-2.93	115.82	119.05
2	E	395	FAD	C2A-N1A-C6A	2.83	123.59	118.75
2	E	395	FAD	O4B-C1B-C2B	-2.79	102.86	106.93
3	A	995	C2F	C4-N3-C2	2.76	120.31	115.93
3	A	995	C2F	C6-C9-N10	-2.76	105.05	112.23
2	E	395	FAD	C7M-C7-C6	-2.75	113.77	120.34
2	A	395	FAD	C10-C4X-N5	2.74	123.15	121.26
2	A	395	FAD	C2A-N1A-C6A	2.68	123.34	118.75
3	A	995	C2F	C2-N1-C8A	2.63	120.44	114.54
2	A	395	FAD	N6A-C6A-N1A	2.56	123.90	118.57
3	E	995	C2F	C6-C9-N10	-2.50	105.72	112.23
2	A	395	FAD	O2'-C2'-C3'	2.45	115.05	109.10
2	E	395	FAD	C6-C5X-C9A	2.42	122.22	119.05
3	A	995	C2F	NA2-C2-N1	2.40	120.99	117.25
2	C	395	FAD	C1'-C2'-C3'	-2.38	103.13	109.79
4	C	5320	MRY	CAA-CAC-CAE	-2.35	108.01	113.11
3	E	995	C2F	NA2-C2-N3	2.35	120.91	117.25
3	A	995	C2F	C16-C15-C14	2.32	122.20	119.03
2	E	395	FAD	C2B-C3B-C4B	2.29	107.09	102.64
3	A	995	C2F	C17-C12-C13	2.28	121.84	118.59
2	E	395	FAD	C4-C4X-N5	-2.27	116.00	118.60
2	E	395	FAD	C6-C7-C8	2.24	123.68	119.91
2	E	395	FAD	O4'-C4'-C5'	-2.18	105.02	109.92
2	A	395	FAD	O3'-C3'-C4'	2.17	114.06	108.81
2	A	395	FAD	C3B-C2B-C1B	-2.17	97.72	100.98
3	A	995	C2F	C11-N5-C4A	2.16	116.23	113.30
2	C	395	FAD	O5'-C5'-C4'	2.14	115.08	109.36
3	E	995	C2F	C2-N1-C8A	2.14	119.34	114.54

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	395	FAD	C10-C4X-N5	2.07	122.69	121.26
2	E	395	FAD	C4-C4X-C10	2.05	121.31	119.95
4	C	5320	MRY	OAF-CAE-CAC	-2.01	105.59	109.72

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	395	FAD	C5B-O5B-PA-O1A
3	A	995	C2F	N-CA-CB-CG
3	A	995	C2F	CT-CA-CB-CG
3	E	995	C2F	N-CA-CB-CG
3	E	995	C2F	CT-CA-CB-CG
2	A	395	FAD	P-O3P-PA-O1A
2	A	395	FAD	C5B-O5B-PA-O3P
2	C	395	FAD	C5B-O5B-PA-O3P
2	E	395	FAD	PA-O3P-P-O2P
2	C	395	FAD	P-O3P-PA-O1A
4	C	5320	MRY	OAD-CAC-CAE-OAF
2	A	395	FAD	P-O3P-PA-O2A
3	E	995	C2F	CA-CB-CG-CD
2	C	395	FAD	C5B-O5B-PA-O1A
2	E	395	FAD	C5B-O5B-PA-O1A



There are no ring outliers.


4 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	995	C2F	1	0
3	A	995	C2F	1	0
2	E	395	FAD	2	0
2	C	395	FAD	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	285/304 (93%)	-0.04	7 (2%) 57 61	14, 24, 43, 60	0
1	C	266/304 (87%)	-0.19	1 (0%) 92 93	14, 21, 37, 60	0
1	E	278/304 (91%)	1.03	53 (19%) 1 1	18, 40, 113, 245	0
All	All	829/912 (90%)	0.27	61 (7%) 14 16	14, 26, 67, 245	0

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	145	PHE	5.9
1	E	102	ILE	5.8
1	E	92	ILE	5.7
1	E	3	PHE	5.3
1	A	63	ASN	5.2
1	E	136	VAL	5.0
1	E	121	LEU	4.8
1	E	111	ILE	4.7
1	E	106	TYR	4.6
1	E	91	CYS	4.4
1	A	62	ALA	4.2
1	E	94	ALA	4.0
1	E	109	ASN	3.8
1	E	107	TRP	3.7
1	E	99	LEU	3.6
1	E	138	LEU	3.6
1	E	162	ALA	3.4
1	E	19	VAL	3.3
1	E	110	GLY	3.3
1	E	166	LEU	3.3
1	E	114	ILE	3.2
1	E	130	MET	3.2
1	E	103	ALA	3.2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	140	LYS	3.2
1	A	92	ILE	3.1
1	E	108	ASN	3.1
1	E	137	THR	3.0
1	E	21	GLY	3.0
1	E	122	PRO	2.9
1	E	105	ASP	2.9
1	E	169	LEU	2.9
1	E	143	ALA	2.8
1	C	121	LEU	2.8
1	E	142	VAL	2.7
1	E	83	LEU	2.7
1	E	104	ARG	2.7
1	E	131	TYR	2.7
1	E	120	ASP	2.6
1	E	159	ALA	2.6
1	E	82	GLY	2.6
1	A	107	TRP	2.4
1	E	167	LEU	2.3
1	E	147	ILE	2.3
1	A	120	ASP	2.3
1	E	71	HIS	2.3
1	E	135	LEU	2.3
1	E	85	ALA	2.2
1	E	204	ASP	2.2
1	E	198	CYS	2.2
1	E	75	LYS	2.2
1	E	139	LEU	2.2
1	E	46	ASP	2.2
1	E	70	THR	2.1
1	E	161	SER	2.1
1	E	79	ASP	2.1
1	E	263	ILE	2.1
1	A	21	GLY	2.1
1	E	73	ILE	2.0
1	E	77	ILE	2.0
1	E	81	THR	2.0
1	A	3	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	C2F	E	995	33/33	0.83	0.17	32,38,60,63	0
5	SO4	E	305	5/5	0.85	0.16	48,50,62,66	0
2	FAD	E	395	53/53	0.86	0.14	23,35,58,90	0
3	C2F	A	995	33/33	0.91	0.11	21,25,52,55	0
4	MRY	C	5320	8/8	0.92	0.08	20,26,28,29	0
2	FAD	A	395	53/53	0.96	0.08	13,19,37,44	0
2	FAD	C	395	53/53	0.97	0.08	12,19,36,39	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around C2F E 995:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around FAD E 395:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around C2F A 995:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around FAD A 395:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.