



Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 09:55 pm BST

PDB ID : 1G8O
Title : CRYSTALLOGRAPHIC STRUCTURE OF THE NATIVE BOVINE ALPH
A-1,3-GALACTOSYLTRANSFERASE CATALYTIC DOMAIN
Authors : Gastinel, L.N.; Bigon, C.; Misra, A.K.; Hindsgaul, O.; Shaper, J.H.; Joziase, D.H.
Deposited on : 2000-11-20
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	310	<div> <div>10%</div> <div>60%</div> <div>25%</div> <div>6% • 7%</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2539 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called N-ACETYLLACTOSAMINIDE ALPHA-1,3-GALACTOSYL TRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	287	Total	C	N	O	S	0	0	0
			2387	1559	394	422	12			


There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	59	MET	-	CLONING ARTIFACT	UNP P14769
A	60	GLY	-	CLONING ARTIFACT	UNP P14769
A	61	SER	-	CLONING ARTIFACT	UNP P14769
A	62	SER	-	CLONING ARTIFACT	UNP P14769
A	63	HIS	-	CLONING ARTIFACT	UNP P14769
A	64	HIS	-	CLONING ARTIFACT	UNP P14769
A	65	HIS	-	CLONING ARTIFACT	UNP P14769
A	66	HIS	-	CLONING ARTIFACT	UNP P14769
A	67	HIS	-	CLONING ARTIFACT	UNP P14769
A	68	HIS	-	CLONING ARTIFACT	UNP P14769
A	69	SER	-	CLONING ARTIFACT	UNP P14769
A	70	SER	-	CLONING ARTIFACT	UNP P14769
A	71	GLY	-	CLONING ARTIFACT	UNP P14769
A	72	LEU	-	CLONING ARTIFACT	UNP P14769
A	73	VAL	-	CLONING ARTIFACT	UNP P14769
A	74	PRO	-	CLONING ARTIFACT	UNP P14769
A	75	ARG	-	CLONING ARTIFACT	UNP P14769
A	76	GLY	-	CLONING ARTIFACT	UNP P14769
A	77	SER	-	CLONING ARTIFACT	UNP P14769
A	78	HIS	-	CLONING ARTIFACT	UNP P14769
A	79	MET	-	CLONING ARTIFACT	UNP P14769

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mn	0	0
			1	1		

- Molecule 3 is URIDINE-5'-MONOPHOSPHATE (three-letter code: U5P) (formula: $C_9H_{13}N_2O_9P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			21	9	2	9	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	130	Total	O	0	0
			130	130		

● Molecule 1: N-ACETYLLACTOSAMINIDE ALPHA-1,3-GALACTOSYLTRANSFERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	95.56 Å 95.56 Å 112.71 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	2.44 – 2.30 29.53 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.7 (2.44-2.30) 96.4 (29.53-2.00)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.73 (at 2.00 Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.274 , 0.335 0.206 , 0.244	Depositor DCC
R_{free} test set	2354 reflections (6.81%)	wwPDB-VP
Wilson B-factor (Å ²)	43.3	Xtriage
Anisotropy	0.077	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 48.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	2539	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MN, U5P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.82	2/2460 (0.1%)	0.88	6/3334 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	361	TYR	CZ-OH	7.96	1.51	1.37
1	A	360	GLU	CD-OE1	6.44	1.32	1.25

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	361	TYR	N-CA-C	-8.15	89.00	111.00
1	A	362	ASN	N-CA-C	-6.53	93.37	111.00
1	A	361	TYR	O-C-N	6.33	132.82	122.70
1	A	358	THR	C-N-CA	-5.60	107.71	121.70
1	A	361	TYR	CA-C-N	-5.33	105.48	117.20
1	A	82	LYS	N-CA-C	5.23	125.13	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	361	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2387	0	2337	106	0
2	A	1	0	0	0	0
3	A	21	0	11	5	0
4	A	130	0	0	10	1
All	All	2539	0	2348	106	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:TRP:HB3	4:A:592:HOH:O	1.56	1.03
1:A:152:ASN:HD21	1:A:179:GLY:H	1.02	1.00
1:A:261:GLU:OE2	1:A:263:ARG:HD3	1.67	0.95
1:A:128:THR:HG23	1:A:218:VAL:HA	1.55	0.88
1:A:209:HIS:HD2	1:A:213:HIS:HE1	1.24	0.86
1:A:256:ASN:ND2	1:A:272:PHE:O	2.08	0.86
1:A:96:GLU:OE2	1:A:97:VAL:HG13	1.76	0.84
1:A:358:THR:HG22	1:A:359:LYS:H	1.44	0.82
1:A:364:VAL:HG13	1:A:366:ASN:OD1	1.81	0.81
1:A:360:GLU:HB2	3:A:474:U5P:P	2.23	0.78
1:A:195:TRP:CE3	1:A:360:GLU:HG3	2.18	0.78
1:A:152:ASN:ND2	1:A:179:GLY:H	1.82	0.75
1:A:347:ALA:O	1:A:350:LYS:HE2	1.86	0.74
1:A:94:ARG:HH21	1:A:350:LYS:HE3	1.52	0.74
1:A:138:ARG:NH1	1:A:138:ARG:H	1.87	0.73
1:A:182:ARG:NE	4:A:597:HOH:O	2.19	0.71
1:A:209:HIS:CD2	1:A:213:HIS:HE1	2.09	0.70
1:A:358:THR:O	1:A:359:LYS:CB	2.36	0.70
1:A:94:ARG:CZ	4:A:592:HOH:O	2.40	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:THR:CG2	1:A:218:VAL:HA	2.23	0.69
1:A:94:ARG:NH2	1:A:350:LYS:HE3	2.08	0.68
1:A:218:VAL:HG12	4:A:574:HOH:O	1.94	0.67
1:A:254:ASP:HB2	1:A:255:PRO:HD2	1.78	0.65
1:A:358:THR:HG22	1:A:359:LYS:N	2.10	0.65
1:A:283:ILE:HD11	1:A:354:MET:HE2	1.79	0.65
1:A:217:GLU:O	4:A:574:HOH:O	2.14	0.64
1:A:283:ILE:HD11	1:A:354:MET:CE	2.27	0.64
1:A:200:MET:HB3	1:A:302:ILE:HD13	1.81	0.63
1:A:314:TRP:CE2	1:A:363:VAL:HG22	2.34	0.63
1:A:360:GLU:CA	1:A:360:GLU:OE1	2.45	0.63
1:A:259:THR:OG1	1:A:363:VAL:HG11	1.99	0.63
1:A:213:HIS:HD2	1:A:217:GLU:OE1	1.82	0.62
1:A:90:ASN:C	1:A:90:ASN:HD22	2.02	0.61
1:A:114:ASN:OD1	1:A:117:VAL:HG23	2.00	0.61
1:A:247:GLN:NE2	1:A:249:TRP:H	1.99	0.61
1:A:360:GLU:HB2	3:A:474:U5P:O2P	2.00	0.61
1:A:247:GLN:HE22	1:A:249:TRP:H	1.49	0.60
1:A:314:TRP:CD2	1:A:363:VAL:HG22	2.37	0.60
1:A:360:GLU:O	1:A:361:TYR:CG	2.57	0.58
1:A:196:GLN:O	1:A:200:MET:HG3	2.04	0.57
1:A:201:MET:HE1	1:A:204:LYS:HZ3	1.69	0.57
1:A:357:GLN:O	4:A:585:HOH:O	2.18	0.56
1:A:201:MET:CE	1:A:204:LYS:NZ	2.70	0.55
1:A:114:ASN:OD1	1:A:117:VAL:CG2	2.55	0.55
1:A:81:SER:O	1:A:83:LEU:N	2.39	0.55
1:A:90:ASN:ND2	1:A:90:ASN:C	2.60	0.54
1:A:201:MET:CE	1:A:204:LYS:HZ3	2.20	0.54
1:A:209:HIS:HD2	1:A:213:HIS:CE1	2.14	0.53
1:A:247:GLN:HE22	1:A:249:TRP:HB2	1.73	0.53
1:A:210:ILE:HA	1:A:214:ILE:HB	1.91	0.53
1:A:360:GLU:C	1:A:360:GLU:OE1	2.48	0.52
1:A:346:PRO:HG2	1:A:349:ILE:HG12	1.92	0.52
1:A:195:TRP:CZ3	1:A:360:GLU:HG3	2.44	0.52
1:A:337:TYR:O	1:A:354:MET:HB3	2.10	0.51
1:A:83:LEU:HB2	1:A:121:TYR:CZ	2.46	0.51
1:A:136:VAL:HG21	1:A:198:ILE:HD13	1.93	0.51
1:A:110:GLU:HA	1:A:110:GLU:OE2	2.10	0.51
1:A:247:GLN:HA	1:A:280:HIS:HB2	1.94	0.50
1:A:104:LYS:HD2	1:A:104:LYS:N	2.26	0.49
1:A:136:VAL:CG2	1:A:198:ILE:HD13	2.43	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:247:GLN:NE2	1:A:249:TRP:N	2.60	0.49
1:A:103:TRP:CE2	1:A:328:LYS:HB3	2.48	0.49
1:A:173:MET:HG3	1:A:173:MET:O	2.12	0.49
1:A:181:LEU:C	1:A:182:ARG:HH11	2.16	0.49
1:A:241:GLU:O	1:A:290:GLN:HG3	2.13	0.49
1:A:339:TRP:O	1:A:355:SER:HA	2.14	0.47
1:A:89:PHE:HE1	1:A:112:THR:HG1	1.62	0.47
1:A:165:ILE:HD12	1:A:184:PHE:CD1	2.50	0.46
1:A:255:PRO:HA	1:A:258:PHE:CD1	2.50	0.46
1:A:247:GLN:HE21	1:A:247:GLN:C	2.18	0.46
1:A:264:LYS:HA	1:A:269:TYR:CG	2.51	0.46
1:A:90:ASN:ND2	1:A:92:PHE:H	2.13	0.46
1:A:303:LEU:HD23	1:A:303:LEU:HA	1.78	0.46
1:A:364:VAL:CG2	1:A:365:ARG:N	2.79	0.46
1:A:82:LYS:NZ	1:A:82:LYS:HA	2.31	0.46
1:A:360:GLU:HB3	1:A:361:TYR:H	1.31	0.45
1:A:233:LYS:HG2	4:A:595:HOH:O	2.16	0.45
1:A:125:GLN:HB3	1:A:125:GLN:HE21	1.40	0.45
1:A:247:GLN:HE22	1:A:249:TRP:N	2.11	0.45
1:A:294:ILE:HG12	1:A:323:TYR:CE1	2.52	0.44
1:A:141:GLU:H	1:A:141:GLU:CD	2.21	0.44
1:A:182:ARG:NH2	4:A:597:HOH:O	2.51	0.43
1:A:254:ASP:CB	1:A:255:PRO:HD2	2.42	0.43
1:A:314:TRP:CG	1:A:363:VAL:HG22	2.53	0.43
1:A:360:GLU:O	1:A:361:TYR:CD2	2.70	0.43
1:A:343:ILE:HG22	1:A:343:ILE:O	2.16	0.43
1:A:283:ILE:HD11	1:A:354:MET:HE3	1.98	0.43
1:A:317:GLU:OE1	1:A:363:VAL:HG23	2.19	0.43
1:A:136:VAL:HG22	3:A:474:U5P:C2	2.49	0.43
1:A:115:ARG:HD3	1:A:237:GLU:OE2	2.20	0.42
1:A:356:TRP:CD1	1:A:356:TRP:N	2.88	0.42
1:A:144:LEU:HD22	1:A:148:LEU:HG	2.01	0.41
1:A:304:LYS:O	1:A:307:LYS:HB3	2.20	0.41
1:A:364:VAL:HG22	1:A:366:ASN:N	2.34	0.41
1:A:226:VAL:HG12	3:A:474:U5P:H2'	2.02	0.41
1:A:115:ARG:NH2	4:A:514:HOH:O	2.51	0.41
1:A:200:MET:SD	1:A:315:HIS:HB3	2.60	0.41
1:A:94:ARG:HA	1:A:94:ARG:HD2	1.79	0.41
1:A:362:ASN:ND2	4:A:543:HOH:O	2.33	0.41
1:A:136:VAL:HG22	3:A:474:U5P:N3	2.36	0.40
1:A:181:LEU:HB2	1:A:182:ARG:NH1	2.36	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:144:LEU:HA	1:A:144:LEU:HD23	1.90	0.40
1:A:209:HIS:CD2	1:A:213:HIS:CE1	2.99	0.40
1:A:240:GLY:O	1:A:286:GLY:HA2	2.22	0.40
1:A:350:LYS:HA	1:A:350:LYS:HD3	1.79	0.40
1:A:283:ILE:CD1	1:A:354:MET:CE	2.98	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:593:HOH:O	4:A:593:HOH:O[8_665]	1.83	0.37

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	285/310 (92%)	268 (94%)	14 (5%)	3 (1%)	14 15

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	82	LYS
1	A	359	LYS
1	A	255	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	257/278 (92%)	235 (91%)	22 (9%)	10	12

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	82	LYS
1	A	90	ASN
1	A	94	ARG
1	A	96	GLU
1	A	104	LYS
1	A	114	ASN
1	A	125	GLN
1	A	127	ILE
1	A	131	LEU
1	A	138	ARG
1	A	144	LEU
1	A	166	MET
1	A	173	MET
1	A	182	ARG
1	A	201	MET
1	A	247	GLN
1	A	309	ASP
1	A	325	LEU
1	A	350	LYS
1	A	360	GLU
1	A	361	TYR
1	A	364	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	ASN
1	A	125	GLN
1	A	152	ASN
1	A	209	HIS
1	A	213	HIS
1	A	228	GLN
1	A	247	GLN
1	A	296	GLN
1	A	315	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	357	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	U5P	A	474	-	18,22,22	2.12	4 (22%)	21,33,33	1.86	4 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	U5P	A	474	-	-	2/8/26/26	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	474	U5P	C6-N1	5.34	1.42	1.35
3	A	474	U5P	C4-N3	4.71	1.41	1.33
3	A	474	U5P	P-O3P	3.33	1.67	1.54
3	A	474	U5P	C6-C5	-2.74	1.32	1.38

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	474	U5P	O5'-P-O1P	4.40	118.83	106.47
3	A	474	U5P	C5-C4-N3	-4.15	114.17	123.31
3	A	474	U5P	O3'-C3'-C4'	2.25	117.56	111.05
3	A	474	U5P	O3P-P-O5'	-2.07	101.22	106.73

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	474	U5P	O4'-C4'-C5'-O5'
3	A	474	U5P	C3'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	474	U5P	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	287/310 (92%)	0.34	30 (10%) 6 8	28, 48, 83, 90	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	359	LYS	6.8
1	A	366	ASN	6.7
1	A	363	VAL	5.5
1	A	358	THR	5.2
1	A	283	ILE	4.8
1	A	367	ASN	4.6
1	A	365	ARG	4.2
1	A	361	TYR	4.2
1	A	81	SER	4.0
1	A	282	ALA	3.7
1	A	224	MET	3.6
1	A	281	ALA	3.5
1	A	360	GLU	3.2
1	A	195	TRP	3.0
1	A	284	PHE	2.9
1	A	364	VAL	2.9
1	A	244	ALA	2.9
1	A	307	LYS	2.9
1	A	347	ALA	2.9
1	A	223	CYS	2.8
1	A	362	ASN	2.8
1	A	222	PHE	2.8
1	A	333	LEU	2.7
1	A	345	LEU	2.7
1	A	82	LYS	2.7
1	A	342	HIS	2.4
1	A	92	PHE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	243	VAL	2.3
1	A	142	HIS	2.3
1	A	193	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	U5P	A	474	21/21	0.81	0.48	36,41,48,51	21
2	MN	A	475	1/1	0.97	0.18	45,45,45,45	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around U5P A 474:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.