



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 10, 2020 – 12:10 AM BST

PDB ID : 3GCJ
Title : Mode of ligand binding and assignment of subsites in mammalian peroxidases: crystal structure of lactoperoxidase complexes with acetyl salicylic acid, salicylhydroxamic acid and benzylhydroxamic acid
Authors : Singh, A.K.; Singh, N.; Sinha, M.; Kaur, P.; Srinivasan, A.; Sharma, S.; Singh, T.P.
Deposited on : 2009-02-22
Resolution : 2.34 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2096 (2.36-2.32)
Clashscore	141614	2193 (2.36-2.32)
Ramachandran outliers	138981	2159 (2.36-2.32)
Sidechain outliers	138945	2160 (2.36-2.32)
RSRZ outliers	127900	2067 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	595	<div> <div>9%</div> <div>71%</div> <div>24%</div> <div>• •</div> </div>
2	B	3	<div> <div>100%</div> </div>
2	D	3	<div> <div>67%</div> <div>33%</div> </div>
3	C	2	<div> <div>50%</div> <div>50%</div> </div>
3	E	2	<div> <div>50%</div> <div>50%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	B	2	-	-	-	X
2	MAN	B	3	-	-	-	X
2	NAG	D	2	-	-	-	X
2	MAN	D	3	-	-	-	X
3	NAG	E	2	-	-	-	X
6	IOD	A	614	-	-	X	-

2 Entry composition [i](#)


There are 9 unique types of molecules in this entry. The entry contains 5326 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactoperoxidase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	595	Total	C	N	O	P	S	0	0	0
			4775	3037	847	864	1	26			

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	D	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	E	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Ca 1 1	0	0

- Molecule 6 is IODIDE ION (three-letter code: IOD) (formula: I).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	8	Total 1 8 8	0	0

- Molecule 7 is THIOCYANATE ION (three-letter code: SCN) (formula: CNS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	S	0	0
			3	1	1	1		

- Molecule 8 is SALICYLHYDROXAMIC ACID (three-letter code: SHA) (formula: $C_7H_7NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			11	7	1	3		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	351	Total 351	O 351	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Lactoperoxidase




• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  50% 50%

Mag1
Mag2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  50% 50%

Mag1
Mag2

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	54.62Å 80.55Å 77.80Å 90.00° 102.55° 90.00°	Depositor
Resolution (Å)	19.47 – 2.34 19.88 – 2.34	Depositor EDS
% Data completeness (in resolution range)	98.4 (19.47-2.34) 98.5 (19.88-2.34)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.16 (at 2.33Å)	Xtriage
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.204 , 0.212 0.184 , 0.214	Depositor DCC
R_{free} test set	871 reflections (3.17%)	wwPDB-VP
Wilson B-factor (Å ²)	30.5	Xtriage
Anisotropy	0.344	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 60.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5326	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SCN, NAG, SEP, CA, SHA, HEM, IOD, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	1/4892 (0.0%)	0.79	12/6634 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	11	PRO	N-CA	5.52	1.56	1.47

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	145	PRO	CA-N-CD	-8.55	99.53	111.50
1	A	11	PRO	N-CA-C	8.21	133.44	112.10
1	A	168	PRO	CA-C-N	-8.18	99.21	117.20
1	A	173	GLN	N-CA-C	7.52	131.31	111.00
1	A	5	GLY	N-CA-C	7.06	130.76	113.10
1	A	168	PRO	N-CA-C	6.85	129.90	112.10
1	A	13	VAL	CB-CA-C	-6.77	98.55	111.40
1	A	6	CYS	CA-CB-SG	6.04	124.88	114.00
1	A	8	ALA	C-N-CD	-5.81	107.82	120.60
1	A	168	PRO	O-C-N	5.64	131.72	122.70
1	A	122	ASN	N-CA-C	-5.58	95.93	111.00
1	A	593	ARG	CD-NE-CZ	5.49	131.28	123.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	478	LYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4775	0	4687	177	0
2	B	39	0	34	0	0
2	D	39	0	34	2	0
3	C	28	0	25	2	0
3	E	28	0	25	1	0
4	A	43	0	30	6	0
5	A	1	0	0	0	0
6	A	8	0	0	2	0
7	A	3	0	0	0	0
8	A	11	0	7	0	0
9	A	351	0	0	44	0
All	All	5326	0	4842	185	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (185) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:561:LYS:HG3	9:A:923:HOH:O	1.38	1.17
1:A:171:PRO:HA	9:A:948:HOH:O	1.52	1.08
1:A:170:PRO:HA	9:A:946:HOH:O	1.55	1.07
1:A:10:VAL:HG11	1:A:41:ARG:NE	1.72	1.05
1:A:196:GLU:HB3	1:A:198:SEP:O2P	1.58	1.03
1:A:167:CYS:HB3	1:A:168:PRO:HD2	1.42	1.02
1:A:134:ILE:HA	9:A:943:HOH:O	1.62	0.95
1:A:147:ASN:HB2	9:A:944:HOH:O	1.68	0.91
1:A:129:CYS:HB2	9:A:922:HOH:O	1.71	0.89

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:VAL:HG21	9:A:702:HOH:O	1.73	0.88
1:A:169:THR:HG22	1:A:170:PRO:HD3	1.56	0.88
1:A:167:CYS:CB	1:A:168:PRO:HD2	2.04	0.88
1:A:432:ASP:O	1:A:436:ILE:HD13	1.73	0.88
1:A:487:PRO:HA	1:A:490:ILE:HD13	1.57	0.85
1:A:167:CYS:HB3	1:A:168:PRO:CD	2.07	0.82
1:A:168:PRO:HB3	1:A:170:PRO:HD2	1.64	0.80
1:A:150:LYS:HZ2	1:A:154:GLN:HE22	1.30	0.78
1:A:121:SER:O	1:A:122:ASN:HB2	1.84	0.77
1:A:485:LYS:CE	9:A:942:HOH:O	2.33	0.77
1:A:102:GLN:O	1:A:106:ILE:HD13	1.85	0.77
1:A:282:LYS:HE2	9:A:967:HOH:O	1.83	0.76
1:A:123:GLU:HG3	1:A:125:SER:H	1.51	0.76
1:A:571:ASN:HB3	9:A:961:HOH:O	1.86	0.75
1:A:10:VAL:HG11	1:A:41:ARG:HE	1.48	0.74
1:A:231:ASN:HB3	9:A:965:HOH:O	1.86	0.73
1:A:167:CYS:CB	1:A:168:PRO:CD	2.66	0.73
4:A:605:HEM:HBB2	4:A:605:HEM:HMB1	1.71	0.72
1:A:282:LYS:CE	9:A:967:HOH:O	2.39	0.71
1:A:3:GLU:HG2	1:A:175:LEU:HD13	1.73	0.71
1:A:517:ARG:NH1	9:A:939:HOH:O	2.24	0.70
1:A:551:ARG:HD3	1:A:584:LYS:HA	1.72	0.70
1:A:282:LYS:NZ	1:A:282:LYS:HB2	2.07	0.70
1:A:123:GLU:HG3	1:A:125:SER:HB3	1.74	0.70
1:A:235:SER:OG	1:A:238:GLU:HG2	1.92	0.70
1:A:561:LYS:HE3	9:A:847:HOH:O	1.92	0.69
1:A:227:LEU:HD23	1:A:270:LEU:HD22	1.73	0.69
1:A:485:LYS:NZ	9:A:942:HOH:O	2.26	0.69
1:A:360:ARG:NH1	1:A:372:ALA:HA	2.08	0.68
1:A:150:LYS:NZ	1:A:154:GLN:HE22	1.91	0.68
1:A:557:THR:HB	1:A:559:ILE:HD13	1.76	0.67
1:A:530:TRP:CE2	1:A:531:GLU:HG3	2.31	0.66
1:A:213:MET:HG2	1:A:273:HIS:CD2	2.30	0.66
1:A:55:LEU:HD22	1:A:174:SER:O	1.96	0.65
1:A:119:LEU:CD2	9:A:946:HOH:O	2.45	0.64
1:A:494:ILE:O	1:A:494:ILE:HD13	1.96	0.64
1:A:2:TRP:O	1:A:4:VAL:N	2.29	0.64
1:A:8:ALA:HB1	9:A:822:HOH:O	1.96	0.64
1:A:333:ASN:HD22	1:A:334:SER:N	1.95	0.64
1:A:123:GLU:CG	1:A:125:SER:HB3	2.27	0.63
1:A:2:TRP:O	1:A:4:VAL:HG22	1.99	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:557:THR:CB	1:A:559:ILE:HD13	2.29	0.63
1:A:65:LYS:NZ	9:A:925:HOH:O	2.28	0.62
1:A:240:ILE:HD11	1:A:382:ASN:HA	1.81	0.62
1:A:567:PHE:HB2	6:A:614:IOD:I	2.70	0.62
1:A:168:PRO:HB3	1:A:170:PRO:CD	2.29	0.61
1:A:485:LYS:HE2	9:A:942:HOH:O	1.95	0.61
1:A:211:GLY:N	9:A:956:HOH:O	2.27	0.60
1:A:81:LYS:HE2	9:A:940:HOH:O	2.01	0.60
1:A:423:GLN:HA	1:A:423:GLN:HE21	1.66	0.59
1:A:230:ASN:OD1	1:A:231:ASN:N	2.34	0.59
1:A:593:ARG:HD2	9:A:952:HOH:O	2.01	0.59
1:A:301:GLY:O	1:A:305:GLN:HG3	2.03	0.59
1:A:288:ASN:O	1:A:292:LEU:HD22	2.03	0.58
1:A:3:GLU:HG2	1:A:175:LEU:HD22	1.83	0.58
1:A:333:ASN:HD22	1:A:333:ASN:C	2.05	0.58
1:A:200:ALA:O	1:A:204:ARG:HG3	2.03	0.58
1:A:571:ASN:CA	9:A:961:HOH:O	2.51	0.58
1:A:571:ASN:CB	9:A:961:HOH:O	2.47	0.57
1:A:362:ASP:OD1	1:A:362:ASP:C	2.44	0.56
1:A:169:THR:HG22	1:A:170:PRO:CD	2.33	0.56
1:A:42:ALA:HB2	1:A:166:VAL:HG11	1.87	0.56
1:A:229:PHE:CD1	1:A:247:PRO:HG2	2.41	0.56
1:A:249:PHE:CZ	1:A:387:ILE:HD11	2.40	0.56
1:A:173:GLN:HG2	9:A:921:HOH:O	2.06	0.56
1:A:257:SER:O	1:A:381:PHE:HA	2.06	0.55
1:A:494:ILE:C	1:A:494:ILE:HD13	2.27	0.55
1:A:393:ASP:HB2	9:A:734:HOH:O	2.07	0.55
1:A:3:GLU:CG	1:A:175:LEU:HD22	2.37	0.55
1:A:282:LYS:NZ	9:A:967:HOH:O	2.40	0.55
1:A:169:THR:CG2	1:A:170:PRO:HD3	2.35	0.55
1:A:370:PRO:HG2	1:A:371:GLU:HG3	1.90	0.55
1:A:565:HIS:HB3	6:A:614:IOD:I	2.77	0.54
4:A:605:HEM:HBC2	4:A:605:HEM:HMC2	1.88	0.54
1:A:169:THR:H	1:A:170:PRO:CD	2.20	0.54
1:A:189:ALA:HB2	1:A:304:ILE:HD12	1.89	0.54
1:A:559:ILE:HD12	1:A:559:ILE:N	2.22	0.54
1:A:571:ASN:HA	9:A:961:HOH:O	2.07	0.54
1:A:102:GLN:HE21	1:A:106:ILE:CD1	2.21	0.54
1:A:3:GLU:HG2	1:A:175:LEU:CD1	2.38	0.53
1:A:487:PRO:HA	1:A:490:ILE:CD1	2.33	0.53
1:A:62:THR:HG22	1:A:64:ARG:HG2	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:360:ARG:NH1	1:A:371:GLU:O	2.40	0.52
1:A:322:GLN:HB2	9:A:933:HOH:O	2.08	0.52
1:A:139:CYS:HB2	9:A:922:HOH:O	2.10	0.52
1:A:322:GLN:HG3	9:A:933:HOH:O	2.09	0.52
1:A:77:GLU:OE2	1:A:81:LYS:NZ	2.41	0.52
1:A:218:GLU:HA	9:A:958:HOH:O	2.09	0.51
1:A:82:ILE:HD13	1:A:480:LEU:HD13	1.91	0.51
1:A:490:ILE:HD12	1:A:490:ILE:N	2.26	0.50
1:A:9:PRO:HD3	1:A:167:CYS:O	2.11	0.50
1:A:142:ILE:CD1	1:A:436:ILE:HD12	2.42	0.50
1:A:2:TRP:CG	1:A:3:GLU:N	2.80	0.50
1:A:487:PRO:CA	1:A:490:ILE:HD13	2.34	0.50
1:A:368:TRP:CH2	1:A:389:ASP:O	2.65	0.49
1:A:551:ARG:HD2	1:A:582:VAL:HG12	1.94	0.49
1:A:8:ALA:HB3	1:A:9:PRO:CD	2.42	0.49
1:A:339:ILE:HD13	1:A:518:GLN:CD	2.32	0.49
1:A:343:PHE:CD1	1:A:518:GLN:HG2	2.47	0.49
1:A:82:ILE:HD13	1:A:480:LEU:CD1	2.42	0.49
1:A:467:LEU:HG	1:A:471:LEU:HD22	1.95	0.49
1:A:239:PHE:CZ	1:A:427:LYS:HB3	2.48	0.48
1:A:588:SER:OG	1:A:589:PRO:HD3	2.13	0.48
1:A:108:ASP:OD2	4:A:605:HEM:HHD	2.13	0.48
1:A:393:ASP:HB2	1:A:394:PRO:HD3	1.94	0.48
1:A:104:GLY:HA3	4:A:605:HEM:CBC	2.44	0.48
1:A:175:LEU:HG	1:A:176:ALA:N	2.28	0.48
1:A:197:PRO:HD2	1:A:198:SEP:O2P	2.13	0.48
1:A:523:ARG:HG3	1:A:529:TRP:CE2	2.49	0.48
1:A:8:ALA:HB3	1:A:9:PRO:HD3	1.96	0.48
1:A:258:GLU:O	1:A:258:GLU:HG2	2.14	0.47
1:A:322:GLN:CB	9:A:933:HOH:O	2.62	0.47
1:A:150:LYS:NZ	1:A:154:GLN:NE2	2.60	0.47
1:A:545:GLN:HB2	9:A:930:HOH:O	2.14	0.47
9:A:941:HOH:O	3:C:2:NAG:N2	2.36	0.47
1:A:119:LEU:HD12	1:A:119:LEU:N	2.29	0.47
2:D:2:NAG:H4	2:D:3:MAN:H2	1.58	0.47
1:A:135:GLN:N	9:A:943:HOH:O	2.41	0.47
1:A:8:ALA:CB	1:A:9:PRO:CD	2.93	0.47
1:A:169:THR:N	1:A:170:PRO:CD	2.77	0.47
1:A:564:LEU:HD12	1:A:564:LEU:HA	1.82	0.47
1:A:588:SER:N	1:A:589:PRO:CD	2.78	0.47
1:A:187:LEU:HD13	1:A:305:GLN:HA	1.96	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:393:ASP:N	1:A:394:PRO:CD	2.78	0.46
1:A:407:MET:HB3	1:A:501:MET:CE	2.46	0.46
1:A:275:ARG:O	1:A:279:GLU:HB2	2.16	0.46
1:A:54:GLY:HA2	9:A:814:HOH:O	2.14	0.46
3:C:1:NAG:H61	3:C:2:NAG:C1	2.45	0.46
1:A:229:PHE:CG	1:A:247:PRO:HG2	2.51	0.46
1:A:3:GLU:HG2	1:A:175:LEU:CD2	2.45	0.45
1:A:557:THR:HB	1:A:559:ILE:CD1	2.45	0.45
1:A:175:LEU:HD12	9:A:706:HOH:O	2.16	0.45
1:A:231:ASN:CB	9:A:965:HOH:O	2.57	0.45
1:A:211:GLY:CA	9:A:956:HOH:O	2.63	0.45
1:A:490:ILE:CD1	1:A:490:ILE:N	2.80	0.45
1:A:119:LEU:HD21	1:A:169:THR:HG23	1.99	0.45
1:A:464:LEU:HD21	1:A:478:LYS:HB2	1.98	0.45
1:A:231:ASN:HA	9:A:742:HOH:O	2.17	0.45
1:A:173:GLN:CG	9:A:921:HOH:O	2.61	0.45
1:A:249:PHE:HZ	1:A:387:ILE:HD11	1.79	0.45
1:A:258:GLU:O	1:A:380:PHE:HA	2.17	0.45
1:A:8:ALA:CB	1:A:9:PRO:HD3	2.47	0.45
4:A:605:HEM:HBB2	4:A:605:HEM:CMB	2.43	0.44
1:A:407:MET:HB3	1:A:501:MET:HE1	1.99	0.44
1:A:387:ILE:HD12	1:A:387:ILE:N	2.33	0.44
1:A:360:ARG:HH11	1:A:372:ALA:HA	1.80	0.44
1:A:271:ARG:NH1	1:A:392:ILE:HD11	2.33	0.44
1:A:10:VAL:HG12	1:A:11:PRO:HD2	1.99	0.44
1:A:272:GLU:O	1:A:276:LEU:HB2	2.18	0.44
1:A:118:GLU:HB3	1:A:119:LEU:H	1.68	0.44
1:A:123:GLU:HG2	1:A:125:SER:HB3	1.99	0.44
1:A:2:TRP:CD1	1:A:3:GLU:N	2.80	0.43
1:A:557:THR:OG1	1:A:559:ILE:HD13	2.17	0.43
1:A:10:VAL:HG11	1:A:41:ARG:CZ	2.44	0.43
1:A:364:ASN:O	1:A:365:TYR:HB2	2.18	0.43
1:A:387:ILE:H	1:A:387:ILE:HD12	1.82	0.43
1:A:123:GLU:HG3	1:A:125:SER:CB	2.47	0.43
1:A:563:PRO:HD3	1:A:576:PHE:CE2	2.54	0.42
1:A:231:ASN:OD1	1:A:231:ASN:O	2.37	0.42
1:A:10:VAL:CB	1:A:11:PRO:HD2	2.50	0.42
1:A:14:LYS:HE2	1:A:14:LYS:HB3	1.67	0.42
1:A:9:PRO:CD	1:A:167:CYS:O	2.68	0.42
2:D:1:NAG:H61	2:D:2:NAG:C1	2.49	0.42
1:A:282:LYS:HZ3	1:A:282:LYS:HB2	1.80	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:GLU:HG3	1:A:276:LEU:HD22	2.03	0.41
1:A:91:VAL:HG13	1:A:405:LYS:HG3	2.02	0.41
1:A:268:LEU:HD12	1:A:268:LEU:HA	1.95	0.41
1:A:393:ASP:CB	1:A:394:PRO:HD3	2.51	0.41
1:A:476:LEU:C	1:A:478:LYS:H	2.23	0.41
1:A:349:PHE:HA	1:A:497:ASN:HD21	1.85	0.41
1:A:172:TYR:CE2	9:A:945:HOH:O	2.58	0.41
1:A:211:GLY:HA2	9:A:956:HOH:O	2.20	0.41
1:A:282:LYS:HZ2	1:A:282:LYS:HB2	1.83	0.40
3:E:2:NAG:N2	3:E:2:NAG:H5	2.36	0.40
1:A:108:ASP:OD2	4:A:605:HEM:CHD	2.69	0.40
1:A:468:GLN:O	1:A:472:LYS:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	592/595 (100%)	560 (95%)	21 (4%)	11 (2%)	8 5

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	11	PRO
1	A	12	LEU
1	A	122	ASN
1	A	167	CYS
1	A	168	PRO
1	A	169	THR
1	A	166	VAL
1	A	3	GLU
1	A	6	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	7	GLY
1	A	8	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	517/517 (100%)	473 (92%)	44 (8%)	10	10

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	SER
1	A	6	CYS
1	A	9	PRO
1	A	10	VAL
1	A	13	VAL
1	A	57	LEU
1	A	91	VAL
1	A	98	LEU
1	A	117	THR
1	A	118	GLU
1	A	122	ASN
1	A	131	GLU
1	A	145	PRO
1	A	146	LYS
1	A	153	THR
1	A	169	THR
1	A	187	LEU
1	A	203	LEU
1	A	208	SER
1	A	261	LEU
1	A	268	LEU
1	A	276	LEU
1	A	278	ARG
1	A	279	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	292	LEU
1	A	317	LEU
1	A	333	ASN
1	A	347	PHE
1	A	360	ARG
1	A	367	PRO
1	A	376	LEU
1	A	423	GLN
1	A	427	LYS
1	A	464	LEU
1	A	475	ILE
1	A	478	LYS
1	A	480	LEU
1	A	494	ILE
1	A	511	LEU
1	A	520	GLN
1	A	538	GLU
1	A	561	LYS
1	A	564	LEU
1	A	594	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	154	GLN
1	A	222	HIS
1	A	333	ASN
1	A	364	ASN
1	A	423	GLN
1	A	437	ASN
1	A	468	GLN
1	A	497	ASN
1	A	520	GLN
1	A	558	HIS
1	A	570	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	A	198	1	8,9,10	1.65	2 (25%)	8,12,14	2.41	4 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	198	1	-	4/5/8/10	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	198	SEP	P-O1P	3.06	1.60	1.50
1	A	198	SEP	P-OG	2.32	1.67	1.60

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	198	SEP	P-OG-CB	4.12	129.63	118.30
1	A	198	SEP	O3P-P-OG	3.56	116.20	106.73
1	A	198	SEP	OG-CB-CA	2.90	110.97	108.14
1	A	198	SEP	O2P-P-OG	2.24	112.69	106.73

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	198	SEP	CB-OG-P-O2P
1	A	198	SEP	CB-OG-P-O3P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	A	198	SEP	CB-OG-P-O1P
1	A	198	SEP	CA-CB-OG-P

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	198	SEP	2	0

5.5 Carbohydrates [i](#)

10 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	B	1	1,2	14,14,15	0.62	0	17,19,21	0.66	0
2	NAG	B	2	2	14,14,15	0.86	0	17,19,21	0.81	0
2	MAN	B	3	2	11,11,12	0.59	0	15,15,17	0.45	0
3	NAG	C	1	1,3	14,14,15	0.57	0	17,19,21	0.76	0
3	NAG	C	2	3	14,14,15	0.73	0	17,19,21	1.75	5 (29%)
2	NAG	D	1	1,2	14,14,15	0.67	0	17,19,21	0.73	0
2	NAG	D	2	2	14,14,15	0.65	0	17,19,21	0.92	1 (5%)
2	MAN	D	3	2	11,11,12	0.69	0	15,15,17	0.35	0
3	NAG	E	1	1,3	14,14,15	0.55	0	17,19,21	0.81	0
3	NAG	E	2	3	14,14,15	0.62	0	17,19,21	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	1,2	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	2	2	-	2/6/23/26	0/1/1/1
2	MAN	B	3	2	-	2/2/19/22	0/1/1/1
3	NAG	C	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	2	3	-	0/6/23/26	0/1/1/1
2	NAG	D	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	MAN	D	3	2	-	2/2/19/22	1/1/1/1
3	NAG	E	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	E	2	3	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	2	NAG	C1-O5-C5	3.33	116.71	112.19
3	C	2	NAG	C4-C3-C2	3.30	115.85	111.02
3	C	2	NAG	O5-C1-C2	3.04	116.09	111.29
3	C	2	NAG	C2-N2-C7	-2.74	119.00	122.90
3	C	2	NAG	C6-C5-C4	2.19	118.14	113.00
2	D	2	NAG	C1-O5-C5	2.12	115.06	112.19

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	2	NAG	C4-C5-C6-O6
2	D	3	MAN	C4-C5-C6-O6
2	B	2	NAG	O5-C5-C6-O6
2	B	3	MAN	C4-C5-C6-O6
2	D	2	NAG	O5-C5-C6-O6
3	E	2	NAG	O5-C5-C6-O6
2	D	3	MAN	O5-C5-C6-O6
2	D	1	NAG	C4-C5-C6-O6
3	E	2	NAG	C1-C2-N2-C7
2	D	1	NAG	O5-C5-C6-O6
2	B	3	MAN	O5-C5-C6-O6
2	B	1	NAG	C4-C5-C6-O6
2	B	1	NAG	O5-C5-C6-O6
2	B	2	NAG	C4-C5-C6-O6
3	E	2	NAG	C3-C2-N2-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	E	2	NAG	C4-C5-C6-O6


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	D	3	MAN	C1-C2-C3-C4-C5-O5


6 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	2	NAG	2	0
2	D	3	MAN	1	0
3	C	2	NAG	2	0
2	D	1	NAG	1	0
3	E	2	NAG	1	0
3	C	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 9 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	SCN	A	615	-	1,2,2	2.49	1 (100%)	0,1,1	0.00	-
8	SHA	A	617	-	11,11,11	2.64	5 (45%)	13,14,14	1.24	2 (15%)
4	HEM	A	605	1	27,50,50	2.49	11 (40%)	17,82,82	1.96	5 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	SHA	A	617	-	-	0/6/6/6	0/1/1/1
4	HEM	A	605	1	-	0/6/54/54	-

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	605	HEM	C3C-CAC	5.51	1.59	1.47
8	A	617	SHA	C3-C2	5.08	1.49	1.38
4	A	605	HEM	C3B-CAB	4.76	1.57	1.47
4	A	605	HEM	C3D-C2D	4.17	1.50	1.37
8	A	617	SHA	C2-C1	-3.83	1.33	1.39
4	A	605	HEM	CMA-C3A	-3.71	1.43	1.51
4	A	605	HEM	CMC-C2C	3.58	1.60	1.51
4	A	605	HEM	C1D-ND	3.43	1.43	1.36
4	A	605	HEM	CAD-C3D	3.37	1.58	1.52
4	A	605	HEM	C1B-C2B	3.33	1.50	1.42
4	A	605	HEM	C4D-C3D	3.03	1.49	1.42
8	A	617	SHA	C1-C7	-2.96	1.44	1.50
4	A	605	HEM	CAA-C2A	2.90	1.56	1.52
8	A	617	SHA	O9-N8	2.73	1.47	1.40
8	A	617	SHA	O6-C6	2.50	1.41	1.36
7	A	615	SCN	C-N	2.49	1.23	1.15
4	A	605	HEM	C3B-C2B	-2.09	1.37	1.40

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	605	HEM	CAA-CBA-CGA	4.45	120.13	112.67
4	A	605	HEM	CBD-CAD-C3D	-4.28	104.60	112.48
8	A	617	SHA	C3-C4-C5	-2.88	115.81	120.19
4	A	605	HEM	C1D-C2D-C3D	-2.64	105.16	107.00
4	A	605	HEM	CAD-CBD-CGD	2.42	116.73	112.67
4	A	605	HEM	CMC-C2C-C3C	2.36	129.09	124.68
8	A	617	SHA	C4-C5-C6	2.14	122.75	120.05

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	605	HEM	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	594/595 (99%)	0.47	54 (9%) 9 14	15, 31, 74, 100	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	TRP	11.2
1	A	595	ASN	9.7
1	A	120	GLY	9.4
1	A	170	PRO	9.1
1	A	1	SER	8.8
1	A	122	ASN	8.6
1	A	7	GLY	7.7
1	A	593	ARG	7.6
1	A	8	ALA	7.6
1	A	119	LEU	7.3
1	A	121	SER	7.0
1	A	5	GLY	7.0
1	A	4	VAL	6.9
1	A	171	PRO	6.6
1	A	174	SER	6.6
1	A	6	CYS	6.0
1	A	173	GLN	5.9
1	A	172	TYR	5.8
1	A	231	ASN	5.7
1	A	167	CYS	5.5
1	A	574	HIS	4.7
1	A	594	GLU	4.7
1	A	10	VAL	4.4
1	A	3	GLU	4.3
1	A	123	GLU	4.2
1	A	13	VAL	4.2
1	A	12	LEU	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	9	PRO	3.8
1	A	169	THR	3.8
1	A	63	GLN	3.7
1	A	592	SER	3.7
1	A	234	PRO	3.6
1	A	126	LYS	3.4
1	A	124	HIS	3.4
1	A	370	PRO	3.2
1	A	220	TRP	3.1
1	A	132	TYR	3.1
1	A	118	GLU	2.8
1	A	14	LYS	2.8
1	A	15	CYS	2.8
1	A	11	PRO	2.6
1	A	32	ARG	2.6
1	A	146	LYS	2.4
1	A	147	ASN	2.4
1	A	504	ARG	2.4
1	A	168	PRO	2.4
1	A	175	LEU	2.3
1	A	232	LYS	2.3
1	A	286	HIS	2.2
1	A	17	GLU	2.2
1	A	166	VAL	2.1
1	A	316	VAL	2.1
1	A	383	THR	2.0
1	A	130	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SEP	A	198	10/11	0.94	0.21	34,39,46,48	0

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	E	2	14/15	0.51	0.67	80,83,84,84	0
2	MAN	B	3	11/12	0.57	0.56	95,97,98,98	0
2	MAN	D	3	11/12	0.57	0.49	84,87,88,88	0
2	NAG	D	2	14/15	0.66	0.45	71,74,77,81	0
2	NAG	B	2	14/15	0.69	0.56	83,88,89,92	0
3	NAG	E	1	14/15	0.75	0.34	64,67,71,76	0
3	NAG	C	2	14/15	0.78	0.35	64,67,68,69	0
2	NAG	B	1	14/15	0.85	0.26	62,66,71,77	0
2	NAG	D	1	14/15	0.88	0.15	54,56,60,66	0
3	NAG	C	1	14/15	0.91	0.17	51,54,57,61	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around Chain D:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain C:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	SHA	A	617	11/11	0.85	0.23	26,28,30,31	0
7	SCN	A	615	3/3	0.89	0.13	32,32,32,36	0
6	IOD	A	609	1/1	0.92	0.09	63,63,63,63	1
4	HEM	A	605	43/43	0.94	0.15	13,15,21,22	0
6	IOD	A	611	1/1	0.96	0.07	84,84,84,84	0
6	IOD	A	614	1/1	0.97	0.09	77,77,77,77	1
6	IOD	A	608	1/1	0.98	0.07	89,89,89,89	0
6	IOD	A	612	1/1	0.98	0.04	64,64,64,64	0
6	IOD	A	613	1/1	0.99	0.05	56,56,56,56	0
5	CA	A	606	1/1	0.99	0.12	20,20,20,20	0
6	IOD	A	607	1/1	1.00	0.05	20,20,20,20	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	IOD	A	610	1/1	1.00	0.04	67,67,67,67	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.