



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 14, 2020 – 01:51 am BST

PDB ID : 1GGX  
Title : RED FLUORESCENT PROTEIN (FP583 OR DSRED(CLONTECH))  
FROM DISCOSOMA SP.  
Authors : Wall, M.A.; Socolich, M.A.; Ranganathan, R.  
Deposited on : 2000-10-05  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	223	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 1%, green 98%);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <span>77%</span> <span>20%</span> </div> </div>
1	B	223	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 1%, green 98%);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <span>74%</span> <span>22%</span> </div> </div>
1	C	223	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 1%, green 98%);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <span>76%</span> <span>20%</span> </div> </div>
1	D	223	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 1%, green 98%);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <span>79%</span> <span>17%</span> </div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7711 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (FLUORESCENT PROTEIN FP583).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	217	Total	C	N	O	S	0	0	0
			1783	1154	296	326	7			
1	B	217	Total	C	N	O	S	0	0	0
			1783	1154	296	326	7			
1	C	217	Total	C	N	O	S	0	0	0
			1783	1154	296	326	7			
1	D	217	Total	C	N	O	S	0	0	0
			1783	1154	296	326	7			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	68	CRQ	GLN	CHROMOPHORE	UNP Q9U6Y8
A	68	CRQ	TYR	CHROMOPHORE	UNP Q9U6Y8
A	68	CRQ	GLY	CHROMOPHORE	UNP Q9U6Y8
B	68	CRQ	GLN	CHROMOPHORE	UNP Q9U6Y8
B	68	CRQ	TYR	CHROMOPHORE	UNP Q9U6Y8
B	68	CRQ	GLY	CHROMOPHORE	UNP Q9U6Y8
C	68	CRQ	GLN	CHROMOPHORE	UNP Q9U6Y8
C	68	CRQ	TYR	CHROMOPHORE	UNP Q9U6Y8
C	68	CRQ	GLY	CHROMOPHORE	UNP Q9U6Y8
D	68	CRQ	GLN	CHROMOPHORE	UNP Q9U6Y8
D	68	CRQ	TYR	CHROMOPHORE	UNP Q9U6Y8
D	68	CRQ	GLY	CHROMOPHORE	UNP Q9U6Y8

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	150	Total	O	0	0
			150	150		
2	B	132	Total	O	0	0
			132	132		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	C	148	Total	O	0	0
			148	148		
2	D	149	Total	O	0	0
			149	149		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: PROTEIN (FLUORESCENT PROTEIN FP583)




#### • Molecule 1: PROTEIN (FLUORESCENT PROTEIN FP583)



#### • Molecule 1: PROTEIN (FLUORESCENT PROTEIN FP583)



#### • Molecule 1: PROTEIN (FLUORESCENT PROTEIN FP583)





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	56.21Å 129.62Å 57.44Å 90.00° 99.15° 90.00°	Depositor
Resolution (Å)	28.40 – 1.90 43.25 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.9 (28.40-1.90) 94.2 (43.25-1.90)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.76 (at 1.89Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.192 , 0.212 0.193 , 0.213	Depositor DCC
$R_{free}$ test set	3867 reflections (3.13%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	16.5	Xtriage
Anisotropy	0.371	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 52.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.031 for l,-k,h	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7711	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 42.46 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.0336e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CRQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.35	0/1808	0.72	1/2434 (0.0%)
1	B	0.35	0/1808	0.72	2/2434 (0.1%)
1	C	0.35	0/1808	0.69	1/2434 (0.0%)
1	D	0.34	0/1808	0.73	1/2434 (0.0%)
All	All	0.35	0/7232	0.72	5/9736 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	69	SER	N-CA-C	12.79	145.53	111.00
1	D	69	SER	N-CA-C	11.87	143.04	111.00
1	B	69	SER	N-CA-C	11.68	142.53	111.00
1	C	69	SER	N-CA-C	9.70	137.18	111.00
1	B	69	SER	N-CA-CB	-5.62	102.06	110.50

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1783	0	1739	46	0
1	B	1783	0	1739	53	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1783	0	1739	51	0
1	D	1783	0	1739	38	0
2	A	150	0	0	2	0
2	B	132	0	0	2	0
2	C	148	0	0	1	0
2	D	149	0	0	2	0
All	All	7711	0	6956	160	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:HIS:C	1:A:224:PHE:H	1.80	0.84
1:C:225:LEU:HA	1:D:216:ARG:NH1	1.96	0.81
1:B:185:LYS:HG2	2:B:321:HOH:O	1.82	0.80
1:A:216:ARG:HD3	1:B:225:LEU:O	1.79	0.80
1:C:222:HIS:C	1:C:224:PHE:H	1.83	0.80
1:C:222:HIS:HE1	1:C:225:LEU:HD22	1.46	0.79
1:A:222:HIS:O	1:A:224:PHE:N	2.15	0.79
1:D:222:HIS:C	1:D:224:PHE:H	1.85	0.79
1:A:216:ARG:HD3	1:B:225:LEU:C	2.05	0.76
1:C:225:LEU:C	1:D:216:ARG:HD3	2.06	0.76
1:D:206:GLU:HG3	2:D:311:HOH:O	1.86	0.76
1:C:216:ARG:HD3	1:D:225:LEU:HB3	1.70	0.73
1:C:222:HIS:O	1:C:224:PHE:N	2.22	0.72
1:D:222:HIS:O	1:D:224:PHE:N	2.26	0.68
1:A:74:LYS:HB3	1:A:218:GLU:HG2	1.75	0.68
1:B:74:LYS:HB3	1:B:218:GLU:HG3	1.74	0.67
1:C:222:HIS:C	1:C:224:PHE:N	2.49	0.66
1:A:222:HIS:C	1:A:224:PHE:N	2.49	0.66
1:B:89:GLU:HG3	1:B:184:LYS:HD2	1.78	0.65
1:B:139:LYS:HE2	1:B:139:LYS:HA	1.78	0.64
1:D:203:SER:HB3	1:D:212:GLU:HB2	1.81	0.63
1:A:198:LYS:HB3	1:B:225:LEU:OXT	1.99	0.62
1:A:21:THR:HG22	1:A:26:GLU:HG2	1.81	0.62
1:C:47:LYS:HD2	1:C:209:THR:O	2.01	0.61
1:D:222:HIS:C	1:D:224:PHE:N	2.51	0.61
1:D:62:SER:OG	1:D:63:PRO:HD3	2.01	0.61
1:A:80:PRO:HG2	1:A:190:PRO:HA	1.82	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:87:PHE:HB3	1:B:88:PRO:HA	1.82	0.60
1:C:216:ARG:NH1	1:D:225:LEU:HA	2.17	0.60
1:B:119:ILE:HG22	1:B:121:LYS:HE2	1.84	0.60
1:C:47:LYS:HD3	1:C:210:ILE:HG12	1.84	0.60
1:A:196:ASP:HB2	1:B:225:LEU:CD1	2.33	0.59
1:A:80:PRO:HG2	1:A:190:PRO:CA	2.33	0.58
1:D:40:GLY:HA2	1:D:72:TYR:O	2.04	0.58
2:A:301:HOH:O	1:B:225:LEU:HD11	2.03	0.57
1:D:87:PHE:HB3	1:D:88:PRO:HA	1.86	0.57
1:B:62:SER:OG	1:B:63:PRO:HD3	2.05	0.57
1:C:216:ARG:CD	1:D:225:LEU:HB3	2.35	0.57
1:C:80:PRO:HG2	1:C:190:PRO:HA	1.87	0.57
1:C:62:SER:OG	1:C:63:PRO:HD3	2.04	0.57
1:B:80:PRO:HG2	1:B:190:PRO:HA	1.86	0.56
1:B:222:HIS:C	1:B:224:PHE:H	2.09	0.56
1:C:119:ILE:HG22	1:C:121:LYS:HE2	1.88	0.56
1:C:216:ARG:HD3	1:D:225:LEU:C	2.27	0.56
1:B:141:MET:CG	1:B:168:LYS:HD3	2.36	0.55
1:C:41:HIS:ND1	1:C:214:TYR:OH	2.38	0.55
1:B:80:PRO:HG2	1:B:190:PRO:CA	2.37	0.54
1:A:28:GLU:HB2	1:A:50:LYS:HB2	1.89	0.54
1:A:70:LYS:HB2	1:A:83:LYS:CD	2.37	0.54
1:C:70:LYS:HD3	2:C:348:HOH:O	2.06	0.54
1:A:141:MET:SD	1:A:168:LYS:HA	2.48	0.54
1:C:41:HIS:HD1	1:C:214:TYR:HH	1.55	0.54
1:A:225:LEU:HB3	1:B:216:ARG:HD3	1.90	0.53
1:C:74:LYS:HB3	1:C:218:GLU:HG2	1.91	0.53
1:C:225:LEU:O	1:D:216:ARG:HD3	2.08	0.53
1:C:105:VAL:HG22	1:C:126:GLY:HA2	1.91	0.53
1:D:80:PRO:HG2	1:D:190:PRO:HA	1.91	0.53
1:B:105:VAL:HG22	1:B:126:GLY:HA2	1.91	0.52
1:A:105:VAL:HG22	1:A:126:GLY:HA2	1.91	0.52
1:D:109:GLN:HG2	1:D:121:LYS:O	2.10	0.52
1:C:87:PHE:HB3	1:C:88:PRO:HA	1.92	0.52
1:C:109:GLN:HG2	1:C:121:LYS:O	2.09	0.51
1:B:70:LYS:HD2	1:B:73:VAL:CG2	2.41	0.51
1:A:196:ASP:HB2	1:B:225:LEU:HD12	1.91	0.51
1:C:80:PRO:HG2	1:C:190:PRO:CA	2.42	0.50
1:D:28:GLU:HB2	1:D:50:LYS:HB3	1.91	0.50
1:D:89:GLU:HG2	1:D:184:LYS:CD	2.41	0.50
1:C:28:GLU:HB2	1:C:50:LYS:HB3	1.93	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:86:SER:O	1:D:185:LYS:HE3	2.12	0.50
1:A:109:GLN:HG3	1:A:122:VAL:HG22	1.94	0.50
1:B:222:HIS:C	1:B:224:PHE:N	2.63	0.50
1:B:37:PRO:HB2	1:B:84:LYS:HE3	1.93	0.50
1:D:45:LYS:HG2	1:D:212:GLU:HG2	1.92	0.49
1:B:46:LEU:HD22	1:B:46:LEU:N	2.27	0.49
1:C:40:GLY:HA2	1:C:72:TYR:O	2.12	0.49
1:D:149:ARG:HD2	1:D:149:ARG:C	2.33	0.48
1:B:185:LYS:HE3	2:B:276:HOH:O	2.12	0.48
1:D:10:GLU:HG3	2:D:323:HOH:O	2.12	0.48
1:A:149:ARG:HD3	1:A:192:TYR:CZ	2.48	0.48
1:A:106:THR:HG23	1:C:106:THR:HG23	1.95	0.48
1:C:110:ASP:O	1:C:121:LYS:HE3	2.13	0.48
1:A:70:LYS:HB2	1:A:83:LYS:HD2	1.95	0.48
1:A:216:ARG:HB3	1:B:225:LEU:OXT	2.14	0.48
1:C:59:ASP:HB3	1:C:165:LEU:HD21	1.96	0.48
1:A:105:VAL:HG11	1:A:124:PHE:CE2	2.48	0.48
1:D:74:LYS:HB3	1:D:218:GLU:HG3	1.94	0.48
1:B:105:VAL:HG22	1:B:126:GLY:CA	2.43	0.48
1:B:141:MET:HG3	1:B:168:LYS:HD3	1.95	0.48
1:C:149:ARG:C	1:C:149:ARG:HD2	2.34	0.47
1:A:105:VAL:HG22	1:A:126:GLY:CA	2.44	0.47
1:C:222:HIS:CE1	1:C:225:LEU:HD22	2.36	0.47
1:A:59:ASP:HB3	1:A:165:LEU:HD21	1.97	0.47
1:C:109:GLN:HG3	1:C:122:VAL:HG22	1.97	0.47
1:C:216:ARG:HD3	1:D:225:LEU:CB	2.42	0.47
1:B:14:PHE:HB3	1:B:118:PHE:HB2	1.96	0.46
1:B:59:ASP:HB3	1:B:165:LEU:HD21	1.97	0.46
1:B:180:ILE:N	1:B:180:ILE:HD12	2.30	0.46
1:B:199:LEU:C	1:B:199:LEU:HD23	2.36	0.46
1:A:218:GLU:HB2	1:B:225:LEU:CD1	2.46	0.46
1:B:68:CRQ:N	1:B:68:CRQ:C	2.79	0.46
1:A:149:ARG:HD3	1:A:192:TYR:CE1	2.51	0.46
1:C:225:LEU:HD11	1:D:217:THR:HA	1.98	0.46
1:C:45:LYS:HG3	1:C:212:GLU:HG2	1.97	0.46
1:B:149:ARG:HD3	1:B:192:TYR:CZ	2.51	0.46
1:C:225:LEU:HD11	1:D:196:ASP:O	2.17	0.45
1:C:37:PRO:HA	1:C:72:TYR:HA	1.99	0.45
1:C:185:LYS:HG3	1:C:187:VAL:HG13	1.99	0.45
1:D:80:PRO:HG2	1:D:190:PRO:CA	2.46	0.45
1:A:140:THR:HG21	1:A:165:LEU:HD13	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:40:GLY:HA2	1:B:72:TYR:O	2.17	0.45
1:C:46:LEU:N	1:C:46:LEU:HD22	2.32	0.45
1:D:94:GLU:HG3	1:D:182:MET:CE	2.46	0.44
1:C:43:THR:HG22	1:C:214:TYR:HD1	1.83	0.44
1:B:109:GLN:HG3	1:B:122:VAL:HG22	2.00	0.44
1:D:148:GLU:HB2	1:D:161:ILE:HG12	1.99	0.44
1:B:121:LYS:N	1:B:121:LYS:HE3	2.33	0.44
1:C:14:PHE:HB3	1:C:118:PHE:HB2	1.99	0.44
1:C:225:LEU:HD21	1:D:197:SER:C	2.38	0.44
1:C:225:LEU:HB2	1:D:216:ARG:CZ	2.48	0.44
1:B:149:ARG:HD2	1:B:149:ARG:C	2.39	0.43
1:B:151:TYR:HE1	1:B:160:GLU:OE1	2.02	0.43
1:A:216:ARG:NH2	1:B:225:LEU:HD22	2.32	0.43
1:A:225:LEU:C	1:B:216:ARG:HD3	2.38	0.43
1:B:37:PRO:HA	1:B:72:TYR:HA	2.01	0.43
1:A:180:ILE:N	1:A:180:ILE:HD12	2.34	0.43
1:A:40:GLY:HA2	1:A:72:TYR:O	2.19	0.43
1:C:70:LYS:HE3	1:C:73:VAL:CG2	2.48	0.43
1:B:110:ASP:O	1:B:121:LYS:HE3	2.18	0.43
1:C:199:LEU:C	1:C:199:LEU:HD23	2.39	0.43
1:A:149:ARG:C	1:A:149:ARG:HD2	2.39	0.42
1:A:45:LYS:HG3	1:A:212:GLU:HG2	2.00	0.42
1:A:70:LYS:HB2	1:A:83:LYS:CE	2.48	0.42
1:A:80:PRO:CG	1:A:190:PRO:HA	2.49	0.42
1:C:105:VAL:HG22	1:C:126:GLY:CA	2.49	0.42
1:B:73:VAL:HA	1:B:217:THR:HG23	2.02	0.42
1:B:68:CRQ:C1	1:B:69:SER:H	2.31	0.42
1:A:225:LEU:HA	1:B:216:ARG:NH1	2.33	0.42
1:A:46:LEU:N	1:A:46:LEU:HD22	2.35	0.42
1:A:218:GLU:HB2	1:B:225:LEU:HD13	2.01	0.42
1:D:73:VAL:HA	1:D:217:THR:HG23	2.01	0.42
1:A:62:SER:OG	1:A:63:PRO:HD3	2.19	0.42
1:C:225:LEU:CA	1:D:216:ARG:NH1	2.77	0.42
1:C:216:ARG:HD3	1:D:225:LEU:CA	2.50	0.42
1:C:70:LYS:HA	1:C:70:LYS:HE3	2.02	0.42
1:A:21:THR:HA	1:A:25:HIS:O	2.19	0.42
1:A:21:THR:HG22	1:A:26:GLU:CG	2.49	0.42
1:B:47:LYS:HD2	1:B:209:THR:O	2.20	0.42
1:B:222:HIS:O	1:B:224:PHE:N	2.53	0.41
1:B:109:GLN:HG2	1:B:121:LYS:O	2.21	0.41
1:C:36:ARG:HA	1:C:37:PRO:HD2	1.90	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:94:GLU:HG3	1:B:182:MET:CE	2.50	0.41
1:B:89:GLU:HG3	1:B:184:LYS:CD	2.47	0.41
1:D:46:LEU:HD22	1:D:46:LEU:N	2.36	0.41
1:A:109:GLN:HG2	1:A:121:LYS:O	2.20	0.41
1:A:89:GLU:OE1	1:A:185:LYS:HD3	2.21	0.41
1:B:13:ARG:HA	1:B:34:GLU:HA	2.02	0.40
1:A:14:PHE:HB3	1:A:118:PHE:HB2	2.03	0.40
1:D:180:ILE:HD12	1:D:180:ILE:N	2.36	0.40
1:C:196:ASP:HB2	1:D:225:LEU:HD11	2.02	0.40
1:A:70:LYS:HE2	2:A:264:HOH:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	214/223 (96%)	205 (96%)	8 (4%)	1 (0%)	29	18
1	B	214/223 (96%)	203 (95%)	11 (5%)	0	100	100
1	C	214/223 (96%)	204 (95%)	8 (4%)	2 (1%)	17	7
1	D	214/223 (96%)	209 (98%)	4 (2%)	1 (0%)	29	18
All	All	856/892 (96%)	821 (96%)	31 (4%)	4 (0%)	29	18

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	223	LEU
1	C	223	LEU
1	D	223	LEU
1	C	69	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	190/196 (97%)	188 (99%)	2 (1%)	73	73
1	B	190/196 (97%)	188 (99%)	2 (1%)	73	73
1	C	190/196 (97%)	187 (98%)	3 (2%)	62	60
1	D	190/196 (97%)	187 (98%)	3 (2%)	62	60
All	All	760/784 (97%)	750 (99%)	10 (1%)	69	68

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	154	ASP
1	A	224	PHE
1	B	69	SER
1	B	121	LYS
1	C	70	LYS
1	C	121	LYS
1	C	224	PHE
1	D	69	SER
1	D	154	ASP
1	D	224	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	188	GLN
1	B	137	GLN
1	C	188	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	CRQ	A	68	1	24,25,26	3.02	10 (41%)	27,34,36	1.49	2 (7%)
1	CRQ	D	68	1	24,25,26	3.07	10 (41%)	27,34,36	1.46	2 (7%)
1	CRQ	B	68	1	24,25,26	3.28	9 (37%)	27,34,36	1.42	3 (11%)
1	CRQ	C	68	1	24,25,26	2.82	8 (33%)	27,34,36	1.58	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CRQ	A	68	1	-	3/10/32/33	0/2/2/2
1	CRQ	D	68	1	-	3/10/32/33	0/2/2/2
1	CRQ	B	68	1	-	3/10/32/33	0/2/2/2
1	CRQ	C	68	1	-	1/10/32/33	0/2/2/2

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	68	CRQ	CB2-CA2	10.35	1.43	1.35
1	D	68	CRQ	CB2-CA2	9.35	1.42	1.35
1	A	68	CRQ	CB2-CA2	9.07	1.42	1.35
1	C	68	CRQ	CB2-CA2	8.01	1.41	1.35
1	C	68	CRQ	OH-CZ	-4.88	1.25	1.37
1	D	68	CRQ	OH-CZ	-4.88	1.25	1.37
1	A	68	CRQ	CE1-CZ	4.87	1.48	1.38
1	A	68	CRQ	OH-CZ	-4.82	1.25	1.37
1	B	68	CRQ	OH-CZ	-4.80	1.25	1.37
1	C	68	CRQ	CE2-CZ	4.80	1.48	1.38
1	B	68	CRQ	CE2-CZ	4.70	1.47	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	68	CRQ	CE1-CZ	4.68	1.47	1.38
1	D	68	CRQ	CE2-CZ	4.68	1.47	1.38
1	D	68	CRQ	CE1-CZ	4.68	1.47	1.38
1	A	68	CRQ	CE2-CZ	4.57	1.47	1.38
1	C	68	CRQ	CE1-CZ	4.50	1.47	1.38
1	C	68	CRQ	CD1-CG2	4.42	1.48	1.39
1	A	68	CRQ	CD1-CG2	4.41	1.48	1.39
1	B	68	CRQ	CD2-CG2	4.37	1.47	1.39
1	D	68	CRQ	CD1-CG2	4.37	1.47	1.39
1	D	68	CRQ	CD2-CG2	4.29	1.47	1.39
1	B	68	CRQ	CD1-CG2	4.28	1.47	1.39
1	B	68	CRQ	CA3-N3	4.21	1.55	1.47
1	A	68	CRQ	CD2-CG2	3.98	1.47	1.39
1	C	68	CRQ	CD2-CG2	3.98	1.47	1.39
1	D	68	CRQ	CA3-N3	3.40	1.54	1.47
1	B	68	CRQ	CA3-C	3.22	1.60	1.49
1	C	68	CRQ	CG2-CB2	-2.84	1.41	1.46
1	A	68	CRQ	CA3-N3	2.78	1.52	1.47
1	B	68	CRQ	C1-N3	2.55	1.42	1.38
1	A	68	CRQ	CG2-CB2	-2.51	1.42	1.46
1	D	68	CRQ	CA3-C	2.48	1.57	1.49
1	A	68	CRQ	C1-N3	2.44	1.42	1.38
1	D	68	CRQ	CG2-CB2	-2.39	1.42	1.46
1	A	68	CRQ	CA3-C	2.32	1.57	1.49
1	C	68	CRQ	C1-N3	2.13	1.41	1.38
1	D	68	CRQ	C1-N3	2.08	1.41	1.38

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	68	CRQ	O-C-CA3	-6.09	107.99	126.39
1	D	68	CRQ	O-C-CA3	-5.26	110.50	126.39
1	A	68	CRQ	O-C-CA3	-5.18	110.75	126.39
1	B	68	CRQ	O-C-CA3	-4.03	114.23	126.39
1	B	68	CRQ	CG2-CB2-CA2	2.82	133.40	129.94
1	A	68	CRQ	CE2-CZ-CE1	-2.13	116.18	119.77
1	B	68	CRQ	CE2-CZ-CE1	-2.07	116.28	119.77
1	D	68	CRQ	CE2-CZ-CE1	-2.00	116.39	119.77

There are no chirality outliers.

All (10) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
1	A	68	CRQ	C1-CA1-CB1-CG1
1	A	68	CRQ	C-CA3-N3-C1
1	A	68	CRQ	C-CA3-N3-C2
1	D	68	CRQ	C1-CA1-CB1-CG1
1	D	68	CRQ	C-CA3-N3-C1
1	D	68	CRQ	C-CA3-N3-C2
1	B	68	CRQ	C1-CA1-CB1-CG1
1	B	68	CRQ	C-CA3-N3-C1
1	B	68	CRQ	C-CA3-N3-C2
1	C	68	CRQ	C1-CA1-CB1-CG1

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	68	CRQ	2	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	216/223 (96%)	-0.21	3 (1%) 75 77	11, 17, 28, 42	0
1	B	216/223 (96%)	-0.21	2 (0%) 84 85	11, 18, 30, 50	0
1	C	216/223 (96%)	-0.19	2 (0%) 84 85	11, 17, 27, 45	0
1	D	216/223 (96%)	-0.28	2 (0%) 84 85	11, 17, 27, 42	0
All	All	864/892 (96%)	-0.22	9 (1%) 82 84	11, 17, 28, 50	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	225	LEU	11.9
1	C	225	LEU	10.4
1	A	225	LEU	8.8
1	D	225	LEU	7.6
1	C	224	PHE	5.4
1	B	224	PHE	5.1
1	D	224	PHE	4.4
1	A	224	PHE	4.3
1	A	7	VAL	2.3

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	CRQ	C	68	24/25	0.90	0.11	15,17,21,26	0
1	CRQ	D	68	24/25	0.91	0.11	15,18,21,22	0
1	CRQ	B	68	24/25	0.91	0.11	15,19,23,24	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
1	CRQ	A	68	24/25	0.91	0.12	15,17,22,24	0

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.