



# wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 9, 2020 – 12:35 AM BST

PDB ID : 4GIP  
Title : Structure of the cleavage-activated prefusion form of the parainfluenza virus 5 (PIV5) fusion protein  
Authors : Welch, B.D.; Liu, Y.; Kors, C.A.; Leser, G.P.; Jardetzky, T.S.; Lamb, R.A.  
Deposited on : 2012-08-08  
Resolution : 2.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	81	<div> <div>12%</div> <div> <div></div> <div>80%</div> <div>15%</div> <div>• •</div> </div> </div>
1	B	81	<div> <div>14%</div> <div> <div></div> <div>75%</div> <div>21%</div> <div>•</div> </div> </div>
1	C	81	<div> <div>10%</div> <div> <div></div> <div>74%</div> <div>22%</div> <div>•</div> </div> </div>
2	D	409	<div> <div>6%</div> <div> <div></div> <div>79%</div> <div>11%</div> <div>• 8%</div> </div> </div>
2	E	409	<div> <div>4%</div> <div> <div></div> <div>76%</div> <div>15%</div> <div>• 8%</div> </div> </div>
2	F	409	<div> <div>5%</div> <div> <div></div> <div>78%</div> <div>13%</div> <div>• 8%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	B	201	-	-	X	-
3	NAG	E	603	-	-	X	-

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 11335 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fusion glycoprotein F2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	81	Total	C	N	O	S	0	0	0
			625	396	107	118	4			
1	B	81	Total	C	N	O	S	0	0	0
			625	396	107	118	4			
1	C	81	Total	C	N	O	S	0	0	0
			625	396	107	118	4			

- Molecule 2 is a protein called Fusion glycoprotein F1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	375	Total	C	N	O	S	0	0	0
			2785	1763	462	543	17			
2	E	375	Total	C	N	O	S	0	0	0
			2785	1763	462	543	17			
2	F	375	Total	C	N	O	S	0	0	0
			2785	1763	462	543	17			

There are 102 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	478	GLU	-	expression tag	UNP P04849
D	479	ASP	-	expression tag	UNP P04849
D	480	LYS	-	expression tag	UNP P04849
D	481	ILE	-	expression tag	UNP P04849
D	482	GLU	-	expression tag	UNP P04849
D	483	GLU	-	expression tag	UNP P04849
D	484	ILE	-	expression tag	UNP P04849
D	485	LEU	-	expression tag	UNP P04849
D	486	SER	-	expression tag	UNP P04849
D	487	LYS	-	expression tag	UNP P04849
D	488	ILE	-	expression tag	UNP P04849
D	489	TYR	-	expression tag	UNP P04849

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	490	HIS	-	expression tag	UNP P04849
D	491	ILE	-	expression tag	UNP P04849
D	492	GLU	-	expression tag	UNP P04849
D	493	ASN	-	expression tag	UNP P04849
D	494	GLU	-	expression tag	UNP P04849
D	495	ILE	-	expression tag	UNP P04849
D	496	ALA	-	expression tag	UNP P04849
D	497	ARG	-	expression tag	UNP P04849
D	498	ILE	-	expression tag	UNP P04849
D	499	LYS	-	expression tag	UNP P04849
D	500	LYS	-	expression tag	UNP P04849
D	501	LEU	-	expression tag	UNP P04849
D	502	ILE	-	expression tag	UNP P04849
D	503	GLY	-	expression tag	UNP P04849
D	504	GLU	-	expression tag	UNP P04849
D	505	ALA	-	expression tag	UNP P04849
D	506	HIS	-	expression tag	UNP P04849
D	507	HIS	-	expression tag	UNP P04849
D	508	HIS	-	expression tag	UNP P04849
D	509	HIS	-	expression tag	UNP P04849
D	510	HIS	-	expression tag	UNP P04849
D	511	HIS	-	expression tag	UNP P04849
E	478	GLU	-	expression tag	UNP P04849
E	479	ASP	-	expression tag	UNP P04849
E	480	LYS	-	expression tag	UNP P04849
E	481	ILE	-	expression tag	UNP P04849
E	482	GLU	-	expression tag	UNP P04849
E	483	GLU	-	expression tag	UNP P04849
E	484	ILE	-	expression tag	UNP P04849
E	485	LEU	-	expression tag	UNP P04849
E	486	SER	-	expression tag	UNP P04849
E	487	LYS	-	expression tag	UNP P04849
E	488	ILE	-	expression tag	UNP P04849
E	489	TYR	-	expression tag	UNP P04849
E	490	HIS	-	expression tag	UNP P04849
E	491	ILE	-	expression tag	UNP P04849
E	492	GLU	-	expression tag	UNP P04849
E	493	ASN	-	expression tag	UNP P04849
E	494	GLU	-	expression tag	UNP P04849
E	495	ILE	-	expression tag	UNP P04849
E	496	ALA	-	expression tag	UNP P04849
E	497	ARG	-	expression tag	UNP P04849

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
E	498	ILE	-	expression tag	UNP P04849
E	499	LYS	-	expression tag	UNP P04849
E	500	LYS	-	expression tag	UNP P04849
E	501	LEU	-	expression tag	UNP P04849
E	502	ILE	-	expression tag	UNP P04849
E	503	GLY	-	expression tag	UNP P04849
E	504	GLU	-	expression tag	UNP P04849
E	505	ALA	-	expression tag	UNP P04849
E	506	HIS	-	expression tag	UNP P04849
E	507	HIS	-	expression tag	UNP P04849
E	508	HIS	-	expression tag	UNP P04849
E	509	HIS	-	expression tag	UNP P04849
E	510	HIS	-	expression tag	UNP P04849
E	511	HIS	-	expression tag	UNP P04849
F	478	GLU	-	expression tag	UNP P04849
F	479	ASP	-	expression tag	UNP P04849
F	480	LYS	-	expression tag	UNP P04849
F	481	ILE	-	expression tag	UNP P04849
F	482	GLU	-	expression tag	UNP P04849
F	483	GLU	-	expression tag	UNP P04849
F	484	ILE	-	expression tag	UNP P04849
F	485	LEU	-	expression tag	UNP P04849
F	486	SER	-	expression tag	UNP P04849
F	487	LYS	-	expression tag	UNP P04849
F	488	ILE	-	expression tag	UNP P04849
F	489	TYR	-	expression tag	UNP P04849
F	490	HIS	-	expression tag	UNP P04849
F	491	ILE	-	expression tag	UNP P04849
F	492	GLU	-	expression tag	UNP P04849
F	493	ASN	-	expression tag	UNP P04849
F	494	GLU	-	expression tag	UNP P04849
F	495	ILE	-	expression tag	UNP P04849
F	496	ALA	-	expression tag	UNP P04849
F	497	ARG	-	expression tag	UNP P04849
F	498	ILE	-	expression tag	UNP P04849
F	499	LYS	-	expression tag	UNP P04849
F	500	LYS	-	expression tag	UNP P04849
F	501	LEU	-	expression tag	UNP P04849
F	502	ILE	-	expression tag	UNP P04849
F	503	GLY	-	expression tag	UNP P04849
F	504	GLU	-	expression tag	UNP P04849
F	505	ALA	-	expression tag	UNP P04849

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	506	HIS	-	expression tag	UNP P04849
F	507	HIS	-	expression tag	UNP P04849
F	508	HIS	-	expression tag	UNP P04849
F	509	HIS	-	expression tag	UNP P04849
F	510	HIS	-	expression tag	UNP P04849
F	511	HIS	-	expression tag	UNP P04849

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	F	1	Total	C	N	O	0	0
			14	8	1	5		
3	F	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	39	Total	O	0	0
			39	39		
4	D	287	Total	O	0	0
			287	287		
4	B	21	Total	O	0	0
			21	21		
4	E	279	Total	O	0	0
			279	279		
4	C	46	Total	O	0	0
			46	46		
4	F	279	Total	O	0	0
			279	279		





### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fusion glycoprotein F2





- Molecule 1: Fusion glycoprotein F2




- Molecule 1: Fusion glycoprotein F2




- Molecule 2: Fusion glycoprotein F1





- Molecule 2: Fusion glycoprotein F1





● Molecule 2: Fusion glycoprotein F1



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	250.93 Å   140.52 Å   84.60 Å 90.00°   99.84°   90.00°	Depositor
Resolution (Å)	35.54 – 2.00 35.54 – 2.00	Depositor EDS
% Data completeness (in resolution range)	59.8 (35.54-2.00) 59.7 (35.54-2.00)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.96 (at 2.00 Å)	Xtriage
Refinement program	PHENIX 1.7.3 _928	Depositor
R, $R_{free}$	0.220   ,   0.243 0.216   ,   0.240	Depositor DCC
$R_{free}$ test set	5831 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	27.0	Xtriage
Anisotropy	0.134	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 46.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.52$ , $\langle L^2 \rangle = 0.36$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	11335	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.41% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.34	0/634	0.55	0/864
1	B	0.32	0/634	0.56	0/864
1	C	0.33	0/634	0.55	0/864
2	D	0.37	0/2819	0.57	1/3857 (0.0%)
2	E	0.35	0/2819	0.56	1/3857 (0.0%)
2	F	0.38	0/2819	0.57	1/3857 (0.0%)
All	All	0.36	0/10359	0.57	3/14163 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	371	LEU	CA-CB-CG	-5.79	101.98	115.30
2	D	371	LEU	CA-CB-CG	-5.32	103.07	115.30
2	E	371	LEU	CA-CB-CG	-5.12	103.53	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	625	0	654	14	0
1	B	625	0	654	26	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	625	0	654	17	0
2	D	2785	0	2873	37	0
2	E	2785	0	2875	50	0
2	F	2785	0	2875	47	0
3	A	14	0	13	1	0
3	B	14	0	13	7	0
3	C	28	0	25	1	0
3	D	28	0	26	6	0
3	E	42	0	39	15	0
3	F	28	0	26	10	0
4	A	39	0	0	2	0
4	B	21	0	0	2	0
4	C	46	0	0	3	0
4	D	287	0	0	7	0
4	E	279	0	0	10	0
4	F	279	0	0	18	0
All	All	11335	0	10727	174	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 174 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:352:ASN:HD21	3:E:602:NAG:C1	1.06	1.60
2:E:457:ASN:HD21	3:E:603:NAG:C1	0.94	1.53
2:F:457:ASN:HD21	3:F:602:NAG:C1	1.12	1.52
2:F:352:ASN:HD21	3:F:601:NAG:C1	0.92	1.51
2:D:457:ASN:HD21	3:D:602:NAG:C1	0.87	1.50

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	79/81 (98%)	76 (96%)	2 (2%)	1 (1%)	12	6
1	B	79/81 (98%)	75 (95%)	3 (4%)	1 (1%)	12	6
1	C	79/81 (98%)	74 (94%)	5 (6%)	0	100	100
2	D	373/409 (91%)	358 (96%)	14 (4%)	1 (0%)	41	37
2	E	373/409 (91%)	351 (94%)	16 (4%)	6 (2%)	9	4
2	F	373/409 (91%)	361 (97%)	10 (3%)	2 (0%)	29	23
All	All	1356/1470 (92%)	1295 (96%)	50 (4%)	11 (1%)	19	13

5 of 11 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	185	CYS
1	B	99	ARG
2	E	184	ASN
2	E	185	CYS
2	E	433	THR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	73/73 (100%)	68 (93%)	5 (7%)	16	11
1	B	73/73 (100%)	70 (96%)	3 (4%)	30	28
1	C	73/73 (100%)	66 (90%)	7 (10%)	8	5
2	D	316/347 (91%)	305 (96%)	11 (4%)	36	35
2	E	316/347 (91%)	306 (97%)	10 (3%)	39	38
2	F	316/347 (91%)	305 (96%)	11 (4%)	36	35
All	All	1167/1260 (93%)	1120 (96%)	47 (4%)	31	29

5 of 47 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	E	217	SER
2	E	472	THR
2	F	330	THR
2	E	334	ARG
2	E	473	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
2	D	457	ASN
2	E	352	ASN
2	E	457	ASN
2	F	352	ASN
2	F	457	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	E	602	-	14,14,15	0.49	0	17,19,21	0.88	1 (5%)
3	NAG	C	201	-	14,14,15	0.51	0	17,19,21	0.92	1 (5%)
3	NAG	F	601	-	14,14,15	0.47	0	17,19,21	1.53	3 (17%)
3	NAG	F	602	-	14,14,15	0.55	0	17,19,21	0.99	0
3	NAG	E	603	-	14,14,15	0.51	0	17,19,21	0.82	1 (5%)
3	NAG	D	601	-	14,14,15	0.53	0	17,19,21	0.71	0
3	NAG	E	601	-	14,14,15	0.48	0	17,19,21	0.80	1 (5%)
3	NAG	B	201	-	14,14,15	0.54	0	17,19,21	0.79	0
3	NAG	A	201	1	14,14,15	0.54	0	17,19,21	1.09	2 (11%)
3	NAG	D	602	-	14,14,15	0.46	0	17,19,21	0.83	1 (5%)
3	NAG	C	202	-	14,14,15	0.49	0	17,19,21	1.46	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	E	602	-	-	2/6/23/26	0/1/1/1
3	NAG	C	201	-	-	0/6/23/26	0/1/1/1
3	NAG	F	601	-	-	4/6/23/26	0/1/1/1
3	NAG	F	602	-	-	2/6/23/26	0/1/1/1
3	NAG	E	603	-	-	3/6/23/26	0/1/1/1
3	NAG	D	601	-	-	4/6/23/26	0/1/1/1
3	NAG	E	601	-	-	2/6/23/26	0/1/1/1
3	NAG	B	201	-	-	3/6/23/26	0/1/1/1
3	NAG	A	201	1	-	2/6/23/26	0/1/1/1
3	NAG	D	602	-	-	0/6/23/26	0/1/1/1
3	NAG	C	202	-	-	3/6/23/26	0/1/1/1

There are no bond length outliers.

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	601	NAG	C1-O5-C5	4.59	118.42	112.19
3	C	202	NAG	C1-O5-C5	4.26	117.97	112.19
3	C	201	NAG	C1-O5-C5	2.81	116.00	112.19
3	E	601	NAG	C1-O5-C5	2.53	115.62	112.19

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	601	NAG	C4-C3-C2	-2.38	107.53	111.02

There are no chirality outliers.

5 of 25 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	601	NAG	C1-C2-N2-C7
3	D	601	NAG	C8-C7-N2-C2
3	D	601	NAG	O7-C7-N2-C2
3	C	202	NAG	C1-C2-N2-C7
3	C	202	NAG	C8-C7-N2-C2

There are no ring outliers.

10 monomers are involved in 36 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	602	NAG	4	0
3	C	201	NAG	1	0
3	F	601	NAG	5	0
3	F	602	NAG	5	0
3	E	603	NAG	7	0
3	D	601	NAG	1	0
3	E	601	NAG	4	0
3	B	201	NAG	7	0
3	A	201	NAG	1	0
3	D	602	NAG	5	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	81/81 (100%)	0.25	10 (12%) 4 3	18, 46, 105, 118	0
1	B	81/81 (100%)	0.30	11 (13%) 3 2	17, 46, 98, 136	0
1	C	81/81 (100%)	0.11	8 (9%) 7 6	16, 42, 94, 130	0
2	D	375/409 (91%)	0.03	25 (6%) 17 17	16, 38, 90, 141	0
2	E	375/409 (91%)	-0.08	18 (4%) 30 29	14, 39, 84, 143	0
2	F	375/409 (91%)	-0.00	22 (5%) 22 21	19, 37, 92, 127	0
All	All	1368/1470 (93%)	0.02	94 (6%) 16 16	14, 39, 93, 143	0

The worst 5 of 94 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	100	ARG	8.3
2	D	429	THR	8.0
2	E	104	ALA	7.3
2	D	474	LEU	7.0
2	E	103	PHE	6.9

### 6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	NAG	C	202	14/15	0.74	0.28	89,102,106,108	0
3	NAG	F	602	14/15	0.81	0.20	73,82,86,86	0
3	NAG	E	601	14/15	0.83	0.18	84,95,98,98	0
3	NAG	E	602	14/15	0.83	0.23	71,95,101,103	0
3	NAG	D	601	14/15	0.85	0.21	58,82,89,94	0
3	NAG	F	601	14/15	0.85	0.24	83,89,94,95	0
3	NAG	E	603	14/15	0.85	0.15	66,74,78,81	0
3	NAG	D	602	14/15	0.88	0.12	74,79,82,82	0
3	NAG	C	201	14/15	0.92	0.12	50,59,70,74	0
3	NAG	B	201	14/15	0.92	0.12	60,62,68,70	0
3	NAG	A	201	14/15	0.94	0.11	43,60,64,68	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.