



# Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 02:37 pm BST

PDB ID : 3GL4  
Title : X-ray structure of photobleached killerred  
Authors : Pletnev, S.; Pletneva, N.V.; Pletnev, V.Z.  
Deposited on : 2009-03-11  
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*



The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1479 (2.16-2.16)
Clashscore	141614	1585 (2.16-2.16)
Ramachandran outliers	138981	1560 (2.16-2.16)
Sidechain outliers	138945	1559 (2.16-2.16)
RSRZ outliers	127900	1456 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	235	
1	B	235	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	CRQ	B	65	-	-	X	-

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3752 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called KillerRed.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	230	Total	C	N	O	S	0	0	0
			1812	1144	314	339	15			
1	B	230	Total	C	N	O	S	0	0	0
			1812	1144	314	339	15			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	65	CRQ	GLN	CHROMOPHORE	UNP Q2TCH5
A	65	CRQ	TYR	CHROMOPHORE	UNP Q2TCH5
A	65	CRQ	GLY	CHROMOPHORE	UNP Q2TCH5
B	65	CRQ	GLN	CHROMOPHORE	UNP Q2TCH5
B	65	CRQ	TYR	CHROMOPHORE	UNP Q2TCH5
B	65	CRQ	GLY	CHROMOPHORE	UNP Q2TCH5

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	54	Total	O	0	0
			54	54		
2	B	74	Total	O	0	0
			74	74		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: KillerRed

Chain A: 



#### • Molecule 1: KillerRed

Chain B: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	72.22Å 73.78Å 76.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.15 26.20 – 2.15	Depositor EDS
% Data completeness (in resolution range)	97.3 (30.00-2.15) 97.3 (26.20-2.15)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.69 (at 2.15Å)	Xtriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.229 , 0.310 0.231 , 0.310	Depositor DCC
$R_{free}$ test set	698 reflections (3.15%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	52.5	Xtriage
Anisotropy	0.070	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 68.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.021 for k,h,-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	3752	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.11% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CRQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.79	0/1836	0.85	1/2486 (0.0%)
1	B	0.68	0/1836	0.74	0/2486
All	All	0.73	0/3672	0.80	1/4972 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	143	LEU	CB-CG-CD1	-5.11	102.31	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	32	ASP	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1812	0	1719	105	0
1	B	1812	0	1719	118	0
2	A	54	0	0	9	0
2	B	74	0	0	16	0
All	All	3752	0	3438	220	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 31.

All (220) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2:GLU:HB3	1:A:187:ARG:NH1	1.51	1.23
1:B:43:ASN:HD21	1:B:217:ARG:HG3	1.02	1.14
1:B:43:ASN:ND2	1:B:217:ARG:HG3	1.65	1.09
1:A:227:ARG:HG3	1:A:227:ARG:HH11	1.06	1.08
1:B:42:PHE:CE2	1:B:65:CRQ:NE1	2.21	1.07
1:B:225:VAL:HG13	1:B:226:PRO:HD2	1.36	1.05
1:B:206:ASP:HB2	1:B:215:CYS:SG	2.01	1.00
1:A:43:ASN:HD21	1:A:217:ARG:HG3	1.29	0.95
1:A:4:GLY:HA2	1:A:7:LEU:HD12	1.49	0.95
1:B:42:PHE:CD2	1:B:65:CRQ:NE1	2.33	0.94
1:A:125:CYS:HB3	1:A:128:PHE:CE2	2.03	0.93
1:A:232:ILE:HG13	1:A:233:GLY:H	1.33	0.93
1:B:206:ASP:HB3	1:B:213:HIS:HE1	1.31	0.93
1:A:204:MET:HG2	1:B:231:ALA:HB3	1.51	0.92
1:B:206:ASP:HB3	1:B:213:HIS:CE1	2.04	0.91
1:B:2:GLU:HB3	1:B:3:GLY:CA	2.01	0.91
1:A:186:SER:O	2:A:290:HOH:O	1.90	0.90
1:A:230:SER:HB2	1:A:232:ILE:HG12	1.58	0.86
1:A:2:GLU:HB3	1:A:187:ARG:HH12	1.43	0.83
1:A:86:PHE:HB3	1:A:87:PRO:HA	1.61	0.81
1:A:206:ASP:H	1:A:213:HIS:HE1	1.26	0.81
1:A:227:ARG:HG3	1:A:227:ARG:NH1	1.84	0.81
1:B:14:PHE:CD1	1:B:33:GLY:HA3	2.17	0.80
1:B:14:PHE:CE1	1:B:33:GLY:HA3	2.16	0.80
1:B:58:LYS:HB2	1:B:59:PRO:HD3	1.65	0.79
1:B:209:ASP:HB3	1:B:213:HIS:NE2	1.98	0.78
1:B:8:PHE:HA	1:B:12:MET:CE	2.12	0.78
1:B:2:GLU:CB	1:B:3:GLY:CA	2.60	0.78

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:GLU:CB	1:B:3:GLY:HA3	2.14	0.78
1:A:4:GLY:HA2	1:A:7:LEU:CD1	2.14	0.77
1:B:225:VAL:HG13	1:B:226:PRO:CD	2.12	0.77
1:B:129:GLN:HE21	1:B:129:GLN:HA	1.46	0.76
1:A:232:ILE:HG13	1:A:233:GLY:N	2.00	0.76
1:B:142:ILE:HG12	1:B:165:PHE:HE1	1.49	0.75
1:B:14:PHE:HZ	1:B:44:VAL:HG22	1.53	0.74
1:A:187:ARG:HG2	2:A:276:HOH:O	1.87	0.74
1:B:2:GLU:HB3	1:B:3:GLY:HA3	1.68	0.74
1:A:42:PHE:C	1:A:43:ASN:HD22	1.90	0.74
1:A:65:CRQ:N2	1:A:65:CRQ:HD1	2.00	0.73
1:B:2:GLU:HB3	1:B:3:GLY:HA2	1.70	0.73
1:A:6:ALA:HA	1:A:9:GLN:OE1	1.88	0.73
1:A:206:ASP:N	1:A:213:HIS:HE1	1.87	0.73
1:B:190:GLU:O	2:B:243:HOH:O	2.07	0.73
1:B:211:ARG:HD2	2:B:250:HOH:O	1.88	0.73
1:B:206:ASP:CB	1:B:213:HIS:HE1	2.00	0.73
1:A:205:ARG:HG2	2:A:259:HOH:O	1.87	0.73
1:B:8:PHE:HA	1:B:12:MET:HE1	1.71	0.72
1:B:14:PHE:HZ	1:B:44:VAL:CG2	2.02	0.72
1:B:125:CYS:HB3	1:B:128:PHE:CE2	2.25	0.71
1:A:230:SER:HB2	1:A:232:ILE:CG1	2.20	0.71
1:B:112:LEU:HD12	1:B:116:CYS:O	1.91	0.71
1:B:198:THR:O	1:B:220:ALA:HA	1.90	0.70
1:B:24:GLY:HA3	2:B:295:HOH:O	1.91	0.70
1:B:65:CRQ:N2	1:B:218:GLU:OE2	2.25	0.69
1:B:136:ARG:HG2	2:B:276:HOH:O	1.92	0.69
1:A:8:PHE:CD2	1:A:83:GLN:HG2	2.28	0.69
1:A:35:SER:O	1:A:39:HIS:CE1	2.45	0.69
1:B:142:ILE:HG12	1:B:165:PHE:CE1	2.29	0.68
1:B:108:HIS:N	1:B:108:HIS:CD2	2.62	0.68
1:A:58:LYS:HB2	1:A:59:PRO:HD3	1.77	0.67
1:A:154:PRO:O	1:A:191:ILE:HD11	1.93	0.67
1:A:206:ASP:H	1:A:213:HIS:CE1	2.12	0.66
1:B:65:CRQ:HD1	1:B:65:CRQ:N2	2.10	0.66
1:A:84:GLU:CB	1:A:189:ILE:HD11	2.24	0.66
1:B:141:ASP:OD1	1:B:141:ASP:C	2.34	0.65
1:B:225:VAL:CG1	1:B:226:PRO:HD2	2.21	0.65
1:B:14:PHE:HE2	1:B:16:ILE:CD1	2.10	0.65
1:A:92:ILE:HD12	1:A:110:TYR:HE2	1.61	0.65
1:B:106:SER:HB2	1:B:108:HIS:NE2	2.12	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:ASN:ND2	1:A:217:ARG:HA	2.13	0.63
1:A:215:CYS:HB3	2:B:268:HOH:O	1.99	0.63
1:B:139:LEU:HD22	1:B:165:PHE:HB3	1.80	0.63
1:A:4:GLY:CA	1:A:7:LEU:HD12	2.27	0.62
1:A:84:GLU:HG3	2:A:246:HOH:O	1.99	0.62
1:B:43:ASN:ND2	1:B:217:ARG:CG	2.53	0.62
1:B:14:PHE:CZ	1:B:44:VAL:HG22	2.32	0.61
1:A:92:ILE:HD12	1:A:110:TYR:CE2	2.35	0.61
1:B:8:PHE:HA	1:B:12:MET:HE3	1.82	0.61
1:A:114:ASP:HB3	2:A:254:HOH:O	2.01	0.60
1:A:183:PHE:CZ	1:A:185:GLY:HA3	2.36	0.60
1:B:229:THR:HG22	2:B:247:HOH:O	2.02	0.60
1:A:183:PHE:CE2	1:A:185:GLY:HA3	2.36	0.60
1:B:232:ILE:HD12	1:B:233:GLY:N	2.16	0.60
1:A:86:PHE:CD2	1:A:86:PHE:N	2.69	0.60
1:B:113:ASP:HB3	1:B:116:CYS:HB3	1.84	0.59
1:B:13:THR:HA	1:B:33:GLY:O	2.02	0.59
1:A:84:GLU:HB3	1:A:189:ILE:HD11	1.82	0.59
1:A:163:ILE:HG23	2:A:251:HOH:O	2.01	0.59
1:A:204:MET:CG	1:B:231:ALA:HB3	2.29	0.59
1:A:2:GLU:HB3	1:A:187:ARG:HH11	1.57	0.58
1:B:130:PRO:HA	1:B:135:MET:HG3	1.84	0.58
1:B:148:HIS:CD2	1:B:196:PHE:HE1	2.22	0.57
1:B:65:CRQ:HA31	1:B:65:CRQ:N	2.19	0.57
1:B:209:ASP:HB3	1:B:213:HIS:CD2	2.39	0.57
1:B:206:ASP:O	1:B:213:HIS:CE1	2.57	0.57
1:B:63:LEU:HD11	1:B:104:MET:HE1	1.85	0.57
1:A:112:LEU:HD12	1:A:116:CYS:O	2.05	0.56
1:B:113:ASP:O	1:B:115:THR:N	2.39	0.56
1:A:153:GLY:O	1:A:191:ILE:HD13	2.05	0.56
1:B:225:VAL:CG1	1:B:226:PRO:CD	2.82	0.55
1:B:102:GLY:HA3	1:B:128:PHE:CG	2.43	0.54
1:A:125:CYS:HB3	1:A:128:PHE:HE2	1.67	0.54
1:B:106:SER:CB	1:B:108:HIS:NE2	2.70	0.54
1:B:14:PHE:HE2	1:B:16:ILE:HD11	1.73	0.54
1:A:112:LEU:HD11	1:A:114:ASP:O	2.08	0.54
1:B:22:VAL:HG11	1:B:55:MET:HG2	1.91	0.53
1:A:211:ARG:O	1:A:213:HIS:HD2	1.90	0.53
1:B:104:MET:HE3	1:B:123:VAL:HG21	1.91	0.53
1:B:138:GLN:HB3	1:B:168:ALA:HB2	1.91	0.53
1:B:18:ILE:HB	1:B:29:ILE:HB	1.91	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:6:ALA:HB2	2:B:307:HOH:O	2.08	0.53
1:B:62:HIS:O	1:B:65:CRQ:HA32	2.09	0.53
1:B:7:LEU:O	1:B:12:MET:HE1	2.08	0.52
1:B:92:ILE:HD12	1:B:110:TYR:HE2	1.75	0.52
1:A:132:GLY:O	1:A:136:ARG:HG3	2.09	0.52
1:B:211:ARG:HG2	2:B:284:HOH:O	2.10	0.51
1:B:65:CRQ:CD2	1:B:199:ILE:HD12	2.40	0.51
1:B:2:GLU:HB2	1:B:3:GLY:HA3	1.89	0.51
1:A:35:SER:O	1:A:39:HIS:HE1	1.94	0.51
1:B:108:HIS:N	1:B:108:HIS:HD2	2.07	0.51
1:A:65:CRQ:OE1	1:A:218:GLU:HB2	2.11	0.51
1:A:204:MET:HB2	2:A:282:HOH:O	2.11	0.51
1:A:14:PHE:CD1	1:A:71:PHE:HE2	2.29	0.51
1:B:131:ASP:O	1:B:136:ARG:HG3	2.10	0.51
1:B:27:PHE:HA	1:B:50:THR:HG21	1.92	0.51
1:A:43:ASN:HD22	1:A:43:ASN:N	2.07	0.50
1:A:151:PRO:CB	1:A:191:ILE:HG22	2.41	0.50
1:A:154:PRO:HA	1:A:191:ILE:HD11	1.93	0.50
1:B:65:CRQ:OH	1:B:163:ILE:HD13	2.12	0.50
1:B:25:GLN:N	2:B:291:HOH:O	2.43	0.50
1:B:3:GLY:H	1:B:7:LEU:HD21	1.77	0.50
1:B:114:ASP:HA	2:B:273:HOH:O	2.11	0.50
1:A:38:PRO:O	1:A:39:HIS:HB2	2.10	0.50
1:A:5:PRO:HD3	1:A:84:GLU:HA	1.94	0.50
1:B:225:VAL:CG1	1:B:226:PRO:N	2.74	0.50
1:B:43:ASN:HD21	1:B:217:ARG:CG	1.95	0.49
1:B:34:SER:O	1:B:42:PHE:HB2	2.12	0.49
1:B:152:HIS:CD2	1:B:180:LYS:HD2	2.48	0.49
1:A:183:PHE:CE2	1:A:185:GLY:CA	2.96	0.49
1:A:206:ASP:N	1:A:213:HIS:CE1	2.74	0.49
1:B:65:CRQ:HB11	1:B:218:GLU:OE1	2.12	0.49
1:B:132:GLY:HA2	2:B:255:HOH:O	2.13	0.48
1:A:151:PRO:HB3	1:A:192:PRO:O	2.14	0.48
1:A:227:ARG:CG	1:A:227:ARG:HH11	1.96	0.48
1:B:106:SER:HB2	1:B:108:HIS:CD2	2.48	0.48
1:B:53:LEU:HA	1:B:54:PRO:HD3	1.59	0.48
1:A:150:PHE:CE2	1:A:160:LEU:HD12	2.48	0.48
1:B:11:ASP:O	1:B:12:MET:HG2	2.13	0.48
1:A:93:ASP:OD1	1:A:107:HIS:ND1	2.23	0.47
1:A:151:PRO:HB3	1:A:191:ILE:HG22	1.96	0.47
1:A:228:ILE:O	1:B:202:LYS:HD2	2.13	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:196:PHE:CE2	1:A:225:VAL:HG23	2.50	0.47
1:B:7:LEU:O	1:B:12:MET:CE	2.63	0.47
1:A:45:HIS:HE1	1:A:209:ASP:OD2	1.98	0.47
1:A:32:ASP:N	1:A:32:ASP:OD1	2.47	0.47
1:A:8:PHE:CE2	1:A:83:GLN:HG2	2.49	0.47
1:A:4:GLY:O	1:A:7:LEU:HD12	2.14	0.47
1:B:152:HIS:HD2	1:B:180:LYS:HD2	1.80	0.47
1:A:84:GLU:HB2	1:A:189:ILE:HD11	1.94	0.46
1:B:205:ARG:O	1:B:205:ARG:HG2	2.15	0.46
1:A:208:SER:O	1:A:210:LYS:HD3	2.16	0.46
1:A:45:HIS:CE1	1:A:209:ASP:OD2	2.68	0.46
1:B:92:ILE:HD12	1:B:110:TYR:CE2	2.51	0.46
1:B:96:VAL:HA	1:B:176:HIS:O	2.16	0.45
1:B:31:ALA:HB2	1:B:46:ALA:CB	2.46	0.45
1:A:112:LEU:HD12	1:A:113:ASP:N	2.31	0.45
1:B:73:ARG:HD3	2:B:239:HOH:O	2.17	0.45
1:B:152:HIS:CD2	1:B:180:LYS:CD	3.00	0.45
1:B:63:LEU:HD11	1:B:104:MET:CE	2.46	0.45
1:A:152:HIS:O	1:A:156:ALA:O	2.35	0.45
1:B:14:PHE:CE2	1:B:16:ILE:HD11	2.51	0.45
1:B:16:ILE:HD11	1:B:68:GLU:OE2	2.17	0.45
1:B:171:GLY:HA3	2:B:261:HOH:O	2.16	0.44
1:A:8:PHE:CE2	1:A:83:GLN:HA	2.53	0.44
1:A:42:PHE:C	1:A:43:ASN:ND2	2.66	0.44
1:A:64:ILE:O	1:A:65:CRQ:HG11	2.17	0.44
1:B:90:LEU:N	1:B:90:LEU:HD23	2.32	0.44
1:A:154:PRO:HA	1:A:191:ILE:CD1	2.47	0.44
1:B:114:ASP:OD2	1:B:115:THR:N	2.50	0.44
1:B:123:VAL:O	1:B:123:VAL:HG13	2.18	0.44
1:A:150:PHE:HE2	1:A:160:LEU:HD12	1.83	0.43
1:B:225:VAL:HG12	1:B:226:PRO:N	2.32	0.43
1:B:64:ILE:HG13	1:B:216:GLN:NE2	2.33	0.43
1:A:112:LEU:HD12	1:A:113:ASP:H	1.83	0.43
1:A:65:CRQ:HB12	1:A:218:GLU:OE2	2.19	0.43
1:A:108:HIS:N	1:A:108:HIS:CD2	2.86	0.43
1:A:79:SER:HB3	1:A:192:PRO:HB3	1.99	0.43
1:A:147:THR:HG22	1:A:161:ALA:HB2	2.01	0.42
1:B:90:LEU:H	1:B:90:LEU:HD23	1.84	0.42
1:A:210:LYS:N	1:A:210:LYS:HD2	2.34	0.42
1:A:70:PHE:CZ	1:A:117:VAL:HG11	2.53	0.42
1:B:179:SER:OG	2:B:241:HOH:O	2.20	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:9:GLN:HG3	1:B:37:PHE:HE1	1.85	0.42
1:A:43:ASN:N	1:A:43:ASN:ND2	2.66	0.42
1:A:230:SER:C	1:A:232:ILE:H	2.23	0.42
1:A:196:PHE:HE2	1:A:225:VAL:HG23	1.85	0.42
1:A:73:ARG:CZ	1:A:73:ARG:CB	2.95	0.42
1:A:73:ARG:CZ	1:A:73:ARG:HB3	2.49	0.42
1:B:65:CRQ:OH	1:B:163:ILE:CD1	2.67	0.42
1:A:183:PHE:HZ	1:A:187:ARG:HE	1.67	0.41
1:A:80:HIS:CD2	1:A:83:GLN:CD	2.93	0.41
1:A:80:HIS:O	1:A:83:GLN:HB2	2.20	0.41
1:B:9:GLN:HG3	1:B:37:PHE:CE1	2.55	0.41
1:A:210:LYS:HA	1:A:210:LYS:HD2	1.87	0.41
1:A:154:PRO:C	1:A:191:ILE:HD11	2.40	0.41
1:B:196:PHE:O	1:B:222:ALA:HA	2.21	0.41
1:B:134:ILE:N	2:B:266:HOH:O	2.43	0.41
1:A:195:HIS:CE1	2:A:293:HOH:O	2.74	0.41
1:B:211:ARG:HG2	2:B:309:HOH:O	2.21	0.41
1:A:163:ILE:CG2	2:A:251:HOH:O	2.65	0.41
1:B:152:HIS:HD2	1:B:180:LYS:CD	2.34	0.41
1:B:36:LYS:O	1:B:37:PHE:C	2.59	0.40
1:B:68:GLU:HB3	1:B:71:PHE:CD2	2.56	0.40
1:A:206:ASP:HB3	1:A:213:HIS:CE1	2.57	0.40
1:A:18:ILE:HB	1:A:29:ILE:HB	2.02	0.40
1:A:37:PHE:CG	1:A:38:PRO:HA	2.56	0.40
1:A:65:CRQ:OE1	1:A:216:GLN:HG2	2.22	0.40
1:A:210:LYS:CD	1:A:210:LYS:N	2.85	0.40
1:A:84:GLU:HB3	1:A:189:ILE:CD1	2.50	0.40
1:B:60:ILE:O	1:B:61:CYS:C	2.60	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	227/235 (97%)	213 (94%)	12 (5%)	2 (1%)	17	11
1	B	227/235 (97%)	201 (88%)	21 (9%)	5 (2%)	6	2
All	All	454/470 (97%)	414 (91%)	33 (7%)	7 (2%)	10	5

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	114	ASP
1	A	88	GLU
1	A	187	ARG
1	B	136	ARG
1	B	206	ASP
1	B	56	SER
1	B	4	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	197/202 (98%)	183 (93%)	14 (7%)	14	9
1	B	197/202 (98%)	184 (93%)	13 (7%)	16	11
All	All	394/404 (98%)	367 (93%)	27 (7%)	15	10

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	GLU
1	A	70	PHE
1	A	80	HIS
1	A	90	LEU
1	A	108	HIS
1	A	117	VAL
1	A	136	ARG
1	A	140	VAL
1	A	145	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	148	HIS
1	A	172	LEU
1	A	180	LYS
1	A	210	LYS
1	A	227	ARG
1	B	9	GLN
1	B	21	GLU
1	B	22	VAL
1	B	52	LYS
1	B	70	PHE
1	B	93	ASP
1	B	108	HIS
1	B	114	ASP
1	B	115	THR
1	B	129	GLN
1	B	204	MET
1	B	205	ARG
1	B	207	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	ASN
1	A	25	GLN
1	A	43	ASN
1	A	45	HIS
1	A	80	HIS
1	A	213	HIS
1	B	23	ASN
1	B	43	ASN
1	B	45	HIS
1	B	129	GLN
1	B	138	GLN
1	B	152	HIS
1	B	213	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
1	CRQ	A	65	1	24,25,26	1.13	1 (4%)	27,34,36	1.58	4 (14%)
1	CRQ	B	65	1	24,25,26	1.00	2 (8%)	27,34,36	1.70	4 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CRQ	A	65	1	-	3/10/32/33	0/2/2/2
1	CRQ	B	65	1	-	4/10/32/33	0/2/2/2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	65	CRQ	CA1-N	3.87	1.36	1.27
1	B	65	CRQ	CA1-N	3.36	1.35	1.27
1	B	65	CRQ	CA2-C2	2.46	1.51	1.48

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	65	CRQ	CG2-CB2-CA2	-6.30	122.22	129.94
1	A	65	CRQ	CG2-CB2-CA2	-4.84	124.02	129.94
1	A	65	CRQ	O-C-CA3	-3.03	117.25	126.39
1	B	65	CRQ	O2-C2-CA2	2.64	132.44	130.96
1	B	65	CRQ	O-C-CA3	-2.53	118.75	126.39
1	A	65	CRQ	CE2-CD2-CG2	-2.25	118.32	121.25
1	A	65	CRQ	CD2-CG2-CD1	2.16	120.83	117.64
1	B	65	CRQ	CD1-CG2-CB2	-2.14	113.93	121.22



There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	65	CRQ	N2-CA2-CB2-CG2
1	A	65	CRQ	C2-CA2-CB2-CG2
1	B	65	CRQ	C1-CA1-CB1-CG1
1	B	65	CRQ	C-CA3-N3-C2
1	B	65	CRQ	N2-CA2-CB2-CG2
1	B	65	CRQ	C2-CA2-CB2-CG2
1	A	65	CRQ	CA1-CB1-CG1-CD3

There are no ring outliers.

2 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	65	CRQ	5	0
1	B	65	CRQ	10	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	229/235 (97%)	0.41	14 (6%) 21 28	37, 49, 81, 95	0
1	B	229/235 (97%)	0.99	39 (17%) 1 1	35, 72, 93, 108	0
All	All	458/470 (97%)	0.70	53 (11%) 4 6	35, 59, 91, 108	0

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	232	ILE	9.0
1	A	3	GLY	8.2
1	B	207	THR	7.5
1	B	47	VAL	7.0
1	B	233	GLY	5.4
1	B	208	SER	5.2
1	A	229	THR	4.8
1	B	30	VAL	4.5
1	A	232	ILE	4.3
1	B	210	LYS	4.2
1	B	46	ALA	4.1
1	B	215	CYS	4.1
1	B	140	VAL	3.8
1	A	230	SER	3.7
1	B	206	ASP	3.7
1	B	209	ASP	3.7
1	A	2	GLU	3.6
1	A	208	SER	3.6
1	B	61	CYS	3.5
1	B	3	GLY	3.4
1	B	42	PHE	3.4
1	A	9	GLN	3.1
1	B	132	GLY	3.1
1	B	167	THR	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	213	HIS	3.0
1	B	53	LEU	3.0
1	B	9	GLN	2.9
1	A	231	ALA	2.8
1	B	62	HIS	2.8
1	A	228	ILE	2.8
1	B	55	MET	2.8
1	B	82	ALA	2.7
1	B	45	HIS	2.7
1	B	64	ILE	2.7
1	B	211	ARG	2.7
1	A	112	LEU	2.7
1	B	37	PHE	2.6
1	B	138	GLN	2.6
1	B	130	PRO	2.5
1	B	49	GLU	2.5
1	A	61	CYS	2.4
1	A	191	ILE	2.4
1	B	205	ARG	2.4
1	B	15	LYS	2.3
1	B	44	VAL	2.2
1	B	69	PRO	2.2
1	A	78	ILE	2.2
1	B	28	THR	2.2
1	B	48	CYS	2.1
1	B	231	ALA	2.1
1	B	216	GLN	2.0
1	B	204	MET	2.0
1	A	225	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
1	CRQ	B	65	24/25	0.91	0.43	58,67,69,69	10
1	CRQ	A	65	24/25	0.95	0.29	32,44,46,49	10

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.