



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 09:36 pm BST

PDB ID : 1GON
Title : b-glucosidase from Streptomyces sp
Authors : Guasch, A.; Perez-Pons, J.A.; Vallmitjana, M.; Querol, E.; Coll, M.
Deposited on : 2001-10-22
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	479	
1	B	479	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7387 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BETA-GLUCOSIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	448	Total	C	N	O	S	0	0	1
			3421	2186	603	627	5			
1	B	447	Total	C	N	O	S	0	0	1
			3431	2185	610	631	5			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	143	ALA	PRO	conflict	UNP Q59976
A	150	ALA	PRO	conflict	UNP Q59976
A	246	ASP	GLU	conflict	UNP Q59976
B	143	ALA	PRO	conflict	UNP Q59976
B	150	ALA	PRO	conflict	UNP Q59976
B	246	ASP	GLU	conflict	UNP Q59976

- Molecule 2 is MERCURY (II) ION (three-letter code: HG) (formula: Hg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	3	Total	Hg	0	0
			3	3		
2	A	3	Total	Hg	0	0
			3	3		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	253	Total	O	0	0
			253	253		
4	B	261	Total	O	0	0
			261	261		

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	96.31Å 111.17Å 185.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.20	Depositor
% Data completeness (in resolution range)	95.3 (40.00-2.20)	Depositor
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.198 , 0.226	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7387	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, HG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/3523	0.60	0/4819
1	B	0.35	0/3530	0.60	0/4828
All	All	0.35	0/7053	0.60	0/9647

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3421	0	3207	46	0
1	B	3431	0	3227	46	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
3	A	5	0	0	1	0
3	B	10	0	0	0	0
4	A	253	0	0	7	0
4	B	261	0	0	6	0
All	All	7387	0	6434	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:300:LYS:CE	1:A:300:LYS:CG	2.49	0.90
1:B:152:ALA:CA	1:B:153:GLU:N	2.43	0.82
1:A:307:ASN:ND2	1:A:383:GLU:HB2	1.97	0.80
1:A:125:ILE:HG13	4:A:2094:HOH:O	1.83	0.77
1:B:94:TRP:HE1	1:B:98:GLN:HE21	1.36	0.72
1:B:365:GLU:HG2	4:B:2213:HOH:O	1.88	0.72
1:B:340:ASP:OD2	1:B:340:ASP:CB	2.38	0.72
1:B:340:ASP:OD1	1:B:340:ASP:CB	2.38	0.71
1:B:152:ALA:O	1:B:152:ALA:CA	2.39	0.71
1:B:152:ALA:O	1:B:153:GLU:N	2.24	0.69
1:B:192:HIS:ND1	4:B:2139:HOH:O	2.14	0.67
1:A:169:ARG:HD2	4:A:2111:HOH:O	1.95	0.65
1:A:221:ARG:HH21	1:A:300:LYS:HB3	1.63	0.63
1:A:94:TRP:HE1	1:A:98:GLN:HE21	1.46	0.63
1:B:307:ASN:CG	1:B:383:GLU:HB2	2.18	0.62
1:A:68:ASP:OD2	1:A:71:HIS:HD2	1.83	0.62
1:A:221:ARG:HH21	1:A:300:LYS:CB	2.14	0.60
1:B:221:ARG:HH21	1:B:300:LYS:HB2	1.67	0.60
1:B:340:ASP:OD1	1:B:340:ASP:OD2	2.20	0.60
1:B:180:TRP:CD1	1:B:259:ALA:HA	2.37	0.59
1:B:307:ASN:ND2	1:B:383:GLU:HB2	2.17	0.59
1:B:69:HIS:HD2	1:B:76:ASP:OD2	1.85	0.59
1:A:94:TRP:HB3	1:A:95:PRO:HD3	1.86	0.57
1:A:307:ASN:CG	1:A:383:GLU:HB2	2.25	0.57
1:A:219:ALA:O	1:A:223:ARG:HG3	2.04	0.57
1:A:115:ARG:HD2	4:A:2092:HOH:O	2.05	0.56
1:A:402:GLU:HB2	4:A:2216:HOH:O	2.06	0.55
1:B:366:LEU:C	1:B:366:LEU:HD23	2.27	0.55
1:A:74:ARG:HB2	4:A:2057:HOH:O	2.08	0.54
1:A:393:ASP:HB2	1:A:394:PRO:CD	2.38	0.54
1:A:437:GLU:O	1:A:437:GLU:HG3	2.08	0.53
1:B:94:TRP:N	1:B:95:PRO:CD	2.72	0.52
1:B:387:ALA:HA	1:B:445:ARG:O	2.09	0.52
1:B:361:SER:O	1:B:365:GLU:HG3	2.09	0.52
1:A:253:ARG:HG2	1:A:253:ARG:HH11	1.75	0.51
1:B:253:ARG:HH21	1:B:253:ARG:HG2	1.76	0.51
1:A:221:ARG:NH2	1:A:300:LYS:HB3	2.25	0.51
1:A:366:LEU:HD23	1:A:366:LEU:C	2.31	0.51
1:B:342:VAL:HG12	1:B:343:ALA:H	1.76	0.51
1:A:304:LEU:HB2	1:A:377:LEU:HD21	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:134:TRP:CD1	1:A:134:TRP:N	2.79	0.50
1:B:221:ARG:NH2	1:B:300:LYS:HB2	2.27	0.49
1:A:94:TRP:HE1	1:A:98:GLN:NE2	2.08	0.49
1:A:376:ALA:O	1:A:378:PRO:HD3	2.14	0.48
1:A:32:GLN:O	1:A:435:ASN:HB2	2.13	0.48
1:B:146:TRP:N	1:B:147:PRO:CD	2.77	0.48
1:B:134:TRP:CZ3	4:B:2139:HOH:O	2.65	0.47
1:B:213:HIS:CE1	1:B:232:VAL:HB	2.49	0.47
1:A:146:TRP:N	1:A:147:PRO:CD	2.79	0.46
1:A:261:ARG:HB3	1:A:273:PRO:HG2	1.96	0.46
1:B:271:ALA:HA	1:B:294:LEU:HD12	1.96	0.46
1:B:273:PRO:HG2	1:B:276:LEU:HB3	1.98	0.46
1:A:342:VAL:HG12	1:A:343:ALA:N	2.31	0.46
1:B:367:LEU:HD21	1:B:381:ILE:HD11	1.98	0.46
1:A:100:THR:HA	1:A:139:GLU:OE2	2.15	0.45
1:A:94:TRP:N	1:A:95:PRO:CD	2.78	0.45
1:B:273:PRO:HG2	1:B:276:LEU:CB	2.46	0.45
1:A:393:ASP:HB2	1:A:394:PRO:HD2	1.98	0.45
1:A:290:ARG:CZ	3:A:1481:SO4:O2	2.65	0.45
1:B:364:TYR:OH	1:B:420:ASP:OD1	2.24	0.44
1:B:32:GLN:O	1:B:435:ASN:HB2	2.17	0.44
1:A:181:CYS:HB3	4:A:2118:HOH:O	2.18	0.44
1:A:220:LEU:HD22	1:A:224:LEU:HD11	1.99	0.44
1:B:207:HIS:HD2	1:B:272:TYR:OH	2.01	0.44
1:B:94:TRP:HE1	1:B:98:GLN:NE2	2.09	0.44
1:B:23:LEU:HD11	1:B:87:ALA:HB2	1.99	0.44
1:B:134:TRP:CD1	1:B:134:TRP:N	2.85	0.44
1:B:298:HIS:NE2	4:B:2186:HOH:O	2.35	0.43
1:A:257:ALA:HB2	1:A:261:ARG:NH2	2.33	0.43
1:B:231:SER:OG	1:B:232:VAL:N	2.51	0.43
1:B:251:ALA:O	1:B:255:ILE:HG12	2.19	0.43
1:A:244:ASP:O	1:A:245:SER:C	2.56	0.43
1:A:189:SER:HB3	1:A:335:PRO:HD3	2.00	0.43
1:A:448:ALA:O	1:A:464:ALA:HB2	2.19	0.43
1:A:273:PRO:HG3	4:A:2149:HOH:O	2.18	0.42
1:B:144:GLY:O	1:B:147:PRO:HD2	2.20	0.42
1:A:257:ALA:HA	1:A:261:ARG:HB2	2.01	0.42
1:B:133:HIS:CE1	1:B:177:ASN:ND2	2.87	0.42
1:B:192:HIS:CE1	4:B:2139:HOH:O	2.67	0.42
1:B:253:ARG:NH2	1:B:253:ARG:HG2	2.35	0.42
1:B:360:PRO:HG2	1:B:409:ASP:HB3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:406:TYR:CD1	1:B:406:TYR:C	2.93	0.42
1:A:178:GLU:OE2	1:A:235:ASN:HB3	2.19	0.41
1:A:335:PRO:HG2	1:A:336:TRP:CD1	2.56	0.41
1:A:33:ILE:HG13	1:A:34:GLU:N	2.35	0.41
1:A:310:SER:OG	1:A:311:PRO:HD2	2.21	0.41
1:B:181:CYS:HB3	4:B:2139:HOH:O	2.19	0.41
1:B:342:VAL:HG12	1:B:343:ALA:N	2.35	0.41
1:A:242:LEU:O	1:A:242:LEU:HD22	2.21	0.41
1:A:200:VAL:O	1:A:204:ARG:HG3	2.21	0.41
1:A:45:SER:HB3	1:A:95:PRO:HG2	2.03	0.41
1:B:339:ALA:O	1:B:342:VAL:HG23	2.21	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	444/479 (93%)	429 (97%)	14 (3%)	1 (0%)	47	55
1	B	439/479 (92%)	421 (96%)	18 (4%)	0	100	100
All	All	883/958 (92%)	850 (96%)	32 (4%)	1 (0%)	51	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	245	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	325/367 (89%)	319 (98%)	6 (2%)	59	72
1	B	330/367 (90%)	328 (99%)	2 (1%)	86	93
All	All	655/734 (89%)	647 (99%)	8 (1%)	71	83

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	169	ARG
1	A	218	GLN
1	A	242	LEU
1	A	244	ASP
1	A	283	LEU
1	A	334	SER
1	B	283	LEU
1	B	469	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	ASN
1	A	71	HIS
1	A	98	GLN
1	A	138	GLN
1	A	142	ASN
1	A	307	ASN
1	A	346	GLN
1	B	69	HIS
1	B	98	GLN
1	B	207	HIS
1	B	210	ASN
1	B	218	GLN
1	B	299	GLN
1	B	307	ASN
1	B	346	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 6 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	B	1483	-	4,4,4	0.28	0	6,6,6	0.05	0
3	SO4	A	1481	-	4,4,4	0.21	0	6,6,6	0.07	0
3	SO4	B	1482	-	4,4,4	0.25	0	6,6,6	0.07	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1481	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.