



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 11, 2021 – 07:35 PM EDT

PDB ID : 2GS7  
Title : Crystal Structure of the inactive EGFR kinase domain in complex with AMP-PNP  
Authors : Zhang, X.; Gureasko, J.; Shen, K.; Cole, P.A.; Kuriyan, J.  
Deposited on : 2006-04-25  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.23.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	330	
1	B	330	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	IOD	B	405	-	-	X	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4749 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Epidermal growth factor receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	281	Total	C	N	O	S	0	0	0
			2227	1438	378	396	15			
1	B	288	Total	C	N	O	S	0	0	0
			2278	1469	386	408	15			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	669	GLY	-	cloning artifact	UNP P00533
A	670	ALA	-	cloning artifact	UNP P00533
A	671	MET	-	cloning artifact	UNP P00533
A	924	ARG	VAL	engineered mutation	UNP P00533
B	669	GLY	-	cloning artifact	UNP P00533
B	670	ALA	-	cloning artifact	UNP P00533
B	671	MET	-	cloning artifact	UNP P00533
B	924	ARG	VAL	engineered mutation	UNP P00533


- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		

- Molecule 3 is IODIDE ION (three-letter code: IOD) (formula: I).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	5	Total	I	0	0
			5	5		
3	B	6	Total	I	0	0
			6	6		

- Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>6</sub>O<sub>12</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
4	B	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	82	Total	O	0	0
			82	82		
5	B	87	Total	O	0	0
			87	87		



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	64.60Å 85.25Å 78.33Å 90.00° 96.36° 90.00°	Depositor
Resolution (Å)	50.00 – 2.60 44.68 – 2.50	Depositor EDS
% Data completeness (in resolution range)	89.6 (50.00-2.60) 86.1 (44.68-2.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.11	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.72 (at 2.51Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.233 , 0.298 0.232 , 0.291	Depositor DCC
$R_{free}$ test set	2017 reflections (7.26%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	32.8	Xtriage
Anisotropy	0.507	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 59.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	4749	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 23.56 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.5484e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, IOD, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.36	0/2275	0.63	0/3083
1	B	0.37	0/2327	0.66	1/3153 (0.0%)
All	All	0.37	0/4602	0.64	1/6236 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	704	LYS	N-CA-C	-6.57	93.27	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2227	0	2255	96	0
1	B	2278	0	2295	92	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	5	0	0	2	0
3	B	6	0	0	5	0
4	A	31	0	13	0	0
4	B	31	0	13	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	82	0	0	7	0
5	B	87	0	0	10	0
All	All	4749	0	4576	188	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (188) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:747:ASN:HD22	1:A:748:PRO:HD2	1.26	1.00
1:A:959:GLY:HA3	5:A:120:HOH:O	1.62	0.97
1:A:747:ASN:ND2	1:A:748:PRO:HD2	1.82	0.94
1:B:902:ILE:HG23	1:B:907:GLU:HB2	1.51	0.92
1:B:919:VAL:HG22	1:B:947:MET:CE	2.12	0.80
1:A:742:MET:O	1:A:745:VAL:HG22	1.89	0.73
1:B:919:VAL:HG22	1:B:947:MET:HE3	1.71	0.73
1:A:735:ILE:HD12	1:A:837:LEU:HD21	1.70	0.71
1:B:732:ASN:OD1	1:B:758:LEU:HD22	1.92	0.70
1:A:769:MET:CE	1:A:828:LYS:HD2	2.23	0.69
1:A:725:GLU:HG3	1:A:760:SER:O	1.95	0.67
1:A:779:ARG:NH1	1:A:887:GLY:O	2.28	0.66
1:B:752:ARG:HB3	1:B:752:ARG:NH1	2.11	0.66
1:A:957:ILE:HG22	1:A:958:GLN:H	1.61	0.65
1:A:722:GLU:HG3	1:A:763:GLN:HG2	1.79	0.65
1:A:808:ARG:HD2	5:A:146:HOH:O	1.96	0.65
1:A:853:PRO:O	1:A:857:MET:HG3	1.97	0.65
1:A:787:SER:OG	1:A:951:PRO:HB2	1.97	0.64
1:A:787:SER:CB	1:A:951:PRO:HB2	2.28	0.64
1:A:732:ASN:HB3	1:A:758:LEU:HD13	1.78	0.64
1:A:987:VAL:O	1:A:988:ASP:HB3	1.98	0.64
1:B:724:ARG:O	1:B:727:THR:HB	1.98	0.63
1:A:780:GLU:O	1:A:780:GLU:HG2	1.99	0.63
1:B:735:ILE:HG21	1:B:758:LEU:HD21	1.82	0.62
1:B:745:VAL:O	1:B:752:ARG:HG3	1.99	0.62
1:A:783:ASP:O	1:A:784:ASN:ND2	2.33	0.62
1:A:783:ASP:HA	5:A:150:HOH:O	2.00	0.61
1:A:881:TRP:HA	1:A:923:MET:CE	2.30	0.61
1:A:836:LYS:HE2	5:A:154:HOH:O	2.00	0.61
1:B:782:LYS:HE2	5:B:129:HOH:O	2.00	0.60
1:A:707:TRP:O	1:A:709:PRO:HD3	2.02	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:881:TRP:HA	1:A:923:MET:HE2	1.84	0.60
1:A:787:SER:HB2	1:A:951:PRO:HB2	1.83	0.59
1:A:852:VAL:HG23	1:A:854:ILE:HG12	1.85	0.59
1:B:787:SER:OG	1:B:951:PRO:HB2	2.02	0.59
1:B:704:LYS:NZ	3:B:405:IOD:I	3.02	0.58
1:A:943:GLU:O	1:A:947:MET:HG3	2.02	0.58
1:A:805:GLU:HG3	1:A:869:HIS:CG	2.39	0.58
1:B:836:LYS:HB3	5:B:157:HOH:O	2.03	0.57
1:A:679:LEU:HD12	1:A:679:LEU:N	2.20	0.57
1:B:805:GLU:HA	1:B:869:HIS:CE1	2.39	0.57
1:A:684:LYS:C	1:A:686:THR:H	2.08	0.57
1:A:805:GLU:HA	1:A:869:HIS:CE1	2.40	0.56
1:B:781:HIS:HB2	1:B:785:ILE:HD11	1.87	0.56
1:B:916:THR:OG1	1:B:919:VAL:HG23	2.05	0.55
1:A:985:ASP:CG	1:A:986:VAL:H	2.08	0.55
1:B:738:GLU:O	1:B:741:VAL:HG13	2.07	0.55
1:B:902:ILE:HG23	1:B:907:GLU:CB	2.30	0.55
1:B:841:GLU:HA	1:B:841:GLU:OE1	2.06	0.55
1:A:747:ASN:ND2	1:A:748:PRO:CD	2.66	0.55
1:B:837:LEU:C	1:B:839:GLY:H	2.09	0.55
1:B:889:LYS:HE2	5:B:24:HOH:O	2.06	0.55
1:A:791:LEU:HD22	1:A:947:MET:HB2	1.88	0.54
1:B:781:HIS:HB3	1:B:784:ASN:OD1	2.08	0.54
1:A:689:LYS:NZ	1:A:689:LYS:HB3	2.23	0.54
1:B:779:ARG:HD3	1:B:887:GLY:HA3	1.88	0.54
1:B:987:VAL:O	1:B:988:ASP:HB2	2.06	0.54
1:A:825:GLN:NE2	3:A:402:IOD:I	3.11	0.54
1:A:789:TYR:O	1:A:792:ASN:HB2	2.07	0.54
1:B:678:ALA:O	1:B:680:LEU:N	2.41	0.54
1:A:959:GLY:HA2	5:A:94:HOH:O	2.08	0.53
1:B:744:SER:OG	1:B:807:ARG:NH2	2.30	0.53
1:A:731:ALA:O	1:A:735:ILE:HG12	2.08	0.53
1:A:881:TRP:CA	1:A:923:MET:HE2	2.39	0.53
1:A:688:PHE:HA	1:A:706:LEU:O	2.09	0.53
1:B:864:HIS:HB2	1:B:866:ILE:HG13	1.91	0.53
1:B:698:ALA:O	1:B:724:ARG:NH2	2.42	0.52
1:A:885:THR:OG1	1:A:888:SER:HB2	2.10	0.52
1:A:727:THR:HG22	1:A:838:LEU:CD2	2.40	0.52
1:B:749:HIS:CE1	1:B:796:GLN:HG2	2.45	0.51
1:A:936:LYS:HB2	1:A:939:GLU:HG3	1.93	0.51
1:B:745:VAL:O	1:B:745:VAL:HG23	2.09	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:986:VAL:HG12	1:B:986:VAL:O	2.11	0.51
1:A:723:LEU:HB2	1:A:762:VAL:HG13	1.93	0.50
1:B:723:LEU:HB3	1:B:727:THR:HG21	1.93	0.50
1:B:836:LYS:HD3	5:B:157:HOH:O	2.10	0.50
1:B:880:VAL:HB	1:B:923:MET:HE3	1.93	0.50
1:B:845:TYR:CE2	1:B:847:ALA:HB2	2.47	0.50
1:A:690:LYS:HD2	1:A:703:TYR:CD1	2.47	0.49
1:B:881:TRP:N	1:B:923:MET:CE	2.75	0.49
1:B:936:LYS:HB2	1:B:939:GLU:HG3	1.93	0.49
1:B:947:MET:HG2	1:B:954:TYR:CG	2.47	0.49
1:A:812:ARG:HH11	1:A:812:ARG:HG3	1.78	0.49
1:A:864:HIS:HB2	1:A:866:ILE:HG13	1.95	0.49
1:A:881:TRP:CA	1:A:923:MET:CE	2.89	0.49
1:A:937:PHE:O	1:A:941:ILE:HG13	2.13	0.49
1:B:938:ARG:HG3	1:B:939:GLU:N	2.27	0.49
1:A:745:VAL:HG23	1:A:752:ARG:HG3	1.93	0.49
1:B:734:GLU:O	1:B:738:GLU:HG3	2.13	0.49
1:B:881:TRP:CA	1:B:923:MET:HE2	2.42	0.49
1:B:824:PRO:HD2	3:B:401:IOD:I	2.83	0.49
1:A:684:LYS:O	1:A:686:THR:N	2.45	0.49
1:A:696:SER:HA	1:A:701:THR:HA	1.95	0.48
1:B:985:ASP:O	1:B:986:VAL:C	2.51	0.48
1:A:699:PHE:HA	1:A:724:ARG:NH2	2.29	0.48
1:A:724:ARG:HB3	1:A:727:THR:OG1	2.13	0.48
1:B:694:LEU:HD21	1:B:704:LYS:HD3	1.95	0.48
1:B:826:HIS:HE1	5:B:58:HOH:O	1.96	0.48
1:A:689:LYS:O	1:A:705:GLY:HA3	2.13	0.48
1:B:779:ARG:O	1:B:782:LYS:HG3	2.12	0.48
1:B:704:LYS:HE3	3:B:405:IOD:I	2.84	0.48
1:B:991:GLU:O	1:B:992:TYR:HB2	2.14	0.48
1:A:775:LEU:HD21	1:A:779:ARG:NH2	2.29	0.48
1:A:914:ILE:HG23	5:A:82:HOH:O	2.13	0.48
1:A:795:VAL:HG12	1:A:799:LYS:HE3	1.94	0.47
1:B:703:TYR:O	1:B:719:ALA:HA	2.14	0.47
1:B:783:ASP:HB3	5:B:59:HOH:O	2.12	0.47
1:A:693:VAL:HG22	1:A:703:TYR:CE2	2.50	0.47
1:B:752:ARG:HB3	1:B:752:ARG:HH11	1.79	0.47
1:B:876:TYR:CE2	1:B:940:LEU:HD13	2.50	0.47
1:A:841:GLU:HA	1:A:841:GLU:OE1	2.15	0.47
1:B:911:GLN:HG3	1:B:920:TYR:HB2	1.96	0.47
1:A:753:LEU:HD11	1:A:755:GLY:O	2.15	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:688:PHE:HA	1:B:706:LEU:O	2.15	0.46
1:B:702:VAL:HG12	1:B:703:TYR:N	2.30	0.46
1:A:752:ARG:HH11	1:A:752:ARG:HB3	1.80	0.46
1:B:881:TRP:HA	1:B:923:MET:CE	2.46	0.46
1:B:699:PHE:HA	1:B:724:ARG:NH2	2.31	0.46
1:B:782:LYS:O	1:B:783:ASP:HB2	2.15	0.46
1:A:818:ASN:C	1:A:830:THR:HG22	2.37	0.45
1:A:987:VAL:O	1:A:988:ASP:CB	2.63	0.45
1:B:936:LYS:O	1:B:939:GLU:N	2.49	0.45
1:A:699:PHE:CD1	1:A:699:PHE:N	2.84	0.45
1:A:805:GLU:HG3	1:A:869:HIS:CD2	2.52	0.45
1:B:735:ILE:HD13	1:B:837:LEU:HD21	1.97	0.45
1:A:773:CYS:HA	1:A:820:LEU:HA	1.98	0.45
1:A:781:HIS:HB2	1:A:785:ILE:HD11	1.99	0.45
1:A:769:MET:HE3	1:A:828:LYS:HD2	1.94	0.45
1:A:902:ILE:O	1:A:907:GLU:HB2	2.17	0.45
1:B:796:GLN:OE1	1:B:826:HIS:HA	2.17	0.45
1:B:919:VAL:HG22	1:B:947:MET:HE1	1.95	0.45
1:A:796:GLN:OE1	1:A:826:HIS:HA	2.16	0.44
1:A:812:ARG:HG3	1:A:812:ARG:NH1	2.32	0.44
1:A:881:TRP:N	1:A:923:MET:CE	2.80	0.44
1:A:870:GLN:O	1:A:934:ARG:NH1	2.42	0.44
1:B:788:GLN:HG3	1:B:792:ASN:HD21	1.82	0.44
1:B:837:LEU:C	1:B:839:GLY:N	2.70	0.44
1:B:735:ILE:HD13	1:B:837:LEU:CD2	2.47	0.44
1:B:985:ASP:O	1:B:987:VAL:N	2.51	0.44
1:A:734:GLU:O	1:A:737:ASP:HB2	2.18	0.44
1:A:696:SER:HB3	1:A:701:THR:HG23	2.00	0.44
1:A:715:LYS:N	1:A:985:ASP:O	2.45	0.44
1:B:770:PRO:HD2	5:B:30:HOH:O	2.17	0.44
1:B:881:TRP:N	1:B:923:MET:HE2	2.33	0.44
1:B:937:PHE:O	1:B:941:ILE:HG13	2.17	0.44
1:A:800:GLY:O	1:A:803:TYR:HB3	2.17	0.44
1:B:781:HIS:C	1:B:783:ASP:N	2.69	0.44
1:A:723:LEU:HD12	1:A:762:VAL:HG11	2.00	0.44
1:B:781:HIS:O	1:B:783:ASP:N	2.51	0.44
1:B:853:PRO:O	1:B:857:MET:HG3	2.18	0.44
1:B:912:PRO:HB2	1:B:915:CYS:SG	2.57	0.44
1:A:723:LEU:HD12	1:A:762:VAL:CG1	2.48	0.43
1:A:823:THR:HG21	5:A:142:HOH:O	2.17	0.43
1:B:788:GLN:O	1:B:792:ASN:ND2	2.52	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:787:SER:CB	1:B:951:PRO:HB2	2.49	0.43
1:B:789:TYR:O	1:B:792:ASN:HB2	2.18	0.43
1:A:811:HIS:O	1:A:812:ARG:HB2	2.18	0.43
1:B:908:ARG:HA	5:B:143:HOH:O	2.19	0.43
1:A:714:VAL:HG13	1:A:987:VAL:HG23	2.01	0.42
1:A:855:LYS:HG3	3:A:403:IOD:I	2.88	0.42
1:B:752:ARG:HH11	1:B:752:ARG:CB	2.32	0.42
1:A:916:THR:HB	1:A:918:ASP:OD1	2.19	0.42
1:B:775:LEU:HD13	1:B:882:GLU:OE1	2.18	0.42
1:B:881:TRP:HA	1:B:923:MET:HE1	2.01	0.42
1:B:855:LYS:HG3	3:B:404:IOD:I	2.89	0.42
1:B:694:LEU:CD2	1:B:704:LYS:HD3	2.50	0.42
1:B:752:ARG:NH1	5:B:137:HOH:O	2.49	0.42
1:A:894:ILE:HD13	1:A:902:ILE:HD13	2.02	0.42
1:B:769:MET:HA	1:B:770:PRO:HD2	1.89	0.42
1:A:683:LEU:HD11	1:A:765:ILE:HG13	2.02	0.41
1:B:791:LEU:O	1:B:795:VAL:HG23	2.21	0.41
1:B:841:GLU:O	1:B:842:GLU:C	2.58	0.41
1:B:881:TRP:CA	1:B:923:MET:CE	2.98	0.41
1:A:919:VAL:HG22	1:A:947:MET:SD	2.61	0.41
1:B:791:LEU:HD12	1:B:951:PRO:HB3	2.03	0.41
1:A:876:TYR:O	1:A:880:VAL:HG23	2.20	0.41
1:B:858:ALA:HA	1:B:874:TRP:CD2	2.55	0.41
1:B:680:LEU:HD13	1:B:743:ALA:HB2	2.03	0.41
1:B:911:GLN:HA	1:B:920:TYR:CD1	2.56	0.41
1:A:714:VAL:HG12	1:A:715:LYS:N	2.35	0.40
1:B:681:ARG:O	1:B:755:GLY:HA2	2.20	0.40
1:B:722:GLU:HG3	1:B:763:GLN:HG2	2.03	0.40
1:A:679:LEU:N	1:A:679:LEU:CD1	2.85	0.40
1:A:807:ARG:HE	1:A:807:ARG:HB3	1.66	0.40
1:A:925:LYS:HE3	1:A:925:LYS:HB2	1.94	0.40
1:A:986:VAL:HG21	5:B:64:HOH:O	2.21	0.40
1:A:770:PRO:HA	3:B:405:IOD:I	2.91	0.40
1:A:727:THR:HG22	1:A:838:LEU:HD22	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/330 (83%)	243 (88%)	29 (10%)	3 (1%)	14	30
1	B	282/330 (86%)	248 (88%)	27 (10%)	7 (2%)	5	9
All	All	557/660 (84%)	491 (88%)	56 (10%)	10 (2%)	8	16

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	679	LEU
1	B	784	ASN
1	B	986	VAL
1	B	987	VAL
1	A	685	GLU
1	A	826	HIS
1	A	842	GLU
1	B	988	ASP
1	B	782	LYS
1	B	937	PHE

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	241/288 (84%)	231 (96%)	10 (4%)	30	56
1	B	244/288 (85%)	235 (96%)	9 (4%)	34	60
All	All	485/576 (84%)	466 (96%)	19 (4%)	32	58

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	683	LEU
1	A	737	ASP
1	A	752	ARG
1	A	762	VAL
1	A	779	ARG
1	A	791	LEU
1	A	828	LYS
1	A	837	LEU
1	A	903	LEU
1	A	918	ASP
1	B	727	THR
1	B	741	VAL
1	B	779	ARG
1	B	808	ARG
1	B	823	THR
1	B	837	LEU
1	B	892	ASP
1	B	902	ILE
1	B	903	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	747	ASN
1	A	784	ASN
1	A	788	GLN
1	A	802	ASN
1	A	952	GLN
1	B	792	ASN
1	B	869	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 13 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	ANP	B	302	2	29,33,33	1.62	8 (27%)	31,52,52	1.80	8 (25%)
4	ANP	A	301	2	29,33,33	1.55	7 (24%)	31,52,52	1.75	7 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ANP	B	302	2	-	3/14/38/38	0/3/3/3
4	ANP	A	301	2	-	2/14/38/38	0/3/3/3

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	302	ANP	PB-O3A	-3.97	1.54	1.59
4	A	301	ANP	PB-O3A	-3.43	1.54	1.59
4	B	302	ANP	PG-O1G	3.42	1.51	1.46
4	A	301	ANP	PG-O1G	3.11	1.51	1.46
4	B	302	ANP	C4-N3	3.04	1.39	1.35
4	A	301	ANP	C4-N3	2.95	1.39	1.35
4	A	301	ANP	PB-O2B	-2.69	1.49	1.56
4	B	302	ANP	PB-O2B	-2.67	1.49	1.56
4	A	301	ANP	C2-N3	2.60	1.36	1.32
4	A	301	ANP	PG-O2G	-2.41	1.50	1.56

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	302	ANP	PG-O3G	-2.41	1.50	1.56
4	B	302	ANP	C2-N3	2.38	1.35	1.32
4	B	302	ANP	PG-O2G	-2.36	1.50	1.56
4	A	301	ANP	PG-O3G	-2.30	1.50	1.56
4	B	302	ANP	C8-N7	-2.24	1.30	1.34

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	302	ANP	O1G-PG-N3B	-4.93	104.51	111.77
4	A	301	ANP	O1G-PG-N3B	-4.54	105.09	111.77
4	A	301	ANP	O2B-PB-O1B	4.42	119.20	109.92
4	B	302	ANP	O2B-PB-O1B	4.29	118.92	109.92
4	B	302	ANP	C3'-C2'-C1'	3.78	106.67	100.98
4	A	301	ANP	C3'-C2'-C1'	3.39	106.09	100.98
4	A	301	ANP	O1B-PB-N3B	-2.96	107.41	111.77
4	B	302	ANP	O3G-PG-O2G	2.45	114.17	107.64
4	A	301	ANP	O3G-PG-O2G	2.40	114.03	107.64
4	B	302	ANP	PA-O3A-PB	2.39	141.04	132.62
4	B	302	ANP	O1B-PB-N3B	-2.29	108.40	111.77
4	A	301	ANP	PA-O3A-PB	2.20	140.36	132.62
4	B	302	ANP	O3'-C3'-C4'	-2.13	104.90	111.05
4	B	302	ANP	O3A-PB-N3B	-2.10	100.75	106.59
4	A	301	ANP	O3A-PB-N3B	-2.01	101.00	106.59

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	301	ANP	PB-N3B-PG-O1G
4	A	301	ANP	PG-N3B-PB-O1B
4	B	302	ANP	PB-N3B-PG-O1G
4	B	302	ANP	PG-N3B-PB-O1B
4	B	302	ANP	PG-N3B-PB-O3A


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	281/330 (85%)	0.05	7 (2%) 57 51	23, 41, 63, 105	0
1	B	288/330 (87%)	0.01	7 (2%) 59 53	22, 40, 68, 90	0
All	All	569/660 (86%)	0.03	14 (2%) 57 51	22, 41, 66, 105	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	987	VAL	3.6
1	A	787	SER	3.5
1	B	990	ASP	3.4
1	B	678	ALA	3.2
1	A	988	ASP	2.8
1	A	986	VAL	2.7
1	B	989	ALA	2.5
1	B	697	GLY	2.2
1	B	782	LYS	2.2
1	A	846	HIS	2.1
1	A	985	ASP	2.1
1	B	846	HIS	2.1
1	B	787	SER	2.1
1	A	841	GLU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	MG	A	202	1/1	0.77	0.22	36,36,36,36	0
2	MG	B	201	1/1	0.87	0.15	43,43,43,43	0
4	ANP	A	301	31/31	0.89	0.18	42,51,73,73	0
4	ANP	B	302	31/31	0.89	0.19	47,53,76,78	0
3	IOD	B	405	1/1	0.94	0.10	99,99,99,99	0
3	IOD	B	411	1/1	0.98	0.04	91,91,91,91	0
3	IOD	A	406	1/1	0.98	0.09	82,82,82,82	0
3	IOD	B	407	1/1	0.98	0.06	81,81,81,81	0
3	IOD	B	404	1/1	0.99	0.12	58,58,58,58	0
3	IOD	A	403	1/1	0.99	0.11	53,53,53,53	0
3	IOD	A	402	1/1	0.99	0.12	58,58,58,58	0
3	IOD	A	409	1/1	0.99	0.04	101,101,101,101	0
3	IOD	A	410	1/1	0.99	0.04	93,93,93,93	0
3	IOD	B	401	1/1	0.99	0.11	62,62,62,62	0
3	IOD	B	408	1/1	1.00	0.05	99,99,99,99	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around ANP A 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ANP B 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.