



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2020 – 06:59 AM BST

PDB ID : 5GWS
Title : 4-hydroxyisoleucine dehydrogenase complexed with NADH and succinate
Authors : Shi, X.; Miyakawa, T.; Nakamura, A.; Tanokura, M.
Deposited on : 2016-09-13
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	282	<div> <div>2%</div> <div>74% 9% 17%</div> </div>
1	B	282	<div> <div>67% 7% 24%</div> </div>
1	C	282	<div> <div>2%</div> <div>69% 7% 24%</div> </div>
1	D	282	<div> <div>2%</div> <div>68% 7% 25%</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6981 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 4-hydroxyisoleucine dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	233	Total	C	N	O	S	0	0	0
			1796	1146	302	335	13			
1	B	214	Total	C	N	O	S	0	0	0
			1642	1049	278	305	10			
1	C	214	Total	C	N	O	S	0	0	0
			1642	1049	278	305	10			
1	D	211	Total	C	N	O	S	0	0	0
			1619	1033	275	302	9			

There are 136 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	249	LEU	-	expression tag	UNP A0A0K0Q8K4
A	250	GLU	-	expression tag	UNP A0A0K0Q8K4
A	251	LYS	-	expression tag	UNP A0A0K0Q8K4
A	252	GLY	-	expression tag	UNP A0A0K0Q8K4
A	253	GLU	-	expression tag	UNP A0A0K0Q8K4
A	254	LEU	-	expression tag	UNP A0A0K0Q8K4
A	255	ASN	-	expression tag	UNP A0A0K0Q8K4
A	256	SER	-	expression tag	UNP A0A0K0Q8K4
A	257	LYS	-	expression tag	UNP A0A0K0Q8K4
A	258	LEU	-	expression tag	UNP A0A0K0Q8K4
A	259	GLU	-	expression tag	UNP A0A0K0Q8K4
A	260	GLY	-	expression tag	UNP A0A0K0Q8K4
A	261	LYS	-	expression tag	UNP A0A0K0Q8K4
A	262	PRO	-	expression tag	UNP A0A0K0Q8K4
A	263	ILE	-	expression tag	UNP A0A0K0Q8K4
A	264	PRO	-	expression tag	UNP A0A0K0Q8K4
A	265	ASN	-	expression tag	UNP A0A0K0Q8K4
A	266	PRO	-	expression tag	UNP A0A0K0Q8K4
A	267	LEU	-	expression tag	UNP A0A0K0Q8K4
A	268	LEU	-	expression tag	UNP A0A0K0Q8K4
A	269	GLY	-	expression tag	UNP A0A0K0Q8K4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	270	LEU	-	expression tag	UNP A0A0K0Q8K4
A	271	ASP	-	expression tag	UNP A0A0K0Q8K4
A	272	SER	-	expression tag	UNP A0A0K0Q8K4
A	273	THR	-	expression tag	UNP A0A0K0Q8K4
A	274	ARG	-	expression tag	UNP A0A0K0Q8K4
A	275	THR	-	expression tag	UNP A0A0K0Q8K4
A	276	GLY	-	expression tag	UNP A0A0K0Q8K4
A	277	HIS	-	expression tag	UNP A0A0K0Q8K4
A	278	HIS	-	expression tag	UNP A0A0K0Q8K4
A	279	HIS	-	expression tag	UNP A0A0K0Q8K4
A	280	HIS	-	expression tag	UNP A0A0K0Q8K4
A	281	HIS	-	expression tag	UNP A0A0K0Q8K4
A	282	HIS	-	expression tag	UNP A0A0K0Q8K4
B	249	LEU	-	expression tag	UNP A0A0K0Q8K4
B	250	GLU	-	expression tag	UNP A0A0K0Q8K4
B	251	LYS	-	expression tag	UNP A0A0K0Q8K4
B	252	GLY	-	expression tag	UNP A0A0K0Q8K4
B	253	GLU	-	expression tag	UNP A0A0K0Q8K4
B	254	LEU	-	expression tag	UNP A0A0K0Q8K4
B	255	ASN	-	expression tag	UNP A0A0K0Q8K4
B	256	SER	-	expression tag	UNP A0A0K0Q8K4
B	257	LYS	-	expression tag	UNP A0A0K0Q8K4
B	258	LEU	-	expression tag	UNP A0A0K0Q8K4
B	259	GLU	-	expression tag	UNP A0A0K0Q8K4
B	260	GLY	-	expression tag	UNP A0A0K0Q8K4
B	261	LYS	-	expression tag	UNP A0A0K0Q8K4
B	262	PRO	-	expression tag	UNP A0A0K0Q8K4
B	263	ILE	-	expression tag	UNP A0A0K0Q8K4
B	264	PRO	-	expression tag	UNP A0A0K0Q8K4
B	265	ASN	-	expression tag	UNP A0A0K0Q8K4
B	266	PRO	-	expression tag	UNP A0A0K0Q8K4
B	267	LEU	-	expression tag	UNP A0A0K0Q8K4
B	268	LEU	-	expression tag	UNP A0A0K0Q8K4
B	269	GLY	-	expression tag	UNP A0A0K0Q8K4
B	270	LEU	-	expression tag	UNP A0A0K0Q8K4
B	271	ASP	-	expression tag	UNP A0A0K0Q8K4
B	272	SER	-	expression tag	UNP A0A0K0Q8K4
B	273	THR	-	expression tag	UNP A0A0K0Q8K4
B	274	ARG	-	expression tag	UNP A0A0K0Q8K4
B	275	THR	-	expression tag	UNP A0A0K0Q8K4
B	276	GLY	-	expression tag	UNP A0A0K0Q8K4
B	277	HIS	-	expression tag	UNP A0A0K0Q8K4

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	278	HIS	-	expression tag	UNP A0A0K0Q8K4
B	279	HIS	-	expression tag	UNP A0A0K0Q8K4
B	280	HIS	-	expression tag	UNP A0A0K0Q8K4
B	281	HIS	-	expression tag	UNP A0A0K0Q8K4
B	282	HIS	-	expression tag	UNP A0A0K0Q8K4
C	249	LEU	-	expression tag	UNP A0A0K0Q8K4
C	250	GLU	-	expression tag	UNP A0A0K0Q8K4
C	251	LYS	-	expression tag	UNP A0A0K0Q8K4
C	252	GLY	-	expression tag	UNP A0A0K0Q8K4
C	253	GLU	-	expression tag	UNP A0A0K0Q8K4
C	254	LEU	-	expression tag	UNP A0A0K0Q8K4
C	255	ASN	-	expression tag	UNP A0A0K0Q8K4
C	256	SER	-	expression tag	UNP A0A0K0Q8K4
C	257	LYS	-	expression tag	UNP A0A0K0Q8K4
C	258	LEU	-	expression tag	UNP A0A0K0Q8K4
C	259	GLU	-	expression tag	UNP A0A0K0Q8K4
C	260	GLY	-	expression tag	UNP A0A0K0Q8K4
C	261	LYS	-	expression tag	UNP A0A0K0Q8K4
C	262	PRO	-	expression tag	UNP A0A0K0Q8K4
C	263	ILE	-	expression tag	UNP A0A0K0Q8K4
C	264	PRO	-	expression tag	UNP A0A0K0Q8K4
C	265	ASN	-	expression tag	UNP A0A0K0Q8K4
C	266	PRO	-	expression tag	UNP A0A0K0Q8K4
C	267	LEU	-	expression tag	UNP A0A0K0Q8K4
C	268	LEU	-	expression tag	UNP A0A0K0Q8K4
C	269	GLY	-	expression tag	UNP A0A0K0Q8K4
C	270	LEU	-	expression tag	UNP A0A0K0Q8K4
C	271	ASP	-	expression tag	UNP A0A0K0Q8K4
C	272	SER	-	expression tag	UNP A0A0K0Q8K4
C	273	THR	-	expression tag	UNP A0A0K0Q8K4
C	274	ARG	-	expression tag	UNP A0A0K0Q8K4
C	275	THR	-	expression tag	UNP A0A0K0Q8K4
C	276	GLY	-	expression tag	UNP A0A0K0Q8K4
C	277	HIS	-	expression tag	UNP A0A0K0Q8K4
C	278	HIS	-	expression tag	UNP A0A0K0Q8K4
C	279	HIS	-	expression tag	UNP A0A0K0Q8K4
C	280	HIS	-	expression tag	UNP A0A0K0Q8K4
C	281	HIS	-	expression tag	UNP A0A0K0Q8K4
C	282	HIS	-	expression tag	UNP A0A0K0Q8K4
D	249	LEU	-	expression tag	UNP A0A0K0Q8K4
D	250	GLU	-	expression tag	UNP A0A0K0Q8K4
D	251	LYS	-	expression tag	UNP A0A0K0Q8K4

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	252	GLY	-	expression tag	UNP A0A0K0Q8K4
D	253	GLU	-	expression tag	UNP A0A0K0Q8K4
D	254	LEU	-	expression tag	UNP A0A0K0Q8K4
D	255	ASN	-	expression tag	UNP A0A0K0Q8K4
D	256	SER	-	expression tag	UNP A0A0K0Q8K4
D	257	LYS	-	expression tag	UNP A0A0K0Q8K4
D	258	LEU	-	expression tag	UNP A0A0K0Q8K4
D	259	GLU	-	expression tag	UNP A0A0K0Q8K4
D	260	GLY	-	expression tag	UNP A0A0K0Q8K4
D	261	LYS	-	expression tag	UNP A0A0K0Q8K4
D	262	PRO	-	expression tag	UNP A0A0K0Q8K4
D	263	ILE	-	expression tag	UNP A0A0K0Q8K4
D	264	PRO	-	expression tag	UNP A0A0K0Q8K4
D	265	ASN	-	expression tag	UNP A0A0K0Q8K4
D	266	PRO	-	expression tag	UNP A0A0K0Q8K4
D	267	LEU	-	expression tag	UNP A0A0K0Q8K4
D	268	LEU	-	expression tag	UNP A0A0K0Q8K4
D	269	GLY	-	expression tag	UNP A0A0K0Q8K4
D	270	LEU	-	expression tag	UNP A0A0K0Q8K4
D	271	ASP	-	expression tag	UNP A0A0K0Q8K4
D	272	SER	-	expression tag	UNP A0A0K0Q8K4
D	273	THR	-	expression tag	UNP A0A0K0Q8K4
D	274	ARG	-	expression tag	UNP A0A0K0Q8K4
D	275	THR	-	expression tag	UNP A0A0K0Q8K4
D	276	GLY	-	expression tag	UNP A0A0K0Q8K4
D	277	HIS	-	expression tag	UNP A0A0K0Q8K4
D	278	HIS	-	expression tag	UNP A0A0K0Q8K4
D	279	HIS	-	expression tag	UNP A0A0K0Q8K4
D	280	HIS	-	expression tag	UNP A0A0K0Q8K4
D	281	HIS	-	expression tag	UNP A0A0K0Q8K4
D	282	HIS	-	expression tag	UNP A0A0K0Q8K4

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is SUCCINIC ACID (three-letter code: SIN) (formula: C₄H₆O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			8	4	4		
3	B	1	Total	C	O	0	0
			8	4	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	44	Total	O	0	0
			44	44		
4	B	24	Total	O	0	0
			24	24		
4	C	11	Total	O	0	0
			11	11		
4	D	11	Total	O	0	0
			11	11		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 4-hydroxyisoleucine dehydrogenase




- Molecule 1: 4-hydroxyisoleucine dehydrogenase



- Molecule 1: 4-hydroxyisoleucine dehydrogenase



- Molecule 1: 4-hydroxyisoleucine dehydrogenase



HIS	HIS	HIS	HIS	THR	GLU	LEU	THR	GLU	GLU	TYR	PHE	SER	ASN	LYS	ALA	LEU	MET	SER	MET	ILE	LYS	S203	T209	R223	F236	G245	LYS	ASN	LEU	LEU	GLU	LYS	GLY	GLU	LEU	ASN	SER	LYS	LEU	GLY	LYS	PRO	ILE	PRO	ASN	PRO	LEU	GLY	LEU	ASP	SER	THR	THR	GLY	HIS	HIS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-------------	-------------	-------------	-------------	-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	232.71 Å 232.71 Å 80.01 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.35 19.90 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.7 (20.00-2.35) 99.9 (19.90-2.35)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.49 (at 2.35 Å)	Xtriage
Refinement program	REFMAC 5.8.0131	Depositor
R, R_{free}	0.216 , 0.254 0.218 , 0.256	Depositor DCC
R_{free} test set	3290 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	48.7	Xtriage
Anisotropy	0.064	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 18.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	0.228 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6981	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SIN, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.88	1/1824 (0.1%)	0.92	1/2466 (0.0%)
1	B	0.81	0/1668	0.97	5/2256 (0.2%)
1	C	0.73	0/1668	0.91	5/2256 (0.2%)
1	D	0.77	0/1644	0.92	6/2223 (0.3%)
All	All	0.80	1/6804 (0.0%)	0.93	17/9201 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	186	GLU	CD-OE1	5.62	1.31	1.25

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	88	ARG	NE-CZ-NH1	12.40	126.50	120.30
1	D	229	ARG	NE-CZ-NH1	9.50	125.05	120.30
1	D	88	ARG	NE-CZ-NH1	7.99	124.30	120.30
1	C	229	ARG	NE-CZ-NH1	7.38	123.99	120.30
1	B	174	ARG	NE-CZ-NH1	7.32	123.96	120.30
1	B	88	ARG	NE-CZ-NH2	-7.08	116.76	120.30
1	A	229	ARG	NE-CZ-NH1	6.95	123.77	120.30
1	C	88	ARG	NE-CZ-NH1	6.82	123.71	120.30
1	D	229	ARG	NE-CZ-NH2	-5.70	117.45	120.30
1	B	88	ARG	CD-NE-CZ	5.56	131.39	123.60
1	C	174	ARG	NE-CZ-NH1	5.55	123.08	120.30
1	D	174	ARG	NE-CZ-NH1	5.35	122.97	120.30
1	D	174	ARG	NE-CZ-NH2	-5.19	117.70	120.30
1	D	88	ARG	NE-CZ-NH2	-5.19	117.71	120.30
1	B	147	ARG	NE-CZ-NH1	5.17	122.89	120.30
1	C	174	ARG	NE-CZ-NH2	-5.09	117.75	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	117	ARG	NE-CZ-NH1	5.06	122.83	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1796	0	1843	14	0
1	B	1642	0	1678	9	0
1	C	1642	0	1678	5	0
1	D	1619	0	1651	12	0
2	A	44	0	26	1	0
2	B	44	0	26	1	0
2	C	44	0	26	1	0
2	D	44	0	26	2	0
3	A	8	0	4	0	0
3	B	8	0	4	1	0
4	A	44	0	0	1	0
4	B	24	0	0	0	0
4	C	11	0	0	0	0
4	D	11	0	0	1	0
All	All	6981	0	6962	35	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (35) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:8:MET:HE3	1:C:81:LEU:HD13	1.72	0.70
1:C:8:MET:CE	1:C:81:LEU:HD13	2.24	0.68
1:A:156:ALA:HB2	1:B:156:ALA:HB2	1.75	0.67
1:D:12:ALA:CB	1:D:33:ALA:HB1	2.28	0.63
1:A:65:HIS:HE1	1:B:98:ASP:OD2	1.86	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:200:MET:HE3	4:A:444:HOH:O	2.05	0.56
1:A:182:VAL:HG21	1:A:201:ILE:HD12	1.87	0.56
1:D:89:GLU:CG	1:D:91:THR:HG22	2.35	0.56
1:B:131:CYS:SG	1:B:224:ILE:HG22	2.46	0.56
1:D:136:ALA:O	2:D:301:NAD:H6N	2.06	0.55
1:A:38:ASN:OD1	1:A:38:ASN:C	2.46	0.53
1:A:12:ALA:CB	1:A:33:ALA:HB1	2.40	0.51
1:A:130:GLY:O	1:A:173:ILE:HA	2.11	0.51
1:C:111:ALA:HB3	1:C:112:PRO:HD3	1.92	0.51
1:D:100:MET:HB3	4:D:411:HOH:O	2.11	0.49
1:D:97:SER:OG	1:D:100:MET:HG2	2.14	0.48
1:B:90:ILE:HD12	1:B:147:ARG:CZ	2.45	0.46
1:C:143:ALA:HB1	1:D:163:GLN:HA	1.98	0.46
1:D:89:GLU:HG2	1:D:91:THR:HG22	1.98	0.46
2:B:301:NAD:C5N	3:B:302:SIN:O3	2.65	0.45
1:A:181:GLY:O	2:A:301:NAD:H4N	2.16	0.45
1:C:136:ALA:O	2:C:301:NAD:H6N	2.17	0.45
1:A:17:GLY:O	1:A:21:ILE:HG12	2.17	0.45
1:D:6:ILE:N	1:D:79:ASP:OD2	2.50	0.44
1:B:8:MET:CE	1:B:81:LEU:HD13	2.47	0.44
1:A:111:ALA:HB3	1:A:112:PRO:HD3	1.99	0.43
1:D:89:GLU:HG3	1:D:91:THR:HG22	1.99	0.43
1:A:143:ALA:HB3	1:B:166:MET:SD	2.58	0.43
1:A:236:PHE:CD2	1:D:236:PHE:CE2	3.07	0.43
1:B:128:ILE:HG22	1:B:129:LYS:O	2.18	0.43
1:A:93:VAL:HB	1:B:167:GLU:HG2	2.01	0.42
1:D:35:ASP:OD2	2:D:301:NAD:O3B	2.28	0.41
1:D:91:THR:HG21	1:D:96:LEU:HD13	2.03	0.41
1:B:93:VAL:HG22	1:B:148:ALA:HB2	2.02	0.41
1:A:7:ILE:HG13	1:A:80:ILE:HB	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	229/282 (81%)	221 (96%)	7 (3%)	1 (0%)	34	38
1	B	208/282 (74%)	203 (98%)	4 (2%)	1 (0%)	29	32
1	C	208/282 (74%)	197 (95%)	11 (5%)	0	100	100
1	D	205/282 (73%)	197 (96%)	7 (3%)	1 (0%)	29	32
All	All	850/1128 (75%)	818 (96%)	29 (3%)	3 (0%)	34	38

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	136	ALA
1	B	136	ALA
1	D	15	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	201/246 (82%)	199 (99%)	2 (1%)	76	85
1	B	183/246 (74%)	174 (95%)	9 (5%)	25	29
1	C	183/246 (74%)	174 (95%)	9 (5%)	25	29
1	D	180/246 (73%)	176 (98%)	4 (2%)	52	63
All	All	747/984 (76%)	723 (97%)	24 (3%)	39	47

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	75	LYS
1	A	127	LYS
1	B	40	ASN
1	B	52	LYS
1	B	76	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	88	ARG
1	B	91	THR
1	B	103	LYS
1	B	131	CYS
1	B	144	GLU
1	B	203	SER
1	C	66	ASN
1	C	75	LYS
1	C	77	SER
1	C	87	ILE
1	C	91	THR
1	C	170	LYS
1	C	206	SER
1	C	208	ASP
1	C	209	THR
1	D	55	GLN
1	D	170	LYS
1	D	209	THR
1	D	229	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	ASN
1	A	65	HIS
1	A	204	ASN
1	B	70	GLN
1	B	205	GLN
1	D	55	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SIN	B	302	-	1,7,7	0.14	0	2,8,8	1.10	0
3	SIN	A	302	-	1,7,7	0.09	0	2,8,8	4.05	2 (100%)
2	NAD	A	301	-	42,48,48	1.14	3 (7%)	50,73,73	1.61	9 (18%)
2	NAD	C	301	-	42,48,48	0.95	3 (7%)	50,73,73	1.41	7 (14%)
2	NAD	D	301	-	42,48,48	0.97	2 (4%)	50,73,73	1.39	7 (14%)
2	NAD	B	301	-	42,48,48	1.19	3 (7%)	50,73,73	1.32	5 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SIN	B	302	-	-	0/1/5/5	-
3	SIN	A	302	-	-	0/1/5/5	-
2	NAD	A	301	-	-	4/26/62/62	0/5/5/5
2	NAD	C	301	-	-	3/26/62/62	0/5/5/5
2	NAD	D	301	-	-	3/26/62/62	0/5/5/5
2	NAD	B	301	-	-	5/26/62/62	0/5/5/5

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	NAD	O4B-C1B	-3.96	1.35	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	NAD	C2A-N3A	3.40	1.37	1.32
2	B	301	NAD	O4D-C1D	2.81	1.45	1.41
2	D	301	NAD	C5A-C4A	2.61	1.47	1.40
2	C	301	NAD	C2N-C3N	2.49	1.42	1.39
2	B	301	NAD	C5A-C4A	2.36	1.47	1.40
2	A	301	NAD	C4A-N3A	-2.25	1.32	1.35
2	D	301	NAD	C2N-C3N	2.21	1.42	1.39
2	A	301	NAD	C5A-N7A	-2.11	1.32	1.39
2	C	301	NAD	O4D-C1D	2.07	1.44	1.41
2	C	301	NAD	C5A-N7A	-2.02	1.32	1.39

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	SIN	C3-C2-C1	-4.65	104.86	112.67
2	A	301	NAD	O4B-C1B-C2B	-4.54	100.29	106.93
2	B	301	NAD	N3A-C2A-N1A	-3.85	122.67	128.68
2	B	301	NAD	C3N-C7N-N7N	3.81	122.32	117.75
2	A	301	NAD	C3N-C7N-N7N	3.79	122.30	117.75
2	C	301	NAD	C6N-N1N-C2N	-3.58	118.71	121.97
3	A	302	SIN	C2-C3-C4	-3.34	107.06	112.67
2	D	301	NAD	PN-O3-PA	-3.30	121.50	132.83
2	D	301	NAD	C3N-C7N-N7N	3.29	121.69	117.75
2	C	301	NAD	N3A-C2A-N1A	-3.22	123.64	128.68
2	A	301	NAD	C4A-C5A-N7A	-3.21	106.05	109.40
2	C	301	NAD	N6A-C6A-N1A	3.03	124.87	118.57
2	A	301	NAD	O3B-C3B-C4B	3.00	119.73	111.05
2	D	301	NAD	N3A-C2A-N1A	-2.96	124.05	128.68
2	B	301	NAD	C4A-C5A-N7A	-2.90	106.37	109.40
2	A	301	NAD	O7N-C7N-C3N	-2.82	116.26	119.63
2	A	301	NAD	O4B-C4B-C5B	-2.63	100.71	109.37
2	B	301	NAD	O7N-C7N-C3N	-2.61	116.51	119.63
2	D	301	NAD	C6N-N1N-C2N	-2.57	119.63	121.97
2	C	301	NAD	O2A-PA-O1A	2.52	124.71	112.24
2	A	301	NAD	N3A-C2A-N1A	-2.48	124.81	128.68
2	C	301	NAD	O4B-C4B-C3B	2.43	109.93	105.11
2	A	301	NAD	O3D-C3D-C2D	2.37	119.50	111.82
2	D	301	NAD	O2N-PN-O1N	2.14	122.84	112.24
2	C	301	NAD	C2N-N1N-C1D	2.06	123.72	119.14
2	D	301	NAD	O2A-PA-O1A	2.06	122.40	112.24
2	B	301	NAD	PN-O3-PA	-2.05	125.79	132.83
2	A	301	NAD	C2B-C3B-C4B	-2.01	98.73	102.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	301	NAD	C2N-N1N-C1D	2.01	123.61	119.14
2	C	301	NAD	C5N-C6N-N1N	2.00	123.28	120.40

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	NAD	C5D-O5D-PN-O2N
2	B	301	NAD	C5D-O5D-PN-O2N
2	B	301	NAD	O4D-C1D-N1N-C2N
2	D	301	NAD	O4D-C4D-C5D-O5D
2	A	301	NAD	C5D-O5D-PN-O3
2	C	301	NAD	C5D-O5D-PN-O3
2	B	301	NAD	C5D-O5D-PN-O3
2	B	301	NAD	C5D-O5D-PN-O1N
2	D	301	NAD	C3D-C4D-C5D-O5D
2	B	301	NAD	O4B-C4B-C5B-O5B
2	C	301	NAD	O4B-C4B-C5B-O5B
2	A	301	NAD	C5D-O5D-PN-O1N
2	C	301	NAD	C5D-O5D-PN-O1N
2	A	301	NAD	O4B-C4B-C5B-O5B
2	D	301	NAD	O4B-C4B-C5B-O5B


There are no ring outliers.


5 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	302	SIN	1	0
2	A	301	NAD	1	0
2	C	301	NAD	1	0
2	D	301	NAD	2	0
2	B	301	NAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	233/282 (82%)	0.02	3 (1%) 77 84	35, 44, 71, 79	0
1	B	214/282 (75%)	0.03	1 (0%) 91 95	35, 50, 74, 90	0
1	C	214/282 (75%)	0.12	5 (2%) 60 70	44, 56, 80, 98	0
1	D	211/282 (74%)	0.20	5 (2%) 59 68	41, 59, 86, 104	0
All	All	872/1128 (77%)	0.09	14 (1%) 72 80	35, 52, 80, 104	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	73	LEU	5.3
1	B	49	MET	3.6
1	C	129	LYS	3.4
1	C	41	LEU	2.9
1	D	29	PHE	2.7
1	A	128	ILE	2.5
1	D	100	MET	2.4
1	D	129	LYS	2.4
1	D	75	LYS	2.3
1	A	197	LEU	2.2
1	C	73	LEU	2.1
1	A	55	GLN	2.1
1	C	23	TYR	2.1
1	C	24	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ


There are no monosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SIN	B	302	8/8	0.77	0.17	73,81,89,91	0
3	SIN	A	302	8/8	0.81	0.18	48,62,63,64	0
2	NAD	D	301	44/44	0.89	0.15	58,73,80,81	0
2	NAD	C	301	44/44	0.95	0.12	49,64,85,88	0
2	NAD	B	301	44/44	0.95	0.12	48,60,79,86	0
2	NAD	A	301	44/44	0.98	0.12	34,38,43,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around NAD C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.