



## wwPDB EM Validation Summary Report ⓘ

Dec 13, 2022 – 06:40 PM JST

PDB ID : 8GWA  
EMDB ID : EMD-34307  
Title : Structure of the intact photosynthetic light-harvesting antenna-reaction center complex from a green sulfur bacterium  
Authors : Chen, J.H.; Zhang, X.  
Deposited on : 2022-09-16  
Resolution : 2.90 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at  
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*










The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	366	
1	2	366	
1	3	366	
1	4	366	
1	5	366	
1	6	366	
2	D	143	
3	B	230	
4	A	731	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	a	731	
5	E	58	
6	F	58	
7	C	206	
7	c	206	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
13	F39	A	814	-	X	-	-
13	F39	A	815	-	X	-	-
13	F39	C	302	-	X	-	-
13	F39	a	816	-	X	-	-

## 2 Entry composition

There are 17 unique types of molecules in this entry. The entry contains 37660 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bacteriochlorophyll a protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	362	Total	C	N	O	S	0	0
			2815	1783	501	524	7		
1	3	358	Total	C	N	O	S	0	0
			2789	1770	496	516	7		
1	2	358	Total	C	N	O	S	0	0
			2789	1770	496	516	7		
1	4	362	Total	C	N	O	S	0	0
			2815	1783	501	524	7		
1	6	358	Total	C	N	O	S	0	0
			2789	1770	496	516	7		
1	5	358	Total	C	N	O	S	0	0
			2789	1770	496	516	7		

- Molecule 2 is a protein called P840 reaction center 17 kDa protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	143	Total	C	N	O	S	0	0
			1167	741	208	212	6		

- Molecule 3 is a protein called Photosystem P840 reaction center iron-sulfur protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B	102	Total	C	N	O	S	0	0
			798	510	132	147	9		

- Molecule 4 is a protein called Photosystem P840 reaction center, large subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	A	667	Total	C	N	O	S	0	0
			5344	3559	858	900	27		
4	a	662	Total	C	N	O	S	0	0
			5309	3538	852	893	26		

- Molecule 5 is a protein called unknown protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	E	57	Total	C	N	O	0	0
			285	171	57	57		


- Molecule 6 is a protein called Ric1 protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	50	Total	C	N	O	S	0	0
			379	253	62	61	3		

- Molecule 7 is a protein called Cytochrome c.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	C	113	Total	C	N	O	S	0	0
			875	587	137	144	7		
7	c	113	Total	C	N	O	S	0	0
			875	587	137	144	7		

- Molecule 8 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula:  $C_{55}H_{74}MgN_4O_6$ ).



Mol	Chain	Residues	Atoms					AltConf
8	1	1	Total	C	Mg	N	O	0
			508	420	8	32	48	
8	1	1	Total	C	Mg	N	O	0
			508	420	8	32	48	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
8	1	1	Total	C	Mg	N	O	0
			508	420	8	32	48	
8	1	1	Total	C	Mg	N	O	0
			508	420	8	32	48	
8	1	1	Total	C	Mg	N	O	0
			508	420	8	32	48	
8	1	1	Total	C	Mg	N	O	0
			508	420	8	32	48	
8	1	1	Total	C	Mg	N	O	1
			508	420	8	32	48	
8	1	1	Total	C	Mg	N	O	0
			508	420	8	32	48	
8	3	1	Total	C	Mg	N	O	0
			462	385	7	28	42	
8	3	1	Total	C	Mg	N	O	0
			462	385	7	28	42	
8	3	1	Total	C	Mg	N	O	0
			462	385	7	28	42	
8	3	1	Total	C	Mg	N	O	0
			462	385	7	28	42	
8	3	1	Total	C	Mg	N	O	0
			462	385	7	28	42	
8	3	1	Total	C	Mg	N	O	0
			462	385	7	28	42	
8	3	1	Total	C	Mg	N	O	0
			462	385	7	28	42	
8	2	1	Total	C	Mg	N	O	0
			554	455	9	36	54	
8	2	1	Total	C	Mg	N	O	1
			554	455	9	36	54	
8	2	1	Total	C	Mg	N	O	0
			554	455	9	36	54	
8	2	1	Total	C	Mg	N	O	0
			554	455	9	36	54	
8	2	1	Total	C	Mg	N	O	0
			554	455	9	36	54	
8	2	1	Total	C	Mg	N	O	0
			554	455	9	36	54	
8	2	1	Total	C	Mg	N	O	0
			554	455	9	36	54	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
8	2	1	Total	C	Mg	N	O	1
			554	455	9	36	54	
8	A	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	A	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	A	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	A	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	A	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	A	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	A	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	A	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	A	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	a	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	a	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	a	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	a	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	a	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	a	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	a	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	a	1	Total	C	Mg	N	O	0
			596	475	11	44	66	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
8	a	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	a	1	Total	C	Mg	N	O	0
			596	475	11	44	66	
8	4	1	Total	C	Mg	N	O	0
			620	510	10	40	60	
8	4	1	Total	C	Mg	N	O	0
			620	510	10	40	60	
8	4	1	Total	C	Mg	N	O	0
			620	510	10	40	60	
8	4	1	Total	C	Mg	N	O	0
			620	510	10	40	60	
8	4	1	Total	C	Mg	N	O	0
			620	510	10	40	60	
8	4	1	Total	C	Mg	N	O	0
			620	510	10	40	60	
8	4	1	Total	C	Mg	N	O	1
			620	510	10	40	60	
8	4	1	Total	C	Mg	N	O	0
			620	510	10	40	60	
8	4	1	Total	C	Mg	N	O	1
			620	510	10	40	60	
8	6	1	Total	C	Mg	N	O	0
			508	420	8	32	48	
8	6	1	Total	C	Mg	N	O	0
			508	420	8	32	48	
8	6	1	Total	C	Mg	N	O	0
			508	420	8	32	48	
8	6	1	Total	C	Mg	N	O	0
			508	420	8	32	48	
8	6	1	Total	C	Mg	N	O	0
			508	420	8	32	48	
8	6	1	Total	C	Mg	N	O	1
			508	420	8	32	48	
8	6	1	Total	C	Mg	N	O	0
			508	420	8	32	48	
8	5	1	Total	C	Mg	N	O	0
			396	330	6	24	36	


*Continued on next page...*



Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
8	5	1	Total	C	Mg	N	O	0
			396	330	6	24	36	
8	5	1	Total	C	Mg	N	O	0
			396	330	6	24	36	
8	5	1	Total	C	Mg	N	O	0
			396	330	6	24	36	
8	5	1	Total	C	Mg	N	O	0
			396	330	6	24	36	
8	5	1	Total	C	Mg	N	O	0
			396	330	6	24	36	
8	F	1	Total	C	Mg	N	O	0
			46	35	1	4	6	
8	C	1	Total	C	Mg	N	O	0
			46	35	1	4	6	
8	c	1	Total	C	Mg	N	O	0
			46	35	1	4	6	

- Molecule 9 is CARDIOLIPIN (three-letter code: CDL) (formula:  $C_{81}H_{156}O_{17}P_2$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
9	1	1	Total	C	O	P	0
			77	58	17	2	
9	a	1	Total	C	O	P	0
			162	124	34	4	
9	a	1	Total	C	O	P	0
			162	124	34	4	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf
9	c	1	Total	C	O	P	0
			70	51	17	2	

- Molecule 10 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula:  $\text{Fe}_4\text{S}_4$ ).




Mol	Chain	Residues	Atoms			AltConf
10	B	1	Total	Fe	S	0
			16	8	8	
10	B	1	Total	Fe	S	0
			16	8	8	
10	A	1	Total	Fe	S	0
			8	4	4	

- Molecule 11 is Bacteriochlorophyll A isomer (three-letter code: GS0) (formula:  $\text{C}_{55}\text{H}_{74}\text{MgN}_4\text{O}_6$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
11	A	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
11	a	1	Total	C	Mg	N	O	0
			66	55	1	4	6	

- Molecule 12 is Chlorophyll A ester (three-letter code: G2O) (formula:  $C_{55}H_{70}MgN_4O_5$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
12	A	1	Total	C	Mg	N	O	0
			130	110	2	8	10	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
12	A	1	Total	C	Mg	N	O	0
			130	110	2	8	10	
12	a	1	Total	C	Mg	N	O	0
			130	110	2	8	10	
12	a	1	Total	C	Mg	N	O	0
			130	110	2	8	10	

- Molecule 13 is [(2R,3S,4S,5R,6R)-6-[(10E,12E,14E)-2,6,10,14,19,23-hexamethyl-25-(2,3,6-trimethylphenyl)pentacosa-6,8,10,12,14,16,18,20,22,24-decaen-2-yl]oxy-3,4,5-tris(oxidanyl)oxan-2-yl]methyl dodecanoate (three-letter code: F39) (formula: C<sub>58</sub>H<sub>86</sub>O<sub>7</sub>).




Mol	Chain	Residues	Atoms			AltConf
13	A	1	Total	C	O	0
			130	116	14	
13	A	1	Total	C	O	0
			130	116	14	
13	a	1	Total	C	O	0
			65	58	7	
13	C	1	Total	C	O	0
			65	58	7	

- Molecule 14 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (three-letter code: LHG) (formula: C<sub>38</sub>H<sub>75</sub>O<sub>10</sub>P).



Mol	Chain	Residues	Atoms				AltConf
14	A	1	Total	C	O	P	0
			144	111	30	3	
14	A	1	Total	C	O	P	0
			144	111	30	3	
14	A	1	Total	C	O	P	0
			144	111	30	3	
14	a	1	Total	C	O	P	0
			128	95	30	3	
14	a	1	Total	C	O	P	0
			128	95	30	3	
14	a	1	Total	C	O	P	0
			128	95	30	3	
14	E	1	Total	C	O	P	0
			37	26	10	1	

- Molecule 15 is 1,2-DISTEAROYL-MONOGALACTOSYL-DIGLYCERIDE (three-letter code: LMG) (formula: C<sub>45</sub>H<sub>86</sub>O<sub>10</sub>).




Mol	Chain	Residues	Atoms			AltConf
15	A	1	Total	C	O	0
			44	34	10	
15	a	1	Total	C	O	0
			44	34	10	

- Molecule 16 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		AltConf
16	A	1	Total	Ca	0
			1	1	
16	a	1	Total	Ca	0
			1	1	

- Molecule 17 is 2-[(1E,3E,5E,7E,9E,11E,13E,15E,17E,19E)-3,7,12,16,20,24-hexamethylpentacos-1,3,5,7,9,11,13,15,17,19,23-undecaenyl]-1,3,4-trimethyl-benzene (three-letter code: F26) (formula: C<sub>40</sub>H<sub>52</sub>).




Mol	Chain	Residues	Atoms		AltConf
17	a	1	Total	C	0
			40	40	
17	c	1	Total	C	0
			40	40	

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Bacteriochlorophyll a protein

Chain 1:  99%




- Molecule 1: Bacteriochlorophyll a protein

Chain 3:  98%




- Molecule 1: Bacteriochlorophyll a protein

Chain 2:  97%



- Molecule 1: Bacteriochlorophyll a protein

Chain 4:  98%



- Molecule 1: Bacteriochlorophyll a protein

Chain 6:  97%







Chain E: 

98%

.




• Molecule 6: Ric1 protein

Chain F: 

86%

14%




• Molecule 7: Cytochrome c

Chain C: 

55%

45%




• Molecule 7: Cytochrome c

Chain c: 

55%

45%



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	227038	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	152200	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	1.298	Depositor
Minimum map value	-0.557	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.039	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	312.80002, 312.80002, 312.80002	wwPDB
Map dimensions	340, 340, 340	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.9200001, 0.9200001, 0.9200001	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: G2O, BCL, GS0, CA, CDL, F39, F26, LMG, LHG, SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	1	0.26	0/2885	0.52	0/3910
1	2	0.26	0/2859	0.52	0/3875
1	3	0.27	0/2859	0.53	0/3875
1	4	0.27	0/2885	0.54	0/3910
1	5	0.27	0/2859	0.54	0/3875
1	6	0.26	0/2859	0.52	0/3875
2	D	0.26	0/1191	0.55	0/1604
3	B	0.29	0/819	0.56	0/1106
4	A	0.27	0/5528	0.46	0/7527
4	a	0.27	0/5493	0.46	0/7481
6	F	0.24	0/386	0.51	0/525
7	C	0.25	0/898	0.46	0/1216
7	c	0.26	0/898	0.48	0/1216
All	All	0.27	0/32419	0.51	0/43995

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	360/366 (98%)	349 (97%)	11 (3%)	0	100	100
1	2	356/366 (97%)	343 (96%)	12 (3%)	1 (0%)	41	71
1	3	356/366 (97%)	347 (98%)	9 (2%)	0	100	100
1	4	360/366 (98%)	346 (96%)	13 (4%)	1 (0%)	41	71
1	5	356/366 (97%)	349 (98%)	6 (2%)	1 (0%)	41	71
1	6	356/366 (97%)	349 (98%)	7 (2%)	0	100	100
2	D	141/143 (99%)	123 (87%)	16 (11%)	2 (1%)	11	36
3	B	100/230 (44%)	84 (84%)	16 (16%)	0	100	100
4	A	665/731 (91%)	607 (91%)	58 (9%)	0	100	100
4	a	660/731 (90%)	601 (91%)	57 (9%)	2 (0%)	41	71
6	F	48/58 (83%)	45 (94%)	3 (6%)	0	100	100
7	C	111/206 (54%)	101 (91%)	10 (9%)	0	100	100
7	c	111/206 (54%)	103 (93%)	8 (7%)	0	100	100
All	All	3980/4501 (88%)	3747 (94%)	226 (6%)	7 (0%)	50	78

5 of 7 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	123	GLU
4	a	334	GLU
1	5	336	GLU
1	4	335	LEU
1	2	335	LEU

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	299/302 (99%)	299 (100%)	0	100	100
1	2	296/302 (98%)	295 (100%)	1 (0%)	92	98
1	3	296/302 (98%)	295 (100%)	1 (0%)	92	98
1	4	299/302 (99%)	298 (100%)	1 (0%)	92	98
1	5	296/302 (98%)	294 (99%)	2 (1%)	84	95
1	6	296/302 (98%)	294 (99%)	2 (1%)	84	95
2	D	128/128 (100%)	128 (100%)	0	100	100
3	B	86/161 (53%)	86 (100%)	0	100	100
4	A	553/599 (92%)	551 (100%)	2 (0%)	91	97
4	a	550/599 (92%)	548 (100%)	2 (0%)	91	97
6	F	40/45 (89%)	40 (100%)	0	100	100
7	C	94/173 (54%)	94 (100%)	0	100	100
7	c	94/173 (54%)	94 (100%)	0	100	100
All	All	3327/3690 (90%)	3316 (100%)	11 (0%)	92	98

5 of 11 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	6	31	LYS
1	6	194	ASN
1	5	331	ARG
1	5	306	ASN
4	a	47	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 16 such sidechains are listed below:

Mol	Chain	Res	Type
1	5	366	GLN
1	5	306	ASN
4	A	418	GLN
1	5	253	GLN
2	D	48	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

Of 103 ligands modelled in this entry, 2 are monoatomic - leaving 101 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
8	BCL	4	410[B]	1	38,54,74	1.87	8 (21%)	45,91,115	2.35	18 (40%)
8	BCL	5	403	-	58,74,74	1.61	9 (15%)	69,115,115	2.14	26 (37%)
8	BCL	5	402	-	58,74,74	1.64	11 (18%)	69,115,115	2.12	22 (31%)
8	BCL	a	806	9	58,74,74	1.63	10 (17%)	69,115,115	2.11	22 (31%)
15	LMG	A	817	4	44,44,55	0.78	0	52,52,63	1.35	3 (5%)
9	CDL	c	303	7	69,69,99	1.04	8 (11%)	75,81,111	1.14	4 (5%)
8	BCL	A	809	4	38,54,74	1.79	9 (23%)	45,91,115	2.60	20 (44%)
8	BCL	4	409	-	58,74,74	1.60	8 (13%)	69,115,115	2.13	25 (36%)
9	CDL	a	820	-	69,69,99	1.04	8 (11%)	75,81,111	1.16	4 (5%)
8	BCL	a	810	4	38,54,74	1.81	9 (23%)	45,91,115	2.55	22 (48%)
8	BCL	c	301	7	38,54,74	1.88	7 (18%)	45,91,115	2.45	18 (40%)
8	BCL	1	401	1	58,74,74	1.62	8 (13%)	69,115,115	2.35	27 (39%)
8	BCL	a	812	4	58,74,74	1.64	10 (17%)	69,115,115	2.16	23 (33%)
8	BCL	F	101	6	38,54,74	1.89	8 (21%)	45,91,115	2.54	20 (44%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	BCL	5	405	-	58,74,74	1.61	8 (13%)	69,115,115	2.12	24 (34%)
8	BCL	4	405	-	58,74,74	1.62	8 (13%)	69,115,115	2.15	26 (37%)
8	BCL	a	804	-	38,54,74	1.90	8 (21%)	45,91,115	2.21	16 (35%)
11	GS0	a	802	-	64,74,74	1.73	10 (15%)	78,115,115	2.31	28 (35%)
8	BCL	3	401	1	58,74,74	1.62	9 (15%)	69,115,115	2.37	28 (40%)
8	BCL	a	811	4	58,74,74	1.62	9 (15%)	69,115,115	2.27	27 (39%)
8	BCL	4	401	1	58,74,74	1.61	9 (15%)	69,115,115	2.34	26 (37%)
8	BCL	6	405	-	58,74,74	1.61	8 (13%)	69,115,115	2.15	24 (34%)
8	BCL	4	408[B]	1	38,54,74	1.86	8 (21%)	45,91,115	2.30	17 (37%)
8	BCL	A	806	4	38,54,74	1.92	8 (21%)	45,91,115	2.43	18 (40%)
8	BCL	6	407[B]	1	38,54,74	1.87	8 (21%)	45,91,115	2.28	19 (42%)
13	F39	C	302	-	66,66,66	8.14	59 (89%)	79,85,85	4.03	29 (36%)
13	F39	A	815	-	66,66,66	8.15	58 (87%)	79,85,85	4.10	29 (36%)
8	BCL	4	404	-	58,74,74	1.61	9 (15%)	69,115,115	2.10	24 (34%)
8	BCL	3	406	-	58,74,74	1.60	8 (13%)	69,115,115	2.14	24 (34%)
8	BCL	A	813	4	38,54,74	1.90	8 (21%)	45,91,115	2.57	19 (42%)
8	BCL	a	813	-	38,54,74	1.89	8 (21%)	45,91,115	2.54	22 (48%)
13	F39	a	816	-	66,66,66	8.12	57 (86%)	79,85,85	4.15	29 (36%)
8	BCL	5	401	1	58,74,74	1.63	9 (15%)	69,115,115	2.39	27 (39%)
14	LHG	a	817	-	45,45,48	0.64	1 (2%)	48,51,54	1.27	6 (12%)
8	BCL	A	812	-	38,54,74	1.93	8 (21%)	45,91,115	2.48	19 (42%)
8	BCL	a	809	4	38,54,74	1.90	7 (18%)	45,91,115	2.46	21 (46%)
8	BCL	a	808	-	58,74,74	1.61	9 (15%)	69,115,115	2.05	22 (31%)
8	BCL	A	803	-	38,54,74	1.90	8 (21%)	45,91,115	2.31	18 (40%)
8	BCL	A	810	4	58,74,74	1.62	9 (15%)	69,115,115	2.19	27 (39%)
11	GS0	A	801	-	64,74,74	1.71	10 (15%)	78,115,115	2.28	28 (35%)
8	BCL	1	402	-	58,74,74	1.62	11 (18%)	69,115,115	2.19	22 (31%)
8	BCL	a	807	4	38,54,74	1.91	9 (23%)	45,91,115	2.48	21 (46%)
8	BCL	A	807	-	58,74,74	1.60	9 (15%)	69,115,115	2.16	25 (36%)
8	BCL	4	402	-	58,74,74	1.61	9 (15%)	69,115,115	2.13	24 (34%)
8	BCL	1	406	-	58,74,74	1.60	8 (13%)	69,115,115	2.11	22 (31%)
8	BCL	6	404	1	58,74,74	1.60	8 (13%)	69,115,115	2.15	22 (31%)
12	G2O	A	822	-	67,73,73	2.39	23 (34%)	75,113,113	1.51	9 (12%)
8	BCL	4	403	-	58,74,74	1.63	10 (17%)	69,115,115	2.09	22 (31%)
8	BCL	C	301	7	38,54,74	1.85	8 (21%)	45,91,115	2.38	19 (42%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
9	CDL	1	409	1	76,76,99	0.99	8 (10%)	82,88,111	1.14	4 (4%)
8	BCL	2	402[B]	1	38,54,74	1.88	7 (18%)	45,91,115	2.30	18 (40%)
14	LHG	A	818	-	48,48,48	0.62	1 (2%)	51,54,54	1.25	6 (11%)
10	SF4	B	302	3	0,12,12	-	-	-	-	-
8	BCL	2	404	-	58,74,74	1.63	10 (17%)	69,115,115	2.10	22 (31%)
14	LHG	E	101	-	36,36,48	0.70	0	39,42,54	1.26	4 (10%)
8	BCL	3	405	-	58,74,74	1.62	9 (15%)	69,115,115	2.28	25 (36%)
8	BCL	5	406	-	58,74,74	1.62	8 (13%)	69,115,115	2.13	23 (33%)
8	BCL	A	804	-	48,64,74	1.76	8 (16%)	57,103,115	2.18	20 (35%)
12	G2O	A	802	-	67,73,73	2.43	24 (35%)	75,113,113	1.43	9 (12%)
8	BCL	2	407	-	58,74,74	1.62	9 (15%)	69,115,115	2.16	26 (37%)
8	BCL	1	405	-	58,74,74	1.61	9 (15%)	69,115,115	2.16	25 (36%)
8	BCL	A	808	4	38,54,74	1.88	7 (18%)	45,91,115	2.43	21 (46%)
8	BCL	2	406	1	58,74,74	1.60	8 (13%)	69,115,115	2.09	23 (33%)
14	LHG	A	816	-	45,45,48	0.64	2 (4%)	48,51,54	1.26	6 (12%)
8	BCL	1	404	-	58,74,74	1.61	8 (13%)	69,115,115	2.16	26 (37%)
8	BCL	1	407[B]	1	38,54,74	1.85	8 (21%)	45,91,115	2.28	18 (40%)
14	LHG	a	821	4	41,41,48	0.65	0	44,47,54	1.20	4 (9%)
8	BCL	1	408	-	58,74,74	1.60	8 (13%)	69,115,115	2.13	24 (34%)
17	F26	a	815	-	40,40,40	2.00	15 (37%)	46,50,50	1.98	11 (23%)
8	BCL	4	407	-	58,74,74	1.60	9 (15%)	69,115,115	2.11	21 (30%)
8	BCL	4	406	-	58,74,74	1.60	9 (15%)	69,115,115	2.19	25 (36%)
8	BCL	2	405	-	58,74,74	1.60	9 (15%)	69,115,115	2.13	23 (33%)
8	BCL	a	805	-	48,64,74	1.76	8 (16%)	57,103,115	2.19	21 (36%)
8	BCL	A	805	-	58,74,74	1.63	10 (17%)	69,115,115	2.08	22 (31%)
10	SF4	B	301	3	0,12,12	-	-	-	-	-
14	LHG	A	819	4	48,48,48	0.60	0	51,54,54	1.24	6 (11%)
12	G2O	a	801	-	67,73,73	2.40	24 (35%)	75,113,113	1.47	9 (12%)
8	BCL	3	404	-	58,74,74	1.61	8 (13%)	69,115,115	2.17	27 (39%)
8	BCL	A	811	4	58,74,74	1.63	10 (17%)	69,115,115	2.07	22 (31%)
8	BCL	6	403	-	58,74,74	1.59	9 (15%)	69,115,115	2.12	23 (33%)
15	LMG	a	818	4	44,44,55	0.79	0	52,52,63	1.37	4 (7%)
8	BCL	6	401	1	58,74,74	1.61	8 (13%)	69,115,115	2.32	28 (40%)
10	SF4	A	821	4	0,12,12	-	-	-	-	-
8	BCL	3	403	-	58,74,74	1.62	9 (15%)	69,115,115	2.09	23 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	BCL	3	402	-	58,74,74	1.62	10 (17%)	69,115,115	2.09	22 (31%)
9	CDL	a	822	8	91,91,99	0.91	8 (8%)	97,103,111	1.09	4 (4%)
8	BCL	5	404	1	58,74,74	1.60	8 (13%)	69,115,115	2.13	24 (34%)
8	BCL	1	403	-	58,74,74	1.61	9 (15%)	69,115,115	2.11	22 (31%)
8	BCL	6	402	-	58,74,74	1.63	10 (17%)	69,115,115	2.14	21 (30%)
17	F26	c	302	7	40,40,40	2.00	15 (37%)	46,50,50	2.15	9 (19%)
8	BCL	2	409[B]	1	38,54,74	1.86	8 (21%)	45,91,115	2.31	18 (40%)
8	BCL	2	403	1	58,74,74	1.61	8 (13%)	69,115,115	2.32	26 (37%)
8	BCL	2	401	-	58,74,74	1.60	8 (13%)	69,115,115	2.14	24 (34%)
12	G2O	a	803	-	67,73,73	2.41	24 (35%)	75,113,113	1.49	9 (12%)
13	F39	A	814	4	66,66,66	8.14	55 (83%)	79,85,85	4.10	29 (36%)
8	BCL	2	408	-	58,74,74	1.60	9 (15%)	69,115,115	2.14	22 (31%)
14	LHG	a	819	-	39,39,48	0.68	1 (2%)	42,45,54	1.25	4 (9%)
8	BCL	a	814	-	38,54,74	1.88	8 (21%)	45,91,115	2.50	20 (44%)
8	BCL	6	408	-	58,74,74	1.60	9 (15%)	69,115,115	2.16	25 (36%)
8	BCL	3	407	-	58,74,74	1.60	8 (13%)	69,115,115	2.12	24 (34%)
8	BCL	6	406	-	58,74,74	1.60	9 (15%)	69,115,115	2.13	20 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	BCL	4	410[B]	1	-	7/13/113/137	-
8	BCL	5	403	-	-	14/37/137/137	-
8	BCL	5	402	-	-	11/37/137/137	-
8	BCL	a	806	9	-	16/37/137/137	-
15	LMG	A	817	4	-	19/39/59/70	0/1/1/1
9	CDL	c	303	7	-	31/80/80/110	-
8	BCL	A	809	4	-	7/13/113/137	-
8	BCL	4	409	-	-	14/37/137/137	-
9	CDL	a	820	-	-	40/80/80/110	-
8	BCL	a	810	4	-	5/13/113/137	-
8	BCL	c	301	7	-	5/13/113/137	-
8	BCL	1	401	1	-	12/37/137/137	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	BCL	a	812	4	-	16/37/137/137	-
8	BCL	F	101	6	-	2/13/113/137	-
8	BCL	5	405	-	-	11/37/137/137	-
8	BCL	4	405	-	-	14/37/137/137	-
8	BCL	a	804	-	-	9/13/113/137	-
11	GS0	a	802	-	-	11/37/137/137	-
8	BCL	3	401	1	-	12/37/137/137	-
8	BCL	a	811	4	-	19/37/137/137	-
8	BCL	4	401	1	-	12/37/137/137	-
8	BCL	6	405	-	-	14/37/137/137	-
8	BCL	4	408[B]	1	-	5/13/113/137	-
8	BCL	A	806	4	-	4/13/113/137	-
8	BCL	6	407[B]	1	-	5/13/113/137	-
13	F39	C	302	-	-	42/58/78/78	0/2/2/2
13	F39	A	815	-	-	41/58/78/78	0/2/2/2
8	BCL	4	404	-	-	17/37/137/137	-
8	BCL	3	406	-	-	11/37/137/137	-
8	BCL	A	813	4	-	3/13/113/137	-
8	BCL	a	813	-	-	5/13/113/137	-
13	F39	a	816	-	-	38/58/78/78	0/2/2/2
8	BCL	5	401	1	-	12/37/137/137	-
14	LHG	a	817	-	-	20/50/50/53	-
8	BCL	A	812	-	-	4/13/113/137	-
8	BCL	a	809	4	-	3/13/113/137	-
8	BCL	a	808	-	-	24/37/137/137	-
8	BCL	A	803	-	-	3/13/113/137	-
8	BCL	A	810	4	-	15/37/137/137	-
11	GS0	A	801	-	-	10/37/137/137	-
8	BCL	1	402	-	-	10/37/137/137	-
8	BCL	a	807	4	-	4/13/113/137	-
8	BCL	A	807	-	-	19/37/137/137	-
8	BCL	4	402	-	-	13/37/137/137	-
8	BCL	1	406	-	-	14/37/137/137	-
8	BCL	6	404	1	-	12/37/137/137	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	G2O	A	822	-	-	16/39/115/115	-
8	BCL	4	403	-	-	18/37/137/137	-
8	BCL	C	301	7	-	5/13/113/137	-
9	CDL	1	409	1	-	47/87/87/110	-
8	BCL	2	402[B]	1	-	7/13/113/137	-
14	LHG	A	818	-	-	24/53/53/53	-
10	SF4	B	302	3	-	-	0/6/5/5
8	BCL	2	404	-	-	16/37/137/137	-
14	LHG	E	101	-	-	16/41/41/53	-
8	BCL	3	405	-	-	11/37/137/137	-
8	BCL	5	406	-	-	14/37/137/137	-
8	BCL	A	804	-	-	12/25/125/137	-
12	G2O	A	802	-	-	21/39/115/115	-
8	BCL	2	407	-	-	7/37/137/137	-
8	BCL	1	405	-	-	9/37/137/137	-
8	BCL	A	808	4	-	2/13/113/137	-
8	BCL	2	406	1	-	15/37/137/137	-
14	LHG	A	816	-	-	23/50/50/53	-
8	BCL	1	404	-	-	10/37/137/137	-
8	BCL	1	407[B]	1	-	6/13/113/137	-
14	LHG	a	821	4	-	26/46/46/53	-
8	BCL	1	408	-	-	15/37/137/137	-
17	F26	a	815	-	-	21/36/36/36	0/1/1/1
8	BCL	4	407	-	-	13/37/137/137	-
8	BCL	4	406	-	-	13/37/137/137	-
8	BCL	2	405	-	-	16/37/137/137	-
8	BCL	a	805	-	-	11/25/125/137	-
8	BCL	A	805	-	-	11/37/137/137	-
10	SF4	B	301	3	-	-	0/6/5/5
14	LHG	A	819	4	-	30/53/53/53	-
12	G2O	a	801	-	-	18/39/115/115	-
8	BCL	3	404	-	-	16/37/137/137	-
8	BCL	A	811	4	-	11/37/137/137	-
8	BCL	6	403	-	-	16/37/137/137	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	LMG	a	818	4	-	19/39/59/70	0/1/1/1
8	BCL	6	401	1	-	13/37/137/137	-
10	SF4	A	821	4	-	-	0/6/5/5
8	BCL	3	403	-	-	18/37/137/137	-
8	BCL	3	402	-	-	12/37/137/137	-
9	CDL	a	822	8	-	49/102/102/110	-
8	BCL	5	404	1	-	11/37/137/137	-
8	BCL	1	403	-	-	16/37/137/137	-
8	BCL	6	402	-	-	17/37/137/137	-
17	F26	c	302	7	-	23/36/36/36	0/1/1/1
8	BCL	2	409[B]	1	-	1/13/113/137	-
8	BCL	2	403	1	-	10/37/137/137	-
8	BCL	2	401	-	-	21/37/137/137	-
12	G2O	a	803	-	-	16/39/115/115	-
13	F39	A	814	4	-	39/58/78/78	0/2/2/2
8	BCL	2	408	-	-	13/37/137/137	-
14	LHG	a	819	-	-	19/44/44/53	-
8	BCL	a	814	-	-	2/13/113/137	-
8	BCL	6	408	-	-	11/37/137/137	-
8	BCL	3	407	-	-	15/37/137/137	-
8	BCL	6	406	-	-	11/37/137/137	-

The worst 5 of 1038 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	A	815	F39	C27-C20	27.42	1.62	1.34
13	A	814	F39	C27-C20	27.38	1.62	1.34
13	a	816	F39	C27-C20	27.27	1.62	1.34
13	C	302	F39	C27-C20	27.06	1.62	1.34
13	A	815	F39	C39-C37	22.67	1.65	1.35

The worst 5 of 1929 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	a	816	F39	C40-C39-C37	-10.90	111.76	127.31
13	a	816	F39	C51-C44-C42	-10.79	111.92	127.31
13	A	814	F39	C57-C59-C62	-10.71	112.02	127.31
13	a	816	F39	C63-C61-C58	-10.63	112.14	127.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	A	815	F39	C40-C39-C37	-10.50	112.32	127.31

There are no chirality outliers.

5 of 1467 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
8	1	401	BCL	C1A-C2A-CAA-CBA
8	1	401	BCL	C3A-C2A-CAA-CBA
8	1	401	BCL	CBD-CGD-O2D-CED
8	1	401	BCL	O1D-CGD-O2D-CED
8	1	402	BCL	C2C-C3C-CAC-CBC

There are no ring outliers.


No monomer is involved in short contacts.




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

## Ligand BCL 4 410 (B)







## Ligand BCL 5 403














## Ligand BCL a 810




## Ligand BCL c 301




## Ligand BCL 1 401




## Ligand BCL a 812




## Ligand BCL F 101







## Ligand BCL a 804




Bond lengths



Bond angles




Torsions




Rings


## Ligand GS0 a 802




Bond lengths






Bond angles





Torsions




Rings












## Ligand BCL A 806









## Ligand BCL A 813





## Ligand BCL a 813




## Ligand F39 a 816






## Ligand BCL A 812







## Ligand BCL a 809




## Ligand BCL a 808





## Ligand BCL A 803








## Ligand BCL A 810














## Ligand BCL C 301





## Ligand CDL 1 409







## Ligand BCL 2 402 (B)











































































## Ligand BCL 2 409 (B)




## Ligand BCL 2 403












## Ligand BCL a 814



## Ligand BCL 6 408





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-34307. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 170




Y Index: 170




Z Index: 170


### 6.2.2 Raw map



X Index: 170



Y Index: 170




Z Index: 170

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 171




Y Index: 170




Z Index: 185


### 6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0

The images above show the largest variance slices of the map in three orthogonal directions.


## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 318  $\text{nm}^3$ ; this corresponds to an approximate mass of 287 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.345 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.345  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.90	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.74	6.06	3.83

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.74 differs from the reported value 2.9 by more than 10 %

## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-34307 and PDB model 8GWA. Per-residue inclusion information can be found in section [3](#) on page [16](#).


### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).

## 9.4 Atom inclusion ⓘ



At the recommended contour level, 90% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div>0.8855</div>	<div><div></div>0.5410</div>
1	<div><div></div>0.9115</div>	<div><div></div>0.5550</div>
2	<div><div></div>0.8981</div>	<div><div></div>0.5550</div>
3	<div><div></div>0.8899</div>	<div><div></div>0.5330</div>
4	<div><div></div>0.8747</div>	<div><div></div>0.5370</div>
5	<div><div></div>0.8854</div>	<div><div></div>0.5500</div>
6	<div><div></div>0.8909</div>	<div><div></div>0.5270</div>
A	<div><div></div>0.8896</div>	<div><div></div>0.5480</div>
B	<div><div></div>0.8961</div>	<div><div></div>0.5320</div>
C	<div><div></div>0.8729</div>	<div><div></div>0.5320</div>
D	<div><div></div>0.8612</div>	<div><div></div>0.5330</div>
E	<div><div></div>0.8634</div>	<div><div></div>0.5060</div>
F	<div><div></div>0.7904</div>	<div><div></div>0.4990</div>
a	<div><div></div>0.8966</div>	<div><div></div>0.5480</div>
c	<div><div></div>0.7473</div>	<div><div></div>0.4760</div>

1.0

0.0

<0.0