



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 7, 2020 – 02:37 am BST

PDB ID : 6H39  
Title : Yeast 20S proteasome in complex with the peptidic non-covalent binding inhibitor RTS-V5  
Authors : Groll, M.; Hansen, F.K.  
Deposited on : 2018-07-17  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div> <div>2%</div> <div>98%</div> <div>•</div> </div>
1	O	250	<div> <div>5%</div> <div>98%</div> <div>•</div> </div>
2	B	258	<div> <div>10%</div> <div>89%</div> <div>5% 5%</div> </div>
2	P	258	<div> <div>8%</div> <div>90%</div> <div>5% 5%</div> </div>
3	C	254	<div> <div>7%</div> <div>89%</div> <div>• • 6%</div> </div>
3	Q	254	<div> <div>12%</div> <div>89%</div> <div>• • 6%</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	260	
4	R	260	
5	E	234	
5	S	234	
6	F	288	
6	T	288	
7	G	252	
7	U	252	
8	H	232	
8	V	232	
9	I	205	
9	W	205	
10	J	198	
10	X	198	
11	K	212	
11	Y	212	
12	L	222	
12	Z	222	
13	M	246	
13	a	246	
14	N	196	
14	b	196	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	MG	K	803	-	-	-	X

## 2 Entry composition

There are 20 unique types of molecules in this entry. The entry contains 50258 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	222	Total	C	N	O	S	0	0	0
			1684	1061	293	323	7			
8	V	222	Total	C	N	O	S	0	0	0
			1684	1061	293	323	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			
11	Y	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			

- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	G	1	Total	Mg	0	0
			1	1		
15	K	2	Total	Mg	0	0
			2	2		

*Continued on next page...*


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	I	1	Total	Mg	0	0
			1	1		
15	V	1	Total	Mg	0	0
			1	1		
15	Z	1	Total	Mg	0	0
			1	1		
15	N	1	Total	Mg	0	0
			1	1		
15	X	1	Total	Mg	0	0
			1	1		
15	Y	2	Total	Mg	0	0
			2	2		

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total	Cl	0	0
			1	1		
16	U	1	Total	Cl	0	0
			1	1		

- Molecule 17 is N-(2,2-dimethylpropyl)-N 2 -[4-(hydroxycarbamoyl)benzene-1-carbonyl]-L-asparaginy-N-benzyl-L-alaninamide (three-letter code: FGY) (formula: C<sub>27</sub>H<sub>35</sub>N<sub>5</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
17	K	1	Total	C	N	O	0	0
			38	27	5	6		


Continued on next page...



Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
17	Y	1	Total	C	N	O	0	0
			38	27	5	6		

- Molecule 18 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
18	K	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	Y	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 19 is SULFATE ION (three-letter code: SO<sub>4</sub>) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
19	N	1	Total	O	S	0	0
			5	4	1		
19	b	1	Total	O	S	0	0
			5	4	1		

- Molecule 20 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	A	42	Total	O	0	0
			42	42		
20	B	30	Total	O	0	0
			30	30		
20	C	36	Total	O	0	0
			36	36		
20	D	37	Total	O	0	0
			37	37		
20	E	15	Total	O	0	0
			15	15		
20	F	24	Total	O	0	0
			24	24		
20	G	43	Total	O	0	0
			43	43		
20	H	29	Total	O	0	0
			29	29		
20	I	25	Total	O	0	0
			25	25		
20	J	30	Total	O	0	0
			30	30		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
20	K	51	Total O 51 51	0	0
20	L	40	Total O 40 40	0	0
20	M	38	Total O 38 38	0	0
20	N	27	Total O 27 27	0	0
20	O	21	Total O 21 21	0	0
20	P	21	Total O 21 21	0	0
20	Q	16	Total O 16 16	0	0
20	R	12	Total O 12 12	0	0
20	S	12	Total O 12 12	0	0
20	T	31	Total O 31 31	0	0
20	U	29	Total O 29 29	0	0
20	V	27	Total O 27 27	0	0
20	W	28	Total O 28 28	0	0
20	X	27	Total O 27 27	0	0
20	Y	37	Total O 37 37	0	0
20	Z	35	Total O 35 35	0	0
20	a	53	Total O 53 53	0	0
20	b	24	Total O 24 24	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3



- Molecule 2: Proteasome subunit alpha type-3




- Molecule 3: Proteasome subunit alpha type-4












- Molecule 10: Proteasome subunit beta type-4




- Molecule 10: Proteasome subunit beta type-4




- Molecule 11: Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6




- Molecule 13: Proteasome subunit beta type-7




- Molecule 13: Proteasome subunit beta type-7



- Molecule 14: Proteasome subunit beta type-1



- Molecule 14: Proteasome subunit beta type-1





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	137.14Å 300.78Å 145.08Å 90.00° 113.48° 90.00°	Depositor
Resolution (Å)	15.00 – 2.50 14.99 – 2.50	Depositor EDS
% Data completeness (in resolution range)	97.6 (15.00-2.50) 98.1 (14.99-2.50)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.73 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, $R_{free}$	0.187 , 0.217 0.193 , 0.221	Depositor DCC
$R_{free}$ test set	18060 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	55.0	Xtriage
Anisotropy	0.432	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 39.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	50258	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.58% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, MG, FGY, MES, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.37	0/1952	0.58	0/2642
1	O	0.37	0/1952	0.57	0/2642
2	B	0.37	0/1934	0.59	0/2618
2	P	0.37	0/1934	0.60	0/2618
3	C	0.37	0/1910	0.63	0/2586
3	Q	0.37	0/1910	0.62	0/2586
4	D	0.37	0/1837	0.59	0/2475
4	R	0.36	0/1837	0.58	0/2475
5	E	0.36	0/1800	0.57	0/2433
5	S	0.36	0/1800	0.57	0/2433
6	F	0.37	0/1932	0.56	0/2609
6	T	0.36	0/1932	0.55	0/2609
7	G	0.37	0/1945	0.57	0/2634
7	U	0.37	0/1945	0.56	0/2634
8	H	0.34	0/1715	0.57	0/2326
8	V	0.34	0/1715	0.56	0/2326
9	I	0.37	0/1611	0.59	0/2174
9	W	0.37	0/1611	0.59	0/2174
10	J	0.35	0/1589	0.61	0/2142
10	X	0.36	0/1589	0.61	0/2142
11	K	0.36	0/1681	0.62	2/2274 (0.1%)
11	Y	0.36	0/1681	0.62	2/2274 (0.1%)
12	L	0.42	0/1795	0.61	0/2420
12	Z	0.40	0/1795	0.61	0/2420
13	M	0.38	0/1855	0.63	0/2514
13	a	0.37	0/1855	0.64	0/2514
14	N	0.34	0/1541	0.57	0/2087
14	b	0.34	0/1541	0.57	0/2087
All	All	0.37	0/50194	0.59	4/67868 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	Y	73	ARG	NE-CZ-NH1	6.60	123.60	120.30
11	K	73	ARG	NE-CZ-NH1	6.52	123.56	120.30
11	K	4	LEU	CA-CB-CG	5.63	128.24	115.30
11	Y	4	LEU	CA-CB-CG	5.60	128.18	115.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	2	0
1	O	1915	0	1929	2	0
2	B	1904	0	1904	5	0
2	P	1904	0	1904	4	0
3	C	1881	0	1895	6	0
3	Q	1881	0	1895	5	0
4	D	1813	0	1797	0	0
4	R	1813	0	1797	1	0
5	E	1773	0	1775	1	0
5	S	1773	0	1775	2	0
6	F	1892	0	1883	2	0
6	T	1892	0	1883	2	0
7	G	1907	0	1901	3	0
7	U	1907	0	1901	1	0
8	H	1684	0	1688	1	0
8	V	1684	0	1688	1	0
9	I	1581	0	1574	6	0
9	W	1581	0	1574	5	0
10	J	1561	0	1569	7	0
10	X	1561	0	1569	7	0
11	K	1644	0	1595	7	0
11	Y	1644	0	1595	8	0
12	L	1757	0	1711	2	0
12	Z	1757	0	1711	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
13	M	1824	0	1832	1	0
13	a	1824	0	1832	0	0
14	N	1512	0	1481	2	0
14	b	1512	0	1481	0	0
15	G	1	0	0	0	0
15	I	1	0	0	0	0
15	K	2	0	0	0	0
15	N	1	0	0	0	0
15	V	1	0	0	0	0
15	X	1	0	0	0	0
15	Y	2	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	K	38	0	0	1	0
17	Y	38	0	0	1	0
18	K	12	0	13	0	0
18	Y	12	0	13	0	0
19	N	5	0	0	0	0
19	b	5	0	0	0	0
20	A	42	0	0	0	0
20	B	30	0	0	0	0
20	C	36	0	0	0	0
20	D	37	0	0	0	0
20	E	15	0	0	0	0
20	F	24	0	0	0	0
20	G	43	0	0	0	0
20	H	29	0	0	0	0
20	I	25	0	0	0	0
20	J	30	0	0	1	0
20	K	51	0	0	0	0
20	L	40	0	0	0	0
20	M	38	0	0	0	0
20	N	27	0	0	0	0
20	O	21	0	0	0	0
20	P	21	0	0	0	0
20	Q	16	0	0	0	0
20	R	12	0	0	0	0
20	S	12	0	0	0	0
20	T	31	0	0	0	0
20	U	29	0	0	0	0
20	V	27	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
20	W	28	0	0	0	0
20	X	27	0	0	0	0
20	Y	37	0	0	0	0
20	Z	35	0	0	0	0
20	a	53	0	0	0	0
20	b	24	0	0	0	0
All	All	50258	0	49094	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:95:GLN:HE22	9:I:71:ASN:HD22	1.36	0.74
11:K:5:ALA:HB3	11:K:100:MET:HE2	1.68	0.74
11:Y:5:ALA:HB3	11:Y:100:MET:HE2	1.71	0.70
2:P:95:GLN:HE22	9:W:71:ASN:HD22	1.39	0.69
3:C:160:GLN:HA	3:C:160:GLN:HE21	1.63	0.64
3:Q:160:GLN:HA	3:Q:160:GLN:HE21	1.63	0.64
12:Z:13:LEU:HD13	12:Z:150:LEU:HD21	1.83	0.61
12:L:13:LEU:HD13	12:L:150:LEU:HD21	1.82	0.59
14:N:152:VAL:HA	14:N:175:MET:HE1	1.89	0.55
10:J:1:MET:O	10:J:2:ASP:HB2	2.07	0.54
12:L:5:TYR:CE1	12:L:106:TYR:CD1	2.96	0.53
10:X:1:MET:O	10:X:2:ASP:HB2	2.08	0.53
6:T:123:ASN:HD22	6:T:124:SER:N	2.08	0.52
7:U:23:PHE:O	7:U:26:THR:HB	2.09	0.52
6:F:123:ASN:HD22	6:F:124:SER:N	2.07	0.52
10:J:174:MET:HA	10:X:174:MET:HA	1.91	0.51
7:G:23:PHE:O	7:G:26:THR:HB	2.11	0.51
2:P:95:GLN:NE2	9:W:71:ASN:HD22	2.08	0.51
11:K:176:ASN:ND2	11:K:190:ASN:HD22	2.10	0.50
10:J:67:TYR:CE1	10:J:75:LEU:HD13	2.47	0.50
6:T:123:ASN:C	6:T:123:ASN:HD22	2.16	0.49
5:S:87:LEU:HD21	5:S:107:ALA:HB1	1.94	0.49
11:Y:31:VAL:HG11	17:Y:801:FGY:C22	2.43	0.49
11:Y:99:THR:HG22	11:Y:115:VAL:HB	1.95	0.49
6:F:123:ASN:HD22	6:F:123:ASN:C	2.16	0.49
11:K:99:THR:HG22	11:K:115:VAL:HB	1.96	0.48
5:E:87:LEU:HD21	5:E:107:ALA:HB1	1.95	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:38:ASN:C	3:C:38:ASN:HD22	2.18	0.47
10:X:67:TYR:CE1	10:X:75:LEU:HD13	2.49	0.47
3:Q:38:ASN:HD22	3:Q:38:ASN:C	2.19	0.47
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.96	0.46
2:B:12:PHE:H	3:C:17:GLN:HE22	1.63	0.46
11:Y:176:ASN:ND2	11:Y:190:ASN:HD22	2.14	0.46
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.97	0.46
2:B:146:GLN:HG2	3:C:57:ILE:HG21	1.97	0.46
11:Y:100:MET:HE3	11:Y:127:PHE:HB2	1.97	0.46
3:Q:9:PHE:H	4:R:15:GLN:HE22	1.63	0.46
1:A:12:PHE:H	2:B:20:GLN:HE22	1.63	0.46
11:K:209:ASN:O	9:W:37:ASN:ND2	2.49	0.46
3:Q:169:VAL:HG23	3:Q:196:SER:HB2	1.99	0.45
11:Y:5:ALA:HB3	11:Y:100:MET:CE	2.45	0.45
3:C:169:VAL:HG23	3:C:196:SER:HB2	1.99	0.45
2:B:95:GLN:NE2	9:I:71:ASN:HD22	2.08	0.45
12:Z:106:TYR:C	12:Z:106:TYR:CD1	2.89	0.45
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.00	0.44
11:K:31:VAL:HG11	17:K:801:FGY:C22	2.47	0.44
9:W:20:VAL:HG13	9:W:118:PRO:HB3	2.00	0.44
9:I:37:ASN:ND2	11:Y:209:ASN:O	2.52	0.43
8:H:50:ALA:CB	9:I:126:ILE:HG23	2.49	0.43
10:J:36:ARG:NH2	20:J:202:HOH:O	2.51	0.43
1:O:12:PHE:H	2:P:20:GLN:HE22	1.65	0.43
11:K:73:ARG:HG2	11:K:73:ARG:HH11	1.84	0.42
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.83	0.42
7:G:61:SER:OG	7:G:215:GLU:OE2	2.29	0.42
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.68	0.42
10:J:169:GLU:O	10:X:177:LYS:NZ	2.53	0.42
13:M:156:ARG:HH11	8:V:165:ASN:HD22	1.68	0.42
3:C:201:VAL:O	3:C:202:GLN:CB	2.68	0.41
11:Y:73:ARG:HH11	11:Y:73:ARG:HG2	1.85	0.41
1:A:55:LEU:HD12	7:G:170:THR:HG23	2.02	0.41
11:K:100:MET:HE3	11:K:127:PHE:HB2	2.02	0.41
9:W:98:ARG:O	9:W:126:ILE:HD11	2.21	0.41
14:N:36:ARG:HG3	14:N:42:TRP:CE2	2.56	0.41
12:Z:3:ASN:HD22	12:Z:4:PRO:HD2	1.86	0.41
10:X:36:ARG:NH1	10:X:58:GLU:OE2	2.55	0.40
9:I:98:ARG:O	9:I:126:ILE:HD11	2.21	0.40
10:J:177:LYS:NZ	10:X:169:GLU:O	2.53	0.40
5:S:92:ASN:HD21	12:Z:70:ASN:ND2	2.20	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	242 (98%)	6 (2%)	0	100	100
1	O	248/250 (99%)	242 (98%)	6 (2%)	0	100	100
2	B	242/258 (94%)	234 (97%)	6 (2%)	2 (1%)	19	35
2	P	242/258 (94%)	233 (96%)	7 (3%)	2 (1%)	19	35
3	C	238/254 (94%)	231 (97%)	5 (2%)	2 (1%)	19	35
3	Q	238/254 (94%)	231 (97%)	5 (2%)	2 (1%)	19	35
4	D	231/260 (89%)	225 (97%)	6 (3%)	0	100	100
4	R	231/260 (89%)	225 (97%)	6 (3%)	0	100	100
5	E	229/234 (98%)	222 (97%)	7 (3%)	0	100	100
5	S	229/234 (98%)	222 (97%)	7 (3%)	0	100	100
6	F	241/288 (84%)	237 (98%)	4 (2%)	0	100	100
6	T	241/288 (84%)	236 (98%)	5 (2%)	0	100	100
7	G	239/252 (95%)	235 (98%)	4 (2%)	0	100	100
7	U	239/252 (95%)	235 (98%)	4 (2%)	0	100	100
8	H	220/232 (95%)	215 (98%)	5 (2%)	0	100	100
8	V	220/232 (95%)	215 (98%)	5 (2%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	189 (98%)	3 (2%)	1 (0%)	29	48
10	X	193/198 (98%)	189 (98%)	3 (2%)	1 (0%)	29	48
11	K	210/212 (99%)	208 (99%)	2 (1%)	0	100	100
11	Y	210/212 (99%)	208 (99%)	2 (1%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	L	220/222 (99%)	217 (99%)	3 (1%)	0	100	100
12	Z	220/222 (99%)	217 (99%)	3 (1%)	0	100	100
13	M	231/246 (94%)	224 (97%)	6 (3%)	1 (0%)	34	54
13	a	231/246 (94%)	224 (97%)	6 (3%)	1 (0%)	34	54
14	N	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
14	b	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
All	All	6276/6614 (95%)	6124 (98%)	140 (2%)	12 (0%)	47	68

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
10	J	2	ASP
2	P	51	VAL
3	Q	202	GLN
10	X	2	ASP
3	C	205	ALA
3	Q	205	ALA
2	B	221	ASP
2	P	221	ASP
13	M	229	GLY
13	a	229	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	67	86
1	O	209/209 (100%)	206 (99%)	3 (1%)	67	86
2	B	203/216 (94%)	195 (96%)	8 (4%)	32	57
2	P	203/216 (94%)	196 (97%)	7 (3%)	37	63

Continued on next page...



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	212/226 (94%)	204 (96%)	8 (4%)	33	58
3	Q	212/226 (94%)	204 (96%)	8 (4%)	33	58
4	D	194/215 (90%)	187 (96%)	7 (4%)	35	61
4	R	194/215 (90%)	187 (96%)	7 (4%)	35	61
5	E	190/193 (98%)	182 (96%)	8 (4%)	30	54
5	S	190/193 (98%)	182 (96%)	8 (4%)	30	54
6	F	201/239 (84%)	192 (96%)	9 (4%)	27	51
6	T	201/239 (84%)	192 (96%)	9 (4%)	27	51
7	G	206/210 (98%)	198 (96%)	8 (4%)	32	57
7	U	206/210 (98%)	199 (97%)	7 (3%)	37	63
8	H	181/190 (95%)	172 (95%)	9 (5%)	24	46
8	V	181/190 (95%)	172 (95%)	9 (5%)	24	46
9	I	172/173 (99%)	169 (98%)	3 (2%)	60	82
9	W	172/173 (99%)	169 (98%)	3 (2%)	60	82
10	J	173/175 (99%)	168 (97%)	5 (3%)	42	69
10	X	173/175 (99%)	168 (97%)	5 (3%)	42	69
11	K	169/169 (100%)	161 (95%)	8 (5%)	26	49
11	Y	169/169 (100%)	161 (95%)	8 (5%)	26	49
12	L	185/185 (100%)	180 (97%)	5 (3%)	44	71
12	Z	185/185 (100%)	178 (96%)	7 (4%)	33	58
13	M	199/208 (96%)	193 (97%)	6 (3%)	41	68
13	a	199/208 (96%)	193 (97%)	6 (3%)	41	68
14	N	162/162 (100%)	161 (99%)	1 (1%)	86	95
14	b	162/162 (100%)	161 (99%)	1 (1%)	86	95
All	All	5312/5540 (96%)	5136 (97%)	176 (3%)	38	64

All (176) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LYS
1	A	61	LEU
1	A	157	PHE
2	B	50	LYS
2	B	52	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	55	LEU
2	B	58	GLN
2	B	114	LEU
2	B	119	GLN
2	B	184	LYS
2	B	191	LEU
3	C	4	ARG
3	C	38	ASN
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	203	THR
4	D	20	LEU
4	D	99	ILE
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	54	GLU
5	E	71	LEU
5	E	116	GLN
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
6	F	14	ASP
6	F	117	GLN
6	F	123	ASN
6	F	172	LEU
6	F	181	GLU
6	F	203	ASN
6	F	206	LYS
6	F	214	TRP
6	F	221	ASN
7	G	83	ASN
7	G	115	LEU
7	G	117	GLN
7	G	125	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
7	G	166	GLN
7	G	181	LYS
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	31	CYS
8	H	53	GLU
8	H	55	VAL
8	H	56	THR
8	H	68	LEU
8	H	84	LYS
8	H	113	ILE
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
9	I	182	TRP
10	J	23	ARG
10	J	75	LEU
10	J	78	GLN
10	J	144	LEU
10	J	174	MET
11	K	4	LEU
11	K	7	ARG
11	K	9	GLN
11	K	31	VAL
11	K	35	ILE
11	K	99	THR
11	K	106	ARG
11	K	118	ASP
12	L	1	GLN
12	L	23	LEU
12	L	49	ASN
12	L	136	CYS
12	L	167	LYS
13	M	43	ILE
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
1	O	17	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	O	61	LEU
1	O	157	PHE
2	P	50	LYS
2	P	52	THR
2	P	55	LEU
2	P	58	GLN
2	P	114	LEU
2	P	184	LYS
2	P	191	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	203	THR
4	R	20	LEU
4	R	99	ILE
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	54	GLU
5	S	71	LEU
5	S	116	GLN
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
6	T	14	ASP
6	T	117	GLN
6	T	123	ASN
6	T	172	LEU
6	T	181	GLU
6	T	203	ASN
6	T	206	LYS
6	T	214	TRP
6	T	221	ASN
7	U	83	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
7	U	115	LEU
7	U	117	GLN
7	U	125	MET
7	U	166	GLN
7	U	181	LYS
7	U	235	ARG
8	V	30	ASN
8	V	31	CYS
8	V	53	GLU
8	V	55	VAL
8	V	56	THR
8	V	68	LEU
8	V	84	LYS
8	V	113	ILE
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU
9	W	182	TRP
10	X	23	ARG
10	X	75	LEU
10	X	78	GLN
10	X	144	LEU
10	X	174	MET
11	Y	4	LEU
11	Y	7	ARG
11	Y	9	GLN
11	Y	31	VAL
11	Y	35	ILE
11	Y	99	THR
11	Y	106	ARG
11	Y	118	ASP
12	Z	1	GLN
12	Z	23	LEU
12	Z	49	ASN
12	Z	107	VAL
12	Z	136	CYS
12	Z	150	LEU
12	Z	167	LYS
13	a	43	ILE
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (115) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	20	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
2	B	176	GLN
3	C	17	GLN
3	C	38	ASN
3	C	77	ASN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	91	HIS
4	D	100	ASN
4	D	160	ASN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	184	ASN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
6	F	240	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	167	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
7	G	175	ASN
8	H	30	ASN
8	H	165	ASN
8	H	172	ASN
8	H	189	ASN
10	J	55	GLN
10	J	118	GLN
11	K	9	GLN
11	K	85	ASN
11	K	176	ASN
12	L	1	GLN
12	L	3	ASN
12	L	49	ASN
12	L	70	ASN
12	L	79	HIS
12	L	158	ASN
12	L	159	GLN
13	M	18	ASN
13	M	48	ASN
13	M	102	GLN
13	M	108	ASN
13	M	179	ASN
14	N	161	GLN
2	P	20	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
2	P	176	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	100	ASN
4	R	160	ASN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	184	ASN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
6	T	240	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	167	GLN
7	U	175	ASN
8	V	30	ASN
8	V	165	ASN
8	V	172	ASN
8	V	189	ASN
10	X	55	GLN
10	X	118	GLN
11	Y	9	GLN
11	Y	85	ASN
11	Y	176	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	70	ASN
12	Z	79	HIS
12	Z	152	ASN
12	Z	153	GLN
12	Z	158	ASN
12	Z	159	GLN
13	a	18	ASN
13	a	48	ASN
13	a	102	GLN
13	a	108	ASN
13	a	179	ASN
14	b	161	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.



## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 12 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
18	MES	Y	804	-	12,12,12	2.38	1 (8%)	14,16,16	1.15	1 (7%)
19	SO4	b	201	-	4,4,4	0.34	0	6,6,6	0.11	0
18	MES	K	804	-	12,12,12	2.20	1 (8%)	14,16,16	1.27	1 (7%)
17	FGY	Y	801	-	39,39,39	2.36	4 (10%)	53,53,53	1.24	5 (9%)
17	FGY	K	801	-	39,39,39	2.15	6 (15%)	53,53,53	1.05	6 (11%)
19	SO4	N	202	-	4,4,4	0.32	0	6,6,6	0.06	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	MES	Y	804	-	-	0/6/14/14	0/1/1/1
18	MES	K	804	-	-	3/6/14/14	0/1/1/1
17	FGY	Y	801	-	-	1/41/41/41	0/2/2/2
17	FGY	K	801	-	-	1/41/41/41	0/2/2/2

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	Y	804	MES	C8-S	-8.00	1.66	1.77
17	Y	801	FGY	C17-C18	-7.41	1.35	1.51
18	K	804	MES	C8-S	-7.34	1.67	1.77
17	K	801	FGY	C08-C09	-6.59	1.36	1.50
17	Y	801	FGY	C08-C09	-6.58	1.36	1.50
17	Y	801	FGY	C05-C02	-6.26	1.37	1.50
17	K	801	FGY	C05-C02	-6.19	1.37	1.50
17	K	801	FGY	C17-C18	-6.11	1.38	1.51
17	Y	801	FGY	O04-N03	-6.08	1.24	1.40
17	K	801	FGY	O04-N03	-4.83	1.27	1.40
17	K	801	FGY	C11-C12	-2.37	1.46	1.52
17	K	801	FGY	C12-N13	-2.20	1.29	1.34

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	Y	801	FGY	C31-C30-N29	-3.60	108.25	113.90
18	K	804	MES	O3S-S-C8	3.58	111.55	105.77
17	K	801	FGY	C27-C11-C12	-3.34	102.55	110.42
17	Y	801	FGY	C12-C11-N10	-3.23	102.36	111.16
17	Y	801	FGY	C15-C14-N13	-2.95	104.30	111.60
18	Y	804	MES	O3S-S-C8	2.95	110.53	105.77
17	K	801	FGY	C15-C14-N13	-2.86	104.52	111.60
17	K	801	FGY	O36-C09-C08	-2.32	116.80	120.94
17	Y	801	FGY	C27-C11-C12	-2.30	105.02	110.42
17	K	801	FGY	C12-C11-N10	-2.23	105.10	111.16
17	Y	801	FGY	C27-C28-N29	-2.21	112.93	115.97
17	K	801	FGY	C27-C11-N10	2.09	114.69	110.60
17	K	801	FGY	C18-C17-N16	-2.07	108.62	113.05

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
18	K	804	MES	C7-C8-S-O1S
18	K	804	MES	C7-C8-S-O3S
18	K	804	MES	C7-C8-S-O2S
17	K	801	FGY	C15-C14-N13-C12
17	Y	801	FGY	C15-C14-N13-C12


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	Y	801	FGY	1	0
17	K	801	FGY	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	250/250 (100%)	-0.18	6 (2%) 59 62	45, 59, 99, 147	0
1	O	250/250 (100%)	-0.09	12 (4%) 30 32	49, 69, 111, 153	0
2	B	244/258 (94%)	0.16	26 (10%) 6 5	45, 68, 124, 177	0
2	P	244/258 (94%)	0.20	20 (8%) 11 11	47, 70, 123, 164	0
3	C	240/254 (94%)	0.09	17 (7%) 16 16	44, 68, 130, 160	0
3	Q	240/254 (94%)	0.40	30 (12%) 3 3	52, 86, 171, 207	0
4	D	235/260 (90%)	-0.21	6 (2%) 56 59	46, 69, 101, 153	0
4	R	235/260 (90%)	-0.03	6 (2%) 56 59	54, 75, 118, 169	0
5	E	231/234 (98%)	-0.00	8 (3%) 44 47	50, 73, 112, 152	0
5	S	231/234 (98%)	0.22	18 (7%) 13 13	54, 85, 138, 169	0
6	F	243/288 (84%)	-0.17	10 (4%) 37 40	41, 66, 119, 150	0
6	T	243/288 (84%)	-0.01	9 (3%) 41 45	44, 76, 137, 172	0
7	G	241/252 (95%)	-0.23	8 (3%) 46 50	42, 61, 104, 148	0
7	U	241/252 (95%)	-0.16	7 (2%) 51 55	46, 64, 101, 138	0
8	H	222/232 (95%)	-0.11	4 (1%) 68 71	47, 60, 100, 136	0
8	V	222/232 (95%)	-0.08	2 (0%) 84 86	47, 63, 95, 132	0
9	I	204/205 (99%)	-0.40	3 (1%) 73 75	41, 57, 87, 109	0
9	W	204/205 (99%)	-0.36	5 (2%) 57 61	41, 58, 89, 118	0
10	J	195/198 (98%)	-0.32	3 (1%) 73 75	41, 57, 87, 129	0
10	X	195/198 (98%)	-0.31	4 (2%) 63 66	43, 59, 88, 141	0
11	K	212/212 (100%)	-0.41	1 (0%) 91 91	37, 56, 85, 107	0
11	Y	212/212 (100%)	-0.38	2 (0%) 84 86	35, 59, 90, 117	0
12	L	222/222 (100%)	-0.32	2 (0%) 84 86	40, 59, 92, 110	0
12	Z	222/222 (100%)	-0.31	2 (0%) 84 86	39, 60, 95, 116	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
13	M	233/246 (94%)	-0.37	3 (1%)	77 79	38, 60, 87, 108	0
13	a	233/246 (94%)	-0.41	3 (1%)	77 79	35, 58, 86, 109	0
14	N	196/196 (100%)	-0.44	2 (1%)	82 84	36, 54, 86, 110	0
14	b	196/196 (100%)	-0.42	1 (0%)	91 91	39, 55, 87, 111	0
All	All	6336/6614 (95%)	-0.16	220 (3%)	44 47	35, 64, 115, 207	0

All (220) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	P	219	ALA	12.6
3	Q	49	THR	9.8
2	B	220	ASN	9.2
2	B	219	ALA	8.4
3	Q	50	LEU	8.2
8	H	221	CYS	8.1
2	B	218	GLY	7.8
3	C	206	LYS	7.8
3	Q	206	LYS	7.7
2	B	221	ASP	7.7
10	X	1	MET	7.2
1	O	1	MET	7.1
8	V	222	ASP	7.0
8	V	221	CYS	7.0
2	P	220	ASN	6.9
3	Q	48	SER	6.4
2	P	221	ASP	6.2
1	A	1	MET	6.1
2	P	51	VAL	5.9
2	P	218	GLY	5.8
5	S	202	ASP	5.6
2	B	51	VAL	5.4
8	H	222	ASP	5.3
1	O	249	ALA	5.2
11	Y	212	GLY	5.1
4	D	241	ALA	5.0
3	C	202	GLN	4.9
10	X	194	ASP	4.9
10	J	1	MET	4.7
4	R	241	ALA	4.6
10	J	194	ASP	4.6
5	E	233	ILE	4.5

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
3	C	238	LYS	4.5
7	U	242	GLN	4.4
5	E	202	ASP	4.4
3	Q	238	LYS	4.4
4	D	242	GLU	4.4
9	I	1	SER	4.4
1	A	250	LEU	4.3
3	Q	51	LYS	4.3
3	C	205	ALA	4.2
2	B	52	THR	4.2
3	C	49	THR	4.2
13	a	1	THR	4.2
9	W	1	SER	4.2
3	Q	205	ALA	4.1
3	C	239	GLN	4.1
2	P	222	GLY	4.1
4	R	242	GLU	4.1
3	Q	180	LYS	4.0
3	Q	203	THR	4.0
5	S	54	GLU	4.0
3	Q	240	GLU	4.0
7	U	222	ASP	3.9
3	Q	239	GLN	3.9
2	P	62	THR	3.8
5	S	210	LEU	3.8
7	G	179	LYS	3.8
5	E	123	GLY	3.8
3	C	225	GLU	3.7
1	A	249	ALA	3.7
2	P	225	TYR	3.7
3	Q	223	SER	3.7
3	C	236	GLN	3.7
7	G	242	GLN	3.7
13	M	1	THR	3.7
4	R	125	LEU	3.7
5	S	173	ARG	3.6
2	P	59	ASP	3.5
9	W	133	LYS	3.5
6	T	243	ILE	3.5
7	G	3	TYR	3.4
5	S	225	ASP	3.4
6	F	243	ILE	3.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
10	X	193	ASP	3.3
1	O	52	SER	3.3
5	S	233	ILE	3.3
3	C	235	GLU	3.3
5	S	52	ALA	3.2
5	S	180	LYS	3.2
3	Q	202	GLN	3.2
1	O	201	GLU	3.2
7	U	2	GLY	3.2
5	E	54	GLU	3.2
1	O	250	LEU	3.2
2	P	182	ASP	3.1
2	P	52	THR	3.1
11	Y	106	ARG	3.1
7	U	241	GLU	3.1
6	T	2	THR	3.1
2	P	61	SER	3.1
3	C	240	GLU	3.1
6	T	244	ASN	3.1
3	Q	236	GLN	3.0
2	P	50	LYS	3.0
6	T	53	LYS	3.0
5	S	194	GLU	3.0
9	I	131	GLU	3.0
13	M	233	ILE	2.9
6	F	181	GLU	2.9
2	B	242	GLY	2.9
2	B	203	SER	2.9
2	P	60	THR	2.9
6	F	201	GLU	2.9
1	O	231	LYS	2.9
2	B	225	TYR	2.9
12	Z	210	ASP	2.8
3	Q	55	THR	2.8
6	T	230	ASP	2.8
7	G	2	GLY	2.8
9	I	133	LYS	2.8
1	A	2	THR	2.8
3	Q	58	THR	2.8
3	C	37	LYS	2.8
5	E	218	ASP	2.8
2	P	203	SER	2.8

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
7	G	241	GLU	2.8
9	W	191	LYS	2.8
3	Q	235	GLU	2.7
1	O	2	THR	2.7
3	Q	52	LEU	2.7
3	Q	187	GLU	2.7
6	F	215	CYS	2.7
2	B	222	GLY	2.7
11	K	212	GLY	2.7
3	C	180	LYS	2.7
3	Q	60	SER	2.7
5	E	201	ARG	2.7
5	S	51	ASN	2.7
10	J	193	ASP	2.7
2	B	61	SER	2.7
14	b	105	LYS	2.7
6	F	205	GLU	2.6
5	S	201	ARG	2.6
2	B	54	THR	2.6
2	B	204	ALA	2.6
2	B	230	LYS	2.6
2	B	235	LYS	2.6
12	L	210	ASP	2.6
7	G	181	LYS	2.6
3	C	50	LEU	2.6
3	Q	59	PRO	2.6
12	Z	1	GLN	2.6
13	M	216	ASN	2.6
2	B	59	ASP	2.6
6	F	180	PRO	2.6
6	T	205	GLU	2.6
4	R	230	GLU	2.6
9	W	131	GLU	2.6
2	B	50	LYS	2.5
6	T	241	LYS	2.5
7	U	181	LYS	2.5
2	B	244	THR	2.5
3	C	181	GLU	2.5
6	T	181	GLU	2.5
3	C	216	ASP	2.5
6	F	2	THR	2.5
1	O	141	GLU	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
7	U	188	GLU	2.5
2	B	60	THR	2.5
1	O	50	LYS	2.4
2	P	141	ASP	2.4
2	B	180	LYS	2.4
1	A	248	GLU	2.4
5	S	171	LEU	2.4
12	L	172	LEU	2.4
14	N	105	LYS	2.3
7	G	222	ASP	2.3
14	N	195	GLN	2.3
2	B	58	GLN	2.3
2	B	217	LYS	2.3
5	S	207	VAL	2.3
2	B	240	LYS	2.3
2	B	184	LYS	2.3
2	P	240	LYS	2.3
4	R	169	GLU	2.3
6	F	244	ASN	2.3
3	Q	204	GLY	2.3
3	Q	171	GLU	2.3
5	S	187	GLU	2.3
1	O	230	ASP	2.2
3	Q	229	GLN	2.2
6	F	202	ASP	2.2
13	a	47	ASP	2.2
6	F	53	LYS	2.2
1	O	229	THR	2.2
2	P	223	GLU	2.2
5	S	3	ASN	2.2
3	Q	167	LYS	2.2
5	E	207	VAL	2.2
4	R	217	GLN	2.2
4	D	238	LYS	2.2
5	S	209	ASN	2.2
5	S	163	ARG	2.2
2	P	243	ILE	2.2
7	U	183	ASP	2.2
3	Q	1	GLY	2.2
5	E	210	LEU	2.2
8	H	204	LYS	2.1
2	B	62	THR	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
9	W	192	ASP	2.1
1	O	178	ARG	2.1
8	H	207	ARG	2.1
7	G	40	ASP	2.1
13	a	233	ILE	2.1
4	D	2	ARG	2.1
3	Q	141	ASP	2.1
1	A	229	THR	2.1
2	P	241	THR	2.1
2	B	93	HIS	2.1
3	Q	181	GLU	2.1
4	D	54	ASP	2.0
3	Q	225	GLU	2.0
3	C	175	LYS	2.0
3	Q	47	ARG	2.0
4	D	125	LEU	2.0
6	T	217	LEU	2.0
3	C	60	SER	2.0
5	S	58	TYR	2.0
10	X	195	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
15	MG	K	803	1/1	0.69	0.44	147,147,147,147	0
15	MG	I	301	1/1	0.91	0.42	89,89,89,89	0
17	FGY	Y	801	38/38	0.92	0.15	55,57,62,68	0


*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
17	FGY	K	801	38/38	0.94	0.13	50,54,60,67	0
15	MG	Y	802	1/1	0.94	0.13	70,70,70,70	0
15	MG	G	301	1/1	0.94	0.13	76,76,76,76	0
18	MES	Y	804	12/12	0.94	0.20	78,94,96,96	0
18	MES	K	804	12/12	0.95	0.16	77,96,98,98	0
15	MG	Z	301	1/1	0.96	0.36	73,73,73,73	0
15	MG	Y	803	1/1	0.97	0.29	96,96,96,96	0
19	SO4	N	202	5/5	0.97	0.19	75,79,85,85	0
15	MG	V	301	1/1	0.97	0.10	88,88,88,88	0
19	SO4	b	201	5/5	0.97	0.22	77,82,85,88	0
15	MG	X	201	1/1	0.98	0.35	56,56,56,56	0
15	MG	N	201	1/1	0.99	0.16	51,51,51,51	0
15	MG	K	802	1/1	0.99	0.14	69,69,69,69	0
16	CL	U	301	1/1	0.99	0.13	63,63,63,63	0
16	CL	G	302	1/1	1.00	0.06	59,59,59,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.