



Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 03:19 am BST

PDB ID : 3H68
Title : Catalytic domain of human Serine/Threonine Phosphatase 5 (PP5c) with two Zn²⁺ atoms originally soaked with cantharidin (which is present in the structure in the hydrolyzed form)
Authors : Bertini, I.; Calderone, V.; Fragai, M.; Luchinat, C.; Talluri, E.
Deposited on : 2009-04-23
Resolution : 1.50 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2936 (1.50-1.50)
Clashscore	141614	3144 (1.50-1.50)
Ramachandran outliers	138981	3066 (1.50-1.50)
Sidechain outliers	138945	3064 (1.50-1.50)
RSRZ outliers	127900	2884 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	315	<div> <div>3%</div> <div>81%</div> <div>17%</div> <div>•</div> </div>
1	D	315	<div> <div>13%</div> <div>82%</div> <div>17%</div> <div>•</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NHC	A	1[A]	-	-	X	-
3	NHC	A	1[B]	-	-	X	-
3	NHC	D	1[A]	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5733 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Serine/threonine-protein phosphatase 5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	315	Total	C	N	O	S	0	0	0
			2528	1615	425	473	15			
1	D	315	Total	C	N	O	S	0	0	0
			2528	1615	425	473	15			

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		
2	D	2	Total	Zn	0	0
			2	2		

- Molecule 3 is (1R,2S,3R,4S)-2,3-dimethyl-7-oxabicyclo[2.2.1]heptane-2,3-dicarboxylic acid (three-letter code: NHC) (formula: C₁₀H₁₄O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 30	C 20	O 10	0	1
3	D	1	Total 30	C 20	O 10	0	1


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	372	Total 372	O 372	0	0
4	D	241	Total 241	O 241	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Serine/threonine-protein phosphatase 5



- Molecule 1: Serine/threonine-protein phosphatase 5



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	154.18Å 41.72Å 105.17Å 90.00° 97.24° 90.00°	Depositor
Resolution (Å)	38.24 – 1.50 38.24 – 1.50	Depositor EDS
% Data completeness (in resolution range)	100.0 (38.24-1.50) 89.3 (38.24-1.50)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.56 (at 1.50Å)	Xtriage
Refinement program	REFMAC 5.4.0067	Depositor
R, R_{free}	0.184 , 0.232 0.182 , 0.231	Depositor DCC
R_{free} test set	8742 reflections (9.16%)	wwPDB-VP
Wilson B-factor (Å ²)	16.4	Xtriage
Anisotropy	0.326	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 53.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5733	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, NHC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	1/2592 (0.0%)	0.82	3/3506 (0.1%)
1	D	0.56	0/2592	0.68	2/3506 (0.1%)
All	All	0.65	1/5184 (0.0%)	0.76	5/7012 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	358	GLU	CG-CD	5.90	1.60	1.51

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	441	ARG	NE-CZ-NH2	-12.90	113.85	120.30
1	A	441	ARG	NE-CZ-NH1	10.59	125.59	120.30
1	D	441	ARG	NE-CZ-NH2	-9.97	115.31	120.30
1	D	441	ARG	NE-CZ-NH1	7.50	124.05	120.30
1	A	441	ARG	CD-NE-CZ	5.23	130.92	123.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2528	0	2462	86	0
1	D	2528	0	2462	70	0
2	A	2	0	0	0	0
2	D	2	0	0	0	0
3	A	30	0	24	13	0
3	D	30	0	24	12	0
4	A	372	0	0	21	1
4	D	241	0	0	11	0
All	All	5733	0	4972	165	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:455:MET:HA	1:A:455:MET:CE	1.47	1.42
1:D:176:TYR:CE2	1:D:180:LYS:HE2	1.66	1.28
1:A:416:GLU:HB3	4:A:678:HOH:O	1.42	1.18
1:A:275:ARG:HG3	1:A:275:ARG:HH11	1.01	1.12
1:A:307:ASP:O	1:A:311:GLN:HG2	1.50	1.12
1:A:188:ILE:HD11	1:A:192:LYS:CE	1.81	1.11
1:D:275:ARG:HH11	1:D:275:ARG:HG3	1.07	1.10
1:A:188:ILE:CD1	1:A:192:LYS:HE3	1.84	1.08
1:D:455:MET:HE2	1:D:455:MET:HA	1.39	1.05
1:A:416:GLU:HG3	4:A:89:HOH:O	1.54	1.04
1:D:455:MET:CE	1:D:455:MET:HA	1.87	1.04
1:A:455:MET:CA	1:A:455:MET:CE	2.34	1.03
1:A:455:MET:CA	1:A:455:MET:HE2	1.87	1.03
1:D:176:TYR:HE2	1:D:180:LYS:HE2	0.96	1.03
3:D:1[A]:NHC:O5	3:D:1[A]:NHC:C8	2.05	1.01
1:D:275:ARG:CG	1:D:275:ARG:HH11	1.76	0.96
1:D:275:ARG:NH2	3:D:1[A]:NHC:O4	1.97	0.96
1:A:275:ARG:CG	1:A:275:ARG:HH11	1.78	0.96
1:A:217:LYS:HD2	4:A:554:HOH:O	1.63	0.96
1:A:176:TYR:CE2	1:A:180:LYS:HE2	2.02	0.94
1:A:205:HIS:HD2	1:A:207:LYS:H	1.16	0.93
1:D:307:ASP:O	1:D:311:GLN:HG2	1.69	0.91
1:D:357:SER:HB3	4:D:637:HOH:O	0.73	0.91
1:A:455:MET:HA	1:A:455:MET:HE2	0.92	0.90
1:A:275:ARG:HH12	3:A:1[A]:NHC:C8	1.84	0.90
1:D:275:ARG:HH12	3:D:1[A]:NHC:C8	1.85	0.90

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:257:ASN:HB2	4:D:604:HOH:O	1.74	0.88
1:A:487:MET:HG3	1:A:490:ALA:CB	2.03	0.88
1:D:188:ILE:HD11	1:D:192:LYS:HE3	1.54	0.87
1:A:176:TYR:CE2	1:A:180:LYS:CE	2.57	0.87
1:D:275:ARG:NH1	1:D:275:ARG:HG3	1.90	0.87
1:D:185:LYS:HE3	1:D:187:THR:HG22	1.54	0.87
1:A:441:ARG:HG3	4:A:26:HOH:O	1.75	0.86
1:A:455:MET:HA	1:A:455:MET:HE3	1.54	0.86
1:A:188:ILE:HD11	1:A:192:LYS:HE3	0.90	0.85
1:A:275:ARG:HG3	1:A:275:ARG:NH1	1.84	0.83
1:A:275:ARG:NH2	3:A:1[A]:NHC:O4	2.12	0.83
1:D:205:HIS:HD2	1:D:207:LYS:H	1.27	0.82
1:A:185:LYS:HE3	1:A:187:THR:HG22	1.59	0.82
1:D:176:TYR:CE2	1:D:180:LYS:CE	2.57	0.82
1:D:455:MET:CA	1:D:455:MET:CE	2.59	0.81
1:A:275:ARG:NH1	3:A:1[A]:NHC:O4	2.12	0.80
1:A:176:TYR:CD2	1:A:180:LYS:HE3	2.18	0.78
1:A:176:TYR:HE2	1:A:180:LYS:HE2	1.44	0.78
1:A:185:LYS:HE3	1:A:187:THR:CG2	2.14	0.78
1:D:441:ARG:NH2	4:D:600:HOH:O	2.16	0.78
1:A:350:ILE:HG13	4:A:715:HOH:O	1.83	0.76
1:A:487:MET:HG3	1:A:490:ALA:HB2	1.66	0.76
1:D:205:HIS:CD2	1:D:207:LYS:H	2.04	0.76
3:A:1[B]:NHC:O5	3:A:1[B]:NHC:O4	2.03	0.75
3:D:1[B]:NHC:O4	3:D:1[B]:NHC:O5	2.04	0.74
3:D:1[A]:NHC:O5	3:D:1[A]:NHC:O2	2.03	0.74
1:D:176:TYR:CD2	1:D:180:LYS:HE2	2.21	0.74
1:D:412:LYS:NZ	1:D:416:GLU:OE2	2.21	0.73
3:D:1[B]:NHC:C8	3:D:1[B]:NHC:O5	2.34	0.72
1:A:268:PHE:HD2	4:A:612:HOH:O	1.73	0.71
1:A:307:ASP:O	1:A:311:GLN:CG	2.35	0.71
1:A:344:ILE:HG12	4:A:715:HOH:O	1.89	0.71
1:A:419:ASN:HB2	4:A:610:HOH:O	1.91	0.71
1:A:412:LYS:NZ	1:A:416:GLU:OE2	2.23	0.70
1:A:241:GLY:O	4:A:612:HOH:O	2.09	0.69
1:A:487:MET:HG3	1:A:490:ALA:HB3	1.74	0.69
1:A:176:TYR:CE2	1:A:180:LYS:HE3	2.27	0.68
1:D:455:MET:HA	1:D:455:MET:HE3	1.76	0.68
1:D:455:MET:CA	1:D:455:MET:HE3	2.24	0.67
3:A:1[B]:NHC:C9	3:A:1[B]:NHC:O4	2.35	0.67
1:D:176:TYR:CD2	1:D:180:LYS:CE	2.78	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:269:ASN:ND2	4:A:638:HOH:O	2.28	0.66
1:A:427:HIS:O	3:A:1[B]:NHC:H10	1.96	0.66
1:A:275:ARG:CZ	3:A:1[A]:NHC:O4	2.44	0.65
1:D:185:LYS:CE	1:D:187:THR:HG22	2.26	0.65
1:A:185:LYS:CE	1:A:187:THR:HG22	2.28	0.64
1:D:441:ARG:HG3	4:D:88:HOH:O	1.99	0.62
1:A:455:MET:CA	1:A:455:MET:HE3	2.19	0.62
1:D:275:ARG:CG	1:D:275:ARG:NH1	2.46	0.61
1:A:205:HIS:CD2	1:A:207:LYS:H	2.07	0.61
1:D:455:MET:N	1:D:455:MET:HE3	2.15	0.61
1:A:176:TYR:HE2	1:A:180:LYS:CE	2.03	0.61
1:A:176:TYR:CD2	1:A:180:LYS:CE	2.82	0.60
1:D:452:CYS:O	1:D:454:GLN:HG3	2.01	0.60
1:D:188:ILE:CD1	1:D:192:LYS:HE3	2.28	0.60
1:A:188:ILE:HD13	1:A:188:ILE:C	2.24	0.58
1:A:455:MET:HE1	1:D:454:GLN:HG2	1.85	0.58
1:D:185:LYS:HE3	1:D:187:THR:CG2	2.28	0.58
1:A:298:HIS:HD2	4:A:27:HOH:O	1.87	0.58
1:D:275:ARG:CZ	3:D:1[A]:NHC:O4	2.52	0.58
1:D:415:LEU:CD1	1:D:441:ARG:HD2	2.34	0.57
1:A:298:HIS:HE1	4:A:85:HOH:O	1.87	0.57
1:A:424:ILE:HG22	4:A:638:HOH:O	2.04	0.57
1:D:275:ARG:NH1	3:D:1[A]:NHC:C8	2.63	0.57
1:A:268:PHE:CD2	4:A:612:HOH:O	2.51	0.57
1:D:451:TYR:HB3	1:D:455:MET:HG3	1.88	0.56
1:D:246:GLN:HE22	1:D:451:TYR:HA	1.71	0.55
1:D:298:HIS:HE1	4:D:162:HOH:O	1.89	0.55
1:A:185:LYS:HG2	1:A:186:VAL:N	2.21	0.55
1:D:185:LYS:HG2	1:D:186:VAL:O	2.07	0.55
1:D:307:ASP:HB3	1:D:311:GLN:HE21	1.72	0.55
1:A:358:GLU:OE1	4:A:599:HOH:O	2.18	0.55
1:A:307:ASP:OD1	1:A:332:SER:OG	2.20	0.54
1:D:188:ILE:O	1:D:188:ILE:HD13	2.07	0.54
1:A:454:GLN:OE1	1:D:455:MET:HE1	2.07	0.54
1:D:416:GLU:HG3	4:D:600:HOH:O	2.08	0.54
1:A:273:VAL:O	1:A:274:ASP:HB2	2.08	0.53
1:A:427:HIS:O	3:A:1[A]:NHC:H10	2.09	0.53
1:A:388:ASP:O	1:A:405:GLN:HA	2.09	0.53
1:A:415:LEU:CD1	1:A:441:ARG:HD2	2.40	0.51
1:D:275:ARG:NH1	3:D:1[A]:NHC:O4	2.43	0.51
1:A:176:TYR:HD2	1:A:180:LYS:HE3	1.69	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:ARG:CG	1:A:275:ARG:NH1	2.49	0.51
1:D:419:ASN:HB2	4:D:605:HOH:O	2.10	0.51
1:D:415:LEU:HD13	1:D:441:ARG:HD2	1.91	0.51
1:A:188:ILE:O	1:A:188:ILE:HD13	2.11	0.51
1:D:298:HIS:HD2	4:D:91:HOH:O	1.94	0.51
1:A:441:ARG:NH2	4:A:89:HOH:O	2.44	0.49
1:A:400:ARG:HH12	3:A:1[B]:NHC:H10A	1.77	0.49
1:A:325:ALA:O	1:A:329:GLU:HG2	2.12	0.49
1:A:415:LEU:HD13	1:A:441:ARG:HD2	1.95	0.49
1:A:246:GLN:HE22	1:A:451:TYR:HA	1.77	0.49
1:A:188:ILE:CD1	1:A:192:LYS:CE	2.66	0.48
1:D:188:ILE:CD1	1:D:192:LYS:CE	2.91	0.48
1:A:455:MET:HE1	1:D:454:GLN:CG	2.42	0.48
1:A:236:LYS:NZ	1:A:463:HIS:CE1	2.81	0.48
1:A:236:LYS:HZ1	1:A:463:HIS:CE1	2.31	0.48
1:D:188:ILE:HD11	1:D:192:LYS:CE	2.37	0.48
1:D:329:GLU:O	1:D:333:GLU:HG3	2.13	0.48
1:D:217:LYS:HB2	1:D:334:VAL:HG22	1.96	0.47
1:D:441:ARG:HG3	4:D:561:HOH:O	2.14	0.47
1:A:185:LYS:HB2	4:A:650:HOH:O	2.15	0.47
1:D:232:LYS:O	1:D:466:GLY:HA3	2.15	0.46
1:D:388:ASP:O	1:D:405:GLN:HA	2.15	0.46
1:A:455:MET:N	1:A:455:MET:HE3	2.31	0.46
1:D:487:MET:HG3	1:D:490:ALA:CB	2.46	0.46
1:A:399:LYS:HE3	1:A:399:LYS:HB2	1.60	0.46
3:A:1[A]:NHC:H5	3:A:1[A]:NHC:H10B	1.78	0.45
1:A:347:LYS:HD3	1:A:347:LYS:HA	1.74	0.45
3:D:1[B]:NHC:H1	3:D:1[B]:NHC:H7	1.58	0.45
1:D:399:LYS:HE3	1:D:399:LYS:HB2	1.34	0.45
3:A:1[B]:NHC:H1	3:A:1[B]:NHC:H7	1.60	0.44
3:A:1[B]:NHC:H10B	3:A:1[B]:NHC:H5	1.76	0.44
1:D:330:LEU:O	1:D:334:VAL:HG23	2.18	0.44
1:D:273:VAL:O	1:D:274:ASP:HB2	2.17	0.44
1:A:419:ASN:CB	4:A:610:HOH:O	2.59	0.43
1:D:205:HIS:HD2	1:D:207:LYS:N	2.05	0.43
1:D:358:GLU:CD	4:D:645:HOH:O	2.57	0.43
1:D:451:TYR:HB3	1:D:455:MET:CG	2.48	0.43
1:A:228:GLU:OE2	1:A:367:ARG:NH1	2.43	0.43
3:D:1[B]:NHC:H10B	3:D:1[B]:NHC:H5	1.78	0.43
1:D:326:GLN:HB2	4:D:601:HOH:O	2.18	0.43
1:D:225:THR:HG21	1:D:369:ILE:HB	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:312:ILE:HD13	1:A:312:ILE:HG21	1.84	0.42
1:D:248:TYR:CE1	1:D:482:PRO:HD2	2.54	0.42
1:D:426:SER:O	1:D:427:HIS:HB3	2.19	0.42
1:A:221:SER:HA	1:A:337:TRP:CE3	2.55	0.42
1:A:251:LEU:HA	1:A:251:LEU:HD23	1.80	0.42
1:D:221:SER:HA	1:D:337:TRP:CE3	2.54	0.42
1:A:469:LEU:HD11	4:A:635:HOH:O	2.19	0.41
1:A:244:HIS:O	1:A:276:GLY:HA3	2.20	0.41
1:A:185:LYS:HE3	1:A:187:THR:HG23	1.95	0.41
1:D:436:VAL:CG1	1:D:440:GLY:HA2	2.51	0.41
1:A:358:GLU:HG3	4:A:12:HOH:O	2.20	0.41
1:D:185:LYS:HE3	1:D:186:VAL:O	2.21	0.41
3:D:1[A]:NHC:H10B	3:D:1[A]:NHC:H5	1.90	0.41
1:A:400:ARG:HH22	3:A:1[B]:NHC:H10	1.85	0.41
1:A:311:GLN:HG3	4:A:560:HOH:O	2.21	0.41
1:D:447:SER:HA	1:D:459:ALA:HB1	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:127:HOH:O	4:A:571:HOH:O[4_544]	1.83	0.37

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	313/315 (99%)	303 (97%)	10 (3%)	0	100	100
1	D	313/315 (99%)	304 (97%)	9 (3%)	0	100	100
All	All	626/630 (99%)	607 (97%)	19 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	279/279 (100%)	269 (96%)	10 (4%)	35	8
1	D	279/279 (100%)	271 (97%)	8 (3%)	42	13
All	All	558/558 (100%)	540 (97%)	18 (3%)	39	10

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	185	LYS
1	A	188	ILE
1	A	216	VAL
1	A	242	ASP
1	A	275	ARG
1	A	358	GLU
1	A	402	VAL
1	A	425	ARG
1	A	455	MET
1	A	465	GLN
1	D	188	ILE
1	D	216	VAL
1	D	242	ASP
1	D	275	ARG
1	D	290	LYS
1	D	358	GLU
1	D	425	ARG
1	D	455	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	205	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	246	GLN
1	A	264	ASN
1	A	298	HIS
1	A	419	ASN
1	A	472	GLN
1	A	474	HIS
1	D	205	HIS
1	D	246	GLN
1	D	264	ASN
1	D	298	HIS
1	D	310	ASN
1	D	311	GLN
1	D	405	GLN
1	D	419	ASN
1	D	472	GLN
1	D	474	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NHC	D	1[A]	2	10,16,16	0.72	0	13,27,27	1.69	4 (30%)
3	NHC	A	1[A]	2	10,16,16	0.86	0	13,27,27	2.18	4 (30%)
3	NHC	A	1[B]	2	10,16,16	0.74	0	13,27,27	1.79	4 (30%)
3	NHC	D	1[B]	2	10,16,16	0.79	1 (10%)	13,27,27	1.91	5 (38%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NHC	D	1[A]	2	-	0/0/42/42	0/3/2/2
3	NHC	A	1[A]	2	-	0/0/42/42	0/3/2/2
3	NHC	A	1[B]	2	-	0/0/42/42	0/3/2/2
3	NHC	D	1[B]	2	-	0/0/42/42	0/3/2/2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	1[B]	NHC	C4-C3	-2.10	1.51	1.58

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1[A]	NHC	O1-C2-C3	4.95	105.13	101.23
3	A	1[B]	NHC	O1-C2-C3	4.00	104.38	101.23
3	D	1[B]	NHC	O1-C2-C3	3.65	104.11	101.23
3	D	1[A]	NHC	O1-C2-C3	3.15	103.72	101.23
3	D	1[B]	NHC	C10-C4-C3	-3.09	110.98	116.55
3	A	1[A]	NHC	O1-C2-C1	-2.97	99.17	104.06
3	D	1[A]	NHC	O1-C2-C1	-2.94	99.22	104.06
3	A	1[A]	NHC	C10-C4-C9	-2.78	105.27	110.40
3	A	1[A]	NHC	O1-C6-C5	-2.71	99.60	104.06
3	A	1[B]	NHC	O1-C6-C5	-2.63	99.73	104.06
3	D	1[B]	NHC	C7-C3-C4	-2.57	111.92	116.55
3	A	1[B]	NHC	O1-C6-C4	2.46	103.17	101.23
3	D	1[B]	NHC	O1-C2-C1	-2.31	100.25	104.06
3	D	1[B]	NHC	C1-C5-C6	-2.27	100.91	104.69
3	D	1[A]	NHC	C10-C4-C3	-2.22	112.55	116.55
3	A	1[B]	NHC	O1-C2-C1	-2.15	100.53	104.06
3	D	1[A]	NHC	O1-C6-C5	-2.08	100.64	104.06

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 25 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	1[A]	NHC	8	0
3	A	1[A]	NHC	6	0
3	A	1[B]	NHC	7	0
3	D	1[B]	NHC	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	315/315 (100%)	0.31	10 (3%) 47 52	7, 14, 25, 32	4 (1%)
1	D	315/315 (100%)	0.64	40 (12%) 3 3	12, 22, 38, 53	4 (1%)
All	All	630/630 (100%)	0.48	50 (7%) 12 13	7, 18, 34, 53	8 (1%)

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	177	SER	7.8
1	D	176	TYR	6.7
1	D	234	THR	5.3
1	D	184	GLY	4.8
1	A	176	TYR	4.7
1	D	233	GLU	4.7
1	D	490	ALA	4.6
1	D	183	ASP	4.4
1	A	488	ALA	4.0
1	D	231	LEU	3.9
1	D	467	SER	3.9
1	D	178	GLY	3.9
1	D	230	THR	3.9
1	D	232	LYS	3.4
1	D	489	TYR	3.3
1	D	488	ALA	3.3
1	D	326	GLN	2.9
1	D	180	LYS	2.8
1	D	313	TYR	2.8
1	D	182	GLU	2.7
1	D	358	GLU	2.7
1	D	330	LEU	2.6
1	A	399	LYS	2.5
1	A	441	ARG	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	235	GLU	2.5
1	A	454	GLN	2.5
1	D	465	GLN	2.4
1	D	311	GLN	2.4
1	D	185	LYS	2.3
1	A	483	ASN	2.3
1	D	419	ASN	2.3
1	D	487	MET	2.3
1	D	484	VAL	2.3
1	D	485	LYS	2.3
1	A	489	TYR	2.2
1	D	486	PRO	2.2
1	D	483	ASN	2.2
1	A	424	ILE	2.2
1	D	205	HIS	2.1
1	D	455	MET	2.1
1	A	311	GLN	2.1
1	D	208	CYS	2.1
1	D	188	ILE	2.1
1	D	212	ILE	2.1
1	D	263	THR	2.1
1	D	441	ARG	2.1
1	A	177	SER	2.1
1	D	466	GLY	2.1
1	D	312	ILE	2.0
1	D	308	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NHC	A	1[B]	15/15	0.84	0.18	9,12,13,13	15
3	NHC	D	1[A]	15/15	0.84	0.17	11,14,15,15	15
3	NHC	D	1[B]	15/15	0.84	0.17	13,17,18,18	15
3	NHC	A	1[A]	15/15	0.84	0.18	7,9,11,12	15
2	ZN	A	501	1/1	1.00	0.09	13,13,13,13	0
2	ZN	A	500	1/1	1.00	0.11	11,11,11,11	0
2	ZN	D	501	1/1	1.00	0.06	17,17,17,17	0
2	ZN	D	500	1/1	1.00	0.08	15,15,15,15	0

6.5 Other polymers [i](#)

There are no such residues in this entry.