



# Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 06:04 pm BST

PDB ID : 6H78  
Title : E1 enzyme for ubiquitin like protein activation.  
Authors : Soudah, N.; Padala, P.; Hassouna, F.; Mashahreh, B.; Lebedev, A.A.; Isupov, M.N.; Cohen-Kfir, E.; Wiener, R.  
Deposited on : 2018-07-30  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	300	<div><div>2%</div><div>83%10%6%</div></div>
1	B	300	<div><div>3%</div><div>80%12%7%</div></div>
1	C	300	<div><div>2%</div><div>79%15%5%</div></div>
1	D	300	<div><div>2%</div><div>78%11%9%</div></div>
1	E	300	<div><div>%</div><div>80%14%5%</div></div>
1	F	300	<div><div>2%</div><div>79%12%10%</div></div>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	G	300	 % 80% 11% • 8%
1	H	300	 2% 80% 13% • 7%
1	I	300	 % 86% 7% • 7%
1	J	300	 5% 77% 15% • 7%
1	K	300	 3% 79% 11% • 8%
1	L	300	 % 77% 15% • 7%
1	M	300	 2% 79% 9% • 10%
1	N	300	 4% 82% 12% • 5%
1	O	300	 2% 78% 11% • 10%
1	P	300	 3% 82% 13% • 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MG	O	404	-	-	-	X
5	EDO	P	405	-	-	-	X

## 2 Entry composition


There are 7 unique types of molecules in this entry. The entry contains 36069 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ubiquitin-like modifier-activating enzyme 5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	283	Total	C	N	O	S	0	2	0
			2194	1384	380	410	20			
1	B	278	Total	C	N	O	S	0	0	0
			2138	1348	368	402	20			
1	C	286	Total	C	N	O	S	0	0	0
			2207	1391	381	415	20			
1	D	272	Total	C	N	O	S	0	0	0
			2098	1322	361	395	20			
1	E	286	Total	C	N	O	S	0	2	0
			2221	1400	385	416	20			
1	F	271	Total	C	N	O	S	0	1	0
			2097	1322	363	392	20			
1	G	276	Total	C	N	O	S	0	0	0
			2125	1341	366	398	20			
1	H	280	Total	C	N	O	S	0	2	0
			2173	1371	374	407	21			
1	I	280	Total	C	N	O	S	0	3	0
			2183	1378	377	407	21			
1	J	279	Total	C	N	O	S	0	2	0
			2165	1364	378	403	20			
1	K	276	Total	C	N	O	S	0	1	0
			2130	1346	365	399	20			
1	L	280	Total	C	N	O	S	0	1	0
			2169	1368	374	407	20			
1	M	270	Total	C	N	O	S	0	0	0
			2085	1315	359	391	20			
1	N	286	Total	C	N	O	S	0	1	0
			2215	1396	384	415	20			
1	O	271	Total	C	N	O	S	0	2	0
			2102	1325	364	393	20			
1	P	286	Total	C	N	O	S	0	0	0
			2207	1391	381	415	20			

- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>5</sub>O<sub>13</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	C	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	D	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	E	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	F	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	G	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	H	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	I	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	J	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	K	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	L	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	M	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	N	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	O	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	P	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	P	2	Total	Mg	0	0
			2	2		
3	G	2	Total	Mg	0	0
			2	2		
3	J	2	Total	Mg	0	0
			2	2		
3	D	2	Total	Mg	0	0
			2	2		
3	K	2	Total	Mg	0	0
			2	2		
3	E	2	Total	Mg	0	0
			2	2		
3	H	2	Total	Mg	0	0
			2	2		
3	B	2	Total	Mg	0	0
			2	2		
3	I	2	Total	Mg	0	0
			2	2		
3	C	2	Total	Mg	0	0
			2	2		
3	A	2	Total	Mg	0	0
			2	2		
3	N	2	Total	Mg	0	0
			2	2		
3	O	2	Total	Mg	0	0
			2	2		
3	L	2	Total	Mg	0	0
			2	2		
3	F	2	Total	Mg	0	0
			2	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	M	2	Total	Mg	0	0
			2	2		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	P	1	Total	Zn	0	0
			1	1		
4	G	1	Total	Zn	0	0
			1	1		
4	J	1	Total	Zn	0	0
			1	1		
4	D	1	Total	Zn	0	0
			1	1		
4	K	1	Total	Zn	0	0
			1	1		
4	E	1	Total	Zn	0	0
			1	1		
4	H	1	Total	Zn	0	0
			1	1		
4	B	1	Total	Zn	0	0
			1	1		
4	I	1	Total	Zn	0	0
			1	1		
4	C	1	Total	Zn	0	0
			1	1		
4	A	1	Total	Zn	0	0
			1	1		
4	N	1	Total	Zn	0	0
			1	1		
4	O	1	Total	Zn	0	0
			1	1		
4	L	1	Total	Zn	0	0
			1	1		
4	F	1	Total	Zn	0	0
			1	1		
4	M	1	Total	Zn	0	0
			1	1		

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	E	1	Total	C	O	0	0
			4	2	2		
5	E	1	Total	C	O	0	0
			4	2	2		

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	F	1	Total 4	C 2	O 2	0	0
5	F	1	Total 4	C 2	O 2	0	0
5	F	1	Total 4	C 2	O 2	0	0
5	G	1	Total 4	C 2	O 2	0	0
5	G	1	Total 4	C 2	O 2	0	0
5	G	1	Total 4	C 2	O 2	0	0
5	H	1	Total 4	C 2	O 2	0	0
5	J	1	Total 4	C 2	O 2	0	0
5	J	1	Total 4	C 2	O 2	0	0
5	J	1	Total 4	C 2	O 2	0	0
5	J	1	Total 4	C 2	O 2	0	0
5	J	1	Total 4	C 2	O 2	0	0
5	J	1	Total 4	C 2	O 2	0	0
5	J	1	Total 4	C 2	O 2	0	0
5	K	1	Total 4	C 2	O 2	0	0
5	K	1	Total 4	C 2	O 2	0	0
5	L	1	Total 4	C 2	O 2	0	0
5	L	1	Total 4	C 2	O 2	0	0
5	L	1	Total 4	C 2	O 2	0	0
5	M	1	Total 4	C 2	O 2	0	0
5	M	1	Total 4	C 2	O 2	0	0
5	N	1	Total 4	C 2	O 2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	O	1	Total	C	O	0	0
			4	2	2		
5	O	1	Total	C	O	0	0
			4	2	2		
5	O	1	Total	C	O	0	0
			4	2	2		
5	P	1	Total	C	O	0	0
			4	2	2		
5	P	1	Total	C	O	0	0
			4	2	2		
5	P	1	Total	C	O	0	0
			4	2	2		
5	P	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	K	1	Total	Cl	0	0
			1	1		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	79	Total	O	0	0
			79	79		
7	B	49	Total	O	0	0
			49	49		
7	C	40	Total	O	0	0
			40	40		
7	D	57	Total	O	0	0
			57	57		
7	E	56	Total	O	0	0
			56	56		
7	F	57	Total	O	0	0
			57	57		
7	G	55	Total	O	0	0
			55	55		
7	H	53	Total	O	0	0
			53	53		
7	I	67	Total	O	0	0
			67	67		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	J	60	Total 60	O 60	0	0
7	K	52	Total 52	O 52	0	0
7	L	64	Total 64	O 64	0	0
7	M	45	Total 45	O 45	0	0
7	N	37	Total 37	O 37	0	0
7	O	42	Total 42	O 42	0	0
7	P	34	Total 34	O 34	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ubiquitin-like modifier-activating enzyme 5




- Molecule 1: Ubiquitin-like modifier-activating enzyme 5




- Molecule 1: Ubiquitin-like modifier-activating enzyme 5





- Molecule 1: Ubiquitin-like modifier-activating enzyme 5









- Molecule 1: Ubiquitin-like modifier-activating enzyme 5





- Molecule 1: Ubiquitin-like modifier-activating enzyme 5




- Molecule 1: Ubiquitin-like modifier-activating enzyme 5




- Molecule 1: Ubiquitin-like modifier-activating enzyme 5




- Molecule 1: Ubiquitin-like modifier-activating enzyme 5




- Molecule 1: Ubiquitin-like modifier-activating enzyme 5




- Molecule 1: Ubiquitin-like modifier-activating enzyme 5




- Molecule 1: Ubiquitin-like modifier-activating enzyme 5





- Molecule 1: Ubiquitin-like modifier-activating enzyme 5









• Molecule 1: Ubiquitin-like modifier-activating enzyme 5



• Molecule 1: Ubiquitin-like modifier-activating enzyme 5



• Molecule 1: Ubiquitin-like modifier-activating enzyme 5



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	143.86Å 151.93Å 153.54Å 90.00° 93.07° 90.00°	Depositor
Resolution (Å)	107.98 – 2.70 107.75 – 2.70	Depositor EDS
% Data completeness (in resolution range)	87.4 (107.98-2.70) 87.4 (107.75-2.70)	Depositor EDS
$R_{merge}$	0.18	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.34 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.8.0222	Depositor
R, $R_{free}$	0.190 , 0.242 0.189 , 0.241	Depositor DCC
$R_{free}$ test set	1693 reflections (1.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	50.9	Xtriage
Anisotropy	0.413	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 52.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	36069	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.04% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, EDO, ZN, ATP, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.35	0/2237	0.71	0/3022
1	B	0.37	0/2175	0.72	0/2940
1	C	0.35	0/2245	0.73	0/3034
1	D	0.39	0/2135	0.73	0/2884
1	E	0.35	0/2265	0.73	1/3060 (0.0%)
1	F	0.39	0/2137	0.75	0/2886
1	G	0.36	0/2162	0.72	0/2923
1	H	0.36	0/2216	0.70	0/2993
1	I	0.35	0/2229	0.72	0/3010
1	J	0.36	0/2208	0.72	0/2982
1	K	0.35	0/2170	0.71	0/2933
1	L	0.38	0/2209	0.72	0/2985
1	M	0.37	0/2122	0.72	0/2867
1	N	0.33	0/2256	0.69	0/3048
1	O	0.38	0/2145	0.71	0/2897
1	P	0.34	0/2245	0.68	0/3034
All	All	0.36	0/35156	0.72	1/47498 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	1
1	F	0	1
1	G	0	1
1	H	0	1
1	K	0	1
1	P	0	1
All	All	0	6

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	E	129	GLN	CB-CA-C	5.01	120.42	110.40

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	72	ARG	Sidechain
1	F	94	ARG	Sidechain
1	G	39	ARG	Sidechain
1	H	115	ARG	Sidechain
1	K	39	ARG	Sidechain
1	P	55	ARG	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2194	0	2196	21	0
1	B	2138	0	2124	21	0
1	C	2207	0	2203	27	0
1	D	2098	0	2079	29	0
1	E	2221	0	2224	21	0
1	F	2097	0	2086	18	0
1	G	2125	0	2115	23	0
1	H	2173	0	2171	18	0
1	I	2183	0	2188	10	0
1	J	2165	0	2163	32	0
1	K	2130	0	2124	27	0
1	L	2169	0	2164	28	0
1	M	2085	0	2070	22	0
1	N	2215	0	2216	26	0
1	O	2102	0	2092	22	0
1	P	2207	0	2203	18	0
2	A	31	0	12	1	0
2	B	31	0	12	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	31	0	12	0	0
2	D	31	0	12	0	0
2	E	31	0	12	0	0
2	F	31	0	12	0	0
2	G	31	0	12	0	0
2	H	31	0	12	0	0
2	I	31	0	12	0	0
2	J	31	0	12	0	0
2	K	31	0	12	1	0
2	L	31	0	12	0	0
2	M	31	0	12	0	0
2	N	31	0	12	1	0
2	O	31	0	12	0	0
2	P	31	0	12	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
3	E	2	0	0	0	0
3	F	2	0	0	0	0
3	G	2	0	0	0	0
3	H	2	0	0	0	0
3	I	2	0	0	0	0
3	J	2	0	0	0	0
3	K	2	0	0	0	0
3	L	2	0	0	0	0
3	M	2	0	0	0	0
3	N	2	0	0	0	0
3	O	2	0	0	0	0
3	P	2	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
4	I	1	0	0	0	0
4	J	1	0	0	0	0
4	K	1	0	0	0	0
4	L	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	M	1	0	0	0	0
4	N	1	0	0	0	0
4	O	1	0	0	0	0
4	P	1	0	0	0	0
5	A	12	0	18	1	0
5	B	20	0	30	0	0
5	C	4	0	6	0	0
5	D	12	0	18	1	0
5	E	8	0	12	1	0
5	F	12	0	18	0	0
5	G	12	0	18	1	0
5	H	4	0	6	0	0
5	J	24	0	36	1	0
5	K	8	0	12	0	0
5	L	12	0	18	0	0
5	M	8	0	12	0	0
5	N	4	0	6	1	0
5	O	12	0	18	0	0
5	P	16	0	24	1	0
6	K	1	0	0	0	0
7	A	79	0	0	1	0
7	B	49	0	0	0	0
7	C	40	0	0	2	0
7	D	57	0	0	1	0
7	E	56	0	0	2	0
7	F	57	0	0	0	0
7	G	55	0	0	1	0
7	H	53	0	0	1	0
7	I	67	0	0	1	0
7	J	60	0	0	2	0
7	K	52	0	0	3	0
7	L	64	0	0	3	0
7	M	45	0	0	2	0
7	N	37	0	0	3	0
7	O	42	0	0	2	0
7	P	34	0	0	1	0
All	All	36069	0	34862	312	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (312) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:72[B]:ARG:HH21	1:J:72[B]:ARG:HG2	1.05	1.08
1:A:49:ASP:HB3	1:B:109:GLU:HG2	1.48	0.95
1:M:49:ASP:HB3	1:N:109:GLU:HG2	1.52	0.91
1:C:49:ASP:HB3	1:D:109:GLU:HG2	1.52	0.91
1:A:301:PRO:HB3	5:A:406:EDO:H11	1.54	0.89
1:M:109:GLU:HG2	1:N:49:ASP:HB3	1.53	0.89
1:J:72[B]:ARG:NH2	1:J:72[B]:ARG:HG2	1.85	0.89
1:I:109:GLU:HG2	1:J:49:ASP:HB3	1.55	0.87
1:A:282:TYR:HB2	1:A:297:MET:HE1	1.59	0.83
1:P:126:SER:OG	1:P:129:GLN:HG2	1.81	0.80
1:N:82:GLY:HA3	2:N:401:ATP:H5'2	1.63	0.80
1:H:46:GLU:HB2	1:L:46:GLU:HB2	1.62	0.80
1:N:235:VAL:HG11	1:N:284:GLY:HA3	1.65	0.79
1:P:160:PHE:CZ	1:P:164:ILE:HD11	2.19	0.78
1:N:232:PRO:HA	7:N:520:HOH:O	1.85	0.77
1:K:109:GLU:HG2	1:L:49:ASP:HB3	1.67	0.76
1:G:236:ALA:HB1	1:G:238:ASN:ND2	2.03	0.74
1:J:196:ASN:HD22	1:J:221:PRO:HB3	1.52	0.74
1:G:189:MET:HE1	1:G:228:ALA:HB2	1.70	0.73
1:E:49:ASP:HB3	1:F:109:GLU:HG2	1.71	0.73
1:A:154:VAL:HB	7:A:543:HOH:O	1.89	0.73
1:L:67:ASP:HB2	1:L:70:LYS:HD2	1.70	0.72
1:K:109:GLU:CG	1:L:49:ASP:HB3	2.21	0.70
1:O:300:ASN:HD22	1:O:300:ASN:C	1.94	0.69
1:K:82:GLY:HA3	2:K:401:ATP:H5'2	1.75	0.69
1:M:303:CYS:HA	7:M:518:HOH:O	1.93	0.69
1:N:60:LYS:HB3	7:N:536:HOH:O	1.92	0.68
1:M:49:ASP:HB3	1:N:109:GLU:CG	2.22	0.68
1:M:109:GLU:CG	1:N:49:ASP:HB3	2.23	0.68
1:D:57:MET:CE	1:D:68:TYR:HB3	2.24	0.68
1:N:209:GLU:HG2	1:N:238:ASN:HD21	1.59	0.67
1:C:196:ASN:HD22	1:C:221:PRO:HB3	1.60	0.66
1:J:160:PHE:CZ	1:J:164:ILE:HD11	2.31	0.66
1:C:71:ILE:CD1	1:C:97:ILE:HD12	2.24	0.66
1:J:162:ASP:HB2	7:J:538:HOH:O	1.95	0.66
1:A:109:GLU:HG2	1:B:49:ASP:HB3	1.78	0.66
1:M:160:PHE:CZ	1:M:164:ILE:HD11	2.31	0.65
1:L:192:ASN:HD21	1:L:226:CYS:HB2	1.62	0.65
1:D:83:GLY:HA3	1:D:258:MET:HE2	1.78	0.65
1:B:189:MET:HE1	1:B:228:ALA:HB2	1.79	0.65
1:L:239:ILE:HG22	1:L:286:ASN:HB2	1.78	0.65
1:I:49:ASP:HB3	1:J:109:GLU:HG2	1.80	0.64

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:196:ASN:HB3	1:F:307:ASN:HB3	1.81	0.63
1:G:72:ARG:HD2	7:G:532:HOH:O	1.99	0.63
1:M:196:ASN:HB3	1:M:307:ASN:HB3	1.79	0.63
1:J:72[B]:ARG:HH21	1:J:72[B]:ARG:CG	1.94	0.62
1:J:192:ASN:HD21	1:J:226:CYS:HB2	1.65	0.61
1:A:133:HIS:HB2	1:E:136[B]:ARG:HH11	1.66	0.61
1:J:196:ASN:ND2	1:J:221:PRO:HB3	2.17	0.60
1:E:160:PHE:CZ	1:E:164:ILE:HD11	2.37	0.60
1:I:189:MET:HE3	1:I:192:ASN:HB3	1.83	0.60
1:P:189:MET:HE1	1:P:228:ALA:HB2	1.82	0.60
1:E:126:SER:OG	1:E:129:GLN:HG2	2.02	0.60
1:D:128:VAL:HB	1:D:146:VAL:HB	1.84	0.59
1:L:283:LEU:HD13	1:L:294:THR:HG22	1.84	0.59
1:E:235:VAL:HG11	1:E:284:GLY:HA3	1.85	0.59
1:J:128:VAL:HB	1:J:146:VAL:HB	1.84	0.59
1:L:160:PHE:CZ	1:L:164:ILE:HD11	2.37	0.59
1:E:301:PRO:HB3	5:E:406:EDO:H12	1.84	0.59
1:B:235:VAL:HG21	1:B:284:GLY:HA3	1.85	0.59
1:O:300:ASN:ND2	1:O:302:GLN:H	2.01	0.58
1:N:196:ASN:HD22	1:N:221:PRO:HB3	1.67	0.58
1:C:80:GLY:O	1:C:85:GLY:HA3	2.04	0.58
1:K:235:VAL:O	1:K:235:VAL:CG1	2.52	0.58
1:L:238:ASN:HD22	1:L:238:ASN:H	1.51	0.58
1:P:301:PRO:HA	1:P:312:GLN:HE22	1.68	0.58
1:D:196:ASN:HB3	1:D:307:ASN:HB3	1.85	0.57
1:C:235:VAL:HG11	1:C:284:GLY:HA3	1.86	0.57
1:K:64:ILE:HG22	1:K:65:VAL:HG23	1.86	0.57
1:O:49:ASP:HB3	1:P:109:GLU:HG2	1.86	0.57
1:N:81:VAL:HG22	1:N:104:ASP:HB2	1.87	0.57
1:J:81:VAL:HG23	1:J:127:LYS:HB3	1.86	0.57
1:I:109:GLU:CG	1:J:49:ASP:HB3	2.30	0.56
1:N:196:ASN:ND2	1:N:221:PRO:HB3	2.21	0.56
1:E:49:ASP:HB3	1:F:109:GLU:CG	2.35	0.55
1:B:178:VAL:O	1:B:179:LEU:HD23	2.06	0.55
1:D:57:MET:HE2	1:D:68:TYR:HB3	1.87	0.55
1:L:192:ASN:HD22	1:L:202:TRP:HZ2	1.54	0.55
1:N:208:SER:HB2	1:N:238:ASN:OD1	2.06	0.55
1:B:80:GLY:O	1:B:85:GLY:HA3	2.07	0.55
1:G:109:GLU:HG2	1:H:49:ASP:HB3	1.89	0.55
1:C:196:ASN:ND2	1:C:221:PRO:HB3	2.22	0.55
1:E:240:ASP:HB3	1:E:243:THR:OG1	2.07	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:80:GLY:O	1:G:85:GLY:HA3	2.07	0.55
1:C:128:VAL:HB	1:C:146:VAL:HB	1.89	0.54
1:P:80:GLY:O	1:P:85:GLY:HA3	2.07	0.54
1:G:128:VAL:HB	1:G:146:VAL:HB	1.88	0.54
1:B:306:ARG:HG2	1:B:309:ARG:NH1	2.23	0.54
1:G:235:VAL:CG2	1:G:293:PRO:HG2	2.38	0.54
1:O:132:GLU:HB2	1:O:146:VAL:HG11	1.89	0.54
1:O:196:ASN:HB3	1:O:307:ASN:HB3	1.89	0.54
1:O:300:ASN:HD22	1:O:301:PRO:N	2.06	0.53
1:O:300:ASN:ND2	1:O:300:ASN:C	2.62	0.53
1:D:305:ASP:OD1	1:D:307:ASN:HB2	2.08	0.53
1:E:109:GLU:HG3	1:F:49:ASP:HB3	1.91	0.53
1:N:60:LYS:HA	1:N:65:VAL:O	2.08	0.53
1:H:296:SER:HB3	7:H:530:HOH:O	2.09	0.53
1:J:233:LEU:HD23	1:J:282:TYR:CE2	2.43	0.53
1:D:57:MET:HE1	1:D:68:TYR:HB3	1.91	0.52
1:O:258:MET:HB3	7:O:535:HOH:O	2.09	0.52
1:G:200:GLN:HE22	5:G:406:EDO:H22	1.73	0.52
1:K:128:VAL:HB	1:K:146:VAL:HB	1.90	0.52
1:A:126:SER:OG	1:A:129:GLN:HB2	2.09	0.52
1:G:295:MET:CE	1:G:296:SER:H	2.23	0.52
1:P:81:VAL:HG23	1:P:127:LYS:HB3	1.91	0.52
1:M:49:ASP:CB	1:N:109:GLU:HG2	2.34	0.52
1:C:109:GLU:CG	1:D:49:ASP:HB3	2.40	0.52
1:P:145:GLU:OE2	1:P:163:ARG:HD3	2.10	0.51
1:A:231:PRO:O	1:A:235:VAL:HG23	2.10	0.51
1:A:132:GLU:HB2	1:A:146:VAL:HG11	1.92	0.51
1:D:189:MET:HE1	1:D:228:ALA:HB2	1.93	0.51
1:B:218:LEU:HB3	1:B:281:PHE:HA	1.93	0.51
1:C:308:CYS:O	1:C:312:GLN:HG3	2.10	0.51
1:K:235:VAL:HG12	1:K:235:VAL:O	2.10	0.51
1:B:235:VAL:O	1:P:234:VAL:HG21	2.11	0.51
1:C:81:VAL:HG23	1:C:127:LYS:HB3	1.93	0.51
1:E:215:HIS:HE1	7:E:550:HOH:O	1.94	0.51
1:H:128:VAL:HB	1:H:146:VAL:HB	1.93	0.51
1:J:233:LEU:HD23	1:J:282:TYR:CD2	2.46	0.51
1:A:109:GLU:CG	1:B:49:ASP:HB3	2.40	0.50
1:C:145:GLU:OE2	1:C:163:ARG:HD3	2.12	0.50
1:J:284:GLY:O	1:J:292:PHE:HA	2.11	0.50
1:N:159:HIS:CG	5:N:405:EDO:H12	2.47	0.50
1:O:301:PRO:HA	1:O:312:GLN:HE22	1.76	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:60:LYS:HA	1:A:65:VAL:O	2.12	0.50
1:E:109:GLU:CG	1:F:49:ASP:HB3	2.42	0.50
1:L:80:GLY:O	1:L:85:GLY:HA3	2.11	0.50
1:M:132:GLU:HB2	1:M:146:VAL:HG11	1.94	0.50
1:O:147:HIS:HB3	1:O:149:TYR:CE2	2.47	0.49
1:F:305:ASP:OD1	1:F:307:ASN:HB2	2.11	0.49
1:F:128:VAL:HB	1:F:146:VAL:HB	1.94	0.49
1:L:238:ASN:N	1:L:238:ASN:HD22	2.08	0.49
1:L:186:GLU:HB2	7:L:550:HOH:O	2.13	0.49
1:O:315:TYR:O	1:O:319:VAL:HG23	2.12	0.49
1:F:132:GLU:HB2	1:F:146:VAL:HG11	1.94	0.49
1:G:235:VAL:HG21	1:G:293:PRO:HG2	1.94	0.49
1:O:138:ILE:HG13	1:P:119:GLN:HE21	1.77	0.49
1:C:109:GLU:HG2	1:D:49:ASP:HB3	1.94	0.49
1:F:189:MET:HE1	1:F:228:ALA:HB2	1.94	0.49
1:E:55:ARG:HB2	1:F:114:ASN:ND2	2.27	0.49
1:H:60:LYS:HE3	1:H:66:SER:O	2.12	0.49
1:I:106:ASP:OD1	1:I:107:LYS:N	2.42	0.49
1:F:160:PHE:CZ	1:F:164:ILE:HD11	2.47	0.49
1:M:209:GLU:HG3	1:M:251:ALA:HB2	1.95	0.48
1:P:304:ASP:N	1:P:304:ASP:OD1	2.46	0.48
1:J:289:GLN:OE1	1:N:233:LEU:HA	2.13	0.48
1:G:288:MET:HE3	1:H:277:GLY:HA2	1.96	0.48
1:K:308:CYS:O	1:K:312:GLN:HG3	2.12	0.48
1:C:136:ARG:NH1	1:I:136[B]:ARG:HH21	2.11	0.48
1:K:109:GLU:HG2	1:L:49:ASP:CB	2.41	0.48
1:H:196:ASN:OD1	1:H:221:PRO:HB3	2.13	0.48
1:L:128:VAL:HB	1:L:146:VAL:HB	1.95	0.48
1:G:91:MET:HG2	1:H:255:PRO:HB2	1.96	0.48
1:B:39:ARG:HD2	1:B:140:PRO:HB2	1.95	0.48
1:G:307:ASN:O	1:G:311:GLN:HG2	2.14	0.48
1:O:196:ASN:HD22	1:O:221:PRO:HB3	1.79	0.48
1:I:285:TYR:CD1	1:I:292:PHE:CE2	3.02	0.48
1:C:61:ARG:NH1	1:D:249:VAL:HB	2.28	0.47
1:D:104:ASP:O	1:D:148:ASN:HA	2.14	0.47
1:E:233:LEU:HD12	7:E:551:HOH:O	2.12	0.47
1:M:305:ASP:OD1	1:M:307:ASN:HB2	2.15	0.47
1:P:312:GLN:NE2	7:P:501:HOH:O	2.45	0.47
1:M:107:LYS:HA	1:M:126:SER:HA	1.97	0.47
1:K:160:PHE:CE2	1:K:164[B]:ILE:HD11	2.49	0.47
1:P:225:ALA:HB3	1:P:297:MET:HB3	1.97	0.47

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:147:HIS:CE1	1:F:159:HIS:HE1	2.33	0.47
1:K:109:GLU:HG3	7:K:536:HOH:O	2.14	0.47
1:H:189:MET:HE1	1:H:228:ALA:HB2	1.97	0.47
1:E:49:ASP:CB	1:F:109:GLU:HG2	2.43	0.47
1:M:128:VAL:HB	1:M:146:VAL:HB	1.97	0.46
1:O:160:PHE:CZ	1:O:164:ILE:HD11	2.50	0.46
1:C:36:GLY:N	1:D:120:PRO:O	2.49	0.46
1:L:36:GLY:HA3	7:L:560:HOH:O	2.15	0.46
1:E:80:GLY:O	1:E:85:GLY:HA3	2.15	0.46
1:E:81:VAL:HG22	1:E:104:ASP:HB2	1.98	0.46
1:A:297:MET:HE3	1:A:297:MET:HB2	1.70	0.46
1:B:128:VAL:HB	1:B:146:VAL:HB	1.97	0.46
1:J:104:ASP:O	1:J:148:ASN:HA	2.16	0.46
1:K:115:ARG:NH2	1:L:55:ARG:HG3	2.31	0.46
1:J:307:ASN:O	1:J:311:GLN:HG2	2.16	0.46
1:J:121:HIS:HE1	5:J:405:EDO:H11	1.80	0.46
1:N:160:PHE:O	1:N:164:ILE:HG12	2.14	0.46
1:C:132:GLU:HB2	1:C:146:VAL:HG11	1.96	0.46
1:P:128:VAL:HB	1:P:146:VAL:HB	1.98	0.46
1:H:64:ILE:HG22	1:H:65:VAL:HG23	1.98	0.46
1:M:109:GLU:HG3	7:M:522:HOH:O	2.16	0.45
1:G:180:SER:HB3	1:G:204:GLU:HA	1.97	0.45
1:I:189:MET:CE	1:I:192:ASN:HD22	2.29	0.45
1:K:80:GLY:O	1:K:85:GLY:HA3	2.16	0.45
1:O:128:VAL:HB	1:O:146:VAL:HB	1.98	0.45
1:O:189:MET:HE1	1:O:228:ALA:HB2	1.98	0.45
1:P:147:HIS:HB3	1:P:149:TYR:CE2	2.51	0.45
1:M:55:ARG:HG3	1:N:115:ARG:NH1	2.31	0.45
1:H:72[B]:ARG:NH2	1:H:98:GLY:HA2	2.31	0.45
1:B:235:VAL:HG12	1:B:235:VAL:O	2.15	0.45
1:C:79:VAL:HG12	1:C:182:VAL:CG1	2.47	0.45
1:L:58:ALA:O	1:L:62:MET:HG3	2.17	0.45
1:E:163:ARG:NH2	1:E:171:GLU:OE2	2.48	0.45
1:L:101:LEU:HD12	1:L:101:LEU:N	2.32	0.45
1:N:107:LYS:HA	1:N:126:SER:HA	1.98	0.45
1:D:179:LEU:HD22	1:D:203:MET:HB2	1.99	0.44
1:H:58:ALA:O	1:H:62:MET:HG3	2.16	0.44
1:O:107:LYS:HA	1:O:126:SER:HA	1.99	0.44
1:A:59:LEU:HD11	1:B:254:LEU:HD21	1.98	0.44
1:B:107:LYS:HA	1:B:126:SER:HA	2.00	0.44
1:L:192:ASN:ND2	1:L:227:PHE:H	2.15	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:147:HIS:CE1	1:O:159:HIS:HE1	2.35	0.44
1:A:37:ARG:HD3	1:A:140:PRO:HD2	1.99	0.44
1:B:104:ASP:O	1:B:148:ASN:HA	2.17	0.44
1:C:81:VAL:HG23	1:C:81:VAL:O	2.18	0.44
1:G:196:ASN:HD22	1:G:221:PRO:HB3	1.82	0.44
1:K:221:PRO:HA	7:K:504:HOH:O	2.17	0.44
1:K:129:GLN:HE22	1:O:129:GLN:HE22	1.64	0.44
1:C:163:ARG:NE	1:C:163:ARG:HA	2.33	0.44
1:D:147:HIS:HB3	1:D:149:TYR:CE2	2.52	0.44
1:K:277:GLY:HA2	7:L:521:HOH:O	2.16	0.44
1:L:132:GLU:HB2	1:L:146:VAL:HG11	1.99	0.44
1:K:83:GLY:HA3	1:K:258:MET:CE	2.48	0.44
1:O:66:SER:HB2	7:O:525:HOH:O	2.18	0.44
1:C:118:PHE:HB2	7:C:514:HOH:O	2.17	0.43
1:D:132:GLU:HB2	1:D:146:VAL:HG11	1.99	0.43
1:D:57:MET:HE3	1:D:69:GLU:N	2.33	0.43
1:M:147:HIS:CE1	1:M:159:HIS:HE1	2.36	0.43
1:M:189:MET:HE1	1:M:228:ALA:HB2	1.99	0.43
1:G:102:LEU:HB2	1:G:146:VAL:HG12	1.99	0.43
1:C:160:PHE:O	1:C:164:ILE:HG12	2.18	0.43
1:E:145:GLU:OE2	1:E:163:ARG:HD3	2.19	0.43
1:J:147:HIS:CE1	1:J:159:HIS:HE1	2.36	0.43
1:K:109:GLU:HG3	1:L:49:ASP:HB3	1.98	0.43
1:M:109:GLU:HG2	1:N:49:ASP:CB	2.35	0.43
1:E:307:ASN:O	1:E:311:GLN:HG2	2.18	0.43
1:F:60:LYS:HA	1:F:65:VAL:O	2.19	0.43
1:G:177:LEU:HD12	1:G:177:LEU:HA	1.82	0.43
1:G:49:ASP:HB3	1:H:109:GLU:HG2	1.99	0.43
1:J:177:LEU:HD12	1:J:177:LEU:HA	1.89	0.43
1:L:283:LEU:HD13	1:L:294:THR:CG2	2.47	0.43
1:N:83:GLY:HA3	1:N:258:MET:CE	2.48	0.43
1:O:305:ASP:O	1:O:308:CYS:HB3	2.18	0.43
1:D:115:ARG:HD3	1:D:258:MET:CE	2.49	0.43
1:J:235:VAL:HG11	1:J:284:GLY:HA3	2.00	0.43
1:G:295:MET:HE1	1:G:296:SER:H	1.83	0.43
1:J:295:MET:HG3	1:N:237:ALA:HB3	2.00	0.43
1:B:235:VAL:CG1	1:B:235:VAL:O	2.67	0.43
1:D:301:PRO:HA	1:D:312:GLN:HE22	1.83	0.43
1:D:57:MET:CE	1:D:69:GLU:HG3	2.49	0.43
1:H:147:HIS:CE1	1:H:159:HIS:HE1	2.36	0.43
1:G:64:ILE:HG22	1:G:65:VAL:HG23	2.01	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:235:VAL:HG21	1:K:284:GLY:HA3	2.01	0.42
1:A:91:MET:HB3	1:A:266:VAL:HG11	2.01	0.42
1:G:288:MET:HB3	1:G:288:MET:HE3	1.95	0.42
1:J:153:THR:OG1	1:J:156:ASN:HB2	2.18	0.42
1:N:145:GLU:OE2	1:N:163:ARG:HD3	2.18	0.42
1:D:209:GLU:HB3	7:D:532:HOH:O	2.18	0.42
1:K:49:ASP:HB3	1:L:109:GLU:HG2	2.00	0.42
1:L:136[B]:ARG:HH11	1:P:133:HIS:HB2	1.84	0.42
1:C:55:ARG:HD3	1:D:250:CYS:SG	2.60	0.42
1:J:109:GLU:HG3	7:J:510:HOH:O	2.18	0.42
1:J:83:GLY:HA3	1:J:258:MET:HG2	2.02	0.42
1:J:80:GLY:O	1:J:85:GLY:HA3	2.19	0.42
1:K:310:LYS:HD3	7:K:551:HOH:O	2.19	0.42
1:K:67:ASP:O	1:K:70:LYS:HB2	2.19	0.42
1:N:309:ARG:O	1:N:312:GLN:HB2	2.19	0.42
1:P:163:ARG:HA	1:P:163:ARG:NE	2.34	0.42
1:D:83:GLY:C	1:D:258:MET:HG3	2.40	0.42
1:G:209:GLU:H	1:G:209:GLU:HG2	1.45	0.42
1:I:40:ILE:O	1:I:72[A]:ARG:NH1	2.52	0.42
1:L:152:THR:HG22	1:L:190:THR:OG1	2.19	0.42
1:O:289:GLN:O	1:O:290:ASP:HB2	2.20	0.42
1:F:160:PHE:CE2	1:F:164:ILE:HD11	2.55	0.42
1:L:307:ASN:O	1:L:311:GLN:HG2	2.20	0.42
1:D:115:ARG:HD3	1:D:258:MET:HE2	2.00	0.42
1:F:213:SER:HA	1:F:285:TYR:O	2.20	0.42
1:M:137:ASN:HB3	7:N:510:HOH:O	2.18	0.42
1:C:107:LYS:HG2	7:C:525:HOH:O	2.20	0.41
1:I:40:ILE:HD12	7:I:516:HOH:O	2.19	0.41
1:C:163:ARG:O	1:C:167:GLY:HA3	2.20	0.41
1:C:110:LEU:HB2	1:D:50:SER:HA	2.02	0.41
1:M:102:LEU:HB2	1:M:146:VAL:HG12	2.01	0.41
1:B:180:SER:HB2	1:B:191:ILE:HD13	2.01	0.41
1:L:110:LEU:HA	1:L:113:MET:HG2	2.01	0.41
1:A:240:ASP:O	1:A:242:LYS:HD3	2.20	0.41
1:A:82:GLY:HA3	2:A:401:ATP:H5'2	2.01	0.41
1:E:60:LYS:HA	1:E:65:VAL:O	2.19	0.41
1:J:57:MET:O	1:J:60:LYS:HB2	2.21	0.41
1:H:163:ARG:O	1:H:167:GLY:HA3	2.21	0.41
1:H:80:GLY:O	1:H:85:GLY:HA3	2.21	0.41
1:J:213:SER:HB2	1:J:235:VAL:HG23	2.01	0.41
1:A:49:ASP:HB3	1:B:109:GLU:CG	2.35	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:137:ASN:HD22	1:D:119:GLN:HE21	1.68	0.41
1:K:101:LEU:HA	1:K:145:GLU:O	2.21	0.41
1:D:57:MET:HE2	1:D:68:TYR:CD2	2.56	0.41
1:K:295:MET:HE3	1:K:296:SER:H	1.85	0.41
1:D:134:THR:OG1	5:D:407:EDO:H22	2.20	0.41
1:M:60:LYS:HE3	1:M:69:GLU:OE1	2.21	0.41
1:C:71:ILE:HD12	1:C:97:ILE:HD12	2.03	0.41
1:H:307:ASN:O	1:H:311:GLN:HG2	2.21	0.41
1:N:128:VAL:HB	1:N:146:VAL:HB	2.02	0.41
1:A:60:LYS:HE3	1:A:66:SER:O	2.21	0.41
1:K:295:MET:CE	1:K:296:SER:H	2.34	0.41
1:A:49:ASP:CB	1:B:109:GLU:HG2	2.35	0.41
1:B:60:LYS:HE3	1:B:66:SER:O	2.21	0.41
1:F:72[B]:ARG:HH12	1:F:142:VAL:HA	1.86	0.41
1:J:180:SER:HB2	1:J:191:ILE:HD13	2.02	0.41
1:A:177:LEU:HD23	1:A:269:VAL:HG13	2.04	0.40
1:M:285:TYR:CD1	1:M:292:PHE:CE2	3.10	0.40
1:G:235:VAL:HG22	1:G:293:PRO:HG2	2.03	0.40
1:H:267:GLN:NE2	1:H:267:GLN:HA	2.36	0.40
1:J:210:ASN:O	1:J:211:ALA:HB3	2.21	0.40
1:K:105:TYR:C	1:K:105:TYR:CD1	2.94	0.40
1:K:235:VAL:HG22	1:K:293:PRO:HG2	2.03	0.40
1:P:234:VAL:HG12	5:P:406:EDO:H12	2.03	0.40
1:E:250:CYS:SG	1:F:55:ARG:HD2	2.61	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	281/300 (94%)	271 (96%)	10 (4%)	0	<b>100</b> <b>100</b>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	274/300 (91%)	260 (95%)	13 (5%)	1 (0%)	34	60
1	C	284/300 (95%)	269 (95%)	14 (5%)	1 (0%)	34	60
1	D	268/300 (89%)	259 (97%)	8 (3%)	1 (0%)	34	60
1	E	286/300 (95%)	276 (96%)	9 (3%)	1 (0%)	41	66
1	F	268/300 (89%)	257 (96%)	10 (4%)	1 (0%)	34	60
1	G	272/300 (91%)	260 (96%)	11 (4%)	1 (0%)	34	60
1	H	278/300 (93%)	269 (97%)	8 (3%)	1 (0%)	34	60
1	I	279/300 (93%)	271 (97%)	7 (2%)	1 (0%)	34	60
1	J	277/300 (92%)	267 (96%)	9 (3%)	1 (0%)	34	60
1	K	273/300 (91%)	259 (95%)	13 (5%)	1 (0%)	34	60
1	L	277/300 (92%)	268 (97%)	8 (3%)	1 (0%)	34	60
1	M	266/300 (89%)	258 (97%)	5 (2%)	3 (1%)	14	34
1	N	285/300 (95%)	272 (95%)	12 (4%)	1 (0%)	34	60
1	O	269/300 (90%)	261 (97%)	7 (3%)	1 (0%)	34	60
1	P	284/300 (95%)	271 (95%)	12 (4%)	1 (0%)	34	60
All	All	4421/4800 (92%)	4248 (96%)	156 (4%)	17 (0%)	34	60

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	117	PHE
1	E	117	PHE
1	H	117	PHE
1	I	117	PHE
1	J	117	PHE
1	L	117	PHE
1	M	117	PHE
1	N	117	PHE
1	O	117	PHE
1	B	117	PHE
1	C	117	PHE
1	M	168	GLY
1	F	117	PHE
1	G	117	PHE
1	M	231	PRO
1	P	117	PHE
1	K	117	PHE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	242/257 (94%)	229 (95%)	13 (5%)	22	47
1	B	235/257 (91%)	221 (94%)	14 (6%)	19	42
1	C	243/257 (95%)	224 (92%)	19 (8%)	12	29
1	D	231/257 (90%)	219 (95%)	12 (5%)	23	49
1	E	245/257 (95%)	225 (92%)	20 (8%)	11	26
1	F	231/257 (90%)	220 (95%)	11 (5%)	25	53
1	G	234/257 (91%)	224 (96%)	10 (4%)	29	57
1	H	241/257 (94%)	229 (95%)	12 (5%)	24	51
1	I	242/257 (94%)	229 (95%)	13 (5%)	22	47
1	J	238/257 (93%)	227 (95%)	11 (5%)	27	54
1	K	235/257 (91%)	225 (96%)	10 (4%)	29	57
1	L	240/257 (93%)	222 (92%)	18 (8%)	13	31
1	M	230/257 (90%)	219 (95%)	11 (5%)	25	53
1	N	244/257 (95%)	231 (95%)	13 (5%)	22	48
1	O	232/257 (90%)	223 (96%)	9 (4%)	32	61
1	P	243/257 (95%)	228 (94%)	15 (6%)	18	40
All	All	3806/4112 (93%)	3595 (94%)	211 (6%)	21	46

All (211) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	ARG
1	A	69	GLU
1	A	109	GLU
1	A	189	MET
1	A	226	CYS
1	A	233	LEU
1	A	240	ASP
1	A	242	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	258	MET
1	A	289	GLN
1	A	296	SER
1	A	297	MET
1	A	313	GLU
1	B	39	ARG
1	B	41	GLU
1	B	48	VAL
1	B	61	ARG
1	B	69	GLU
1	B	109	GLU
1	B	209	GLU
1	B	226	CYS
1	B	249	VAL
1	B	258	MET
1	B	295	MET
1	B	306	ARG
1	B	313	GLU
1	B	319	VAL
1	C	38	VAL
1	C	61	ARG
1	C	62	MET
1	C	66	SER
1	C	69	GLU
1	C	70	LYS
1	C	71	ILE
1	C	109	GLU
1	C	162	ASP
1	C	163	ARG
1	C	169	LEU
1	C	170	GLU
1	C	241	GLU
1	C	258	MET
1	C	299	PRO
1	C	304	ASP
1	C	316	LYS
1	C	317	LYS
1	C	319	VAL
1	D	37	ARG
1	D	39	ARG
1	D	45	SER
1	D	69	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	70	LYS
1	D	109	GLU
1	D	189	MET
1	D	209	GLU
1	D	258	MET
1	D	306	ARG
1	D	310	LYS
1	D	318	LYS
1	E	38	VAL
1	E	61	ARG
1	E	69	GLU
1	E	72	ARG
1	E	106	ASP
1	E	109	GLU
1	E	158[A]	GLN
1	E	158[B]	GLN
1	E	169	LEU
1	E	177	LEU
1	E	189	MET
1	E	209	GLU
1	E	226	CYS
1	E	243	THR
1	E	258	MET
1	E	289	GLN
1	E	294	THR
1	E	306	ARG
1	E	313	GLU
1	E	314	GLU
1	F	38	VAL
1	F	42	LYS
1	F	45	SER
1	F	69	GLU
1	F	129	GLN
1	F	226	CYS
1	F	258	MET
1	F	302	GLN
1	F	306	ARG
1	F	310	LYS
1	F	317	LYS
1	G	69	GLU
1	G	72	ARG
1	G	109	GLU

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	G	165	SER
1	G	197	GLU
1	G	209	GLU
1	G	210	ASN
1	G	249	VAL
1	G	258	MET
1	G	295	MET
1	H	67	ASP
1	H	69	GLU
1	H	70	LYS
1	H	109	GLU
1	H	151	ILE
1	H	165	SER
1	H	186	GLU
1	H	238	ASN
1	H	258	MET
1	H	297[A]	MET
1	H	297[B]	MET
1	H	314	GLU
1	I	107	LYS
1	I	109	GLU
1	I	151	ILE
1	I	171	GLU
1	I	173	LYS
1	I	186	GLU
1	I	226	CYS
1	I	240	ASP
1	I	258	MET
1	I	297[A]	MET
1	I	297[B]	MET
1	I	306	ARG
1	I	318	LYS
1	J	69	GLU
1	J	72[A]	ARG
1	J	72[B]	ARG
1	J	109	GLU
1	J	158	GLN
1	J	238	ASN
1	J	246	ARG
1	J	258	MET
1	J	291	PHE
1	J	295	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	J	316	LYS
1	K	37	ARG
1	K	42	LYS
1	K	61	ARG
1	K	70	LYS
1	K	109	GLU
1	K	189	MET
1	K	209	GLU
1	K	258	MET
1	K	295	MET
1	K	306	ARG
1	L	39	ARG
1	L	41	GLU
1	L	42	LYS
1	L	69	GLU
1	L	71	ILE
1	L	109	GLU
1	L	154	VAL
1	L	186	GLU
1	L	226	CYS
1	L	232	PRO
1	L	238	ASN
1	L	240	ASP
1	L	249	VAL
1	L	258	MET
1	L	289	GLN
1	L	296	SER
1	L	297	MET
1	L	314	GLU
1	M	48	VAL
1	M	69	GLU
1	M	107	LYS
1	M	109	GLU
1	M	189	MET
1	M	209	GLU
1	M	226	CYS
1	M	231	PRO
1	M	258	MET
1	M	310	LYS
1	M	318	LYS
1	N	62	MET
1	N	69	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	N	107	LYS
1	N	109	GLU
1	N	177	LEU
1	N	226	CYS
1	N	235	VAL
1	N	239	ILE
1	N	243	THR
1	N	245	LYS
1	N	258	MET
1	N	296	SER
1	N	306	ARG
1	O	61	ARG
1	O	66	SER
1	O	69	GLU
1	O	129	GLN
1	O	226	CYS
1	O	258	MET
1	O	300	ASN
1	O	306	ARG
1	O	310	LYS
1	P	38	VAL
1	P	62	MET
1	P	67	ASP
1	P	69	GLU
1	P	72	ARG
1	P	148	ASN
1	P	226	CYS
1	P	234	VAL
1	P	239	ILE
1	P	242	LYS
1	P	243	THR
1	P	245	LYS
1	P	258	MET
1	P	304	ASP
1	P	317	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (58) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	184	ASN
1	A	312	GLN
1	B	119	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	133	HIS
1	B	312	GLN
1	C	137	ASN
1	C	196	ASN
1	C	267	GLN
1	D	121	HIS
1	D	129	GLN
1	D	312	GLN
1	E	129	GLN
1	E	289	GLN
1	E	312	GLN
1	F	129	GLN
1	F	312	GLN
1	G	196	ASN
1	G	200	GLN
1	G	210	ASN
1	G	217	GLN
1	G	238	ASN
1	G	312	GLN
1	H	184	ASN
1	H	217	GLN
1	H	238	ASN
1	H	267	GLN
1	H	312	GLN
1	I	302	GLN
1	I	312	GLN
1	J	112	ASN
1	J	121	HIS
1	J	129	GLN
1	J	192	ASN
1	J	196	ASN
1	J	238	ASN
1	J	312	GLN
1	K	129	GLN
1	K	312	GLN
1	L	137	ASN
1	L	192	ASN
1	L	238	ASN
1	L	312	GLN
1	M	289	GLN
1	M	312	GLN
1	N	129	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	N	196	ASN
1	N	312	GLN
1	O	129	GLN
1	O	196	ASN
1	O	300	ASN
1	O	311	GLN
1	O	312	GLN
1	P	119	GLN
1	P	121	HIS
1	P	137	ASN
1	P	148	ASN
1	P	192	ASN
1	P	312	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 107 ligands modelled in this entry, 49 are monoatomic - leaving 58 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	EDO	J	410	-	3,3,3	0.53	0	2,2,2	0.36	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	EDO	J	409	-	3,3,3	0.52	0	2,2,2	0.14	0
2	ATP	I	400	3	26,33,33	0.98	2 (7%)	31,52,52	1.64	9 (29%)
5	EDO	E	406	-	3,3,3	0.42	0	2,2,2	0.50	0
5	EDO	J	405	-	3,3,3	0.68	0	2,2,2	0.45	0
2	ATP	M	401	3	26,33,33	1.08	3 (11%)	31,52,52	1.40	4 (12%)
5	EDO	O	406	-	3,3,3	0.48	0	2,2,2	0.43	0
5	EDO	A	406	-	3,3,3	0.41	0	2,2,2	0.46	0
5	EDO	C	405	-	3,3,3	0.53	0	2,2,2	0.37	0
2	ATP	E	401	3	26,33,33	1.06	2 (7%)	31,52,52	1.65	6 (19%)
2	ATP	N	401	3	26,33,33	0.82	0	31,52,52	1.61	6 (19%)
5	EDO	P	406	-	3,3,3	0.60	0	2,2,2	0.14	0
5	EDO	P	407	-	3,3,3	0.55	0	2,2,2	0.32	0
5	EDO	D	405	-	3,3,3	0.60	0	2,2,2	0.16	0
5	EDO	N	405	-	3,3,3	0.48	0	2,2,2	0.25	0
2	ATP	J	401	3	26,33,33	0.79	0	31,52,52	1.46	3 (9%)
5	EDO	O	407	-	3,3,3	0.59	0	2,2,2	0.21	0
2	ATP	K	401	3	26,33,33	0.92	0	31,52,52	1.62	8 (25%)
5	EDO	L	405	-	3,3,3	0.45	0	2,2,2	0.55	0
5	EDO	D	407	-	3,3,3	0.46	0	2,2,2	0.57	0
5	EDO	H	405	-	3,3,3	0.43	0	2,2,2	0.50	0
5	EDO	P	408	-	3,3,3	0.50	0	2,2,2	0.35	0
2	ATP	G	401	3	26,33,33	1.00	2 (7%)	31,52,52	1.37	6 (19%)
5	EDO	L	406	-	3,3,3	0.47	0	2,2,2	0.44	0
2	ATP	A	401	3	26,33,33	0.98	1 (3%)	31,52,52	1.49	5 (16%)
5	EDO	B	407	-	3,3,3	0.39	0	2,2,2	0.71	0
5	EDO	O	405	-	3,3,3	0.41	0	2,2,2	0.70	0
5	EDO	J	408	-	3,3,3	0.56	0	2,2,2	0.38	0
5	EDO	B	408	-	3,3,3	0.46	0	2,2,2	0.42	0
5	EDO	B	409	-	3,3,3	0.53	0	2,2,2	0.29	0
5	EDO	D	406	-	3,3,3	0.50	0	2,2,2	0.53	0
5	EDO	G	405	-	3,3,3	0.45	0	2,2,2	0.44	0
2	ATP	O	401	3	26,33,33	0.99	2 (7%)	31,52,52	1.31	3 (9%)
2	ATP	B	401	3	26,33,33	0.85	2 (7%)	31,52,52	1.78	7 (22%)
2	ATP	P	401	3	26,33,33	0.99	2 (7%)	31,52,52	1.17	3 (9%)
5	EDO	F	407	-	3,3,3	0.54	0	2,2,2	0.33	0
5	EDO	A	405	-	3,3,3	0.39	0	2,2,2	0.58	0
2	ATP	H	401	3	26,33,33	1.02	1 (3%)	31,52,52	1.43	4 (12%)
2	ATP	L	401	3	26,33,33	0.93	1 (3%)	31,52,52	1.31	3 (9%)
5	EDO	F	405	-	3,3,3	0.62	0	2,2,2	0.10	0
5	EDO	K	405	-	3,3,3	0.43	0	2,2,2	0.57	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	EDO	J	407	-	3,3,3	0.45	0	2,2,2	0.54	0
5	EDO	G	407	-	3,3,3	0.38	0	2,2,2	0.59	0
2	ATP	D	401	3	26,33,33	0.99	1 (3%)	31,52,52	1.44	4 (12%)
5	EDO	B	405	-	3,3,3	0.42	0	2,2,2	0.66	0
5	EDO	A	407	-	3,3,3	0.61	0	2,2,2	0.51	0
5	EDO	F	406	-	3,3,3	0.35	0	2,2,2	0.68	0
5	EDO	P	405	-	3,3,3	0.56	0	2,2,2	0.24	0
5	EDO	G	406	-	3,3,3	0.44	0	2,2,2	0.46	0
5	EDO	B	406	-	3,3,3	0.34	0	2,2,2	0.80	0
5	EDO	M	406	-	3,3,3	0.56	0	2,2,2	0.32	0
5	EDO	E	405	-	3,3,3	0.59	0	2,2,2	0.22	0
2	ATP	C	401	3	26,33,33	0.89	1 (3%)	31,52,52	1.53	6 (19%)
2	ATP	F	401	3	26,33,33	0.96	2 (7%)	31,52,52	1.40	3 (9%)
5	EDO	J	406	-	3,3,3	0.41	0	2,2,2	0.59	0
5	EDO	L	407	-	3,3,3	0.49	0	2,2,2	0.51	0
5	EDO	K	406	-	3,3,3	0.57	0	2,2,2	0.24	0
5	EDO	M	405	-	3,3,3	0.49	0	2,2,2	0.79	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	J	410	-	-	1/1/1/1	-
5	EDO	J	409	-	-	0/1/1/1	-
2	ATP	I	400	3	-	6/18/38/38	0/3/3/3
5	EDO	E	406	-	-	1/1/1/1	-
5	EDO	J	405	-	-	1/1/1/1	-
2	ATP	M	401	3	-	3/18/38/38	0/3/3/3
5	EDO	O	406	-	-	1/1/1/1	-
5	EDO	A	406	-	-	0/1/1/1	-
5	EDO	C	405	-	-	1/1/1/1	-
2	ATP	E	401	3	-	5/18/38/38	0/3/3/3
2	ATP	N	401	3	-	4/18/38/38	0/3/3/3
5	EDO	P	406	-	-	1/1/1/1	-
5	EDO	P	407	-	-	1/1/1/1	-
5	EDO	D	405	-	-	0/1/1/1	-
5	EDO	N	405	-	-	1/1/1/1	-
2	ATP	J	401	3	-	4/18/38/38	0/3/3/3
5	EDO	O	407	-	-	0/1/1/1	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ATP	K	401	3	-	3/18/38/38	0/3/3/3
5	EDO	L	405	-	-	1/1/1/1	-
5	EDO	D	407	-	-	0/1/1/1	-
5	EDO	H	405	-	-	0/1/1/1	-
5	EDO	P	408	-	-	1/1/1/1	-
2	ATP	G	401	3	-	5/18/38/38	0/3/3/3
5	EDO	L	406	-	-	1/1/1/1	-
2	ATP	A	401	3	-	6/18/38/38	0/3/3/3
5	EDO	B	407	-	-	1/1/1/1	-
5	EDO	O	405	-	-	0/1/1/1	-
5	EDO	J	408	-	-	1/1/1/1	-
5	EDO	B	408	-	-	1/1/1/1	-
5	EDO	B	409	-	-	0/1/1/1	-
5	EDO	D	406	-	-	0/1/1/1	-
5	EDO	G	405	-	-	0/1/1/1	-
2	ATP	O	401	3	-	5/18/38/38	0/3/3/3
2	ATP	B	401	3	-	6/18/38/38	0/3/3/3
2	ATP	P	401	3	-	6/18/38/38	0/3/3/3
5	EDO	F	407	-	-	1/1/1/1	-
5	EDO	A	405	-	-	1/1/1/1	-
2	ATP	H	401	3	-	8/18/38/38	0/3/3/3
2	ATP	L	401	3	-	5/18/38/38	0/3/3/3
5	EDO	F	405	-	-	1/1/1/1	-
5	EDO	K	405	-	-	0/1/1/1	-
5	EDO	J	407	-	-	1/1/1/1	-
5	EDO	G	407	-	-	1/1/1/1	-
2	ATP	D	401	3	-	2/18/38/38	0/3/3/3
5	EDO	B	405	-	-	1/1/1/1	-
5	EDO	A	407	-	-	0/1/1/1	-
5	EDO	F	406	-	-	1/1/1/1	-
5	EDO	P	405	-	-	1/1/1/1	-
5	EDO	G	406	-	-	1/1/1/1	-
5	EDO	B	406	-	-	1/1/1/1	-
5	EDO	M	406	-	-	1/1/1/1	-
5	EDO	E	405	-	-	0/1/1/1	-
2	ATP	C	401	3	-	6/18/38/38	0/3/3/3
2	ATP	F	401	3	-	6/18/38/38	0/3/3/3
5	EDO	J	406	-	-	0/1/1/1	-
5	EDO	L	407	-	-	1/1/1/1	-
5	EDO	K	406	-	-	1/1/1/1	-

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	M	405	-	-	1/1/1/1	-

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	ATP	C5-C4	2.76	1.48	1.40
2	O	401	ATP	C5-C4	2.62	1.47	1.40
2	F	401	ATP	C5-C4	2.59	1.47	1.40
2	H	401	ATP	C5-C4	2.58	1.47	1.40
2	P	401	ATP	C2-N3	2.57	1.36	1.32
2	L	401	ATP	C5-C4	2.55	1.47	1.40
2	E	401	ATP	C5-C4	2.52	1.47	1.40
2	D	401	ATP	C5-C4	2.52	1.47	1.40
2	O	401	ATP	C2-N3	2.42	1.36	1.32
2	F	401	ATP	C2-N3	2.37	1.35	1.32
2	I	400	ATP	C5-C4	2.37	1.47	1.40
2	M	401	ATP	C5-C4	2.37	1.47	1.40
2	E	401	ATP	C2-N3	2.31	1.35	1.32
2	B	401	ATP	C6-C5	2.27	1.51	1.43
2	P	401	ATP	C5-C4	2.27	1.46	1.40
2	C	401	ATP	C5-C4	2.23	1.46	1.40
2	M	401	ATP	O4'-C1'	2.22	1.44	1.41
2	G	401	ATP	C2-N3	2.19	1.35	1.32
2	B	401	ATP	C5-C4	2.15	1.46	1.40
2	I	400	ATP	C2'-C1'	-2.10	1.50	1.53
2	G	401	ATP	C5-C4	2.03	1.46	1.40
2	M	401	ATP	C2-N3	2.01	1.35	1.32

All (80) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	ATP	C4-C5-N7	-5.18	104.00	109.40
2	E	401	ATP	C4-C5-N7	-4.65	104.56	109.40
2	E	401	ATP	O4'-C1'-C2'	-4.47	100.40	106.93
2	N	401	ATP	C4-C5-N7	-4.27	104.94	109.40
2	K	401	ATP	O4'-C1'-C2'	-3.89	101.24	106.93
2	F	401	ATP	C4-C5-N7	-3.85	105.39	109.40
2	D	401	ATP	C4-C5-N7	-3.80	105.44	109.40
2	J	401	ATP	N3-C2-N1	-3.56	123.12	128.68
2	K	401	ATP	O3G-PG-O2G	3.29	120.22	107.64
2	B	401	ATP	C5-C6-N6	3.21	125.24	120.35
2	H	401	ATP	C4-C5-N7	-3.11	106.16	109.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	N	401	ATP	O4'-C1'-C2'	-3.07	102.44	106.93
2	C	401	ATP	C4-C5-N7	-3.01	106.26	109.40
2	N	401	ATP	N3-C2-N1	-3.00	123.99	128.68
2	F	401	ATP	N3-C2-N1	-2.89	124.16	128.68
2	L	401	ATP	N3-C2-N1	-2.88	124.17	128.68
2	B	401	ATP	O4'-C1'-C2'	-2.88	102.72	106.93
2	M	401	ATP	N3-C2-N1	-2.87	124.20	128.68
2	H	401	ATP	N3-C2-N1	-2.86	124.21	128.68
2	C	401	ATP	N3-C2-N1	-2.85	124.23	128.68
2	O	401	ATP	N3-C2-N1	-2.83	124.25	128.68
2	O	401	ATP	O4'-C1'-C2'	-2.82	102.80	106.93
2	G	401	ATP	O4'-C1'-C2'	-2.81	102.83	106.93
2	J	401	ATP	O3G-PG-O2G	2.80	118.32	107.64
2	D	401	ATP	PB-O3B-PG	-2.76	123.34	132.83
2	A	401	ATP	C4-C5-N7	-2.73	106.55	109.40
2	D	401	ATP	N3-C2-N1	-2.71	124.44	128.68
2	K	401	ATP	O3'-C3'-C4'	-2.70	103.24	111.05
2	I	400	ATP	O3G-PG-O2G	2.66	117.81	107.64
2	I	400	ATP	O3'-C3'-C4'	-2.66	103.36	111.05
2	B	401	ATP	C3'-C2'-C1'	2.65	104.97	100.98
2	M	401	ATP	C1'-N9-C4	-2.65	121.99	126.64
2	I	400	ATP	PA-O3A-PB	-2.65	123.75	132.83
2	K	401	ATP	C4-C5-N7	-2.61	106.68	109.40
2	I	400	ATP	O2A-PA-O1A	2.60	125.07	112.24
2	G	401	ATP	C4-C5-N7	-2.59	106.69	109.40
2	B	401	ATP	N3-C2-N1	-2.59	124.63	128.68
2	J	401	ATP	C4-C5-N7	-2.57	106.72	109.40
2	I	400	ATP	N6-C6-N1	2.56	123.89	118.57
2	N	401	ATP	C5-C6-N6	2.55	124.22	120.35
2	A	401	ATP	N3-C2-N1	-2.54	124.70	128.68
2	I	400	ATP	N3-C2-N1	-2.54	124.71	128.68
2	G	401	ATP	PB-O3B-PG	-2.54	124.12	132.83
2	H	401	ATP	C1'-N9-C4	-2.50	122.24	126.64
2	E	401	ATP	O3G-PG-O2G	2.47	117.09	107.64
2	G	401	ATP	O3G-PG-O2G	2.46	117.03	107.64
2	L	401	ATP	N6-C6-N1	2.37	123.49	118.57
2	K	401	ATP	C3'-C2'-C1'	2.37	104.55	100.98
2	P	401	ATP	N3-C2-N1	-2.36	124.98	128.68
2	M	401	ATP	C4-C5-N7	-2.36	106.94	109.40
2	L	401	ATP	O4'-C1'-C2'	-2.36	103.48	106.93
2	G	401	ATP	O5'-PA-O1A	-2.35	99.87	109.07
2	B	401	ATP	O2G-PG-O1G	2.33	119.79	110.68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	401	ATP	PB-O3B-PG	-2.26	125.06	132.83
2	C	401	ATP	O5'-PA-O1A	-2.26	100.23	109.07
2	C	401	ATP	C5'-C4'-C3'	-2.23	106.81	115.18
2	P	401	ATP	C4-C5-N7	-2.22	107.08	109.40
2	N	401	ATP	C3'-C2'-C1'	2.22	104.32	100.98
2	C	401	ATP	O3G-PG-O2G	2.21	116.09	107.64
2	D	401	ATP	C5'-C4'-C3'	-2.21	106.89	115.18
2	A	401	ATP	O5'-PA-O1A	-2.20	100.45	109.07
2	H	401	ATP	O2A-PA-O1A	2.20	123.14	112.24
2	B	401	ATP	O3'-C3'-C4'	-2.20	104.68	111.05
2	O	401	ATP	O3G-PG-O2G	2.19	116.02	107.64
2	K	401	ATP	O3B-PG-O1G	-2.18	99.11	111.19
2	I	400	ATP	O2B-PB-O1B	2.18	123.00	112.24
2	N	401	ATP	O3G-PG-O2G	2.17	115.92	107.64
2	E	401	ATP	O5'-PA-O1A	-2.16	100.62	109.07
2	A	401	ATP	C2-N1-C6	2.16	122.45	118.75
2	E	401	ATP	PA-O3A-PB	-2.13	125.53	132.83
2	M	401	ATP	O5'-PA-O1A	-2.12	100.78	109.07
2	F	401	ATP	PB-O3B-PG	-2.10	125.62	132.83
2	A	401	ATP	O4'-C1'-C2'	-2.09	103.87	106.93
2	K	401	ATP	N3-C2-N1	-2.09	125.41	128.68
2	G	401	ATP	C3'-C2'-C1'	2.09	104.12	100.98
2	I	400	ATP	PB-O3B-PG	-2.06	125.76	132.83
2	E	401	ATP	C5-C6-N6	2.05	123.46	120.35
2	I	400	ATP	O2A-PA-O5'	-2.04	98.26	107.75
2	P	401	ATP	N6-C6-N1	2.01	122.74	118.57
2	C	401	ATP	O2A-PA-O5'	2.00	117.04	107.75

There are no chirality outliers.

All (108) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	F	401	ATP	C5'-O5'-PA-O2A
2	O	401	ATP	C5'-O5'-PA-O1A
2	O	401	ATP	C5'-O5'-PA-O2A
2	H	401	ATP	C5'-O5'-PA-O1A
2	H	401	ATP	O4'-C4'-C5'-O5'
2	B	401	ATP	C5'-O5'-PA-O1A
2	P	401	ATP	C5'-O5'-PA-O1A
2	P	401	ATP	C5'-O5'-PA-O2A
2	P	401	ATP	O4'-C4'-C5'-O5'
2	L	401	ATP	C5'-O5'-PA-O1A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	L	401	ATP	C5'-O5'-PA-O2A
2	C	401	ATP	C5'-O5'-PA-O1A
2	C	401	ATP	C5'-O5'-PA-O2A
2	G	401	ATP	C5'-O5'-PA-O1A
2	G	401	ATP	C5'-O5'-PA-O2A
5	A	405	EDO	O1-C1-C2-O2
2	I	400	ATP	C5'-O5'-PA-O1A
2	I	400	ATP	O4'-C4'-C5'-O5'
2	E	401	ATP	C5'-O5'-PA-O1A
2	E	401	ATP	C5'-O5'-PA-O2A
2	A	401	ATP	C5'-O5'-PA-O2A
2	P	401	ATP	C3'-C4'-C5'-O5'
2	A	401	ATP	C3'-C4'-C5'-O5'
2	O	401	ATP	O4'-C4'-C5'-O5'
2	O	401	ATP	C3'-C4'-C5'-O5'
2	H	401	ATP	C3'-C4'-C5'-O5'
2	B	401	ATP	O4'-C4'-C5'-O5'
2	L	401	ATP	O4'-C4'-C5'-O5'
2	L	401	ATP	C3'-C4'-C5'-O5'
2	G	401	ATP	O4'-C4'-C5'-O5'
2	I	400	ATP	C3'-C4'-C5'-O5'
2	E	401	ATP	O4'-C4'-C5'-O5'
2	E	401	ATP	C3'-C4'-C5'-O5'
2	A	401	ATP	O4'-C4'-C5'-O5'
2	B	401	ATP	C3'-C4'-C5'-O5'
2	D	401	ATP	C3'-C4'-C5'-O5'
2	G	401	ATP	C3'-C4'-C5'-O5'
5	E	406	EDO	O1-C1-C2-O2
5	G	407	EDO	O1-C1-C2-O2
5	M	406	EDO	O1-C1-C2-O2
5	B	408	EDO	O1-C1-C2-O2
5	B	406	EDO	O1-C1-C2-O2
5	B	405	EDO	O1-C1-C2-O2
2	N	401	ATP	O4'-C4'-C5'-O5'
2	K	401	ATP	O4'-C4'-C5'-O5'
2	D	401	ATP	O4'-C4'-C5'-O5'
5	L	406	EDO	O1-C1-C2-O2
5	L	405	EDO	O1-C1-C2-O2
5	M	405	EDO	O1-C1-C2-O2
5	L	407	EDO	O1-C1-C2-O2
5	P	405	EDO	O1-C1-C2-O2
5	O	406	EDO	O1-C1-C2-O2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	F	407	EDO	O1-C1-C2-O2
5	J	405	EDO	O1-C1-C2-O2
5	G	406	EDO	O1-C1-C2-O2
2	J	401	ATP	C5'-O5'-PA-O3A
2	B	401	ATP	C5'-O5'-PA-O3A
2	C	401	ATP	C5'-O5'-PA-O3A
2	G	401	ATP	C5'-O5'-PA-O3A
2	I	400	ATP	C5'-O5'-PA-O3A
2	E	401	ATP	C5'-O5'-PA-O3A
2	A	401	ATP	C5'-O5'-PA-O3A
2	J	401	ATP	PB-O3A-PA-O1A
2	C	401	ATP	PB-O3A-PA-O2A
2	M	401	ATP	PB-O3A-PA-O2A
2	H	401	ATP	C5'-O5'-PA-O2A
2	B	401	ATP	C5'-O5'-PA-O2A
2	I	400	ATP	C5'-O5'-PA-O2A
2	A	401	ATP	C5'-O5'-PA-O1A
5	F	406	EDO	O1-C1-C2-O2
5	K	406	EDO	O1-C1-C2-O2
5	J	408	EDO	O1-C1-C2-O2
2	N	401	ATP	C3'-C4'-C5'-O5'
2	K	401	ATP	C3'-C4'-C5'-O5'
5	J	410	EDO	O1-C1-C2-O2
5	B	407	EDO	O1-C1-C2-O2
5	P	408	EDO	O1-C1-C2-O2
2	F	401	ATP	O4'-C4'-C5'-O5'
2	M	401	ATP	O4'-C4'-C5'-O5'
2	F	401	ATP	PB-O3A-PA-O2A
2	P	401	ATP	PG-O3B-PB-O2B
2	C	401	ATP	PB-O3A-PA-O1A
2	M	401	ATP	PB-O3A-PA-O1A
2	H	401	ATP	C4'-C5'-O5'-PA
2	I	400	ATP	C4'-C5'-O5'-PA
5	C	405	EDO	O1-C1-C2-O2
2	K	401	ATP	PB-O3A-PA-O2A
2	B	401	ATP	PB-O3A-PA-O2A
5	J	407	EDO	O1-C1-C2-O2
5	P	407	EDO	O1-C1-C2-O2
5	F	405	EDO	O1-C1-C2-O2
5	N	405	EDO	O1-C1-C2-O2
5	P	406	EDO	O1-C1-C2-O2
2	F	401	ATP	C5'-O5'-PA-O3A

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	O	401	ATP	C5'-O5'-PA-O3A
2	H	401	ATP	C5'-O5'-PA-O3A
2	N	401	ATP	C5'-O5'-PA-O3A
2	P	401	ATP	C5'-O5'-PA-O3A
2	L	401	ATP	C5'-O5'-PA-O3A
2	C	401	ATP	O4'-C4'-C5'-O5'
2	F	401	ATP	PB-O3A-PA-O1A
2	H	401	ATP	PG-O3B-PB-O1B
2	H	401	ATP	PG-O3B-PB-O2B
2	J	401	ATP	PB-O3A-PA-O2A
2	F	401	ATP	C5'-O5'-PA-O1A
2	N	401	ATP	C5'-O5'-PA-O1A
2	J	401	ATP	O4'-C4'-C5'-O5'
2	A	401	ATP	C4'-C5'-O5'-PA


There are no ring outliers.

10 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	E	406	EDO	1	0
5	J	405	EDO	1	0
5	A	406	EDO	1	0
2	N	401	ATP	1	0
5	P	406	EDO	1	0
5	N	405	EDO	1	0
2	K	401	ATP	1	0
5	D	407	EDO	1	0
2	A	401	ATP	1	0
5	G	406	EDO	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	283/300 (94%)	-0.01	5 (1%) 68 70	27, 44, 88, 138	0
1	B	278/300 (92%)	0.15	10 (3%) 42 42	28, 45, 93, 146	0
1	C	286/300 (95%)	0.20	5 (1%) 70 72	31, 53, 96, 142	0
1	D	272/300 (90%)	0.12	7 (2%) 56 57	27, 42, 104, 129	0
1	E	286/300 (95%)	0.12	2 (0%) 87 89	28, 49, 92, 137	0
1	F	271/300 (90%)	0.15	7 (2%) 56 57	26, 41, 85, 128	0
1	G	276/300 (92%)	0.06	4 (1%) 75 77	27, 44, 85, 134	0
1	H	280/300 (93%)	0.06	5 (1%) 68 70	23, 44, 85, 134	0
1	I	280/300 (93%)	0.04	4 (1%) 75 77	29, 44, 83, 153	0
1	J	279/300 (93%)	0.28	16 (5%) 23 22	29, 44, 100, 144	0
1	K	276/300 (92%)	0.12	9 (3%) 46 46	26, 43, 92, 145	0
1	L	280/300 (93%)	-0.03	2 (0%) 87 89	27, 42, 82, 117	0
1	M	270/300 (90%)	0.13	5 (1%) 66 69	27, 43, 80, 129	0
1	N	286/300 (95%)	0.31	12 (4%) 36 35	28, 55, 109, 149	0
1	O	271/300 (90%)	0.11	5 (1%) 68 70	25, 41, 89, 139	0
1	P	286/300 (95%)	0.26	8 (2%) 53 54	28, 59, 113, 138	0
All	All	4460/4800 (92%)	0.13	106 (2%) 59 60	23, 45, 96, 153	0

All (106) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	N	36	GLY	8.0
1	N	40	ILE	7.7
1	O	320	ALA	6.8
1	I	244	LEU	5.9
1	B	38	VAL	5.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	K	36	GLY	5.5
1	N	37	ARG	5.2
1	N	38	VAL	5.2
1	O	319	VAL	5.2
1	K	37	ARG	5.1
1	J	40	ILE	5.1
1	B	40	ILE	5.1
1	L	250	CYS	5.0
1	H	249	VAL	4.9
1	O	321	ALA	4.8
1	J	38	VAL	4.7
1	H	319	VAL	4.6
1	F	321	ALA	4.5
1	K	40	ILE	4.2
1	J	37	ARG	4.1
1	O	36	GLY	4.1
1	O	318	LYS	4.0
1	A	248	GLY	3.9
1	G	63	GLY	3.9
1	J	36	GLY	3.9
1	F	248	GLY	3.7
1	C	40	ILE	3.7
1	L	249	VAL	3.6
1	I	250	CYS	3.5
1	G	238	ASN	3.5
1	B	37	ARG	3.5
1	D	36	GLY	3.5
1	N	48	VAL	3.4
1	M	321	ALA	3.4
1	J	41	GLU	3.4
1	D	321	ALA	3.4
1	E	321	ALA	3.3
1	N	41	GLU	3.3
1	D	319	VAL	3.3
1	K	38	VAL	3.2
1	K	61	ARG	3.2
1	N	321	ALA	3.2
1	A	252	ALA	3.1
1	P	313	GLU	3.1
1	F	320	ALA	3.1
1	J	238	ASN	3.1
1	J	39	ARG	3.0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	66	SER	3.0
1	J	42	LYS	3.0
1	N	320	ALA	2.9
1	B	36	GLY	2.9
1	J	68	TYR	2.9
1	J	67	ASP	2.9
1	I	124	GLY	2.8
1	H	36	GLY	2.8
1	P	315	TYR	2.8
1	F	317	LYS	2.8
1	J	50	SER	2.7
1	B	48	VAL	2.7
1	E	66	SER	2.7
1	C	42	LYS	2.7
1	B	247	GLU	2.7
1	J	66	SER	2.7
1	K	45	SER	2.7
1	D	38	VAL	2.6
1	C	320	ALA	2.6
1	P	76	VAL	2.6
1	M	79	VAL	2.5
1	J	48	VAL	2.5
1	D	37	ARG	2.5
1	A	321	ALA	2.4
1	J	58	ALA	2.4
1	P	63	GLY	2.4
1	F	36	GLY	2.4
1	J	246	ARG	2.4
1	B	41	GLU	2.3
1	G	61	ARG	2.3
1	D	320	ALA	2.3
1	P	41	GLU	2.3
1	B	39	ARG	2.3
1	P	169	LEU	2.3
1	N	68	TYR	2.2
1	P	141	ASP	2.2
1	P	170	GLU	2.2
1	F	307	ASN	2.2
1	A	322	LEU	2.2
1	H	243	THR	2.2
1	C	36	GLY	2.2
1	J	46	GLU	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	I	240	ASP	2.2
1	N	222	GLY	2.2
1	K	247	GLU	2.2
1	M	249	VAL	2.1
1	N	47	VAL	2.1
1	D	223	GLU	2.1
1	F	289	GLN	2.1
1	B	47	VAL	2.1
1	C	222	GLY	2.1
1	H	316	LYS	2.1
1	M	320	ALA	2.1
1	A	297	MET	2.1
1	N	57	MET	2.1
1	M	107	LYS	2.1
1	G	41	GLU	2.0
1	K	39	ARG	2.0
1	K	318	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	MG	O	404	1/1	0.69	0.40	110,110,110,110	0
5	EDO	L	407	4/4	0.69	0.26	63,67,91,93	0
5	EDO	J	408	4/4	0.73	0.20	65,66,70,81	0
5	EDO	P	405	4/4	0.73	0.40	72,72,73,98	0
3	MG	P	402	1/1	0.74	0.12	121,121,121,121	0
3	MG	E	404	1/1	0.76	0.11	115,115,115,115	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	MG	F	402	1/1	0.76	0.11	91,91,91,91	0
5	EDO	G	406	4/4	0.76	0.21	73,85,86,98	0
5	EDO	J	405	4/4	0.77	0.21	65,85,89,109	0
5	EDO	O	407	4/4	0.79	0.38	63,67,109,112	0
5	EDO	B	409	4/4	0.79	0.23	69,83,91,104	0
5	EDO	N	405	4/4	0.80	0.24	58,69,94,96	0
5	EDO	K	406	4/4	0.81	0.24	87,92,98,106	0
3	MG	F	404	1/1	0.82	0.54	96,96,96,96	0
5	EDO	F	406	4/4	0.82	0.20	81,85,90,95	0
5	EDO	G	407	4/4	0.83	0.20	68,81,82,88	0
5	EDO	M	405	4/4	0.83	0.33	88,90,97,124	0
5	EDO	B	406	4/4	0.83	0.23	61,66,70,94	0
3	MG	H	404	1/1	0.83	0.19	106,106,106,106	0
3	MG	G	404	1/1	0.84	0.16	98,98,98,98	0
5	EDO	J	407	4/4	0.84	0.31	78,89,101,105	0
5	EDO	A	407	4/4	0.85	0.27	46,59,65,106	0
3	MG	M	404	1/1	0.85	0.27	94,94,94,94	0
3	MG	B	404	1/1	0.86	0.11	88,88,88,88	0
3	MG	E	402	1/1	0.88	0.18	74,74,74,74	0
3	MG	D	404	1/1	0.88	0.21	78,78,78,78	0
3	MG	B	402	1/1	0.88	0.10	106,106,106,106	0
3	MG	N	402	1/1	0.88	0.14	82,82,82,82	0
5	EDO	G	405	4/4	0.88	0.19	57,64,71,73	0
5	EDO	D	407	4/4	0.89	0.18	62,62,77,86	0
5	EDO	P	407	4/4	0.89	0.23	72,82,85,101	0
3	MG	J	404	1/1	0.89	0.07	90,90,90,90	0
5	EDO	E	406	4/4	0.89	0.17	61,64,77,79	0
5	EDO	B	407	4/4	0.90	0.26	63,68,74,83	0
5	EDO	A	405	4/4	0.90	0.13	60,61,92,114	0
3	MG	H	402	1/1	0.90	0.07	82,82,82,82	0
3	MG	I	403	1/1	0.90	0.16	89,89,89,89	0
5	EDO	B	408	4/4	0.91	0.17	66,79,87,94	0
5	EDO	O	406	4/4	0.91	0.27	55,60,68,78	0
5	EDO	J	410	4/4	0.91	0.20	65,67,77,98	0
5	EDO	B	405	4/4	0.91	0.19	60,62,74,85	0
3	MG	M	402	1/1	0.91	0.17	104,104,104,104	0
3	MG	N	404	1/1	0.92	0.09	112,112,112,112	0
5	EDO	O	405	4/4	0.92	0.17	55,57,58,72	0
3	MG	L	404	1/1	0.92	0.12	86,86,86,86	0
5	EDO	M	406	4/4	0.92	0.38	55,56,56,70	0
5	EDO	J	409	4/4	0.92	0.43	53,69,71,71	0
3	MG	O	402	1/1	0.93	0.19	104,104,104,104	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	EDO	L	405	4/4	0.93	0.17	59,64,68,69	0
3	MG	C	404	1/1	0.93	0.06	85,85,85,85	0
5	EDO	C	405	4/4	0.93	0.21	56,57,73,78	0
3	MG	I	401	1/1	0.93	0.08	66,66,66,66	0
5	EDO	K	405	4/4	0.94	0.19	56,63,69,70	0
5	EDO	F	405	4/4	0.94	0.20	46,67,73,88	0
5	EDO	F	407	4/4	0.94	0.21	47,53,60,66	0
3	MG	D	402	1/1	0.95	0.09	110,110,110,110	0
5	EDO	D	406	4/4	0.95	0.28	66,75,78,92	0
5	EDO	H	405	4/4	0.95	0.22	65,70,74,77	0
5	EDO	A	406	4/4	0.95	0.13	61,63,68,82	0
3	MG	P	404	1/1	0.95	0.12	106,106,106,106	0
5	EDO	P	406	4/4	0.95	0.26	69,70,82,96	0
3	MG	A	402	1/1	0.95	0.14	90,90,90,90	0
5	EDO	P	408	4/4	0.95	0.35	54,59,69,81	0
3	MG	L	402	1/1	0.95	0.07	106,106,106,106	0
5	EDO	L	406	4/4	0.95	0.33	72,72,73,85	0
5	EDO	E	405	4/4	0.95	0.15	56,60,62,71	0
3	MG	K	404	1/1	0.96	0.11	100,100,100,100	0
3	MG	G	402	1/1	0.96	0.18	138,138,138,138	0
3	MG	A	404	1/1	0.96	0.06	61,61,61,61	0
3	MG	K	402	1/1	0.97	0.21	153,153,153,153	0
4	ZN	P	403	1/1	0.97	0.13	70,70,70,70	0
2	ATP	F	401	31/31	0.97	0.14	24,39,56,102	0
2	ATP	B	401	31/31	0.97	0.16	32,42,64,78	0
2	ATP	I	400	31/31	0.97	0.14	34,43,63,69	0
5	EDO	J	406	4/4	0.97	0.20	59,61,66,70	0
5	EDO	D	405	4/4	0.97	0.17	42,54,61,62	0
2	ATP	E	401	31/31	0.97	0.17	37,46,59,87	0
2	ATP	N	401	31/31	0.97	0.16	38,51,68,80	0
6	CL	K	407	1/1	0.97	0.27	47,47,47,47	1
4	ZN	C	403	1/1	0.97	0.14	70,70,70,70	0
2	ATP	M	401	31/31	0.98	0.16	30,45,74,94	0
2	ATP	K	401	31/31	0.98	0.18	26,39,59,93	0
2	ATP	G	401	31/31	0.98	0.17	31,44,66,82	0
2	ATP	P	401	31/31	0.98	0.15	39,52,65,79	0
4	ZN	F	403	1/1	0.98	0.10	47,47,47,47	0
4	ZN	A	403	1/1	0.98	0.15	44,44,44,44	0
2	ATP	A	401	31/31	0.98	0.13	33,42,67,79	0
2	ATP	H	401	31/31	0.98	0.13	32,39,67,93	0
2	ATP	L	401	31/31	0.98	0.14	33,45,69,72	0
3	MG	J	402	1/1	0.98	0.09	95,95,95,95	0

*Continued on next page...*




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	ATP	O	401	31/31	0.98	0.14	24,38,60,81	0
2	ATP	D	401	31/31	0.98	0.15	34,43,67,73	0
4	ZN	N	403	1/1	0.98	0.11	67,67,67,67	0
4	ZN	K	403	1/1	0.98	0.18	44,44,44,44	0
2	ATP	J	401	31/31	0.98	0.15	29,42,69,88	0
3	MG	C	402	1/1	0.98	0.08	70,70,70,70	0
2	ATP	C	401	31/31	0.98	0.17	36,45,58,67	0
4	ZN	E	403	1/1	0.99	0.12	58,58,58,58	0
4	ZN	O	403	1/1	0.99	0.14	43,43,43,43	0
4	ZN	L	403	1/1	0.99	0.13	40,40,40,40	0
4	ZN	M	403	1/1	0.99	0.13	45,45,45,45	0
4	ZN	D	403	1/1	0.99	0.14	50,50,50,50	0
4	ZN	B	403	1/1	0.99	0.16	44,44,44,44	0
4	ZN	G	403	1/1	0.99	0.15	46,46,46,46	0
4	ZN	J	403	1/1	0.99	0.14	40,40,40,40	0
4	ZN	H	403	1/1	1.00	0.13	47,47,47,47	0
4	ZN	I	402	1/1	1.00	0.14	44,44,44,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




#### Electron density around ATP F 401:

2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ATP B 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ATP I 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ATP E 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ATP N 401:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around ATP M 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ATP K 401:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around ATP G 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ATP P 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ATP A 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ATP H 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ATP L 401:**

2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ATP O 401:**

2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ATP D 401:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ATP J 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers [i](#)

There are no such residues in this entry.