



# Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 04:25 am BST

PDB ID : 4H9L  
Title : Bacterial Photosynthetic Reaction Center from Rhodobacter sphaeroides with ILE M265 replaced with SER  
Authors : Mattis, A.J.; Wraight, C.A.  
Deposited on : 2012-09-24  
Resolution : 2.77 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4107 (2.80-2.76)
Clashscore	141614	4575 (2.80-2.76)
Ramachandran outliers	138981	4487 (2.80-2.76)
Sidechain outliers	138945	4489 (2.80-2.76)
RSRZ outliers	127900	4027 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	281	<div> <div>%</div> <div> <div></div> <div>68%</div> <div>26%</div> <div>5%</div> </div> </div>
2	M	313	<div> <div>%</div> <div> <div></div> <div>72%</div> <div>19%</div> <div>5%</div> <div>• •</div> </div> </div>
3	H	260	<div> <div>%</div> <div> <div></div> <div>71%</div> <div>15%</div> <div>6%</div> <div>8%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	BPH	L	303	X	-	-	-

## 2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 6916 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	280	Total	C	N	O	S	0	0	0
			2195	1484	347	356	8			

- Molecule 2 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	M	301	Total	C	N	O	S	0	0	0
			2375	1586	390	389	10			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	265	SER	ILE	ENGINEERED MUTATION	UNP P0C0Y9
M	303	MET	-	EXPRESSION TAG	UNP P0C0Y9
M	304	ALA	-	EXPRESSION TAG	UNP P0C0Y9
M	305	PRO	-	EXPRESSION TAG	UNP P0C0Y9
M	306	LEU	-	EXPRESSION TAG	UNP P0C0Y9
M	307	ASN	-	EXPRESSION TAG	UNP P0C0Y9
M	308	HIS	-	EXPRESSION TAG	UNP P0C0Y9
M	309	HIS	-	EXPRESSION TAG	UNP P0C0Y9
M	310	HIS	-	EXPRESSION TAG	UNP P0C0Y9
M	311	HIS	-	EXPRESSION TAG	UNP P0C0Y9
M	312	HIS	-	EXPRESSION TAG	UNP P0C0Y9
M	313	HIS	-	EXPRESSION TAG	UNP P0C0Y9


- Molecule 3 is a protein called Reaction center protein H chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	238	Total	C	N	O	S	0	0	0
			1786	1143	303	331	9			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	1	MET	-	EXPRESSION TAG	UNP P0C0Y7
H	2	VAL	-	EXPRESSION TAG	UNP P0C0Y7
H	3	GLY	-	EXPRESSION TAG	UNP P0C0Y7
H	4	VAL	-	EXPRESSION TAG	UNP P0C0Y7
H	5	THR	-	EXPRESSION TAG	UNP P0C0Y7
H	6	ALA	-	EXPRESSION TAG	UNP P0C0Y7
H	7	PHE	-	EXPRESSION TAG	UNP P0C0Y7
H	8	GLY	-	EXPRESSION TAG	UNP P0C0Y7
H	9	ASN	-	EXPRESSION TAG	UNP P0C0Y7
H	10	PHE	-	EXPRESSION TAG	UNP P0C0Y7
H	251	VAL	-	EXPRESSION TAG	UNP P0C0Y7
H	252	VAL	-	EXPRESSION TAG	UNP P0C0Y7
H	253	ALA	-	EXPRESSION TAG	UNP P0C0Y7
H	254	ALA	-	EXPRESSION TAG	UNP P0C0Y7
H	255	MET	-	EXPRESSION TAG	UNP P0C0Y7
H	256	LEU	-	EXPRESSION TAG	UNP P0C0Y7
H	257	ALA	-	EXPRESSION TAG	UNP P0C0Y7
H	258	GLU	-	EXPRESSION TAG	UNP P0C0Y7
H	259	TYR	-	EXPRESSION TAG	UNP P0C0Y7
H	260	ALA	-	EXPRESSION TAG	UNP P0C0Y7

- Molecule 4 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula: C<sub>55</sub>H<sub>74</sub>MgN<sub>4</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
4	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		

Continued on next page...

*Continued from previous page...*


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	M	1	Total	C	Mg	N	O	0	0
			51	40	1	4	6		
4	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		

- Molecule 5 is BACTERIOPHEOPHYTIN A (three-letter code: BPH) (formula:  $C_{55}H_{76}N_4O_6$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	L	1	Total	C	N	O	0	0
			65	55	4	6		
5	M	1	Total	C	N	O	0	0
			50	40	4	6		

- Molecule 6 is UBIQUINONE-10 (three-letter code: U10) (formula:  $C_{59}H_{90}O_4$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	L	1	Total	C	O	0	0
			16	12	4		
6	M	1	Total	C	O	0	0
			48	44	4		

- Molecule 7 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	M	1	Total	Fe	0	0
			1	1		

- Molecule 8 is SPHEROIDENE (three-letter code: SPO) (formula: C<sub>41</sub>H<sub>60</sub>O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	M	1	Total	C	O	0	0
			33	32	1		

- Molecule 9 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	L	26	Total	O	0	0
			26	26		
9	M	30	Total	O	0	0
			30	30		
9	H	42	Total	O	0	0
			42	42		




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Reaction center protein L chain



- Molecule 2: Reaction center protein M chain



- Molecule 3: Reaction center protein H chain



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	140.19Å 140.19Å 184.56Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.90 – 2.77 19.90 – 2.77	Depositor EDS
% Data completeness (in resolution range)	99.9 (19.90-2.77) 99.9 (19.90-2.77)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.45 (at 2.79Å)	Xtriage
Refinement program	REFMAC 5.5.0109, PHENIX	Depositor
R, $R_{free}$	0.191 , 0.227 0.194 , 0.230	Depositor DCC
$R_{free}$ test set	2682 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	56.5	Xtriage
Anisotropy	0.064	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 44.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.024 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6916	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.65% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: BCL, BPH, U10, FE, SPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	L	1.18	1/2281 (0.0%)	1.10	14/3125 (0.4%)
2	M	1.13	3/2466 (0.1%)	1.07	12/3369 (0.4%)
3	H	1.11	0/1834	1.17	13/2504 (0.5%)
All	All	1.14	4/6581 (0.1%)	1.11	39/8998 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	L	0	1
2	M	0	1
All	All	0	2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	M	258	PHE	CE1-CZ	5.79	1.48	1.37
2	M	236	GLU	CG-CD	5.49	1.60	1.51
2	M	162	PHE	CD1-CE1	5.44	1.50	1.39
1	L	242	PHE	CE1-CZ	5.43	1.47	1.37

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	217	ARG	NE-CZ-NH1	11.40	126.00	120.30
3	H	177	ARG	NE-CZ-NH2	-10.61	114.99	120.30
3	H	177	ARG	NE-CZ-NH1	10.29	125.45	120.30
1	L	231	ARG	NE-CZ-NH2	-10.10	115.25	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	103	ARG	NE-CZ-NH2	-9.52	115.54	120.30
3	H	117	ARG	NE-CZ-NH1	9.52	125.06	120.30
1	L	217	ARG	NE-CZ-NH2	-8.96	115.82	120.30
2	M	241	ARG	NE-CZ-NH1	8.19	124.40	120.30
2	M	6	ILE	CG1-CB-CG2	-8.06	93.67	111.40
1	L	231	ARG	NE-CZ-NH1	7.96	124.28	120.30
2	M	132	ARG	NE-CZ-NH1	-7.82	116.39	120.30
2	M	240	ASP	CB-CG-OD1	7.78	125.30	118.30
2	M	144	LYS	CD-CE-NZ	-7.71	93.97	111.70
1	L	7	ARG	NE-CZ-NH2	-7.66	116.47	120.30
2	M	21	THR	C-N-CA	-7.56	102.81	121.70
3	H	117	ARG	NE-CZ-NH2	-7.20	116.70	120.30
1	L	135	ARG	NE-CZ-NH1	6.85	123.72	120.30
2	M	29	ARG	NE-CZ-NH1	6.71	123.66	120.30
3	H	225	VAL	CB-CA-C	-6.67	98.73	111.40
1	L	7	ARG	NE-CZ-NH1	6.54	123.57	120.30
1	L	102	LEU	CB-CG-CD1	6.47	122.01	111.00
2	M	241	ARG	NE-CZ-NH2	-6.42	117.09	120.30
1	L	207	ARG	NE-CZ-NH1	6.42	123.51	120.30
1	L	103	ARG	NE-CZ-NH1	6.30	123.45	120.30
2	M	233	ARG	NE-CZ-NH1	-6.26	117.17	120.30
2	M	247	ARG	NE-CZ-NH1	6.20	123.40	120.30
3	H	11	ASP	CB-CG-OD1	-6.16	112.75	118.30
2	M	29	ARG	NE-CZ-NH2	-6.13	117.24	120.30
3	H	185	ASP	CB-CG-OD1	-6.04	112.86	118.30
2	M	22	GLU	CB-CA-C	5.85	122.10	110.40
1	L	207	ARG	NE-CZ-NH2	-5.83	117.39	120.30
1	L	204	LYS	CD-CE-NZ	-5.73	98.52	111.70
3	H	66	LEU	C-N-CD	5.67	140.30	128.40
3	H	67	PRO	C-N-CA	-5.46	108.06	121.70
3	H	37	ARG	NE-CZ-NH2	-5.39	117.60	120.30
3	H	11	ASP	CB-CG-OD2	5.31	123.08	118.30
3	H	37	ARG	NE-CZ-NH1	5.23	122.92	120.30
3	H	81	GLU	C-N-CA	-5.20	108.69	121.70
1	L	31	VAL	C-N-CA	-5.07	111.65	122.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	L	32	GLY	Peptide
2	M	300	ASN	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	2195	0	2125	66	0
2	M	2375	0	2270	64	0
3	H	1786	0	1747	42	0
4	L	132	0	148	11	0
4	M	117	0	115	22	0
5	L	65	0	76	8	0
5	M	50	0	43	5	0
6	L	16	0	12	6	0
6	M	48	0	63	6	0
7	M	1	0	0	0	0
8	M	33	0	43	6	0
9	H	42	0	0	1	0
9	L	26	0	0	1	0
9	M	30	0	0	1	0
All	All	6916	0	6642	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:197:PHE:CZ	4:M:403:BCL:HBB2	1.94	1.03
1:L:38:THR:HG22	1:L:99:SER:CB	1.89	1.02
1:L:49:ILE:HG13	1:L:89:ILE:HD13	1.41	1.02
1:L:38:THR:HG22	1:L:99:SER:HB2	1.06	1.02
2:M:197:PHE:HZ	4:M:403:BCL:HBB2	1.24	1.02
1:L:7:ARG:HH11	3:H:98:HIS:CD2	1.77	1.01
6:M:405:U10:H322	6:M:405:U10:H272	1.42	1.00
6:L:304:U10:H1M1	6:L:304:U10:C8	1.88	0.99
5:M:404:BPH:HHC	5:M:404:BPH:HBB3	1.45	0.98
5:L:303:BPH:HBB3	5:L:303:BPH:HHC	1.51	0.90
1:L:69:PRO:HG2	1:L:142:TRP:HB2	1.53	0.90
2:M:164:ARG:HH12	2:M:173:GLU:HG3	1.41	0.86
4:M:403:BCL:HHC	4:M:403:BCL:HBB3	1.59	0.84

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:242:GLY:CA	3:H:117:ARG:HD2	2.07	0.84
1:L:7:ARG:HH11	3:H:98:HIS:HD2	1.26	0.83
2:M:197:PHE:HZ	4:M:403:BCL:CBB	1.90	0.83
4:M:403:BCL:HHC	4:M:403:BCL:CBB	2.08	0.83
2:M:242:GLY:HA2	3:H:117:ARG:HD2	1.63	0.78
6:M:405:U10:C32	6:M:405:U10:H272	2.13	0.78
4:M:401:BCL:CBB	8:M:406:SPO:H243	2.13	0.78
5:M:404:BPH:HHC	5:M:404:BPH:CBB	2.13	0.78
6:L:304:U10:C8	6:L:304:U10:C1M	2.61	0.78
1:L:38:THR:CG2	1:L:99:SER:HB2	2.02	0.78
4:L:302:BCL:HBB2	4:L:302:BCL:HMB1	1.69	0.75
2:M:32:VAL:HG12	2:M:33:GLY:O	1.87	0.75
4:L:302:BCL:HMB1	4:L:302:BCL:CBB	2.16	0.75
5:L:303:BPH:HBB2	2:M:210:TYR:HB3	1.69	0.74
1:L:201:GLU:O	1:L:202:LYS:CB	2.34	0.74
1:L:34:PHE:O	1:L:38:THR:HG23	1.86	0.74
4:M:401:BCL:HBB2	8:M:406:SPO:H243	1.69	0.74
3:H:70:ARG:NH2	3:H:121:PRO:O	2.21	0.73
5:L:303:BPH:CBB	5:L:303:BPH:HHC	2.19	0.72
2:M:133:THR:HG22	2:M:147:ALA:HB2	1.73	0.71
2:M:164:ARG:HH12	2:M:173:GLU:CG	2.03	0.70
1:L:231:ARG:HD3	2:M:5:ASN:O	1.90	0.70
1:L:218:ASP:OD1	2:M:29:ARG:HD3	1.92	0.69
2:M:240:ASP:O	3:H:117:ARG:NH1	2.24	0.69
2:M:133:THR:HG21	2:M:147:ALA:HA	1.76	0.68
1:L:49:ILE:HG13	1:L:89:ILE:CD1	2.19	0.67
3:H:148:PRO:HA	3:H:151:LEU:HD22	1.76	0.66
1:L:181:PHE:HB3	5:M:404:BPH:HBB2	1.79	0.65
4:M:401:BCL:CBB	4:M:401:BCL:HHC	2.27	0.64
2:M:97:PRO:HG2	2:M:171:TRP:HB2	1.80	0.63
2:M:21:THR:HG23	2:M:26:LEU:HD11	1.79	0.63
1:L:7:ARG:NH1	3:H:98:HIS:HD2	1.96	0.63
2:M:132:ARG:HH11	2:M:132:ARG:HG2	1.63	0.63
1:L:13:GLY:HA3	3:H:242:MET:HE3	1.82	0.62
4:L:301:BCL:HBB3	4:L:301:BCL:HMB1	1.82	0.61
1:L:69:PRO:CG	1:L:142:TRP:HB2	2.30	0.61
3:H:96:PHE:HB3	3:H:97:PRO:CD	2.31	0.61
1:L:87:GLN:NE2	1:L:142:TRP:CD1	2.69	0.61
2:M:164:ARG:NH1	2:M:173:GLU:CG	2.64	0.60
1:L:69:PRO:HD3	1:L:83:GLY:O	2.00	0.60
2:M:197:PHE:CE1	4:M:403:BCL:HBB2	2.35	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:164:ARG:NH1	2:M:173:GLU:HG3	2.14	0.60
2:M:133:THR:CG2	2:M:147:ALA:HA	2.32	0.60
1:L:85:LEU:O	1:L:89:ILE:HG13	2.03	0.59
4:M:401:BCL:HBB1	8:M:406:SPO:H243	1.83	0.59
2:M:134:TYR:CE2	2:M:144:LYS:HG2	2.37	0.59
2:M:300:ASN:N	2:M:300:ASN:OD1	2.36	0.58
1:L:103:ARG:NH2	2:M:255:THR:O	2.35	0.58
2:M:242:GLY:HA3	3:H:117:ARG:HD2	1.87	0.57
1:L:79:PRO:O	1:L:80:LEU:C	2.44	0.56
4:M:401:BCL:HBB3	4:M:401:BCL:HHC	1.87	0.56
3:H:96:PHE:HB3	3:H:97:PRO:HD2	1.88	0.56
1:L:210:ASP:OD1	1:L:210:ASP:N	2.39	0.56
1:L:224:ILE:H	6:L:304:U10:H72	1.71	0.56
1:L:187:LEU:HD13	2:M:216:PHE:CG	2.41	0.55
3:H:70:ARG:O	3:H:118:ARG:NH2	2.40	0.55
1:L:48:LEU:CD1	1:L:88:ILE:HG22	2.37	0.55
3:H:98:HIS:HE1	9:H:325:HOH:O	1.90	0.55
1:L:7:ARG:HD2	3:H:98:HIS:CD2	2.42	0.54
4:M:401:BCL:OBB	4:M:401:BCL:HMB1	2.08	0.54
4:L:301:BCL:CBB	4:L:301:BCL:HMB1	2.36	0.54
2:M:16:ALA:HB1	2:M:32:VAL:HG21	1.88	0.54
1:L:177:ILE:HG12	4:L:301:BCL:HMB3	1.90	0.54
4:M:403:BCL:H11	5:M:404:BPH:HBB3	1.90	0.54
2:M:76:TYR:C	2:M:76:TYR:CD1	2.82	0.53
3:H:37:ARG:O	3:H:38:GLU:HG2	2.09	0.53
2:M:232:GLU:OE1	2:M:232:GLU:N	2.36	0.53
3:H:170:ASP:HB2	3:H:177:ARG:HD2	1.91	0.53
2:M:232:GLU:OE2	3:H:177:ARG:NH2	2.42	0.53
4:M:403:BCL:HBB3	4:M:403:BCL:CHC	2.35	0.52
1:L:52:SER:HB2	1:L:85:LEU:HD13	1.91	0.52
4:M:403:BCL:H11	5:M:404:BPH:CBB	2.39	0.52
1:L:49:ILE:CG1	1:L:89:ILE:HD13	2.28	0.52
2:M:194:GLY:O	2:M:195:ASN:HB3	2.08	0.52
4:M:403:BCL:HAA2	4:M:403:BCL:HBD	1.90	0.52
1:L:8:LYS:HA	3:H:87:LEU:HD11	1.92	0.52
2:M:136:ARG:HA	2:M:136:ARG:NE	2.25	0.51
1:L:55:LEU:HD13	1:L:81:ALA:HB2	1.91	0.51
1:L:280:ASN:C	9:L:421:HOH:O	2.49	0.51
4:M:401:BCL:HBB3	4:M:403:BCL:H41	1.91	0.51
3:H:70:ARG:NH2	3:H:120:LEU:HB3	2.25	0.51
2:M:241:ARG:HD3	2:M:246:GLU:HG2	1.91	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:251:PHE:CD1	2:M:251:PHE:C	2.84	0.51
1:L:3:LEU:HD12	2:M:250:LEU:HD13	1.92	0.51
2:M:133:THR:HG22	2:M:147:ALA:CB	2.40	0.50
1:L:50:ALA:O	1:L:53:ALA:HB3	2.12	0.50
3:H:117:ARG:NH2	3:H:227:LEU:HD22	2.27	0.50
9:M:504:HOH:O	3:H:175:MET:HE1	2.10	0.50
1:L:18:GLY:O	1:L:21:LEU:HB2	2.12	0.50
2:M:24:VAL:HG11	2:M:29:ARG:NH1	2.27	0.50
3:H:241:LEU:O	3:H:248:ARG:NH2	2.45	0.49
3:H:62:LYS:O	3:H:74:THR:HA	2.12	0.49
4:L:302:BCL:H191	5:L:303:BPH:H6C1	1.95	0.49
2:M:102:GLY:HA2	2:M:170:SER:HB2	1.95	0.49
4:L:302:BCL:H193	5:L:303:BPH:H112	1.95	0.49
3:H:37:ARG:NH2	3:H:60:LYS:O	2.46	0.49
2:M:202:HIS:CE1	2:M:206:ILE:HD11	2.47	0.49
2:M:268:TRP:CD1	6:M:405:U10:H111	2.47	0.49
1:L:179:PHE:HB3	1:L:240:ALA:HB2	1.94	0.48
3:H:14:SER:HA	3:H:17:ILE:HG22	1.94	0.48
1:L:12:PRO:O	3:H:242:MET:HE1	2.13	0.48
3:H:175:MET:CE	3:H:177:ARG:NH2	2.76	0.48
2:M:164:ARG:NH1	2:M:173:GLU:HG2	2.28	0.48
1:L:101:ALA:O	1:L:104:GLU:N	2.46	0.48
1:L:6:GLU:OE2	1:L:10:ARG:HD2	2.13	0.48
2:M:260:ALA:O	6:M:405:U10:H4M3	2.14	0.48
1:L:105:VAL:O	1:L:109:ARG:HG3	2.13	0.47
6:M:405:U10:H322	6:M:405:U10:C27	2.23	0.47
3:H:130:LYS:HZ1	3:H:173:GLU:HG3	1.78	0.47
6:L:304:U10:H4M3	6:L:304:U10:H3M3	1.96	0.47
2:M:132:ARG:NH1	2:M:132:ARG:HG2	2.26	0.47
1:L:115:TYR:O	1:L:118:PRO:HG2	2.15	0.47
2:M:229:PHE:HB2	2:M:244:ALA:HB2	1.96	0.47
2:M:206:ILE:HG12	4:M:403:BCL:HMB3	1.96	0.47
1:L:193:LEU:HD23	6:L:304:U10:H3M3	1.97	0.46
5:L:303:BPH:HBB1	2:M:210:TYR:CD2	2.50	0.46
3:H:46:ASP:OD1	3:H:48:THR:OG1	2.33	0.46
1:L:222:TYR:CG	1:L:223:SER:N	2.83	0.46
4:L:301:BCL:HBB2	4:M:403:BCL:NA	2.31	0.46
2:M:76:TYR:O	2:M:79:GLY:N	2.32	0.45
2:M:133:THR:CG2	2:M:147:ALA:CA	2.94	0.45
2:M:157:TRP:CD1	8:M:406:SPO:H26	2.51	0.45
3:H:75:VAL:HA	3:H:76:PRO:C	2.36	0.45

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:253:ARG:HB2	2:M:259:ASN:OD1	2.16	0.45
2:M:247:ARG:NH2	3:H:111:PRO:O	2.47	0.45
3:H:148:PRO:O	3:H:151:LEU:HB2	2.16	0.44
2:M:157:TRP:NE1	8:M:406:SPO:H26	2.33	0.44
1:L:77:GLY:HA2	1:L:87:GLN:OE1	2.18	0.44
1:L:241:VAL:HG21	5:L:303:BPH:H2C	1.98	0.44
3:H:42:LEU:N	3:H:53:GLN:OE1	2.51	0.44
3:H:60:LYS:HA	3:H:61:PRO:HD2	1.71	0.44
3:H:148:PRO:HA	3:H:151:LEU:CD2	2.46	0.44
4:L:301:BCL:H161	4:L:301:BCL:H202	1.85	0.43
1:L:52:SER:HB2	1:L:85:LEU:CD1	2.48	0.43
1:L:84:GLY:HA2	1:L:87:GLN:HG3	2.00	0.43
2:M:243:THR:N	3:H:115:VAL:HG13	2.34	0.43
1:L:117:ILE:HB	1:L:118:PRO:CD	2.48	0.43
1:L:163:THR:HG22	1:L:163:THR:O	2.19	0.43
1:L:30:TYR:O	1:L:103:ARG:NH1	2.52	0.42
1:L:101:ALA:O	1:L:104:GLU:HB2	2.19	0.42
1:L:6:GLU:OE2	1:L:10:ARG:NH1	2.43	0.42
3:H:162:GLY:HA3	3:H:182:GLU:O	2.19	0.42
3:H:151:LEU:HD12	3:H:151:LEU:HA	1.80	0.42
2:M:133:THR:CG2	2:M:147:ALA:HB2	2.47	0.42
1:L:30:TYR:HB2	2:M:254:TRP:HB3	2.01	0.42
1:L:97:PHE:CE1	4:L:301:BCL:H121	2.54	0.42
4:M:403:BCL:H2C	4:M:403:BCL:HBC2	1.82	0.42
1:L:93:ALA:HA	5:L:303:BPH:H9C2	2.02	0.41
2:M:114:LEU:HD23	2:M:114:LEU:HA	1.87	0.41
2:M:21:THR:HG23	2:M:26:LEU:CD1	2.47	0.41
4:M:403:BCL:HHC	4:M:403:BCL:HBB2	1.98	0.41
2:M:168:MET:SD	2:M:288:GLY:O	2.79	0.41
1:L:25:TRP:CD1	1:L:30:TYR:HA	2.56	0.41
1:L:83:GLY:O	1:L:87:GLN:HG3	2.20	0.41
2:M:162:PHE:HB2	8:M:406:SPO:C31	2.50	0.41
1:L:193:LEU:O	1:L:194:VAL:C	2.59	0.41
2:M:65:MET:HB3	2:M:121:PHE:CE2	2.56	0.41
6:M:405:U10:C32	6:M:405:U10:C27	2.90	0.41
4:L:301:BCL:CGA	4:L:302:BCL:HBC1	2.51	0.41
1:L:32:GLY:CA	1:L:35:GLY:H	2.33	0.41
3:H:169:VAL:HG23	3:H:171:ILE:CD1	2.51	0.41
3:H:175:MET:HE2	3:H:177:ARG:NH2	2.35	0.41
1:L:44:LEU:HD23	1:L:92:CYS:SG	2.60	0.41
1:L:61:PRO:HA	1:L:64:ILE:HD12	2.03	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:231:ARG:CD	2:M:5:ASN:O	2.65	0.41
1:L:231:ARG:HD2	2:M:6:ILE:O	2.21	0.41
1:L:233:GLY:HA3	2:M:216:PHE:CE1	2.56	0.40
1:L:190:HIS:HD1	6:L:304:U10:H3M1	1.85	0.40
1:L:12:PRO:O	3:H:242:MET:CE	2.69	0.40
2:M:197:PHE:CZ	4:M:403:BCL:CBB	2.75	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	278/281 (99%)	244 (88%)	32 (12%)	2 (1%)	22	50
2	M	299/313 (96%)	276 (92%)	21 (7%)	2 (1%)	22	50
3	H	236/260 (91%)	220 (93%)	12 (5%)	4 (2%)	9	27
All	All	813/854 (95%)	740 (91%)	65 (8%)	8 (1%)	15	41

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	L	202	LYS
2	M	77	GLN
1	L	80	LEU
2	M	30	SER
3	H	61	PRO
3	H	135	LYS
3	H	185	ASP
3	H	86	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	213/220 (97%)	192 (90%)	21 (10%)	8	21
2	M	228/246 (93%)	204 (90%)	24 (10%)	7	18
3	H	184/208 (88%)	169 (92%)	15 (8%)	11	30
All	All	625/674 (93%)	565 (90%)	60 (10%)	8	22

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	16	LEU
1	L	21	LEU
1	L	38	THR
1	L	58	THR
1	L	63	LEU
1	L	72	GLU
1	L	102	LEU
1	L	109	ARG
1	L	129	LEU
1	L	158	SER
1	L	185	LEU
1	L	204	LYS
1	L	205	GLU
1	L	207	ARG
1	L	210	ASP
1	L	216	PHE
1	L	217	ARG
1	L	229	ILE
1	L	237	SER
1	L	247	CYS
1	L	272	TRP
2	M	12	VAL
2	M	26	LEU
2	M	39	LEU
2	M	72	ILE
2	M	75	TRP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	M	76	TYR
2	M	104	SER
2	M	122	MET
2	M	124	VAL
2	M	133	THR
2	M	151	LEU
2	M	156	LEU
2	M	170	SER
2	M	182	HIS
2	M	191	LEU
2	M	196	LEU
2	M	204	LEU
2	M	215	LEU
2	M	216	PHE
2	M	235	LEU
2	M	247	ARG
2	M	250	LEU
2	M	259	ASN
2	M	300	ASN
3	H	11	ASP
3	H	48	THR
3	H	70	ARG
3	H	72	THR
3	H	92	VAL
3	H	118	ARG
3	H	120	LEU
3	H	135	LYS
3	H	151	LEU
3	H	159	GLU
3	H	171	ILE
3	H	175	MET
3	H	221	SER
3	H	225	VAL
3	H	231	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
3	H	98	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 1 is monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	BCL	M	403	-	58,74,74	1.43	3 (5%)	69,115,115	1.86	18 (26%)
6	U10	L	304	-	16,16,63	1.92	6 (37%)	19,22,79	3.16	9 (47%)
6	U10	M	405	-	48,48,63	2.98	12 (25%)	58,61,79	1.80	11 (18%)
8	SPO	M	406	-	31,32,41	1.65	4 (12%)	35,39,50	2.62	12 (34%)
5	BPH	L	303	-	64,70,70	1.47	7 (10%)	76,101,101	1.49	10 (13%)
4	BCL	L	301	-	58,74,74	1.64	3 (5%)	69,115,115	1.65	13 (18%)
5	BPH	M	404	-	49,55,70	1.79	12 (24%)	58,83,101	2.34	20 (34%)
4	BCL	M	401	-	43,59,74	2.05	3 (6%)	51,97,115	2.50	15 (29%)
4	BCL	L	302	-	58,74,74	1.58	5 (8%)	69,115,115	1.98	15 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BCL	M	403	-	-	5/37/137/137	-
6	U10	L	304	-	-	5/7/31/87	0/1/1/1
6	U10	M	405	-	-	15/45/69/87	0/1/1/1
8	SPO	M	406	-	-	13/37/37/47	-
5	BPH	L	303	-	2/2/18/22	11/54/105/105	0/5/6/6
4	BCL	L	301	-	-	3/37/137/137	-
5	BPH	M	404	-	-	4/36/87/105	0/5/6/6
4	BCL	M	401	-	-	2/19/119/137	-
4	BCL	L	302	-	-	4/37/137/137	-

All (55) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	M	401	BCL	C1B-NB	10.37	1.44	1.35
4	L	301	BCL	C4B-NB	9.02	1.43	1.35
4	L	302	BCL	C1B-NB	7.97	1.42	1.35
6	M	405	U10	C13-C14	7.95	1.52	1.33
6	M	405	U10	C33-C34	7.62	1.51	1.33
6	M	405	U10	C18-C19	7.53	1.51	1.33
6	M	405	U10	C28-C29	6.75	1.49	1.33
4	M	403	BCL	C4B-NB	6.63	1.41	1.35
6	M	405	U10	C38-C39	6.39	1.50	1.32
4	M	403	BCL	C1B-NB	6.34	1.40	1.35
4	L	302	BCL	C4B-NB	6.34	1.40	1.35
6	M	405	U10	C8-C9	6.27	1.48	1.33
4	M	401	BCL	C4B-NB	6.26	1.40	1.35
4	L	301	BCL	C1B-NB	6.25	1.40	1.35
8	M	406	SPO	C27-C28	5.87	1.40	1.34
6	M	405	U10	C23-C24	5.80	1.46	1.33
5	L	303	BPH	CHD-C4C	5.56	1.52	1.38
5	M	404	BPH	CHD-C4C	4.61	1.49	1.38
6	M	405	U10	O3-C3	-4.48	1.25	1.36
5	L	303	BPH	C1A-NA	-4.28	1.29	1.37
5	M	404	BPH	CHA-C1A	4.14	1.47	1.38
5	L	303	BPH	CHA-C1A	4.01	1.46	1.38
5	M	404	BPH	C3C-C4C	3.97	1.56	1.50
6	M	405	U10	O4-C4	-3.76	1.27	1.36
6	L	304	U10	C7-C6	3.55	1.57	1.51
5	M	404	BPH	C1A-NA	-3.47	1.30	1.37
5	M	404	BPH	C4C-NC	-3.40	1.30	1.37
6	L	304	U10	C9-C8	3.35	1.51	1.28

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	M	406	SPO	C25-C23	3.22	1.52	1.45
6	M	405	U10	C6-C1	3.12	1.40	1.35
5	M	404	BPH	C1B-C2B	-3.00	1.39	1.45
5	M	404	BPH	C2-C3	2.99	1.41	1.32
6	L	304	U10	O3-C3	-2.85	1.29	1.36
5	L	303	BPH	CHB-C1B	2.71	1.44	1.38
5	M	404	BPH	OBD-CAD	-2.63	1.18	1.22
5	M	404	BPH	C5-C3	2.61	1.57	1.50
5	L	303	BPH	C1B-C2B	-2.57	1.40	1.45
6	L	304	U10	C3-C2	-2.43	1.41	1.48
6	M	405	U10	C3-C2	-2.41	1.41	1.48
8	M	406	SPO	C26-C27	2.40	1.50	1.43
6	L	304	U10	C4-C3	2.39	1.46	1.36
6	L	304	U10	O4-C4	-2.39	1.31	1.36
5	L	303	BPH	C4C-NC	-2.34	1.32	1.37
4	L	302	BCL	C3D-C2D	-2.26	1.35	1.39
5	M	404	BPH	CHB-C4A	-2.20	1.34	1.40
6	M	405	U10	C4-C5	-2.20	1.42	1.48
8	M	406	SPO	C16-C17	2.16	1.50	1.45
4	M	401	BCL	O2A-CGA	2.14	1.39	1.33
4	L	302	BCL	C1D-C2D	-2.13	1.37	1.42
4	M	403	BCL	C4B-CHC	-2.11	1.35	1.41
4	L	301	BCL	C1D-C2D	-2.10	1.37	1.42
4	L	302	BCL	CMA-C3A	2.07	1.57	1.53
5	M	404	BPH	O2A-CGA	2.02	1.39	1.33
5	M	404	BPH	CHB-C1B	2.01	1.42	1.38
5	L	303	BPH	O2A-CGA	2.00	1.39	1.33

All (123) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	M	401	BCL	C1-C2-C3	9.63	142.34	126.75
8	M	406	SPO	C16-C17-C19	8.17	131.48	118.94
6	L	304	U10	C7-C6-C5	7.40	127.39	118.48
8	M	406	SPO	C18-C17-C19	-7.19	112.85	122.92
5	M	404	BPH	C4D-C3D-CAD	-6.92	103.49	107.87
5	L	303	BPH	C6-C5-C3	6.87	131.48	113.45
4	M	401	BCL	O2A-C1-C2	6.62	126.04	108.64
4	L	302	BCL	O2D-CGD-CBD	6.53	122.87	111.27
4	M	403	BCL	C4D-C3D-CAD	-6.05	105.10	108.47
6	L	304	U10	C1-C6-C5	-5.98	113.95	119.58
4	M	401	BCL	O2D-CGD-CBD	5.91	121.78	111.27

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	M	406	SPO	C20-C21-C22	-5.84	111.51	123.47
4	L	302	BCL	O1D-CGD-CBD	-5.53	113.17	124.48
4	L	302	BCL	C1C-NC-C4C	5.26	109.07	106.71
5	M	404	BPH	OBD-CAD-CBD	-5.25	118.39	125.89
4	L	301	BCL	C1-O2A-CGA	5.13	129.91	116.44
5	M	404	BPH	C1-C2-C3	4.98	134.81	126.75
4	L	302	BCL	C1D-CHD-C4C	-4.97	118.54	125.88
4	L	301	BCL	C4A-NA-C1A	-4.94	104.49	106.71
4	L	301	BCL	C1C-NC-C4C	4.90	108.91	106.71
4	M	403	BCL	O2D-CGD-CBD	4.71	119.64	111.27
6	M	405	U10	C17-C18-C19	-4.63	116.50	127.66
6	M	405	U10	C35-C34-C36	4.60	123.00	115.27
6	L	304	U10	C6-C1-C2	4.59	122.81	119.18
4	L	302	BCL	CHD-C4C-NC	4.48	130.05	125.08
5	M	404	BPH	C1-O2A-CGA	4.43	128.08	116.44
5	M	404	BPH	C1C-NC-C4C	-4.41	106.67	110.54
5	M	404	BPH	C5-C3-C4	-4.28	105.15	114.60
6	L	304	U10	C1M-C1-C6	-4.09	117.73	124.40
4	M	401	BCL	C1D-CHD-C4C	-4.01	119.97	125.88
8	M	406	SPO	C21-C22-C23	3.97	132.98	127.31
6	L	304	U10	O5-C5-C4	-3.92	112.62	120.93
4	M	401	BCL	C1C-NC-C4C	3.91	108.47	106.71
5	M	404	BPH	CHD-C4C-NC	-3.87	120.60	125.20
4	M	401	BCL	O2D-CGD-O1D	-3.79	116.43	123.84
5	M	404	BPH	CAC-C3C-C2C	-3.78	104.80	114.26
6	M	405	U10	C30-C29-C31	3.75	121.58	115.27
8	M	406	SPO	C2-C1-C4	-3.70	105.18	110.86
5	M	404	BPH	C3D-CAD-CBD	3.68	112.45	107.61
6	M	405	U10	C10-C9-C11	3.66	121.42	115.27
6	M	405	U10	C7-C8-C9	-3.61	120.79	126.79
5	M	404	BPH	O2D-CGD-CBD	3.53	117.54	111.27
4	L	302	BCL	C4A-NA-C1A	3.51	108.28	106.71
5	L	303	BPH	C1-O2A-CGA	-3.49	107.28	116.44
5	M	404	BPH	C4D-CHA-C1A	-3.48	121.92	130.51
6	L	304	U10	C4M-O4-C4	3.46	128.74	116.47
4	L	301	BCL	O2A-C1-C2	-3.44	99.60	108.64
6	L	304	U10	O2-C2-C3	-3.42	113.68	120.93
4	M	401	BCL	CHD-C4C-NC	3.41	128.86	125.08
5	L	303	BPH	C4D-CHA-C1A	-3.39	122.14	130.51
5	M	404	BPH	CMD-C2D-C3D	3.37	130.98	124.68
4	M	403	BCL	O2A-C1-C2	3.29	117.29	108.64
4	M	403	BCL	CHD-C4C-NC	3.26	128.70	125.08

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	M	403	BCL	O2D-CGD-O1D	-3.13	117.71	123.84
6	M	405	U10	C27-C28-C29	-3.11	120.17	127.66
4	M	403	BCL	CED-O2D-CGD	3.09	122.92	115.94
5	L	303	BPH	C4-C3-C5	-3.01	110.21	115.27
6	M	405	U10	C1M-C1-C6	-2.99	119.52	124.40
4	L	301	BCL	O2A-CGA-CBA	2.98	121.27	111.91
4	M	401	BCL	C1B-CHB-C4A	-2.95	124.28	130.12
4	L	302	BCL	C5-C3-C2	-2.94	115.17	121.12
4	M	401	BCL	O2A-CGA-CBA	2.91	121.05	111.91
4	M	403	BCL	C1-O2A-CGA	2.88	123.99	116.44
5	M	404	BPH	CAC-C3C-C4C	2.88	120.06	112.67
4	M	403	BCL	OBb-CAB-C3B	2.87	125.09	119.99
4	M	403	BCL	O2A-CGA-CBA	2.86	120.88	111.91
4	L	301	BCL	O2D-CGD-CBD	2.86	116.35	111.27
6	L	304	U10	C3M-O3-C3	2.86	126.59	116.47
4	M	403	BCL	O2A-CGA-O1A	-2.84	116.43	123.59
4	L	302	BCL	C3D-CAD-CBD	-2.80	103.92	107.61
4	L	302	BCL	C4D-C3D-CAD	2.74	110.00	108.47
6	M	405	U10	C25-C24-C26	2.73	119.86	115.27
6	M	405	U10	C15-C14-C16	2.72	119.85	115.27
5	L	303	BPH	CMD-C2D-C3D	2.66	129.65	124.68
4	M	403	BCL	CAC-C3C-C2C	-2.63	107.68	114.26
4	L	301	BCL	CAA-CBA-CGA	2.63	120.93	113.25
5	L	303	BPH	C11-C10-C8	2.60	124.32	115.92
5	M	404	BPH	C1B-NB-C4B	2.59	111.39	106.51
8	M	406	SPO	C24-C23-C25	2.57	122.13	118.08
5	M	404	BPH	C2B-C1B-NB	-2.57	105.92	109.79
4	L	302	BCL	CHB-C4A-NA	2.55	128.04	124.51
4	L	302	BCL	C4-C3-C5	2.53	119.53	115.27
4	M	401	BCL	O1A-CGA-CBA	-2.53	113.87	123.73
4	M	401	BCL	OBd-CAD-CBD	2.53	129.50	125.89
5	M	404	BPH	CMB-C2B-C1B	2.52	128.95	125.06
4	L	302	BCL	OBd-CAD-CBD	2.49	129.45	125.89
4	M	403	BCL	CGD-CBD-CAD	-2.48	102.72	110.73
5	M	404	BPH	C2A-C1A-NA	2.47	114.70	111.86
4	L	302	BCL	C3C-C4C-CHD	-2.46	118.14	123.39
4	L	302	BCL	O2A-CGA-CBA	2.45	119.61	111.91
4	L	302	BCL	CHC-C1C-NC	2.44	127.89	124.51
4	M	401	BCL	CBC-CAC-C3C	-2.44	108.03	113.47
4	M	403	BCL	C7-C6-C5	-2.38	106.89	113.36
4	M	403	BCL	C6-C5-C3	-2.37	107.24	113.45
5	M	404	BPH	C3A-C2A-C1A	-2.37	98.82	101.64

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	M	406	SPO	C29-C28-C30	2.36	118.68	115.98
8	M	406	SPO	C10-C9-C7	2.35	130.67	127.31
5	L	303	BPH	C4D-C3D-CAD	-2.34	106.39	107.87
6	M	405	U10	C4M-O4-C4	2.33	124.73	116.47
4	M	403	BCL	C11-C10-C8	-2.32	108.42	115.92
4	L	301	BCL	CHD-C4C-NC	2.30	127.64	125.08
4	M	403	BCL	C1D-CHD-C4C	-2.29	122.50	125.88
6	L	304	U10	C4-C3-C2	-2.29	116.19	120.68
4	L	301	BCL	CMB-C2B-C1B	-2.27	124.98	128.46
4	L	301	BCL	O2A-CGA-O1A	-2.24	117.94	123.59
8	M	406	SPO	C20-C19-C17	2.23	130.49	127.31
4	L	301	BCL	C14-C13-C15	-2.22	103.27	111.29
4	M	401	BCL	CHB-C4A-NA	2.21	127.57	124.51
4	M	403	BCL	CAA-C2A-C3A	-2.19	106.78	112.78
4	M	403	BCL	CHB-C4A-NA	2.18	127.53	124.51
5	M	404	BPH	C5-C3-C2	2.16	128.90	122.65
8	M	406	SPO	C21-C20-C19	2.15	127.88	123.47
4	M	401	BCL	C4-C3-C2	-2.14	116.47	122.65
5	M	404	BPH	C3A-C4A-CHB	2.11	125.47	121.83
4	M	401	BCL	CAA-C2A-C1A	2.09	118.84	111.97
5	L	303	BPH	C1B-NB-C4B	2.08	110.43	106.51
4	L	301	BCL	C1D-CHD-C4C	-2.06	122.83	125.88
8	M	406	SPO	C15-C16-C17	-2.04	120.68	126.42
5	L	303	BPH	OBB-CAB-CBB	-2.04	115.21	119.73
6	M	405	U10	C37-C36-C34	2.02	119.63	112.98
5	L	303	BPH	OBB-CAB-C3B	2.02	124.14	120.41
4	L	301	BCL	OBB-CAB-CBB	-2.01	115.66	120.17
8	M	406	SPO	C26-C25-C23	2.00	132.04	126.42

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	L	303	BPH	C8
5	L	303	BPH	C13

All (62) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	M	405	U10	C24-C26-C27-C28
6	M	405	U10	C27-C28-C29-C30
6	M	405	U10	C27-C28-C29-C31
6	M	405	U10	C32-C33-C34-C36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
8	M	406	SPO	C2-C1-C4-C5
8	M	406	SPO	C3-C1-C4-C5
8	M	406	SPO	C22-C23-C25-C26
8	M	406	SPO	C24-C23-C25-C26
4	M	401	BCL	O2A-C1-C2-C3
5	L	303	BPH	O2A-C1-C2-C3
6	L	304	U10	C1-C6-C7-C8
6	M	405	U10	C37-C38-C39-C40
6	M	405	U10	C37-C38-C39-C41
6	M	405	U10	C32-C33-C34-C35
5	M	404	BPH	CBA-CGA-O2A-C1
5	L	303	BPH	C14-C13-C15-C16
5	L	303	BPH	C5-C6-C7-C8
5	L	303	BPH	C11-C12-C13-C15
5	M	404	BPH	O1A-CGA-O2A-C1
4	M	403	BCL	C16-C17-C18-C20
6	M	405	U10	C28-C29-C31-C32
5	L	303	BPH	C11-C10-C8-C7
4	L	301	BCL	C15-C16-C17-C18
4	M	403	BCL	C16-C17-C18-C19
4	M	403	BCL	C13-C15-C16-C17
6	M	405	U10	C30-C29-C31-C32
4	L	302	BCL	C13-C15-C16-C17
6	M	405	U10	C14-C16-C17-C18
5	L	303	BPH	C4-C3-C5-C6
6	L	304	U10	C5-C6-C7-C8
5	L	303	BPH	C2-C3-C5-C6
6	L	304	U10	C6-C7-C8-C9
5	M	404	BPH	CAD-CBD-CGD-O2D
4	M	401	BCL	CAD-CBD-CGD-O2D
5	L	303	BPH	CAD-CBD-CGD-O2D
4	L	302	BCL	C3-C5-C6-C7
8	M	406	SPO	C27-C28-C30-C31
8	M	406	SPO	C1-C4-C5-C6
4	L	302	BCL	C15-C16-C17-C18
6	M	405	U10	C29-C31-C32-C33
8	M	406	SPO	C2-C1-O1-CM1
5	L	303	BPH	C11-C10-C8-C9
6	M	405	U10	C5-C4-O4-C4M
6	M	405	U10	C20-C19-C21-C22
8	M	406	SPO	C25-C26-C27-C28
8	M	406	SPO	C18-C17-C19-C20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
6	L	304	U10	C5-C4-O4-C4M
5	M	404	BPH	C2C-C3C-CAC-CBC
8	M	406	SPO	C29-C28-C30-C31
4	L	301	BCL	C16-C17-C18-C20
8	M	406	SPO	C4-C1-O1-CM1
4	L	302	BCL	C16-C17-C18-C19
6	M	405	U10	C18-C19-C21-C22
4	M	403	BCL	CAD-CBD-CGD-O2D
4	L	301	BCL	CAD-CBD-CGD-O2D
5	L	303	BPH	C10-C11-C12-C13
8	M	406	SPO	C3-C1-O1-CM1
8	M	406	SPO	C16-C17-C19-C20
4	M	403	BCL	CAA-CBA-CGA-O2A
6	L	304	U10	C2-C3-O3-C3M
5	L	303	BPH	C12-C13-C15-C16
6	M	405	U10	C3-C4-O4-C4M


There are no ring outliers.

9 monomers are involved in 56 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	M	403	BCL	16	0
6	L	304	U10	6	0
6	M	405	U10	6	0
8	M	406	SPO	6	0
5	L	303	BPH	8	0
4	L	301	BCL	7	0
5	M	404	BPH	5	0
4	M	401	BCL	7	0
4	L	302	BCL	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient


equivalents in the CSD to analyse the geometry.




## Ligand U10 M 405




## Ligand SPO M 406




## Ligand BPH L 303




## Ligand BCL L 301




## Ligand BPH M 404



## Ligand BCL M 401







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	L	280/281 (99%)	-0.61	4 (1%) 75 73	33, 47, 84, 90	0
2	M	301/313 (96%)	-0.71	2 (0%) 87 86	33, 47, 77, 86	0
3	H	238/260 (91%)	-0.59	3 (1%) 77 75	35, 47, 62, 77	0
All	All	819/854 (95%)	-0.64	9 (1%) 80 78	33, 47, 77, 90	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	M	1	ALA	5.6
3	H	246	PRO	3.5
1	L	276	PRO	3.2
1	L	277	GLY	2.8
1	L	72	GLU	2.4
3	H	245	ALA	2.4
1	L	270	PRO	2.1
2	M	301	HIS	2.1
3	H	80	SER	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	U10	L	304	16/63	0.84	0.27	57,71,81,90	0
8	SPO	M	406	33/42	0.91	0.20	54,63,94,95	0
6	U10	M	405	48/63	0.93	0.15	36,46,80,82	0
5	BPH	M	404	50/65	0.96	0.10	35,45,59,68	0
4	BCL	M	401	51/66	0.96	0.12	34,40,57,65	0
4	BCL	L	301	66/66	0.96	0.16	35,45,51,56	0
4	BCL	M	403	66/66	0.96	0.16	34,45,63,69	0
5	BPH	L	303	65/65	0.97	0.12	24,37,47,51	0
4	BCL	L	302	66/66	0.98	0.07	23,33,58,66	0
7	FE	M	402	1/1	0.99	0.08	40,40,40,40	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around U10 L 304:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SPO M 406:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around U10 M 405:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around BPH M 404:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around BCL M 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around BCL L 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around BCL M 403:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around BPH L 303:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around BCL L 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.