



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 8, 2020 – 01:58 PM BST

PDB ID : 6HG5
Title : Influenza A virus N6 neuraminidase complex with Oseltamivir (Duck/England/56).
Authors : Salinger, M.T.; Hobbs, J.R.; Murray, J.W.; Laver, W.G.; Kuhn, P.; Garman, E.F.
Deposited on : 2018-08-22
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3398 (1.60-1.60)
Clashscore	141614	3665 (1.60-1.60)
Ramachandran outliers	138981	3564 (1.60-1.60)
Sidechain outliers	138945	3563 (1.60-1.60)
RSRZ outliers	127900	3321 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	389	
1	B	389	
1	C	389	
1	D	389	
2	E	2	
2	G	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	I	2	 100%
2	K	2	 100%
3	F	7	 100%
3	H	7	 57% 43%
4	J	6	 100%
4	L	6	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
9	CO2	D	514	-	-	X	-

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 15100 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neuraminidase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	389	Total	C	N	O	S	0	22	0
			3189	1980	570	605	34			
1	B	389	Total	C	N	O	S	0	23	0
			3195	1988	568	606	33			
1	C	389	Total	C	N	O	S	0	19	0
			3135	1956	556	593	30			
1	D	389	Total	C	N	O	S	0	18	0
			3148	1961	561	594	32			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	G	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	K	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	F	7	Total	C	N	O	0	0	0
			83	46	2	35			
3	H	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	J	6	Total	C	N	O	0	0	0
			72	40	2	30			
4	L	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is (3R,4R,5S)-4-(acetylamino)-5-amino-3-(pentan-3-yloxy)cyclohex-1-ene-1-carboxylic acid (three-letter code: G39) (formula: C₁₄H₂₄N₂O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			20	14	2	4		
6	B	1	Total	C	N	O	0	0
			20	14	2	4		
6	C	1	Total	C	N	O	0	0
			20	14	2	4		
6	D	1	Total	C	N	O	0	0
			20	14	2	4		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	C	1	Total	C	O	0	0
			6	3	3		
7	C	1	Total	C	O	0	0
			6	3	3		
7	D	1	Total	C	O	0	0
			6	3	3		
7	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	1	Total	Ca	0	0
			1	1		
8	A	1	Total	Ca	0	0
			1	1		
8	D	1	Total	Ca	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	C	1	Total	Ca	0	0
			1	1		

- Molecule 9 is CARBON DIOXIDE (three-letter code: CO₂) (formula: CO₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	D	1	Total	C	O	0	0
			3	1	2		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	454	Total	O	0	0
			454	454		
10	B	466	Total	O	0	0
			466	466		
10	C	463	Total	O	0	0
			463	463		
10	D	444	Total	O	0	1
			445	445		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Neuraminidase




• Molecule 1: Neuraminidase




• Molecule 1: Neuraminidase




• Molecule 1: Neuraminidase





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%



- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%



- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  57%  43%



- Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%



- Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	106.21Å 75.18Å 106.39Å 90.00° 90.52° 90.00°	Depositor
Resolution (Å)	61.47 – 1.60 61.40 – 1.60	Depositor EDS
% Data completeness (in resolution range)	97.8 (61.47-1.60) 97.8 (61.40-1.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.18 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.8.0230	Depositor
R, R_{free}	0.133 , 0.158 0.146 , 0.168	Depositor DCC
R_{free} test set	10772 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	9.0	Xtriage
Anisotropy	0.126	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 49.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.001 for l,k,-h 0.013 for h,-k,-l 0.012 for l,-k,h	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	15100	wwPDB-VP
Average B, all atoms (Å ²)	12.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CO2, NAG, G39, CA, BMA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.86	4/3266 (0.1%)	1.00	12/4427 (0.3%)
1	B	0.90	4/3275 (0.1%)	1.01	10/4437 (0.2%)
1	C	0.92	6/3231 (0.2%)	1.02	10/4381 (0.2%)
1	D	0.93	6/3234 (0.2%)	1.02	7/4383 (0.2%)
All	All	0.91	20/13006 (0.2%)	1.01	39/17628 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	2
1	C	0	2
1	D	0	4
All	All	0	11

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	369[A]	LYS	C-O	-8.68	1.06	1.23
1	B	369[B]	LYS	C-O	-8.68	1.06	1.23
1	B	369[C]	LYS	C-O	-8.68	1.06	1.23
1	C	162	GLU	CD-OE1	7.44	1.33	1.25
1	B	119	GLU	CD-OE1	6.49	1.32	1.25
1	C	470	GLU	CD-OE2	-6.26	1.18	1.25
1	D	465[A]	GLU	CD-OE2	6.07	1.32	1.25
1	D	465[B]	GLU	CD-OE2	6.07	1.32	1.25
1	A	465[A]	GLU	CD-OE2	5.97	1.32	1.25
1	A	465[B]	GLU	CD-OE2	5.97	1.32	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	309	GLU	CD-OE2	-5.83	1.19	1.25
1	C	465[B]	GLU	CD-OE2	5.79	1.32	1.25
1	C	465[C]	GLU	CD-OE2	5.79	1.32	1.25
1	C	376	GLU	CD-OE2	5.26	1.31	1.25
1	D	359[A]	GLU	N-CA	5.22	1.56	1.46
1	D	359[B]	GLU	N-CA	5.22	1.56	1.46
1	A	101	SER	CA-CB	-5.08	1.45	1.52
1	A	368	SER	CA-CB	-5.08	1.45	1.52
1	D	465[A]	GLU	CD-OE1	5.06	1.31	1.25
1	D	465[B]	GLU	CD-OE1	5.06	1.31	1.25

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	250	ARG	NE-CZ-NH1	11.69	126.14	120.30
1	D	250	ARG	NE-CZ-NH2	-9.77	115.41	120.30
1	C	156	ARG	NE-CZ-NH2	8.57	124.58	120.30
1	C	156	ARG	NE-CZ-NH1	-8.27	116.17	120.30
1	B	152	ARG	NE-CZ-NH2	-8.16	116.22	120.30
1	C	293	ARG	NE-CZ-NH2	-7.96	116.32	120.30
1	C	118	ARG	NE-CZ-NH1	-7.43	116.58	120.30
1	B	468	TYR	CB-CG-CD1	6.83	125.10	121.00
1	B	173	ARG	NE-CZ-NH2	6.71	123.66	120.30
1	C	328	ARG	NE-CZ-NH2	-6.69	116.96	120.30
1	A	310[A]	MET	CG-SD-CE	6.66	110.86	100.20
1	A	310[B]	MET	CG-SD-CE	6.66	110.86	100.20
1	D	430	ARG	NE-CZ-NH2	-6.57	117.02	120.30
1	A	211	ARG	CD-NE-CZ	6.25	132.35	123.60
1	A	111	ASP	CB-CG-OD1	-6.23	112.69	118.30
1	A	293	ARG	NE-CZ-NH2	-6.15	117.23	120.30
1	B	250	ARG	NE-CZ-NH1	-6.03	117.28	120.30
1	B	190	ARG	NE-CZ-NH1	-5.89	117.36	120.30
1	A	372	ARG	NE-CZ-NH1	-5.81	117.39	120.30
1	A	454	ARG	NE-CZ-NH1	-5.76	117.42	120.30
1	C	346	PRO	N-CA-CB	-5.71	96.32	102.60
1	A	468	TYR	CB-CG-CD1	5.70	124.42	121.00
1	B	173	ARG	NE-CZ-NH1	-5.57	117.51	120.30
1	B	143[A]	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	B	143[B]	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	D	359[A]	GLU	CB-CA-C	5.40	121.19	110.40
1	D	359[B]	GLU	CB-CA-C	5.40	121.19	110.40
1	A	173	ARG	NE-CZ-NH1	5.39	122.99	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	118	ARG	NE-CZ-NH1	-5.30	117.65	120.30
1	B	156	ARG	NE-CZ-NH1	-5.20	117.70	120.30
1	D	328	ARG	NE-CZ-NH2	-5.14	117.73	120.30
1	A	190	ARG	NE-CZ-NH1	-5.14	117.73	120.30
1	C	111	ASP	CB-CG-OD1	-5.11	113.71	118.30
1	D	365	ARG	NE-CZ-NH1	5.09	122.85	120.30
1	A	190	ARG	NE-CZ-NH2	5.06	122.83	120.30
1	C	454[A]	ARG	CG-CD-NE	5.02	122.34	111.80
1	C	454[B]	ARG	CG-CD-NE	5.02	122.34	111.80
1	A	118	ARG	NE-CZ-NH1	-5.02	117.79	120.30
1	C	372	ARG	NE-CZ-NH2	-5.00	117.80	120.30

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	250	ARG	Sidechain
1	A	454	ARG	Sidechain
1	A	82[A]	ARG	Sidechain
1	B	432	ARG	Sidechain
1	B	454	ARG	Sidechain
1	C	250[A]	ARG	Sidechain
1	C	432	ARG	Sidechain
1	D	211[A]	ARG	Sidechain
1	D	365	ARG	Sidechain
1	D	432[A]	ARG	Sidechain
1	D	454	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3189	0	3046	51	0
1	B	3195	0	3065	33	0
1	C	3135	0	3034	47	0
1	D	3148	0	3024	33	0
2	E	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	G	28	0	25	0	0
2	I	28	0	25	0	0
2	K	28	0	25	0	0
3	F	83	0	70	0	0
3	H	83	0	70	6	0
4	J	72	0	61	0	0
4	L	72	0	61	0	0
5	A	14	0	13	0	0
5	C	14	0	13	2	0
5	D	14	0	13	1	0
6	A	20	0	23	0	0
6	B	20	0	23	0	0
6	C	20	0	23	0	0
6	D	20	0	23	0	0
7	A	6	0	8	0	0
7	B	24	0	32	3	0
7	C	12	0	16	0	0
7	D	12	0	16	1	0
8	A	1	0	0	0	0
8	B	1	0	0	0	0
8	C	1	0	0	0	0
8	D	1	0	0	0	0
9	D	3	0	0	4	0
10	A	454	0	0	9	0
10	B	466	0	0	12	0
10	C	463	0	0	18	0
10	D	445	0	0	7	0
All	All	15100	0	12734	167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:319:CYS:SG	1:B:337[B]:CYS:HB3	1.77	1.23
10:A:748:HOH:O	1:C:454[A]:ARG:HD2	1.38	1.18
1:D:82:ARG:NH2	1:D:127:GLN:HE22	1.44	1.13
1:C:369[B]:LYS:HD3	10:C:814:HOH:O	1.47	1.12
1:D:319:CYS:SG	1:D:337[C]:CYS:HB3	1.93	1.08
1:D:418:GLU:OE2	9:D:514:CO2:O2	1.71	1.06

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:418:GLU:OE2	9:D:514:CO2:C	2.05	1.05
1:B:454:ARG:HD2	10:B:742:HOH:O	1.56	1.04
1:A:319[B]:CYS:SG	1:A:337[B]:CYS:HB3	1.97	1.04
1:A:176[B]:CYS:SG	1:A:194[B]:CYS:HB2	2.00	1.02
1:D:82:ARG:NH2	1:D:127:GLN:NE2	2.09	1.00
1:D:82:ARG:HH21	1:D:127:GLN:NE2	1.60	0.99
1:A:176[B]:CYS:SG	1:A:194[B]:CYS:CB	2.56	0.94
1:B:465[B]:GLU:OE2	1:B:467[B]:ILE:HG23	1.68	0.92
1:C:444:SER:C	1:C:445[B]:ILE:HD12	1.91	0.91
1:B:87:LEU:H	1:B:234:HIS:HD2	1.20	0.90
1:A:144:HIS:HE1	1:C:465[B]:GLU:H	1.18	0.89
1:D:417[B]:LYS:HE3	10:D:914:HOH:O	1.73	0.88
1:C:82:ARG:NH2	1:C:127[A]:GLN:OE1	2.06	0.88
1:C:87:LEU:H	1:C:234:HIS:HD2	1.19	0.88
1:D:87:LEU:H	1:D:234:HIS:HD2	1.20	0.88
1:A:82[B]:ARG:NH1	1:A:127:GLN:NE2	2.22	0.87
10:A:748:HOH:O	1:C:454[B]:ARG:HG3	1.74	0.86
1:D:82:ARG:HH21	1:D:127:GLN:HE22	0.93	0.86
1:A:144:HIS:HE1	1:C:465[C]:GLU:H	1.19	0.85
1:C:88[A]:THR:HG22	10:C:971:HOH:O	1.76	0.85
1:A:87:LEU:H	1:A:234:HIS:HD2	1.23	0.84
1:B:82:ARG:HH22	1:B:127:GLN:HE22	1.24	0.84
1:A:82[B]:ARG:HH11	1:A:127:GLN:NE2	1.76	0.83
1:A:82[B]:ARG:NH1	1:A:127:GLN:HE22	1.76	0.83
1:B:319:CYS:SG	1:B:337[B]:CYS:CB	2.52	0.80
1:D:227:GLN:HE21	1:D:241:VAL:H	1.27	0.79
1:B:234:HIS:HE1	1:B:309:GLU:OE2	1.67	0.77
1:A:227:GLN:HE21	1:A:241:VAL:H	1.32	0.77
1:A:82[B]:ARG:HH11	1:A:127:GLN:HE22	1.29	0.76
1:D:176[B]:CYS:SG	1:D:177:ILE:N	2.48	0.76
1:C:227:GLN:HE21	1:C:241:VAL:H	1.33	0.75
1:B:87:LEU:H	1:B:234:HIS:CD2	2.05	0.75
1:A:87:LEU:H	1:A:234:HIS:CD2	2.05	0.75
7:B:514:GOL:H11	10:B:921:HOH:O	1.86	0.74
1:C:249:ASN:ND2	10:C:601:HOH:O	2.20	0.74
1:D:87:LEU:H	1:D:234:HIS:CD2	2.05	0.71
7:B:514:GOL:C1	10:B:921:HOH:O	2.38	0.71
1:C:87:LEU:H	1:C:234:HIS:CD2	2.05	0.71
1:A:176[B]:CYS:SG	1:A:194[B]:CYS:HB3	2.31	0.71
1:A:319[B]:CYS:SG	1:A:337[B]:CYS:CB	2.79	0.71
1:A:454:ARG:NH1	3:H:1:NAG:H3	2.06	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:227:GLN:HE21	1:B:241:VAL:H	1.37	0.70
1:A:144:HIS:CE1	1:C:465[B]:GLU:H	2.07	0.69
1:A:319[B]:CYS:HG	1:A:337[B]:CYS:HB3	1.57	0.68
1:B:176:CYS:SG	1:B:194[B]:CYS:HB2	2.32	0.68
1:D:418:GLU:CD	9:D:514:CO2:C	2.62	0.68
1:C:176[B]:CYS:SG	1:C:194[B]:CYS:CB	2.82	0.68
1:A:144:HIS:CE1	1:C:465[C]:GLU:H	2.07	0.67
10:C:636:HOH:O	1:D:454:ARG:HD2	1.94	0.67
1:A:319[B]:CYS:HG	1:A:337[B]:CYS:CB	2.07	0.67
1:A:459:SER:OG	1:A:461:HIS:HD2	1.79	0.65
1:A:454:ARG:HH12	3:H:1:NAG:H3	1.60	0.65
1:A:455:LEU:O	3:H:1:NAG:H62	1.96	0.65
1:A:234:HIS:HE1	1:A:309:GLU:OE2	1.80	0.65
1:B:330:ASN:OD1	1:B:369[C]:LYS:HE3	1.97	0.64
1:C:165:GLN:NE2	1:C:171:ASN:HD22	1.96	0.64
1:B:459:SER:OG	1:B:461:HIS:HD2	1.81	0.64
1:C:445[B]:ILE:HD13	10:C:663:HOH:O	1.96	0.64
1:B:82:ARG:HH22	1:B:127:GLN:NE2	1.94	0.63
1:C:459:SER:OG	1:C:461:HIS:HD2	1.81	0.63
1:B:241:VAL:HG22	1:B:255[A]:ILE:HD12	1.81	0.63
1:C:176[B]:CYS:SG	1:C:194[B]:CYS:HB2	2.39	0.63
1:B:275:HIS:HD2	1:B:295:ASN:H	1.47	0.62
1:D:234:HIS:HE1	1:D:309:GLU:OE1	1.82	0.62
1:C:454[A]:ARG:NH2	10:C:604:HOH:O	2.31	0.62
1:A:417[B]:LYS:HE3	10:A:917:HOH:O	1.99	0.62
1:C:176[B]:CYS:SG	1:C:194[B]:CYS:HB3	2.40	0.62
1:B:467[B]:ILE:HD11	10:B:1022:HOH:O	2.00	0.60
1:D:275:HIS:HD2	1:D:295:ASN:H	1.47	0.60
1:C:275:HIS:HD2	1:C:295:ASN:H	1.50	0.59
1:B:369[C]:LYS:NZ	1:B:369[C]:LYS:HB3	2.16	0.59
1:B:262[A]:LYS:NZ	10:B:602:HOH:O	2.35	0.59
1:C:248:ASN:CG	10:C:603:HOH:O	2.42	0.58
1:C:345:SER:CB	10:C:611:HOH:O	2.51	0.58
1:C:369[B]:LYS:CD	10:C:814:HOH:O	2.23	0.58
1:A:417[B]:LYS:CE	10:A:917:HOH:O	2.52	0.58
1:D:262[A]:LYS:NZ	10:D:602:HOH:O	2.39	0.56
1:A:82[A]:ARG:HH12	1:A:127:GLN:HE22	1.53	0.56
1:C:454[B]:ARG:CD	10:C:607:HOH:O	2.54	0.56
7:B:513:GOL:H11	10:B:942:HOH:O	2.06	0.56
1:A:336:ASN:HD22	1:A:336:ASN:C	2.09	0.56
10:B:913:HOH:O	1:D:113:HIS:CE1	2.58	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:345:SER:HB2	10:C:611:HOH:O	2.06	0.55
1:C:454[B]:ARG:HD3	10:C:607:HOH:O	2.07	0.55
1:A:279:CYS:HB3	1:A:290:CYS:HB3	1.89	0.54
1:B:113:HIS:CE1	10:B:913:HOH:O	2.61	0.53
10:C:739:HOH:O	1:D:417[A]:LYS:HE3	2.09	0.53
1:A:87:LEU:N	1:A:234:HIS:HD2	2.00	0.53
1:A:144:HIS:HE1	1:C:465[C]:GLU:N	1.98	0.53
1:C:445[B]:ILE:HD11	10:C:877:HOH:O	2.08	0.53
1:A:379:LYS:N	1:A:393[C]:SER:O	2.33	0.53
1:A:461:HIS:CD2	1:A:461:HIS:H	2.26	0.53
1:B:369[C]:LYS:HZ3	1:B:369[C]:LYS:HB3	1.72	0.53
1:A:275:HIS:HD2	1:A:295:ASN:H	1.57	0.52
1:D:418:GLU:OE1	9:D:514:CO2:C	2.57	0.52
1:A:461:HIS:HE1	10:A:996:HOH:O	1.92	0.52
1:C:234:HIS:HE1	1:C:309:GLU:OE1	1.92	0.52
10:B:604:HOH:O	3:H:7:MAN:C3	2.58	0.52
1:B:82:ARG:NH2	1:B:127:GLN:HE22	2.01	0.52
1:C:444:SER:O	1:C:445[B]:ILE:HD12	2.09	0.51
1:B:369[C]:LYS:NZ	1:B:369[C]:LYS:CB	2.72	0.51
10:B:604:HOH:O	3:H:7:MAN:H3	2.10	0.51
1:D:212:PRO:HB2	10:D:614:HOH:O	2.11	0.51
1:B:461:HIS:CD2	1:B:461:HIS:H	2.27	0.50
1:C:454[B]:ARG:NH2	10:C:607:HOH:O	2.40	0.50
1:C:165:GLN:HE21	1:C:171:ASN:HD22	1.58	0.50
1:C:461:HIS:HE1	10:C:1002:HOH:O	1.94	0.49
1:B:118:ARG:HA	1:B:443:ASN:ND2	2.29	0.48
1:D:227:GLN:NE2	1:D:241:VAL:H	2.05	0.48
1:D:275:HIS:CD2	1:D:295:ASN:H	2.31	0.48
1:A:113:HIS:CE1	10:B:913:HOH:O	2.66	0.48
1:C:443:ASN:OD1	1:C:445[B]:ILE:HD11	2.15	0.47
1:C:461:HIS:CD2	1:C:461:HIS:H	2.31	0.47
1:D:369[B]:LYS:HB2	1:D:369[B]:LYS:NZ	2.29	0.47
1:A:150:HIS:HD2	10:A:1015:HOH:O	1.98	0.46
1:B:275:HIS:CD2	1:B:295:ASN:H	2.32	0.46
1:B:125:ASP:HB2	1:B:126:PRO:CD	2.46	0.46
1:C:176[B]:CYS:HB3	1:C:194[B]:CYS:HB2	1.97	0.46
1:D:214:THR:HG23	10:D:871[B]:HOH:O	2.16	0.46
1:A:432[B]:ARG:HD3	10:A:982:HOH:O	2.17	0.45
1:D:454:ARG:HD3	10:D:628:HOH:O	2.17	0.45
1:A:411:ILE:HB	1:A:413:TYR:CZ	2.52	0.45
10:B:913:HOH:O	1:C:113:HIS:CE1	2.70	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:121:TYR:CG	1:B:229:SER:HA	2.52	0.45
1:A:378:LEU:HA	1:A:393[C]:SER:O	2.17	0.44
1:A:176[B]:CYS:CB	1:A:194[B]:CYS:HB2	2.47	0.44
1:A:319[B]:CYS:SG	1:A:337[B]:CYS:SG	3.15	0.44
1:D:121:TYR:CG	1:D:229:SER:HA	2.53	0.44
1:A:124:CYS:HA	1:A:129[A]:CYS:HA	2.00	0.44
5:D:501:NAG:H82	10:D:876:HOH:O	2.18	0.43
1:C:369[B]:LYS:HE2	1:C:369[B]:LYS:HB2	1.87	0.43
1:A:212:PRO:HB2	10:A:630:HOH:O	2.19	0.43
1:A:297:LYS:HB2	10:A:723:HOH:O	2.19	0.43
1:D:273:ALA:O	7:D:511:GOL:H2	2.19	0.43
1:D:316:LYS:HB2	1:D:337[A]:CYS:O	2.19	0.42
1:B:465[B]:GLU:CG	1:B:467[B]:ILE:HG12	2.50	0.42
1:A:452[B]:LYS:HB2	1:A:452[B]:LYS:HE3	1.49	0.42
1:A:318:LEU:HD21	1:A:356:LEU:HD21	2.02	0.41
1:B:467[B]:ILE:HD11	10:D:896:HOH:O	2.19	0.41
1:B:316:LYS:HB2	1:B:337[B]:CYS:O	2.21	0.41
1:D:411:ILE:HB	1:D:413:TYR:CZ	2.55	0.41
1:B:219:TRP:CE2	1:B:254[B]:LYS:HE2	2.55	0.41
1:C:275:HIS:CD2	1:C:295:ASN:H	2.33	0.41
1:C:121:TYR:CG	1:C:229:SER:HA	2.56	0.41
1:D:118:ARG:HA	1:D:443:ASN:ND2	2.35	0.41
1:A:465[A]:GLU:OE2	1:A:467[A]:ILE:HG13	2.21	0.41
1:C:125:ASP:HB2	1:C:126:PRO:CD	2.51	0.41
1:C:82:ARG:HD3	1:C:187:GLY:O	2.20	0.41
1:B:124:CYS:HA	1:B:129[A]:CYS:HA	2.02	0.41
1:B:318:LEU:HA	1:B:318:LEU:HD23	1.89	0.41
5:C:501:NAG:C6	10:C:1001:HOH:O	2.69	0.41
1:D:318[A]:LEU:HA	1:D:318[A]:LEU:HD23	1.88	0.41
5:C:501:NAG:H62	10:C:1001:HOH:O	2.21	0.40
1:C:198:PRO:HD3	1:D:458[A]:TRP:HB3	2.03	0.40
1:C:443:ASN:OD1	1:C:445[B]:ILE:CD1	2.70	0.40
3:H:1:NAG:H61	3:H:2:NAG:C7	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	409/389 (105%)	393 (96%)	16 (4%)	0	100	100
1	B	412/389 (106%)	401 (97%)	11 (3%)	0	100	100
1	C	406/389 (104%)	391 (96%)	15 (4%)	0	100	100
1	D	405/389 (104%)	391 (96%)	14 (4%)	0	100	100
All	All	1632/1556 (105%)	1576 (97%)	56 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	354/331 (107%)	349 (99%)	5 (1%)	67	47
1	B	356/331 (108%)	354 (99%)	2 (1%)	86	77
1	C	350/331 (106%)	349 (100%)	1 (0%)	92	87
1	D	349/331 (105%)	345 (99%)	4 (1%)	73	57
All	All	1409/1324 (106%)	1397 (99%)	12 (1%)	86	65

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	310[A]	MET
1	A	310[B]	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	336	ASN
1	A	458[A]	TRP
1	A	458[B]	TRP
1	B	458[A]	TRP
1	B	458[B]	TRP
1	C	458	TRP
1	D	418	GLU
1	D	454	ARG
1	D	458[A]	TRP
1	D	458[B]	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (37) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	127	GLN
1	A	144	HIS
1	A	150	HIS
1	A	227	GLN
1	A	234	HIS
1	A	275	HIS
1	A	336	ASN
1	A	402	ASN
1	A	443	ASN
1	A	461	HIS
1	B	86	ASN
1	B	127	GLN
1	B	227	GLN
1	B	234	HIS
1	B	264	GLN
1	B	275	HIS
1	B	402	ASN
1	B	416	ASN
1	B	443	ASN
1	B	461	HIS
1	C	165	GLN
1	C	227	GLN
1	C	234	HIS
1	C	275	HIS
1	C	334	ASN
1	C	400	ASN
1	C	402	ASN
1	C	416	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	421	ASN
1	C	461	HIS
1	D	127	GLN
1	D	150	HIS
1	D	227	GLN
1	D	234	HIS
1	D	275	HIS
1	D	416	ASN
1	D	443	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

34 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	E	1	1,2	14,14,15	1.14	0	17,19,21	1.22	2 (11%)
2	NAG	E	2	2	14,14,15	0.79	0	17,19,21	1.94	4 (23%)
3	NAG	F	1	1,3	14,14,15	1.68	3 (21%)	17,19,21	2.45	4 (23%)
3	NAG	F	2	3	14,14,15	0.68	0	17,19,21	1.74	4 (23%)
3	BMA	F	3	3	11,11,12	1.09	0	15,15,17	1.55	2 (13%)
3	MAN	F	4	3	11,11,12	2.10	3 (27%)	15,15,17	1.26	2 (13%)
3	MAN	F	5	3	11,11,12	0.93	0	15,15,17	1.49	3 (20%)
3	MAN	F	6	3	11,11,12	1.44	3 (27%)	15,15,17	2.40	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MAN	F	7	3	11,11,12	2.05	3 (27%)	15,15,17	1.71	4 (26%)
2	NAG	G	1	1,2	14,14,15	1.35	2 (14%)	17,19,21	1.19	2 (11%)
2	NAG	G	2	2	14,14,15	0.96	0	17,19,21	1.55	4 (23%)
3	NAG	H	1	1,3	14,14,15	1.47	3 (21%)	17,19,21	2.91	7 (41%)
3	NAG	H	2	3	14,14,15	1.66	4 (28%)	17,19,21	2.10	6 (35%)
3	BMA	H	3	3	11,11,12	0.83	0	15,15,17	1.74	4 (26%)
3	MAN	H	4	3	11,11,12	1.86	2 (18%)	15,15,17	2.05	4 (26%)
3	MAN	H	5	3	11,11,12	1.07	1 (9%)	15,15,17	1.41	3 (20%)
3	MAN	H	6	3	11,11,12	2.77	4 (36%)	15,15,17	2.16	7 (46%)
3	MAN	H	7	3	11,11,12	1.16	1 (9%)	15,15,17	2.43	4 (26%)
2	NAG	I	1	1,2	14,14,15	1.39	3 (21%)	17,19,21	1.77	3 (17%)
2	NAG	I	2	2	14,14,15	1.38	2 (14%)	17,19,21	1.78	5 (29%)
4	NAG	J	1	1,4	14,14,15	1.18	1 (7%)	17,19,21	2.34	6 (35%)
4	NAG	J	2	4	14,14,15	1.69	5 (35%)	17,19,21	1.63	5 (29%)
4	BMA	J	3	4	11,11,12	0.89	0	15,15,17	2.16	6 (40%)
4	MAN	J	4	4	11,11,12	1.27	1 (9%)	15,15,17	1.37	1 (6%)
4	MAN	J	5	4	11,11,12	1.24	0	15,15,17	1.69	4 (26%)
4	MAN	J	6	4	11,11,12	1.51	2 (18%)	15,15,17	2.54	6 (40%)
2	NAG	K	1	1,2	14,14,15	1.41	3 (21%)	17,19,21	1.37	2 (11%)
2	NAG	K	2	2	14,14,15	1.15	0	17,19,21	1.92	6 (35%)
4	NAG	L	1	1,4	14,14,15	1.35	2 (14%)	17,19,21	3.22	8 (47%)
4	NAG	L	2	4	14,14,15	1.41	4 (28%)	17,19,21	1.38	4 (23%)
4	BMA	L	3	4	11,11,12	1.32	1 (9%)	15,15,17	2.56	5 (33%)
4	MAN	L	4	4	11,11,12	1.13	1 (9%)	15,15,17	1.19	1 (6%)
4	MAN	L	5	4	11,11,12	1.16	1 (9%)	15,15,17	2.22	4 (26%)
4	MAN	L	6	4	11,11,12	2.00	5 (45%)	15,15,17	2.13	6 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
3	NAG	F	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BMA	F	3	3	-	0/2/19/22	0/1/1/1
3	MAN	F	4	3	-	0/2/19/22	0/1/1/1
3	MAN	F	5	3	-	1/2/19/22	0/1/1/1
3	MAN	F	6	3	-	0/2/19/22	0/1/1/1
3	MAN	F	7	3	-	0/2/19/22	0/1/1/1
2	NAG	G	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	0/6/23/26	0/1/1/1
3	NAG	H	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	H	2	3	-	0/6/23/26	0/1/1/1
3	BMA	H	3	3	-	2/2/19/22	0/1/1/1
3	MAN	H	4	3	-	0/2/19/22	0/1/1/1
3	MAN	H	5	3	-	0/2/19/22	0/1/1/1
3	MAN	H	6	3	-	0/2/19/22	0/1/1/1
3	MAN	H	7	3	-	2/2/19/22	0/1/1/1
2	NAG	I	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	0/6/23/26	0/1/1/1
4	NAG	J	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	J	2	4	-	0/6/23/26	0/1/1/1
4	BMA	J	3	4	-	0/2/19/22	0/1/1/1
4	MAN	J	4	4	-	0/2/19/22	0/1/1/1
4	MAN	J	5	4	-	0/2/19/22	0/1/1/1
4	MAN	J	6	4	-	2/2/19/22	0/1/1/1
2	NAG	K	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	K	2	2	-	0/6/23/26	0/1/1/1
4	NAG	L	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	L	2	4	-	0/6/23/26	0/1/1/1
4	BMA	L	3	4	-	0/2/19/22	0/1/1/1
4	MAN	L	4	4	-	0/2/19/22	0/1/1/1
4	MAN	L	5	4	-	0/2/19/22	0/1/1/1
4	MAN	L	6	4	-	0/2/19/22	0/1/1/1

All (60) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	6	MAN	O5-C1	6.49	1.54	1.43
3	F	4	MAN	O5-C1	-5.06	1.35	1.43
3	F	7	MAN	O2-C2	4.80	1.53	1.43
3	H	6	MAN	C4-C3	4.66	1.64	1.52
3	H	4	MAN	O5-C1	-4.44	1.36	1.43
3	F	1	NAG	O5-C1	4.27	1.50	1.43
4	L	6	MAN	O5-C1	3.81	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	J	2	NAG	C1-C2	3.52	1.57	1.52
2	I	2	NAG	O4-C4	3.24	1.50	1.43
3	H	2	NAG	C1-C2	3.21	1.57	1.52
2	I	1	NAG	O5-C1	-3.15	1.38	1.43
3	F	7	MAN	C2-C3	3.12	1.57	1.52
3	F	4	MAN	C2-C3	3.04	1.57	1.52
4	J	4	MAN	C2-C3	3.01	1.57	1.52
3	F	7	MAN	O5-C1	2.97	1.48	1.43
3	H	4	MAN	O5-C5	2.94	1.49	1.43
2	K	1	NAG	O4-C4	2.94	1.49	1.43
2	G	1	NAG	O5-C1	-2.86	1.39	1.43
4	L	6	MAN	O3-C3	2.80	1.49	1.43
3	H	2	NAG	C8-C7	2.78	1.56	1.50
4	L	1	NAG	C1-C2	2.76	1.56	1.52
3	H	1	NAG	O5-C5	2.74	1.49	1.43
4	L	3	BMA	C1-C2	-2.72	1.46	1.52
4	L	1	NAG	O5-C1	2.69	1.48	1.43
4	L	6	MAN	C2-C3	2.54	1.56	1.52
2	K	1	NAG	O7-C7	2.54	1.29	1.23
3	F	6	MAN	C2-C3	2.51	1.56	1.52
2	G	1	NAG	O4-C4	2.48	1.48	1.43
3	H	2	NAG	O7-C7	2.48	1.28	1.23
4	L	5	MAN	C6-C5	2.47	1.60	1.51
4	J	1	NAG	O4-C4	2.46	1.48	1.43
4	L	6	MAN	C4-C3	2.46	1.58	1.52
3	H	1	NAG	C6-C5	2.46	1.60	1.51
4	J	6	MAN	C6-C5	2.45	1.60	1.51
3	H	6	MAN	O3-C3	2.43	1.48	1.43
3	F	6	MAN	O3-C3	2.40	1.48	1.43
4	J	6	MAN	C4-C5	2.39	1.58	1.53
2	I	1	NAG	O4-C4	2.38	1.48	1.43
4	L	2	NAG	O5-C1	2.38	1.47	1.43
4	L	2	NAG	C4-C3	2.34	1.58	1.52
3	H	1	NAG	O6-C6	2.33	1.52	1.42
2	K	1	NAG	O5-C1	-2.27	1.40	1.43
4	L	4	MAN	O5-C1	-2.27	1.40	1.43
4	J	2	NAG	O5-C1	2.26	1.47	1.43
4	L	6	MAN	C4-C5	2.15	1.57	1.53
4	L	2	NAG	C6-C5	2.12	1.59	1.51
4	J	2	NAG	O3-C3	2.12	1.48	1.43
2	I	1	NAG	O5-C5	2.12	1.47	1.43
4	L	2	NAG	C1-C2	2.10	1.55	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	5	MAN	C1-C2	2.08	1.56	1.52
3	F	6	MAN	O5-C1	-2.08	1.40	1.43
2	I	2	NAG	C1-C2	2.08	1.55	1.52
3	F	4	MAN	C4-C5	2.07	1.57	1.53
3	H	7	MAN	C2-C3	2.07	1.55	1.52
4	J	2	NAG	C8-C7	2.04	1.54	1.50
3	F	1	NAG	O4-C4	2.04	1.47	1.43
3	H	2	NAG	O5-C5	-2.03	1.39	1.43
3	H	6	MAN	O4-C4	2.02	1.47	1.43
4	J	2	NAG	C4-C3	2.02	1.57	1.52
3	F	1	NAG	C6-C5	2.01	1.58	1.51

All (141) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	L	1	NAG	O5-C1-C2	-9.68	96.00	111.29
3	F	1	NAG	O5-C1-C2	-7.80	98.98	111.29
3	F	6	MAN	C1-O5-C5	6.79	121.39	112.19
3	H	1	NAG	C1-O5-C5	6.67	121.23	112.19
4	L	3	BMA	O5-C5-C6	-6.52	96.98	107.20
3	H	1	NAG	O5-C1-C2	-6.37	101.24	111.29
4	L	5	MAN	C1-O5-C5	6.06	120.40	112.19
3	H	7	MAN	C2-C3-C4	5.88	121.06	110.89
4	J	1	NAG	O5-C1-C2	-5.68	102.32	111.29
4	J	6	MAN	O3-C3-C2	-5.50	99.47	109.99
4	J	6	MAN	O5-C5-C6	5.32	115.55	107.20
3	H	4	MAN	O5-C5-C6	5.02	115.08	107.20
4	J	3	BMA	O3-C3-C2	4.97	119.51	109.99
3	H	2	NAG	O5-C5-C6	4.80	114.73	107.20
4	L	1	NAG	C6-C5-C4	4.73	124.08	113.00
2	I	1	NAG	O5-C5-C6	-4.59	100.00	107.20
4	L	1	NAG	C3-C4-C5	4.51	118.28	110.24
4	L	6	MAN	C6-C5-C4	4.50	123.54	113.00
3	H	6	MAN	O4-C4-C3	-4.45	100.05	110.35
3	H	4	MAN	C1-O5-C5	4.38	118.12	112.19
3	H	7	MAN	O2-C2-C3	4.30	118.76	110.14
2	E	2	NAG	C4-C3-C2	4.25	117.25	111.02
3	F	1	NAG	C6-C5-C4	4.22	122.90	113.00
3	H	1	NAG	C2-N2-C7	-4.14	117.01	122.90
2	E	2	NAG	C1-O5-C5	-4.12	106.62	112.19
4	L	3	BMA	C6-C5-C4	4.02	122.41	113.00
3	F	2	NAG	O6-C6-C5	-3.86	98.04	111.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	J	1	NAG	C6-C5-C4	3.78	121.87	113.00
4	J	3	BMA	C2-C3-C4	-3.69	104.50	110.89
2	I	2	NAG	O7-C7-N2	-3.63	115.28	121.95
4	L	3	BMA	O5-C1-C2	3.63	116.37	110.77
4	L	6	MAN	C1-O5-C5	-3.62	107.28	112.19
3	F	6	MAN	O4-C4-C3	-3.59	102.04	110.35
3	H	3	BMA	O5-C5-C6	3.53	112.75	107.20
3	F	2	NAG	C1-O5-C5	3.52	116.96	112.19
3	H	7	MAN	C1-O5-C5	3.51	116.95	112.19
3	F	3	BMA	O3-C3-C2	3.43	116.56	109.99
4	J	6	MAN	O3-C3-C4	-3.42	102.44	110.35
2	K	2	NAG	O3-C3-C4	-3.38	102.53	110.35
3	F	6	MAN	O6-C6-C5	-3.38	99.71	111.29
3	H	2	NAG	O6-C6-C5	-3.36	99.76	111.29
2	I	2	NAG	O4-C4-C5	3.32	117.54	109.30
3	H	6	MAN	C1-O5-C5	-3.32	107.70	112.19
2	K	2	NAG	C4-C3-C2	3.31	115.87	111.02
2	K	1	NAG	O5-C1-C2	3.28	116.47	111.29
3	H	3	BMA	C6-C5-C4	-3.28	105.32	113.00
4	L	5	MAN	C1-C2-C3	-3.28	105.64	109.67
3	F	7	MAN	O5-C1-C2	3.27	115.82	110.77
3	H	2	NAG	C8-C7-N2	-3.25	110.60	116.10
4	L	4	MAN	C2-C3-C4	-3.22	105.32	110.89
3	H	6	MAN	C6-C5-C4	3.18	120.46	113.00
3	H	1	NAG	C1-C2-N2	-3.16	105.09	110.49
3	F	5	MAN	C3-C4-C5	-3.16	104.61	110.24
2	K	2	NAG	O7-C7-C8	3.15	127.91	122.06
3	F	7	MAN	O2-C2-C3	3.13	116.40	110.14
4	L	1	NAG	C1-O5-C5	-3.12	107.96	112.19
2	G	2	NAG	O5-C5-C6	3.12	112.10	107.20
4	J	1	NAG	C8-C7-N2	-3.10	110.85	116.10
3	F	4	MAN	C1-O5-C5	3.09	116.38	112.19
4	J	4	MAN	O6-C6-C5	-3.08	100.72	111.29
4	J	2	NAG	C1-O5-C5	-3.07	108.03	112.19
4	J	6	MAN	C1-C2-C3	-3.04	105.93	109.67
2	K	2	NAG	C8-C7-N2	-3.04	110.95	116.10
4	L	2	NAG	O5-C5-C4	-3.04	103.44	110.83
3	H	1	NAG	C3-C4-C5	3.03	115.65	110.24
4	L	3	BMA	O3-C3-C2	3.03	115.80	109.99
4	J	1	NAG	C1-O5-C5	-3.03	108.09	112.19
4	L	1	NAG	O3-C3-C4	-3.02	103.37	110.35
4	J	3	BMA	O5-C1-C2	3.00	115.41	110.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	J	5	MAN	O5-C1-C2	-2.99	106.15	110.77
4	L	5	MAN	O3-C3-C2	-2.99	104.27	109.99
4	J	5	MAN	O3-C3-C2	-2.97	104.30	109.99
3	H	7	MAN	O3-C3-C2	-2.97	104.31	109.99
4	J	2	NAG	O5-C1-C2	-2.96	106.61	111.29
4	L	2	NAG	O6-C6-C5	-2.88	101.41	111.29
3	F	3	BMA	C1-C2-C3	2.88	113.20	109.67
4	J	2	NAG	O6-C6-C5	-2.83	101.58	111.29
4	L	6	MAN	O6-C6-C5	-2.82	101.62	111.29
3	H	2	NAG	O7-C7-C8	2.78	127.23	122.06
4	J	1	NAG	O3-C3-C2	-2.74	103.79	109.47
3	H	3	BMA	O6-C6-C5	-2.72	101.96	111.29
2	G	2	NAG	C3-C4-C5	-2.66	105.50	110.24
2	I	1	NAG	C6-C5-C4	2.63	119.15	113.00
3	H	5	MAN	O2-C2-C1	-2.62	103.78	109.15
3	H	3	BMA	O3-C3-C4	-2.57	104.42	110.35
2	E	2	NAG	C8-C7-N2	2.55	120.42	116.10
4	J	5	MAN	C3-C4-C5	-2.54	105.70	110.24
4	J	1	NAG	C3-C4-C5	2.54	114.77	110.24
3	H	1	NAG	O6-C6-C5	2.54	120.00	111.29
4	L	3	BMA	O6-C6-C5	-2.53	102.60	111.29
3	F	2	NAG	O7-C7-C8	2.53	126.76	122.06
3	F	5	MAN	O2-C2-C1	-2.50	104.04	109.15
4	J	2	NAG	O3-C3-C2	2.48	114.60	109.47
3	F	5	MAN	O4-C4-C5	2.46	115.42	109.30
2	E	1	NAG	C1-O5-C5	-2.46	108.86	112.19
4	J	6	MAN	O5-C5-C4	-2.44	104.88	110.83
2	G	1	NAG	O7-C7-N2	-2.42	117.49	121.95
3	F	1	NAG	O5-C5-C4	-2.41	104.97	110.83
4	L	6	MAN	O2-C2-C1	-2.41	104.23	109.15
4	L	2	NAG	O5-C1-C2	-2.40	107.49	111.29
3	F	7	MAN	C2-C3-C4	-2.40	106.75	110.89
4	L	1	NAG	C4-C3-C2	-2.38	107.53	111.02
4	J	5	MAN	C1-O5-C5	2.38	115.42	112.19
2	I	2	NAG	C2-N2-C7	-2.37	119.53	122.90
3	H	6	MAN	O4-C4-C5	2.36	115.16	109.30
2	G	2	NAG	O6-C6-C5	-2.36	103.19	111.29
3	H	2	NAG	O4-C4-C5	-2.35	103.47	109.30
4	J	3	BMA	O2-C2-C1	-2.33	104.38	109.15
2	I	2	NAG	O3-C3-C4	-2.33	104.97	110.35
3	F	4	MAN	O6-C6-C5	-2.32	103.32	111.29
4	L	2	NAG	C1-O5-C5	2.31	115.32	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	2	NAG	O3-C3-C2	-2.30	104.72	109.47
4	L	5	MAN	O3-C3-C4	2.28	115.63	110.35
3	H	1	NAG	O5-C5-C4	-2.28	105.28	110.83
3	H	5	MAN	O5-C5-C6	2.28	110.78	107.20
2	G	2	NAG	O5-C5-C4	-2.28	105.29	110.83
3	H	2	NAG	C1-C2-N2	2.28	114.38	110.49
4	J	3	BMA	O5-C5-C6	-2.25	103.68	107.20
2	K	2	NAG	O4-C4-C5	2.23	114.84	109.30
3	H	6	MAN	O5-C5-C4	-2.22	105.44	110.83
4	L	6	MAN	O5-C5-C6	-2.19	103.78	107.20
4	L	6	MAN	O3-C3-C4	2.18	115.39	110.35
2	K	2	NAG	C1-C2-N2	-2.17	106.78	110.49
3	F	1	NAG	O4-C4-C3	-2.17	105.33	110.35
4	J	6	MAN	O4-C4-C3	2.16	115.34	110.35
2	K	1	NAG	C1-C2-N2	2.15	114.16	110.49
4	L	1	NAG	O7-C7-N2	2.15	125.90	121.95
3	H	4	MAN	O6-C6-C5	-2.15	103.92	111.29
3	H	6	MAN	O2-C2-C1	-2.13	104.80	109.15
3	H	4	MAN	C2-C3-C4	2.12	114.57	110.89
4	J	3	BMA	O2-C2-C3	2.12	114.38	110.14
3	H	6	MAN	C1-C2-C3	-2.10	107.09	109.67
3	F	7	MAN	O6-C6-C5	-2.09	104.12	111.29
2	I	1	NAG	C3-C4-C5	-2.06	106.56	110.24
2	G	1	NAG	O3-C3-C2	-2.05	105.22	109.47
2	I	2	NAG	O6-C6-C5	-2.04	104.28	111.29
4	L	1	NAG	O6-C6-C5	2.04	118.28	111.29
3	F	2	NAG	O4-C4-C5	-2.03	104.24	109.30
4	J	2	NAG	O5-C5-C4	-2.03	105.89	110.83
3	H	5	MAN	O3-C3-C2	2.02	113.86	109.99
2	E	1	NAG	O4-C4-C5	-2.00	104.32	109.30

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	J	6	MAN	O5-C5-C6-O6
3	H	1	NAG	O5-C5-C6-O6
4	J	6	MAN	C4-C5-C6-O6
3	H	7	MAN	C4-C5-C6-O6
3	H	3	BMA	O5-C5-C6-O6
3	H	3	BMA	C4-C5-C6-O6
3	H	1	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	H	7	MAN	O5-C5-C6-O6
3	F	5	MAN	C4-C5-C6-O6


There are no ring outliers.


3 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	7	MAN	2	0
3	H	1	NAG	4	0
3	H	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

















Oligosaccharide Chain H



Oligosaccharide Chain J**Bond lengths****Bond angles****Torsions****Rings**



5.6 Ligand geometry ⓘ

Of 21 ligands modelled in this entry, 4 are monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	C	501	1	14,14,15	1.32	3 (21%)	17,19,21	1.88	4 (23%)
6	G39	B	510	-	17,20,20	0.73	1 (5%)	15,27,27	0.78	0
7	GOL	B	512	-	5,5,5	0.83	0	5,5,5	1.02	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	GOL	A	512	-	5,5,5	0.53	0	5,5,5	1.12	1 (20%)
5	NAG	D	501	1	14,14,15	2.01	4 (28%)	17,19,21	1.83	6 (35%)
7	GOL	C	512	-	5,5,5	0.33	0	5,5,5	0.93	0
7	GOL	B	511	-	5,5,5	0.41	0	5,5,5	1.07	1 (20%)
7	GOL	D	511	-	5,5,5	0.66	0	5,5,5	1.51	1 (20%)
7	GOL	B	514	-	5,5,5	0.32	0	5,5,5	0.64	0
6	G39	D	510	-	17,20,20	0.69	0	15,27,27	0.90	0
9	CO2	D	514	-	2,2,2	0.41	0	1,1,1	0.29	0
7	GOL	B	513	-	5,5,5	0.62	0	5,5,5	0.68	0
7	GOL	C	511	-	5,5,5	0.40	0	5,5,5	0.84	0
6	G39	A	511	-	17,20,20	0.80	1 (5%)	15,27,27	0.98	1 (6%)
6	G39	C	510	-	17,20,20	0.58	0	15,27,27	0.94	0
5	NAG	A	501	1	14,14,15	1.29	1 (7%)	17,19,21	1.44	2 (11%)
7	GOL	D	512	-	5,5,5	0.63	0	5,5,5	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	C	501	1	-	0/6/23/26	0/1/1/1
6	G39	B	510	-	-	1/12/32/32	0/1/1/1
7	GOL	B	512	-	-	4/4/4/4	-
7	GOL	A	512	-	-	0/4/4/4	-
5	NAG	D	501	1	-	0/6/23/26	0/1/1/1
7	GOL	C	512	-	-	0/4/4/4	-
7	GOL	D	511	-	-	4/4/4/4	-
7	GOL	D	512	-	-	0/4/4/4	-
7	GOL	B	514	-	-	2/4/4/4	-
6	G39	D	510	-	-	1/12/32/32	0/1/1/1
7	GOL	B	513	-	-	2/4/4/4	-
7	GOL	C	511	-	-	0/4/4/4	-
6	G39	A	511	-	-	1/12/32/32	0/1/1/1
7	GOL	B	511	-	-	0/4/4/4	-
5	NAG	A	501	1	-	0/6/23/26	0/1/1/1
6	G39	C	510	-	-	0/12/32/32	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	501	NAG	O5-C5	4.10	1.51	1.43
5	D	501	NAG	O4-C4	3.35	1.50	1.43
5	D	501	NAG	C4-C5	3.24	1.59	1.53
5	A	501	NAG	O5-C1	3.05	1.48	1.43
5	D	501	NAG	C1-C2	2.58	1.56	1.52
6	A	511	G39	C4-C5	2.57	1.56	1.52
6	B	510	G39	C4-C5	2.37	1.55	1.52
5	C	501	NAG	O4-C4	2.31	1.48	1.43
5	C	501	NAG	C3-C2	2.09	1.57	1.52
5	C	501	NAG	C2-N2	2.02	1.49	1.46

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	501	NAG	O5-C1-C2	-4.89	103.57	111.29
5	A	501	NAG	C1-O5-C5	-3.84	106.99	112.19
5	D	501	NAG	O4-C4-C5	3.77	118.66	109.30
5	D	501	NAG	O6-C6-C5	-3.01	100.97	111.29
5	A	501	NAG	O5-C5-C6	2.92	111.79	107.20
5	D	501	NAG	C2-N2-C7	-2.92	118.74	122.90
5	C	501	NAG	C3-C4-C5	-2.83	105.19	110.24
5	D	501	NAG	O5-C1-C2	2.72	115.59	111.29
5	C	501	NAG	O4-C4-C5	2.54	115.62	109.30
7	D	511	GOL	O1-C1-C2	2.42	121.82	110.20
6	A	511	G39	C4-C3-C2	2.42	112.62	109.75
5	D	501	NAG	C3-C4-C5	-2.22	106.28	110.24
5	C	501	NAG	C4-C3-C2	2.20	114.23	111.02
7	B	511	GOL	O2-C2-C3	-2.15	99.64	109.12
5	D	501	NAG	O3-C3-C2	-2.14	105.04	109.47
7	A	512	GOL	O2-C2-C3	-2.02	100.22	109.12

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	512	GOL	C1-C2-C3-O3
7	D	511	GOL	O1-C1-C2-C3
7	B	512	GOL	O2-C2-C3-O3
7	B	514	GOL	O1-C1-C2-C3
7	B	513	GOL	C1-C2-C3-O3
7	D	511	GOL	O1-C1-C2-O2
7	B	513	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	B	512	GOL	O1-C1-C2-O2
6	B	510	G39	C9-C8-O7-C6
6	D	510	G39	C9-C8-O7-C6
7	D	511	GOL	O2-C2-C3-O3
6	A	511	G39	C9-C8-O7-C6
7	B	512	GOL	O1-C1-C2-C3
7	B	514	GOL	O1-C1-C2-O2
7	D	511	GOL	C1-C2-C3-O3


There are no ring outliers.


6 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	501	NAG	2	0
5	D	501	NAG	1	0
7	D	511	GOL	1	0
7	B	514	GOL	2	0
9	D	514	CO2	4	0
7	B	513	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	389/389 (100%)	-0.56	0 100 100	5, 10, 18, 28	0
1	B	389/389 (100%)	-0.57	0 100 100	5, 9, 16, 30	0
1	C	389/389 (100%)	-0.51	2 (0%) 91 90	5, 9, 16, 27	0
1	D	389/389 (100%)	-0.58	0 100 100	5, 10, 16, 25	1 (0%)
All	All	1556/1556 (100%)	-0.55	2 (0%) 95 94	5, 9, 17, 30	1 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	343	GLY	2.3
1	C	454[A]	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MAN	H	7	11/12	0.66	0.30	38,45,47,51	0
4	MAN	L	6	11/12	0.68	0.23	33,34,38,41	0
2	NAG	I	2	14/15	0.73	0.21	34,39,41,44	0
4	MAN	J	6	11/12	0.73	0.23	34,35,39,41	0
2	NAG	K	2	14/15	0.76	0.22	33,39,49,54	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	MAN	J	5	11/12	0.76	0.19	32,36,38,39	0
4	BMA	L	3	11/12	0.77	0.18	26,28,30,31	0
3	NAG	F	1	14/15	0.78	0.23	22,26,33,34	0
3	NAG	H	1	14/15	0.78	0.20	23,27,36,37	0
2	NAG	E	2	14/15	0.79	0.28	36,43,50,52	0
3	MAN	F	6	11/12	0.80	0.16	24,25,29,30	0
4	BMA	J	3	11/12	0.81	0.16	27,30,32,33	0
4	MAN	L	5	11/12	0.81	0.24	34,37,39,42	0
2	NAG	G	2	14/15	0.83	0.22	33,39,49,50	0
3	MAN	H	6	11/12	0.84	0.15	25,26,29,32	0
3	MAN	F	7	11/12	0.84	0.14	25,27,29,29	0
4	MAN	L	4	11/12	0.85	0.16	29,31,32,33	0
3	MAN	H	5	11/12	0.85	0.16	21,24,25,27	0
3	NAG	F	2	14/15	0.86	0.14	18,20,22,23	0
4	NAG	J	2	14/15	0.87	0.12	20,22,25,27	0
4	MAN	J	4	11/12	0.87	0.20	30,33,35,35	0
4	NAG	J	1	14/15	0.87	0.12	20,23,29,29	0
4	NAG	L	2	14/15	0.89	0.13	19,21,25,27	0
4	NAG	L	1	14/15	0.90	0.14	19,21,25,26	0
3	NAG	H	2	14/15	0.91	0.14	19,20,23,26	0
3	MAN	H	4	11/12	0.92	0.10	22,23,24,25	0
3	MAN	F	4	11/12	0.92	0.11	19,20,22,23	0
3	MAN	F	5	11/12	0.93	0.11	19,20,21,22	0
2	NAG	G	1	14/15	0.93	0.10	15,17,22,27	0
2	NAG	E	1	14/15	0.93	0.08	16,17,24,29	0
3	BMA	H	3	11/12	0.94	0.08	22,23,26,31	0
3	BMA	F	3	11/12	0.94	0.11	19,20,21,23	0
2	NAG	I	1	14/15	0.96	0.07	16,17,25,29	0
2	NAG	K	1	14/15	0.96	0.08	14,16,21,26	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain I:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain F:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain J:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	GOL	B	512	6/6	0.48	0.24	40,42,46,48	0
5	NAG	D	501	14/15	0.49	0.28	36,41,45,46	0
7	GOL	B	513	6/6	0.53	0.17	43,44,45,46	0
5	NAG	C	501	14/15	0.85	0.20	28,34,41,44	0
7	GOL	B	514	6/6	0.86	0.20	33,36,38,39	0
9	CO2	D	514	3/3	0.86	0.15	26,26,29,31	3
7	GOL	D	512	6/6	0.88	0.16	17,20,20,21	0
7	GOL	D	511	6/6	0.88	0.15	23,25,28,40	0
7	GOL	C	511	6/6	0.90	0.11	17,20,22,23	0
5	NAG	A	501	14/15	0.91	0.11	20,22,27,29	0
7	GOL	B	511	6/6	0.92	0.11	16,17,18,19	0
7	GOL	C	512	6/6	0.96	0.07	17,19,19,19	0
6	G39	B	510	20/20	0.96	0.08	7,8,15,15	0
6	G39	A	511	20/20	0.96	0.08	8,9,14,15	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	G39	D	510	20/20	0.96	0.07	8,9,14,14	0
6	G39	C	510	20/20	0.96	0.08	6,7,13,14	0
7	GOL	A	512	6/6	0.97	0.07	16,17,17,18	0
8	CA	D	513	1/1	0.99	0.05	18,18,18,18	0
8	CA	B	515	1/1	0.99	0.08	16,16,16,16	0
8	CA	C	513	1/1	1.00	0.06	15,15,15,15	0
8	CA	A	513	1/1	1.00	0.05	17,17,17,17	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around G39 B 510:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G39 A 511:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around G39 D 510:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.