



# wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 14, 2020 – 01:17 pm BST

PDB ID : 2HLD  
Title : Crystal structure of yeast mitochondrial F1-ATPase  
Authors : Kabaleeswaran, V.; Puri, N.; Walker, J.E.; Leslie, A.G.; Mueller, D.M.  
Deposited on : 2006-07-06  
Resolution : 2.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	510	83% 11% 5%
1	B	510	81% 12% 5%
1	C	510	82% 12% 5%
1	J	510	85% 9% 6%
1	K	510	80% 14% 5%
1	L	510	79% 14% 5%
1	S	510	83% 11% 6%

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	T	510	
1	U	510	
2	D	478	
2	E	478	
2	F	478	
2	M	478	
2	N	478	
2	O	478	
2	V	478	
2	W	478	
2	X	478	
3	G	278	
3	P	278	
3	Y	278	
4	H	138	
4	Q	138	
4	Z	138	
5	1	61	
5	I	61	
5	R	61	

## 2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 72841 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP synthase alpha chain, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	482	Total	C	N	O	S	0	0	0
			3664	2314	648	699	3			
1	B	483	Total	C	N	O	S	0	0	0
			3669	2317	649	700	3			
1	C	484	Total	C	N	O	S	0	0	0
			3674	2319	650	702	3			
1	J	481	Total	C	N	O	S	0	0	0
			3655	2309	646	697	3			
1	K	486	Total	C	N	O	S	0	0	0
			3684	2326	652	703	3			
1	L	482	Total	C	N	O	S	0	0	0
			3664	2314	648	699	3			
1	S	480	Total	C	N	O	S	0	0	0
			3651	2307	645	696	3			
1	T	481	Total	C	N	O	S	0	0	0
			3659	2311	647	698	3			
1	U	481	Total	C	N	O	S	0	0	0
			3659	2311	647	698	3			

- Molecule 2 is a protein called ATP synthase beta chain, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	470	Total	C	N	O	S	0	0	0
			3549	2250	604	689	6			
2	E	468	Total	C	N	O	S	0	0	0
			3536	2243	602	685	6			
2	F	469	Total	C	N	O	S	0	0	0
			3543	2247	603	687	6			
2	M	470	Total	C	N	O	S	0	0	0
			3549	2250	604	689	6			
2	N	470	Total	C	N	O	S	0	0	0
			3549	2250	604	689	6			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	O	468	Total	C	N	O	S	0	0	0
			3538	2244	602	686	6			
2	V	470	Total	C	N	O	S	0	0	0
			3549	2250	604	689	6			
2	W	467	Total	C	N	O	S	0	0	0
			3531	2240	601	684	6			
2	X	469	Total	C	N	O	S	0	0	0
			3543	2247	603	687	6			

- Molecule 3 is a protein called ATP synthase gamma chain, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	G	265	Total	C	N	O	S	0	0	0
			2031	1277	355	389	10			
3	P	243	Total	C	N	O	S	0	0	0
			1851	1165	322	355	9			
3	Y	200	Total	C	N	O	S	0	0	0
			1517	944	273	291	9			

- Molecule 4 is a protein called ATP synthase delta chain, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	H	120	Total	C	N	O	S	0	0	0
			758	475	134	147	2			
4	Q	84	Total	C	N	O		0	0	0
			436	262	87	87				
4	Z	17	Total	C	N	O		0	0	0
			85	51	17	17				


- Molecule 5 is a protein called ATP synthase epsilon chain, mitochondrial.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	I	48	Total	C	N	O	0	0	0
			324	201	56	67			
5	R	34	Total	C	N	O	0	0	0
			170	102	34	34			
5	1	27	Total	C	N	O	0	0	0
			135	81	27	27			

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	J	1	Total Mg 1 1	0	0
6	D	1	Total Mg 1 1	0	0
6	K	1	Total Mg 1 1	0	0
6	B	1	Total Mg 1 1	0	0
6	C	1	Total Mg 1 1	0	0
6	V	1	Total Mg 1 1	0	0
6	A	1	Total Mg 1 1	0	0
6	T	1	Total Mg 1 1	0	0
6	U	1	Total Mg 1 1	0	0
6	X	1	Total Mg 1 1	0	0
6	O	1	Total Mg 1 1	0	0
6	L	1	Total Mg 1 1	0	0
6	S	1	Total Mg 1 1	0	0
6	F	1	Total Mg 1 1	0	0
6	M	1	Total Mg 1 1	0	0

- Molecule 7 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula:  $C_{10}H_{17}N_6O_{12}P_3$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
7	B	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
7	C	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
7	D	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
7	F	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
7	J	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
7	K	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
7	L	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
7	M	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
7	O	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
7	S	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
7	T	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
7	U	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
7	V	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	X	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 8 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	N	1	Total	O	P	0	0
			5	4	1		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	26	Total	O	0	0
			26	26		
9	B	18	Total	O	0	0
			18	18		
9	C	13	Total	O	0	0
			13	13		
9	D	20	Total	O	0	0
			20	20		
9	E	13	Total	O	0	0
			13	13		
9	F	11	Total	O	0	0
			11	11		
9	G	3	Total	O	0	0
			3	3		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	J	17	Total 17	O 17	0	0
9	K	4	Total 4	O 4	0	0
9	L	19	Total 19	O 19	0	0
9	M	9	Total 9	O 9	0	0
9	N	8	Total 8	O 8	0	0
9	O	7	Total 7	O 7	0	0
9	P	2	Total 2	O 2	0	0
9	Q	1	Total 1	O 1	0	0
9	S	6	Total 6	O 6	0	0
9	T	1	Total 1	O 1	0	0
9	U	3	Total 3	O 3	0	0
9	X	2	Total 2	O 2	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATP synthase alpha chain, mitochondrial




- Molecule 1: ATP synthase alpha chain, mitochondrial




- Molecule 1: ATP synthase alpha chain, mitochondrial





- Molecule 1: ATP synthase alpha chain, mitochondrial

Chain J:  85% 9% 6%





- Molecule 1: ATP synthase alpha chain, mitochondrial

Chain K:  80% 14% 5%





- Molecule 1: ATP synthase alpha chain, mitochondrial

Chain L:  79% 14% 5%




- Molecule 1: ATP synthase alpha chain, mitochondrial


Chain S:  83% 11% 6%




- Molecule 1: ATP synthase alpha chain, mitochondrial




- Molecule 1: ATP synthase alpha chain, mitochondrial




- Molecule 2: ATP synthase beta chain, mitochondrial




- Molecule 2: ATP synthase beta chain, mitochondrial




- Molecule 2: ATP synthase beta chain, mitochondrial




- Molecule 2: ATP synthase beta chain, mitochondrial




- Molecule 2: ATP synthase beta chain, mitochondrial




- Molecule 2: ATP synthase beta chain, mitochondrial




- Molecule 2: ATP synthase beta chain, mitochondrial






- Molecule 2: ATP synthase beta chain, mitochondrial

Chain W: 85% 13%




- Molecule 2: ATP synthase beta chain, mitochondrial

Chain X: 80% 17%



- Molecule 3: ATP synthase gamma chain, mitochondrial

Chain G: 73% 21% 5%



- Molecule 3: ATP synthase gamma chain, mitochondrial


V205	ARG	A1
P206	THR	K14
L209	H122	T29
F210	P123	M44
E211	ASN	D45
Y212	ASN	Q49
T213	I126	K58
N216	K127	ASN
	L128	LEU
T220	S129	ASP
A227	I130	VAL
A228	I133	GLU
E229	A144	ALA
L230	D148	THR
R233	K149	GLY
I248	L150	THR
I271	M154	GLY
	K155	P40
S276	ALA	K71
LEU	G157	A76
GLY	I162	I77
	S163	T78
	I164	S79
	M167	D80
	D168	K81
	P169	G82
	V170	L83
	S171	C94
	SER	G95
	LEU	S96
	S174	I87
	K180	H88
	P181	A94
	I182	V95
	F183	R96
	M184	L99
	I188	D106
	GLU	I107
	GLN	V108
	SER	T109
	SER	I110
	PHE	G111
	GLY	D112
	LYS	K113
	PHE	I114
	GLU	K115
	ILE	M116
	T201	GLN
		LEU
		LEU

- |      |     |     |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|------|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| ILE  | ASP | THR | ASP  | ALA  | ASN  | VAL  | PRO  | ARG  | ASP  | LEU  | PHE  | E211 | Y212 | M216 | L219 | T220 | G224 | G225 | Y226 | I230 | R234 | M237 | D238 | M247 | I248 | Y251 | S252 | I253 | R257 | L267 | P268 | I270 | S275 | SER | LEU | GLY |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| A105 | ASP | ILE | V108 | G111 | D112 | K113 | I114 | K115 | L119 | R120 | T121 | H122 | P123 | N124 | ASN  | I1E  | LVS  | LEU  | SER  | I130 | I133 | G134 | K135 | D136 | I146 | A156 | GLY  | THR  | THR  | PRO  | LVS  | I162 | S178 | GLU | LVS | PRO | PAQ | ILE | PHE | ASN | ALA | LVS | THR | GLU | GLN | SER | PAQ | SER | PHE | GLY | LVS | PHE | GLU |
| A1   | T2  | L3  | K4   | R9   | K14  | N15  | M23  | S28  | D45  | GLU  | ALA  | GLU  | GLN  | LEU  | PHE  | THR  | LVS  | ASN  | ALA  | GLU  | LVS  | LEU  | ASP  | VAL  | GLU  | ALA  | THR  | GLU  | GLY  | ALA  | PRO  | LVS  | GLU  | ILE | VAL | ALA | I77 | I78 | S79 | D80 | S86 | I87 | H88 | S89 | Q90 | L91 | L99 |     |     |     |     |     |     |


- |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |      |     |     |      |      |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|------|------|-----|-----|
| ALA | ALA | ALA | ALA | ALA | ALA | SER | SER | GLY | LEU | K11 | F14 | S23 | SER | E26 | P47 | Q51 | L52 | I70 | S74 | G72 | A75 | P79 | D80 | S81 | C84 | V85 | T86 | A87 | A90 | PHE | P32 | L93 | S97 | GLN | E99 | S115 | ASP | ALA | R118 | V136 | LEU | IVS |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|------|------|-----|-----|

- |  |      |     |      |
|--|------|-----|------|
|  | K109 | LYS | ALA  |
|  |      | ASN | GLU  |
|  |      | VAL | ALA  |
|  |      | SER | ALA  |
|  |      | SER | SER  |
|  |      | ASP | GLY  |
|  |      | ALA | LEU  |
|  |      | ARG | LYS  |
|  |      | GLU | L142 |
|  |      | ALA |      |
|  |      | ALA | P176 |
|  |      | GLU | P177 |
|  |      | ALA | H18  |
|  |      | ALA | E19  |
|  |      | ILE | THR  |
|  | Q126 |     | LEU  |
|  |      |     | TYR  |
|  | L137 |     | SER  |
|  | LYS  |     | GLY  |
|  |      |     | SER  |
|  |      |     | GLU  |
|  |      |     | VAL  |
|  |      |     | ASP  |
|  |      |     | THR  |
|  |      |     | Q29  |
|  |      |     |      |
|  |      |     | E50  |
|  |      |     | Q51  |
|  |      |     | L52  |
|  |      |     |      |
|  |      |     | V57  |
|  |      |     | GLU  |
|  |      |     | VAL  |
|  |      |     | MET  |
|  |      |     | GLU  |
|  |      |     | GLY  |
|  |      |     | SER  |
|  |      |     | ASN  |
|  |      |     | SER  |
|  |      |     | LYS  |
|  |      |     | LYS  |
|  |      |     | PHE  |
|  |      |     | F69  |
|  |      |     |      |
|  |      |     | A75  |
|  |      |     |      |
|  |      |     | S81  |
|  |      |     |      |
|  |      |     | I88  |
|  |      |     | F99  |
|  |      |     | A90  |
|  |      |     | PHE  |
|  |      |     | PAU  |
|  |      |     | LEU  |
|  |      |     | GLU  |
|  |      |     | SER  |
|  |      |     | PHE  |
|  |      |     | G92  |


- |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| ALA | GLU | ALA | ALA | ALA | ALA | SER | SER | GLY | LYS | LEU | GLN | PHE | GLU | ALA | ALA | LEU | PRO | HIS | THR | THR | LEU | SER | SER | GLU | VAL | THR | GLN | VAL | ASN | LEU | PRO | PRO | LYS | SER | GLY | ILE | ILE | GLY | VAL | LEU | ALA | ASN | HIS | VAL | VAL | PRO | THR | VAL | GLU | GLN | LEU | LEU | PRO | GLY | VAL | VAL | GLU | VAL | VAL | MET |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|





• Molecule 5: ATP synthase epsilon chain, mitochondrial



• Molecule 5: ATP synthase epsilon chain, mitochondrial



• Molecule 5: ATP synthase epsilon chain, mitochondrial



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	111.52Å 294.13Å 190.43Å 90.00° 101.67° 90.00°	Depositor
Resolution (Å)	20.00 – 2.80 19.99 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (20.00-2.80) 99.9 (19.99-2.80)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.35 (at 2.79Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.207 , 0.244 0.211 , 0.244	Depositor DCC
$R_{free}$ test set	5938 reflections (2.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	72.1	Xtriage
Anisotropy	0.101	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 80.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	72841	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.86% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, ANP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.64	0/3718	0.79	6/5032 (0.1%)
1	B	0.57	0/3723	0.76	6/5039 (0.1%)
1	C	0.57	0/3729	0.76	5/5048 (0.1%)
1	J	0.55	0/3709	0.74	7/5020 (0.1%)
1	K	0.46	0/3738	0.69	9/5060 (0.2%)
1	L	0.62	1/3718 (0.0%)	0.81	13/5032 (0.3%)
1	S	0.47	0/3705	0.72	8/5014 (0.2%)
1	T	0.38	0/3713	0.64	5/5025 (0.1%)
1	U	0.41	0/3713	0.68	6/5025 (0.1%)
2	D	0.57	0/3605	0.81	9/4889 (0.2%)
2	E	0.56	0/3592	0.76	10/4870 (0.2%)
2	F	0.54	0/3599	0.78	5/4881 (0.1%)
2	M	0.55	0/3605	0.80	5/4889 (0.1%)
2	N	0.48	0/3605	0.74	7/4889 (0.1%)
2	O	0.50	0/3594	0.75	4/4874 (0.1%)
2	V	0.43	0/3605	0.75	8/4889 (0.2%)
2	W	0.40	0/3587	0.69	6/4863 (0.1%)
2	X	0.42	0/3599	0.70	5/4881 (0.1%)
3	G	0.48	0/2056	0.74	6/2767 (0.2%)
3	P	0.47	0/1868	0.70	2/2508 (0.1%)
3	Y	0.37	0/1527	0.63	2/2048 (0.1%)
4	H	0.47	0/766	0.64	0/1051
4	Q	0.41	0/434	0.55	0/595
4	Z	0.42	0/84	0.51	0/116
5	1	0.38	0/133	0.44	0/183
5	I	0.55	0/326	0.69	0/445
5	R	0.45	0/168	0.51	0/232
All	All	0.51	1/73219 (0.0%)	0.74	134/99165 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected

by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	S	0	1
2	D	0	1
2	V	0	1
2	W	0	1
All	All	0	4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	L	353	PHE	CB-CG	-5.87	1.41	1.51

The worst 5 of 134 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	V	345	TYR	C-N-CD	-13.32	91.28	120.60
2	D	22	ASP	CB-CG-OD2	10.23	127.51	118.30
2	F	436	ASP	CB-CG-OD2	7.85	125.37	118.30
1	C	283	LEU	CA-CB-CG	7.74	133.09	115.30
2	M	319	ASP	CB-CG-OD2	7.57	125.11	118.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	D	7	THR	Peptide
1	S	147	PRO	Peptide
2	V	345	TYR	Peptide
2	W	447	GLY	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3664	0	3748	27	0
1	B	3669	0	3752	40	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	3674	0	3756	39	0
1	J	3655	0	3739	31	0
1	K	3684	0	3758	43	0
1	L	3664	0	3747	45	0
1	S	3651	0	3740	35	0
1	T	3659	0	3745	35	0
1	U	3659	0	3745	29	0
2	D	3549	0	3620	29	0
2	E	3536	0	3610	39	0
2	F	3543	0	3615	40	0
2	M	3549	0	3620	52	0
2	N	3549	0	3621	33	0
2	O	3538	0	3610	31	0
2	V	3549	0	3620	38	0
2	W	3531	0	3605	37	0
2	X	3543	0	3615	49	0
3	G	2031	0	2084	31	0
3	P	1851	0	1893	39	0
3	Y	1517	0	1561	28	0
4	H	758	0	602	9	0
4	Q	436	0	215	3	0
4	Z	85	0	45	0	0
5	I	135	0	70	1	0
5	I	324	0	249	2	0
5	R	170	0	87	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	F	1	0	0	0	0
6	J	1	0	0	0	0
6	K	1	0	0	0	0
6	L	1	0	0	0	0
6	M	1	0	0	0	0
6	O	1	0	0	0	0
6	S	1	0	0	0	0
6	T	1	0	0	0	0
6	U	1	0	0	0	0
6	V	1	0	0	0	0
6	X	1	0	0	0	0
7	A	31	0	13	0	0
7	B	31	0	13	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	C	31	0	13	1	0
7	D	31	0	13	0	0
7	F	31	0	13	2	0
7	J	31	0	13	0	0
7	K	31	0	13	1	0
7	L	31	0	13	1	0
7	M	31	0	13	6	0
7	O	31	0	13	0	0
7	S	31	0	13	1	0
7	T	31	0	13	0	0
7	U	31	0	13	0	0
7	V	31	0	13	3	0
7	X	31	0	13	4	0
8	N	5	0	0	0	0
9	A	26	0	0	2	0
9	B	18	0	0	0	0
9	C	13	0	0	0	0
9	D	20	0	0	0	0
9	E	13	0	0	1	0
9	F	11	0	0	0	0
9	G	3	0	0	0	0
9	J	17	0	0	0	0
9	K	4	0	0	0	0
9	L	19	0	0	0	0
9	M	9	0	0	0	0
9	N	8	0	0	0	0
9	O	7	0	0	0	0
9	P	2	0	0	0	0
9	Q	1	0	0	2	0
9	S	6	0	0	0	0
9	T	1	0	0	0	0
9	U	3	0	0	0	0
9	X	2	0	0	0	0
All	All	72841	0	73267	728	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 728 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:V:85:VAL:HG11	2:V:235:THR:HG23	1.26	1.16
2:E:85:VAL:HG11	2:E:235:THR:HG23	1.27	1.12
2:N:85:VAL:HG11	2:N:235:THR:HG23	1.28	1.11
2:D:85:VAL:HG11	2:D:235:THR:HG23	1.25	1.11
3:G:96:ARG:HE	3:G:121:THR:HG21	1.10	1.09

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	478/510 (94%)	465 (97%)	13 (3%)	0	100	100
1	B	479/510 (94%)	462 (96%)	17 (4%)	0	100	100
1	C	482/510 (94%)	469 (97%)	12 (2%)	1 (0%)	47	78
1	J	477/510 (94%)	466 (98%)	11 (2%)	0	100	100
1	K	482/510 (94%)	469 (97%)	13 (3%)	0	100	100
1	L	478/510 (94%)	458 (96%)	19 (4%)	1 (0%)	47	78
1	S	476/510 (93%)	461 (97%)	15 (3%)	0	100	100
1	T	477/510 (94%)	466 (98%)	10 (2%)	1 (0%)	47	78
1	U	477/510 (94%)	462 (97%)	14 (3%)	1 (0%)	47	78
2	D	468/478 (98%)	452 (97%)	16 (3%)	0	100	100
2	E	466/478 (98%)	446 (96%)	19 (4%)	1 (0%)	47	78
2	F	467/478 (98%)	445 (95%)	19 (4%)	3 (1%)	25	56
2	M	468/478 (98%)	449 (96%)	19 (4%)	0	100	100
2	N	468/478 (98%)	454 (97%)	13 (3%)	1 (0%)	47	78
2	O	466/478 (98%)	446 (96%)	19 (4%)	1 (0%)	47	78
2	V	468/478 (98%)	448 (96%)	20 (4%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	W	465/478 (97%)	450 (97%)	14 (3%)	1 (0%)	47	78
2	X	467/478 (98%)	448 (96%)	18 (4%)	1 (0%)	47	78
3	G	261/278 (94%)	235 (90%)	23 (9%)	3 (1%)	14	41
3	P	229/278 (82%)	201 (88%)	21 (9%)	7 (3%)	4	14
3	Y	188/278 (68%)	172 (92%)	16 (8%)	0	100	100
4	H	110/138 (80%)	98 (89%)	10 (9%)	2 (2%)	8	28
4	Q	74/138 (54%)	59 (80%)	12 (16%)	3 (4%)	3	9
4	Z	15/138 (11%)	13 (87%)	2 (13%)	0	100	100
5	1	23/61 (38%)	20 (87%)	1 (4%)	2 (9%)	1	1
5	I	42/61 (69%)	35 (83%)	5 (12%)	2 (5%)	2	7
5	R	30/61 (49%)	23 (77%)	5 (17%)	2 (7%)	1	3
All	All	9481/10323 (92%)	9072 (96%)	376 (4%)	33 (0%)	41	72

5 of 33 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	G	135	LYS
5	I	31	THR
5	R	31	THR
5	R	32	ALA
3	G	204	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	388/412 (94%)	382 (98%)	6 (2%)	65	89
1	B	388/412 (94%)	380 (98%)	8 (2%)	53	84
1	C	389/412 (94%)	382 (98%)	7 (2%)	59	86
1	J	387/412 (94%)	382 (99%)	5 (1%)	69	91
1	K	388/412 (94%)	379 (98%)	9 (2%)	50	82

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	388/412 (94%)	378 (97%)	10 (3%)	46	79
1	S	387/412 (94%)	378 (98%)	9 (2%)	50	82
1	T	388/412 (94%)	382 (98%)	6 (2%)	65	89
1	U	388/412 (94%)	381 (98%)	7 (2%)	59	86
2	D	380/384 (99%)	374 (98%)	6 (2%)	62	88
2	E	378/384 (98%)	373 (99%)	5 (1%)	69	91
2	F	379/384 (99%)	374 (99%)	5 (1%)	69	91
2	M	380/384 (99%)	372 (98%)	8 (2%)	53	84
2	N	380/384 (99%)	373 (98%)	7 (2%)	59	86
2	O	379/384 (99%)	376 (99%)	3 (1%)	81	94
2	V	380/384 (99%)	372 (98%)	8 (2%)	53	84
2	W	378/384 (98%)	374 (99%)	4 (1%)	73	92
2	X	379/384 (99%)	374 (99%)	5 (1%)	69	91
3	G	219/236 (93%)	206 (94%)	13 (6%)	19	49
3	P	198/236 (84%)	183 (92%)	15 (8%)	13	36
3	Y	163/236 (69%)	157 (96%)	6 (4%)	34	68
4	H	54/112 (48%)	52 (96%)	2 (4%)	34	68
4	Q	5/112 (4%)	5 (100%)	0	100	100
5	I	23/48 (48%)	20 (87%)	3 (13%)	4	13
All	All	7566/8144 (93%)	7409 (98%)	157 (2%)	53	84

5 of 157 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	342	THR
2	N	114	ARG
2	W	433	ARG
1	L	401	GLU
2	M	6	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 33 such sidechains are listed below:

Mol	Chain	Res	Type
1	L	398	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	P	122	HIS
2	X	385	GLN
2	O	52	GLN
2	O	328	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 31 ligands modelled in this entry, 15 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
7	ANP	J	600	6	29,33,33	1.76	8 (27%)	31,52,52	2.24	7 (22%)
7	ANP	O	600	6	29,33,33	1.84	8 (27%)	31,52,52	1.82	8 (25%)
7	ANP	M	600	6	29,33,33	1.71	7 (24%)	31,52,52	2.08	7 (22%)
7	ANP	T	600	6	29,33,33	1.94	9 (31%)	31,52,52	1.81	5 (16%)
7	ANP	S	600	6	29,33,33	1.91	6 (20%)	31,52,52	2.08	12 (38%)
7	ANP	V	600	6	29,33,33	1.84	7 (24%)	31,52,52	1.91	6 (19%)
7	ANP	U	600	6	29,33,33	1.82	7 (24%)	31,52,52	1.84	8 (25%)
8	PO4	N	800	-	4,4,4	0.88	0	6,6,6	0.76	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	ANP	D	600	6	29,33,33	1.62	8 (27%)	31,52,52	1.93	8 (25%)
7	ANP	C	600	6	29,33,33	1.68	8 (27%)	31,52,52	2.15	7 (22%)
7	ANP	B	600	6	29,33,33	1.69	7 (24%)	31,52,52	2.06	6 (19%)
7	ANP	A	600	6	29,33,33	1.99	9 (31%)	31,52,52	1.96	8 (25%)
7	ANP	X	600	6	29,33,33	1.68	5 (17%)	31,52,52	2.34	8 (25%)
7	ANP	F	600	6	29,33,33	1.67	7 (24%)	31,52,52	1.99	6 (19%)
7	ANP	L	600	6	29,33,33	1.79	7 (24%)	31,52,52	2.16	8 (25%)
7	ANP	K	600	6	29,33,33	1.73	7 (24%)	31,52,52	2.07	9 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	ANP	J	600	6	-	2/14/38/38	0/3/3/3
7	ANP	O	600	6	-	8/14/38/38	0/3/3/3
7	ANP	M	600	6	-	4/14/38/38	0/3/3/3
7	ANP	T	600	6	-	3/14/38/38	0/3/3/3
7	ANP	S	600	6	-	3/14/38/38	0/3/3/3
7	ANP	V	600	6	-	3/14/38/38	0/3/3/3
7	ANP	U	600	6	-	3/14/38/38	0/3/3/3
7	ANP	D	600	6	-	4/14/38/38	0/3/3/3
7	ANP	C	600	6	-	2/14/38/38	0/3/3/3
7	ANP	B	600	6	-	3/14/38/38	0/3/3/3
7	ANP	A	600	6	-	2/14/38/38	0/3/3/3
7	ANP	X	600	6	-	9/14/38/38	0/3/3/3
7	ANP	F	600	6	-	3/14/38/38	0/3/3/3
7	ANP	L	600	6	-	2/14/38/38	0/3/3/3
7	ANP	K	600	6	-	4/14/38/38	0/3/3/3

The worst 5 of 110 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	S	600	ANP	PG-O1G	4.98	1.54	1.46
7	S	600	ANP	PG-N3B	4.72	1.75	1.63
7	T	600	ANP	PB-N3B	4.49	1.75	1.63

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	O	600	ANP	PG-N3B	4.48	1.75	1.63
7	S	600	ANP	PB-N3B	4.42	1.74	1.63

The worst 5 of 113 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	J	600	ANP	O1G-PG-N3B	-8.93	98.62	111.77
7	B	600	ANP	O1G-PG-N3B	-7.20	101.17	111.77
7	C	600	ANP	O1G-PG-N3B	-7.10	101.31	111.77
7	L	600	ANP	O1G-PG-N3B	-6.95	101.54	111.77
7	M	600	ANP	O1G-PG-N3B	-6.43	102.30	111.77

There are no chirality outliers.

5 of 55 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	M	600	ANP	PB-N3B-PG-O1G
7	M	600	ANP	PG-N3B-PB-O1B
7	M	600	ANP	PA-O3A-PB-O1B
7	M	600	ANP	PA-O3A-PB-O2B
7	S	600	ANP	PB-N3B-PG-O1G


There are no ring outliers.


8 monomers are involved in 19 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	M	600	ANP	6	0
7	S	600	ANP	1	0
7	V	600	ANP	3	0
7	C	600	ANP	1	0
7	X	600	ANP	4	0
7	F	600	ANP	2	0
7	L	600	ANP	1	0
7	K	600	ANP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be


highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.


### 6.3 Carbohydrates ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands ⓘ




Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around ANP S 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ANP V 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ANP U 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ANP F 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ANP X 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ANP L 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ANP T 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ANP D 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ANP C 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ANP J 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ANP O 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ANP B 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ANP A 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ANP K 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.