



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 20, 2020 – 07:25 PM BST

PDB ID : 5HLF  
Title : STRUCTURE OF HIV-1 REVERSE TRANSCRIPTASE In COMPLEX  
WITH A 38-MER HAIRPIN TEMPLATE-PRIMER DNA APTAMER AND  
AN ALPHA-CARBOXYPHOSPHONATE INHIBITOR  
Authors : Das, K.; Arnold, E.  
Deposited on : 2016-01-15  
Resolution : 2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3104 (3.00-2.92)
Clashscore	141614	3462 (3.00-2.92)
Ramachandran outliers	138981	3340 (3.00-2.92)
Sidechain outliers	138945	3343 (3.00-2.92)
RSRZ outliers	127900	2986 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	555	<div> <div>10%</div> <div>72%</div> <div>25%</div> <div>•</div> </div>
1	C	555	<div> <div>19%</div> <div>67%</div> <div>31%</div> <div>•</div> </div>
2	B	444	<div> <div>4%</div> <div>78%</div> <div>15%</div> <div>• 6%</div> </div>
2	D	444	<div> <div>5%</div> <div>75%</div> <div>17%</div> <div>• 8%</div> </div>
3	E	38	<div> <div>5%</div> <div>37%</div> <div>47%</div> <div>8%</div> <div>8%</div> </div>
3	F	38	<div> <div>39%</div> <div>45%</div> <div>8%</div> <div>8%</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	G	2	 50%50%
4	H	2	 50%50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	GOL	C	603	-	-	-	X

## 2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 17429 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HIV-1 REVERSE TRANSCRIPTASE P66 SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	554	Total	C	N	O	S	0	0	0
			4503	2915	749	832	7			
1	C	553	Total	C	N	O	S	0	0	0
			4495	2910	748	830	7			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	280	SER	CYS	engineered mutation	UNP P03366
C	280	SER	CYS	engineered mutation	UNP P03366

- Molecule 2 is a protein called HIV-1 REVERSE TRANSCRIPTASE P51 SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	416	Total	C	N	O	S	0	1	0
			3436	2238	568	623	7			
2	D	410	Total	C	N	O	S	0	2	0
			3403	2222	559	615	7			

There are 34 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-15	MET	-	initiating methionine	UNP P03366
B	-14	ALA	-	expression tag	UNP P03366
B	-13	HIS	-	expression tag	UNP P03366
B	-12	HIS	-	expression tag	UNP P03366
B	-11	HIS	-	expression tag	UNP P03366
B	-10	HIS	-	expression tag	UNP P03366
B	-9	HIS	-	expression tag	UNP P03366
B	-8	HIS	-	expression tag	UNP P03366
B	-7	ALA	-	expression tag	UNP P03366
B	-6	LEU	-	expression tag	UNP P03366

*Continued on next page...*


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-5	GLU	-	expression tag	UNP P03366
B	-4	VAL	-	expression tag	UNP P03366
B	-3	LEU	-	expression tag	UNP P03366
B	-2	PHE	-	expression tag	UNP P03366
B	-1	GLN	-	expression tag	UNP P03366
B	0	GLY	-	expression tag	UNP P03366
B	280	SER	CYS	engineered mutation	UNP P03366
D	-15	MET	-	initiating methionine	UNP P03366
D	-14	ALA	-	expression tag	UNP P03366
D	-13	HIS	-	expression tag	UNP P03366
D	-12	HIS	-	expression tag	UNP P03366
D	-11	HIS	-	expression tag	UNP P03366
D	-10	HIS	-	expression tag	UNP P03366
D	-9	HIS	-	expression tag	UNP P03366
D	-8	HIS	-	expression tag	UNP P03366
D	-7	ALA	-	expression tag	UNP P03366
D	-6	LEU	-	expression tag	UNP P03366
D	-5	GLU	-	expression tag	UNP P03366
D	-4	VAL	-	expression tag	UNP P03366
D	-3	LEU	-	expression tag	UNP P03366
D	-2	PHE	-	expression tag	UNP P03366
D	-1	GLN	-	expression tag	UNP P03366
D	0	GLY	-	expression tag	UNP P03366
D	280	SER	CYS	engineered mutation	UNP P03366

- Molecule 3 is a DNA chain called DNA (38-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	35	Total	C	N	O	P	0	0	0
			720	340	130	215	35			
3	F	35	Total	C	N	O	P	0	0	0
			720	340	130	215	35			

- Molecule 4 is an oligosaccharide called beta-D-fructofuranose-(2-1)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
4	G	2	Total	C	O	0	0	0
			23	12	11			

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
4	H	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Mg	0	0
			2	2		
5	C	1	Total	Mg	0	0
			1	1		

- Molecule 6 is {[ (1S,3R)-3-(5-methyl-2,4-dioxo-3,4-dihydropyrimidin-1(2H)-yl)cyclopentyl]oxy}propanedioic acid (three-letter code: 64A) (formula: C<sub>13</sub>H<sub>16</sub>N<sub>2</sub>O<sub>7</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			22	13	2	7		

- Molecule 7 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	O	S	0	0
			5	4	1		
7	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		
8	C	1	Total	C	O	0	0
			6	3	3		
8	D	1	Total	C	O	0	0
			6	3	3		
8	D	1	Total	C	O	0	0
			6	3	3		
8	D	1	Total	C	O	0	0
			6	3	3		
8	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 9 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	2	Total	O	0	0
			2	2		
9	C	3	Total	O	0	0
			3	3		




### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



#### • Molecule 1: HIV-1 REVERSE TRANSCRIPTASE P66 SUBUNIT




#### • Molecule 1: HIV-1 REVERSE TRANSCRIPTASE P66 SUBUNIT



● Molecule 2: HIV-1 REVERSE TRANSCRIPTASE P51 SUBUNIT



- Molecule 2: HIV-1 REVERSE TRANSCRIPTASE P51 SUBUNIT




- Molecule 3: DNA (38-MER)




- Molecule 3: DNA (38-MER)





- Molecule 4: beta-D-fructofuranose-(2-1)-alpha-D-glucopyranose



- Molecule 4: beta-D-fructofuranose-(2-1)-alpha-D-glucopyranose



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.06Å 128.56Å 132.41Å 90.00° 101.46° 90.00°	Depositor
Resolution (Å)	43.00 – 2.95 43.09 – 2.95	Depositor EDS
% Data completeness (in resolution range)	83.6 (43.00-2.95) 83.6 (43.09-2.95)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.55 (at 2.95Å)	Xtriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.208 , 0.257 0.209 , 0.258	Depositor DCC
$R_{free}$ test set	2566 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	83.0	Xtriage
Anisotropy	0.295	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 72.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	17429	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	103.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.69% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 64A, GOL, MG, GLC, OMC, SO4, FRU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.41	0/4621	0.78	5/6279 (0.1%)
1	C	0.43	0/4613	0.85	5/6268 (0.1%)
2	B	0.30	0/3537	0.60	2/4803 (0.0%)
2	D	0.36	0/3509	0.76	3/4768 (0.1%)
3	E	0.92	4/759 (0.5%)	1.28	6/1170 (0.5%)
3	F	1.27	3/759 (0.4%)	1.13	4/1170 (0.3%)
All	All	0.49	7/17798 (0.0%)	0.81	25/24458 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	15	DC	C4'-O4'	27.21	1.72	1.45
3	E	14	DG	C4'-O4'	11.23	1.56	1.45
3	F	11	DG	C4'-O4'	9.42	1.54	1.45
3	F	12	DG	C4'-O4'	6.83	1.51	1.45
3	E	26	DA	C4'-O4'	5.86	1.50	1.45
3	E	8	DT	C4'-O4'	-5.05	1.40	1.45
3	E	13	DT	C4'-O4'	5.05	1.50	1.45

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	31	DG	O4'-C4'-C3'	-12.83	98.30	106.00
3	E	28	DG	O4'-C4'-C3'	-12.28	98.64	106.00
3	F	15	DC	C1'-O4'-C4'	-9.83	100.27	110.10
3	E	14	DG	O4'-C4'-C3'	-8.95	100.63	106.00
1	C	145	GLN	CB-CA-C	-8.33	93.73	110.40
3	E	-1	DT	O4'-C1'-N1	8.02	113.61	108.00
1	C	346	PHE	CB-CG-CD1	-7.81	115.33	120.80
3	F	11	DG	O4'-C4'-C3'	-7.79	101.33	106.00
1	A	109	LEU	CA-CB-CG	7.31	132.11	115.30
1	C	346	PHE	CB-CG-CD2	7.25	125.88	120.80
1	C	100	LEU	CB-CG-CD2	-6.94	99.20	111.00
3	E	14	DG	C5'-C4'-O4'	6.19	121.06	109.30
2	D	200	THR	OG1-CB-CG2	-6.00	96.21	110.00
1	A	46	LYS	CB-CG-CD	5.99	127.16	111.60
2	D	200	THR	CA-CB-CG2	-5.92	104.11	112.40
2	B	228	LEU	CA-CB-CG	5.89	128.85	115.30
2	B	425	LEU	CB-CG-CD2	-5.88	101.01	111.00
1	A	11	LYS	CD-CE-NZ	-5.86	98.23	111.70
1	A	301	LEU	CA-CB-CG	5.67	128.34	115.30
3	F	31	DG	O4'-C4'-C3'	-5.65	102.24	104.50
2	D	211	ARG	NE-CZ-NH2	-5.63	117.48	120.30
3	F	31	DG	C4'-C3'-C2'	-5.60	98.06	103.10
1	C	146	TYR	N-CA-CB	-5.46	100.78	110.60
3	E	25	DA	O4'-C1'-N9	5.21	111.65	108.00
1	A	65	LYS	CA-CB-CG	5.09	124.59	113.40

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	306	ASN	Mainchain
1	C	542	ILE	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4503	0	4554	117	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	4495	0	4549	131	0
2	B	3436	0	3468	51	0
2	D	3403	0	3427	50	0
3	E	720	0	397	11	0
3	F	720	0	397	17	0
4	G	23	0	21	2	0
4	H	23	0	21	1	0
5	A	2	0	0	0	0
5	C	1	0	0	0	0
6	A	22	0	14	2	0
7	A	5	0	0	0	0
7	C	5	0	0	0	0
8	A	6	0	8	1	0
8	B	30	0	40	6	0
8	C	6	0	8	2	0
8	D	24	0	32	2	0
9	A	2	0	0	0	0
9	C	3	0	0	0	0
All	All	17429	0	16936	355	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (355) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:15:DC:O4'	3:F:15:DC:C4'	1.72	1.36
2:D:354:TYR:OH	2:D:378:GLU:OE1	1.88	0.91
1:C:60:VAL:HG21	1:C:130:PHE:CD2	2.12	0.84
1:C:23:GLN:OE1	1:C:131:THR:OG1	1.95	0.83
1:C:72:ARG:HH21	1:C:74:LEU:HD21	1.45	0.81
1:C:132:ILE:HG21	1:C:142:ILE:HG13	1.61	0.81
2:B:70:LYS:HG3	2:B:226:PRO:HD2	1.65	0.78
1:A:21:VAL:O	1:A:57:ASN:ND2	2.17	0.78
2:B:206:ARG:HD3	2:B:229:TRP:HA	1.64	0.77
1:C:246:LEU:HD11	1:C:310:LEU:HD12	1.67	0.77
1:A:76:ASP:OD2	1:A:78:ARG:NH2	2.18	0.76
1:A:122:GLU:HA	1:A:125:ARG:HE	1.52	0.75
1:C:203:GLU:O	1:C:207:GLN:HG2	1.86	0.74
1:A:271:TYR:CD1	1:A:310:LEU:HD23	2.21	0.74
2:D:359:GLY:HA3	2:D:366:LYS:HD2	1.71	0.72

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:171:PHE:O	1:C:175:ASN:ND2	2.21	0.71
2:D:266:TRP:CZ3	2:D:425:LEU:HD22	2.24	0.71
1:C:198:HIS:O	1:C:202:ILE:HG12	1.92	0.70
2:D:323:LYS:O	2:D:385:LYS:NZ	2.25	0.69
1:A:49:LYS:H	1:A:49:LYS:HD3	1.57	0.69
1:C:132:ILE:CG2	1:C:142:ILE:HG13	2.22	0.69
2:B:209:LEU:HD23	2:B:228:LEU:HD11	1.73	0.69
1:C:19:PRO:HG3	1:C:80:LEU:HB2	1.75	0.68
1:A:541:GLY:HA2	1:A:546:GLU:HG3	1.74	0.68
1:A:448:ARG:O	1:A:451:LYS:NZ	2.27	0.68
1:C:281:LYS:O	1:C:284:ARG:HG3	1.95	0.67
1:A:123:ASP:N	1:A:123:ASP:OD1	2.28	0.66
1:A:247:PRO:O	1:A:307:ARG:NH2	2.28	0.66
1:A:34:LEU:HD22	1:A:132:ILE:HD12	1.77	0.66
1:A:409:THR:HB	8:B:2005:GOL:H32	1.78	0.66
1:A:49:LYS:H	1:A:49:LYS:CD	2.08	0.65
1:C:134:SER:HB3	1:C:141:GLY:HA2	1.78	0.65
1:C:503:LEU:HD22	1:C:535:TRP:HB2	1.78	0.65
1:A:438:GLU:OE2	1:A:459:THR:HG21	1.96	0.65
2:B:266:TRP:CZ3	2:B:425:LEU:HD21	2.31	0.65
1:C:354:TYR:HD1	1:C:374:LYS:HD2	1.60	0.65
1:A:183:TYR:OH	3:F:32:DG:N3	2.29	0.65
1:C:253:THR:HA	1:C:292:VAL:HA	1.78	0.65
2:D:87:PHE:O	2:D:93:GLY:N	2.27	0.65
1:A:343:GLN:HG3	1:A:349:LEU:HD11	1.79	0.65
1:C:111:VAL:HB	1:C:185:ASP:HB2	1.79	0.65
1:C:60:VAL:HG21	1:C:130:PHE:HD2	1.60	0.64
1:C:199:ARG:NH1	1:C:223:LYS:HB3	2.12	0.64
1:C:473:THR:OG1	1:C:476:LYS:HG3	1.97	0.64
1:A:459:THR:HG22	1:A:461:LYS:H	1.63	0.64
2:D:207:GLN:O	2:D:211:ARG:HG3	1.97	0.64
1:A:247:PRO:HB3	1:A:249:LYS:HE3	1.79	0.63
1:A:541:GLY:HA2	1:A:546:GLU:CG	2.29	0.63
1:A:380:ILE:HD12	2:B:27:THR:HG22	1.81	0.62
2:D:266:TRP:CE3	2:D:425:LEU:HD22	2.34	0.62
1:A:282:LEU:HD11	1:A:299:ALA:HB1	1.82	0.62
2:D:115:TYR:OH	2:D:184:MET:O	2.17	0.61
1:C:41:MET:SD	1:C:73:LYS:NZ	2.74	0.61
1:C:458:VAL:HG23	1:C:464:GLN:HG2	1.82	0.61
1:C:125:ARG:HD3	1:C:147:ASN:HA	1.83	0.61
1:C:123:ASP:N	1:C:123:ASP:OD1	2.32	0.61

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:72:ARG:NH2	1:C:151:GLN:OE1	2.34	0.61
1:A:65:LYS:HB3	1:A:68:SER:HB3	1.81	0.61
2:B:38:CYS:SG	2:B:132:ILE:HD11	2.41	0.61
2:B:85:GLN:HE21	2:B:90:VAL:HG21	1.65	0.61
1:A:331:LYS:HD3	1:A:421:PRO:HG2	1.83	0.60
2:B:281:LYS:O	2:B:284:ARG:HG3	2.00	0.60
1:A:206:ARG:NH2	1:A:218:ASP:OD1	2.35	0.60
2:B:365:VAL:HG11	2:B:401:TRP:HB2	1.83	0.60
1:C:457:TYR:HE1	1:C:463:ARG:HG2	1.65	0.60
2:B:7:THR:HG22	2:B:119:PRO:HB2	1.82	0.60
2:B:183:TYR:OH	2:B:386:THR:HG23	2.01	0.60
1:C:59:PRO:HG2	1:C:76:ASP:HB3	1.83	0.60
1:A:255:ASN:ND2	1:A:289:LEU:HD13	2.15	0.60
1:C:114:ALA:HB1	1:C:160:PHE:CE2	2.37	0.59
2:D:87:PHE:HB3	2:D:92:LEU:HB2	1.84	0.59
1:A:134:SER:HB2	1:A:141:GLY:HA2	1.84	0.59
2:D:246:LEU:HD11	2:D:264:LEU:HD21	1.85	0.59
1:C:41:MET:HB3	1:C:46:LYS:HB2	1.83	0.59
2:B:195:ILE:HD11	2:B:199:ARG:HE	1.67	0.59
2:B:64:LYS:H	8:B:2006:GOL:H32	1.66	0.59
1:C:388:LYS:N	1:C:388:LYS:HD2	2.17	0.59
1:C:129:ALA:HA	1:C:144:TYR:O	2.03	0.58
1:A:5:ILE:HD13	1:A:167:ILE:HD11	1.85	0.58
1:C:26:LEU:HB2	1:C:133:PRO:HG3	1.86	0.58
1:C:132:ILE:HG22	1:C:142:ILE:O	2.04	0.58
1:A:36:GLU:O	1:A:40:GLU:HG2	2.04	0.58
2:D:265:ASN:O	2:D:268:SER:OG	2.22	0.58
1:C:511:ASP:OD1	1:C:512:LYS:NZ	2.35	0.58
3:E:7:DC:H2'	3:E:8:DT:H71	1.86	0.58
1:C:362:THR:HG21	1:C:367:GLN:HE21	1.67	0.58
4:G:1:GLC:H62	4:G:2:FRU:H61	1.85	0.58
1:A:78:ARG:HD3	3:F:0:DA:H5''	1.86	0.57
2:D:309:ILE:O	2:D:312:GLU:HG2	2.04	0.57
1:C:26:LEU:HB2	1:C:133:PRO:CG	2.34	0.57
1:A:448:ARG:HH22	3:F:18:DT:H73	1.70	0.57
3:E:26:DA:C6	3:E:27:DG:O6	2.58	0.57
1:A:52:PRO:HG2	1:A:53:GLU:HG2	1.86	0.56
2:B:21:VAL:HB	2:B:59:PRO:HD3	1.87	0.56
1:A:91:GLN:NE2	1:A:93:GLY:O	2.37	0.56
1:C:503:LEU:HD23	2:D:422:LEU:HD22	1.87	0.56
1:A:68:SER:OG	1:A:70:LYS:HG3	2.05	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:282:LEU:HD21	2:D:296:THR:HG22	1.87	0.56
1:C:367:GLN:HE22	1:C:512:LYS:HD2	1.71	0.56
2:D:206:ARG:NH1	2:D:229:TRP:O	2.39	0.56
1:A:271:TYR:CE1	1:A:310:LEU:HD23	2.41	0.56
1:C:80:LEU:HD11	1:C:124:PHE:CZ	2.41	0.56
1:C:503:LEU:CD2	1:C:535:TRP:HB2	2.36	0.55
2:D:244:ILE:HD11	2:D:425:LEU:HD21	1.88	0.55
3:F:24:DG:H2''	3:F:25:DA:C8	2.41	0.55
1:C:343:GLN:HG3	1:C:349:LEU:HD11	1.89	0.55
1:C:532:TYR:CE2	1:C:534:ALA:HB2	2.41	0.55
2:D:11:LYS:N	2:D:85:GLN:OE1	2.25	0.55
1:A:270:ILE:HG23	1:A:271:TYR:HD2	1.70	0.55
1:A:503:LEU:CD2	1:A:535:TRP:HB2	2.37	0.55
2:D:253:THR:O	2:D:257:ILE:HD12	2.06	0.55
1:C:199:ARG:HH12	1:C:223:LYS:HB3	1.72	0.55
1:C:80:LEU:O	1:C:84:THR:OG1	2.17	0.55
1:A:495:ILE:HB	1:A:533:LEU:HD23	1.89	0.55
1:A:101:LYS:HE2	1:A:321:PRO:HG3	1.89	0.55
1:A:246:LEU:HB3	1:A:307:ARG:CZ	2.37	0.54
2:B:85:GLN:NE2	2:B:90:VAL:HG21	2.22	0.54
1:C:206:ARG:CZ	1:C:221:HIS:HD2	2.20	0.54
3:E:7:DC:C2'	3:E:8:DT:H71	2.37	0.54
1:A:60:VAL:HG21	1:A:130:PHE:CD2	2.43	0.54
1:A:184:MET:HG3	3:F:33:DG:H1'	1.89	0.54
1:C:280:SER:O	1:C:283:LEU:HB2	2.08	0.54
2:B:227:PHE:HB3	2:B:229:TRP:CD1	2.43	0.54
1:C:41:MET:HG2	1:C:46:LYS:HD2	1.90	0.54
2:B:266:TRP:CE3	2:B:425:LEU:HD21	2.43	0.54
1:A:167:ILE:O	1:A:170:PRO:HD2	2.09	0.53
1:A:503:LEU:HD23	2:B:422:LEU:HD22	1.90	0.53
2:D:248:GLU:OE1	2:D:307:ARG:NH1	2.42	0.53
1:A:490:GLY:O	1:A:528:LYS:NZ	2.35	0.53
1:A:131:THR:HG22	1:A:143:ARG:HG2	1.91	0.53
1:C:133:PRO:HB3	1:C:137:ASN:ND2	2.24	0.53
2:D:21:VAL:HB	2:D:59:PRO:HD3	1.91	0.53
2:D:11:LYS:O	2:D:85:GLN:HB3	2.09	0.53
2:B:47:ILE:HD12	2:B:144:TYR:CD2	2.43	0.52
1:A:34:LEU:HB3	1:A:132:ILE:HD11	1.92	0.52
1:A:182:GLN:O	1:A:182:GLN:HG3	2.10	0.52
1:A:91:GLN:O	3:F:3:DC:H4'	2.09	0.52
1:C:145:GLN:O	1:C:145:GLN:HG3	2.07	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:132:ILE:O	1:C:141:GLY:HA3	2.10	0.52
1:C:298:GLU:CD	1:C:298:GLU:H	2.13	0.52
1:C:540:LYS:HE3	2:D:265:ASN:OD1	2.08	0.52
1:C:155:GLY:O	1:C:159:ILE:HG12	2.09	0.52
2:D:296:THR:HG23	2:D:299:ALA:H	1.75	0.52
2:D:402:TRP:HE1	8:D:505:GOL:H32	1.75	0.52
1:C:134:SER:OG	1:C:135:ILE:N	2.43	0.52
2:D:191:SER:OG	2:D:198:HIS:ND1	2.35	0.52
1:A:26:LEU:HD23	1:A:31:ILE:HA	1.92	0.51
2:B:11:LYS:O	2:B:85:GLN:HB3	2.11	0.51
1:C:260:LEU:HD21	1:C:303:LEU:HD13	1.90	0.51
1:C:498:ASP:OD2	1:C:545:ASN:OD1	2.28	0.51
2:D:70:LYS:HG2	2:D:227:PHE:HE2	1.76	0.51
1:A:296:THR:H	1:A:299:ALA:HB3	1.76	0.51
1:A:33:ALA:O	1:A:36:GLU:HG3	2.10	0.51
1:A:363:ASN:HA	1:A:511:ASP:OD1	2.11	0.51
1:C:447:ASN:OD1	1:C:450:THR:HG23	2.11	0.51
3:F:3:DC:H2'	3:F:4:OMC:C6	2.45	0.51
2:B:287:LYS:HD3	2:B:291:GLU:OE2	2.09	0.51
2:B:323:LYS:O	2:B:385:LYS:NZ	2.44	0.51
1:C:363:ASN:HA	1:C:511:ASP:OD1	2.10	0.51
1:C:367:GLN:NE2	1:C:512:LYS:HD2	2.24	0.51
2:D:6:GLU:OE1	2:D:6:GLU:N	2.43	0.51
1:A:459:THR:CG2	1:A:461:LYS:H	2.24	0.51
1:C:342:TYR:HB3	1:C:348:ASN:HA	1.92	0.50
1:A:503:LEU:HD22	1:A:535:TRP:HB2	1.94	0.50
1:C:8:VAL:O	1:C:10:VAL:HG23	2.11	0.50
1:C:60:VAL:CG2	1:C:130:PHE:HB2	2.42	0.50
2:B:402:TRP:HE1	8:B:2003:GOL:H32	1.78	0.49
1:C:145:GLN:O	1:C:145:GLN:CG	2.58	0.49
1:C:550:LYS:C	1:C:552:VAL:H	2.16	0.49
2:B:72:ARG:HG2	2:B:226:PRO:HB3	1.95	0.49
2:D:336:GLN:HB3	2:D:353:LYS:HE3	1.94	0.49
2:B:163:SER:O	2:B:167:ILE:HG13	2.12	0.49
1:C:320:ASP:OD2	1:C:323:LYS:HE3	2.13	0.49
1:C:354:TYR:CZ	1:C:356:ARG:HB3	2.47	0.49
1:A:31:ILE:O	1:A:35:VAL:HG23	2.13	0.49
3:F:5:DC:H2'	3:F:6:DC:C6	2.47	0.49
2:B:24:TRP:CD2	8:B:2003:GOL:H31	2.47	0.49
1:C:115:TYR:HB3	1:C:149:LEU:O	2.13	0.49
1:A:7:THR:OG1	1:A:121:ASP:HA	2.12	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:17:ASP:OD1	1:C:18:GLY:N	2.41	0.48
1:C:184:MET:HG3	3:E:33:DG:H1'	1.96	0.48
2:D:84:THR:HB	2:D:154:LYS:HE2	1.95	0.48
2:B:72:ARG:HB2	2:B:226:PRO:HD3	1.95	0.48
3:E:17:DT:H6	3:E:17:DT:C5'	2.26	0.48
1:C:120:LEU:HD23	1:C:125:ARG:HG2	1.96	0.48
1:C:271:TYR:CD2	1:C:310:LEU:HD23	2.48	0.48
1:A:78:ARG:NH2	3:F:-1:DT:H2''	2.28	0.48
1:C:255:ASN:HD22	1:C:289:LEU:HB3	1.79	0.48
1:C:317:VAL:HG23	1:C:349:LEU:HD23	1.96	0.48
1:C:7:THR:OG1	1:C:121:ASP:HA	2.14	0.48
1:C:362:THR:CG2	1:C:367:GLN:HE21	2.27	0.48
1:C:78:ARG:O	1:C:82:LYS:HG3	2.13	0.48
2:D:257:ILE:HD13	2:D:293:ILE:HD11	1.96	0.48
3:E:18:DT:H4'	3:E:19:DG:C8	2.48	0.48
1:A:75:VAL:HG11	1:A:77:PHE:CE2	2.49	0.47
2:D:85:GLN:HE21	2:D:90:VAL:HG21	1.79	0.47
1:C:154:LYS:HA	3:E:1:DC:H2''	1.96	0.47
2:D:169:GLU:OE2	2:D:173:LYS:HE3	2.14	0.47
1:A:125:ARG:O	1:A:128:THR:OG1	2.27	0.47
1:A:32:LYS:HD2	1:A:32:LYS:N	2.28	0.47
2:B:6:GLU:N	2:B:6:GLU:OE1	2.41	0.47
2:D:357:MET:HB3	2:D:370:GLU:OE1	2.13	0.47
1:A:246:LEU:HB3	1:A:307:ARG:NH1	2.29	0.47
1:C:139:THR:HB	1:C:140:PRO:HD2	1.97	0.47
1:C:550:LYS:O	1:C:552:VAL:N	2.47	0.47
1:A:255:ASN:HD22	1:A:289:LEU:HD13	1.79	0.47
1:C:130:PHE:O	1:C:143:ARG:HA	2.15	0.47
2:D:126:LYS:HA	2:D:145:GLN:OE1	2.14	0.47
1:A:241:VAL:HG11	1:A:244:ILE:HD11	1.96	0.47
1:C:114:ALA:HB2	1:C:185:ASP:HB3	1.97	0.47
3:F:1:DC:H2'	3:F:2:OMC:C6	2.50	0.47
1:A:139:THR:HB	1:A:140:PRO:HD2	1.95	0.47
1:A:206:ARG:HG2	1:A:216:THR:OG1	2.15	0.47
2:B:12:LEU:HB3	2:B:83:ARG:O	2.15	0.47
1:C:399:GLU:HA	1:C:402:TRP:CD1	2.50	0.47
1:C:354:TYR:CD1	1:C:374:LYS:HD2	2.47	0.46
3:F:18:DT:H4'	3:F:19:DG:C8	2.50	0.46
1:C:459:THR:HG23	1:C:463:ARG:O	2.15	0.46
2:D:357:MET:O	2:D:360:ALA:HB2	2.16	0.46
1:A:270:ILE:O	1:A:272:PRO:HD3	2.15	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:328:GLU:O	1:A:339:TYR:HA	2.16	0.46
1:A:46:LYS:O	1:A:147:ASN:HB2	2.15	0.46
1:C:72:ARG:HG2	1:C:73:LYS:N	2.31	0.46
2:B:28:GLU:HG3	2:B:32:LYS:HE2	1.97	0.46
1:C:21:VAL:HG12	1:C:22:LYS:N	2.30	0.46
1:C:72:ARG:NH2	1:C:74:LEU:HD21	2.22	0.46
2:D:38:CYS:SG	2:D:132:ILE:HD11	2.56	0.46
2:D:254:VAL:HG13	2:D:283:LEU:HD22	1.98	0.46
1:A:78:ARG:HA	1:A:81:ASN:ND2	2.31	0.46
2:D:123:ASP:O	2:D:126:LYS:NZ	2.48	0.46
1:A:89:GLU:OE1	1:A:158:ALA:HB2	2.15	0.46
3:E:17:DT:H5'	3:E:17:DT:H6	1.81	0.46
1:A:12:LEU:HD23	1:A:84:THR:HA	1.98	0.45
1:C:246:LEU:HD12	1:C:307:ARG:HD3	1.98	0.45
1:C:115:TYR:OH	1:C:157:PRO:HG3	2.16	0.45
1:C:21:VAL:HG12	1:C:22:LYS:H	1.81	0.45
1:C:61:PHE:CD2	1:C:61:PHE:N	2.84	0.45
2:D:170:PRO:HB2	2:D:208:HIS:HE1	1.81	0.45
1:A:448:ARG:NH2	3:F:18:DT:H6	2.14	0.45
2:B:91:GLN:NE2	1:C:343:GLN:O	2.49	0.45
1:A:206:ARG:NH2	1:A:216:THR:O	2.50	0.45
1:A:534:ALA:HA	8:A:605:GOL:H2	1.99	0.45
1:A:320:ASP:OD1	1:A:322:SER:OG	2.29	0.45
1:A:408:ALA:HB1	2:B:364:ASP:HB3	1.97	0.45
2:D:92:LEU:HD23	2:D:92:LEU:HA	1.67	0.45
2:B:24:TRP:CE3	8:B:2003:GOL:H31	2.52	0.45
1:C:463:ARG:HB2	1:C:463:ARG:HE	1.36	0.45
1:A:354:TYR:CD1	1:A:374:LYS:HG3	2.51	0.45
1:C:57:ASN:HB3	1:C:143:ARG:HH21	1.80	0.45
1:A:28:GLU:H	1:A:28:GLU:HG3	1.37	0.45
1:C:108:VAL:HG21	1:C:227:PHE:HB3	1.99	0.44
1:C:219:LYS:HD3	1:C:220:LYS:HE3	1.99	0.44
1:A:104:LYS:HE3	1:A:192:ASP:C	2.37	0.44
1:A:540:LYS:HA	1:A:540:LYS:HD3	1.66	0.44
1:C:270:ILE:O	1:C:272:PRO:HD3	2.17	0.44
2:B:399:GLU:OE2	4:G:2:FRU:H5	2.17	0.44
1:A:44:GLU:HB3	1:A:46:LYS:HE2	1.99	0.44
1:A:503:LEU:HD11	1:A:533:LEU:HB3	2.00	0.44
1:A:5:ILE:CD1	1:A:167:ILE:HD11	2.48	0.44
1:C:540:LYS:HA	1:C:540:LYS:HD3	1.65	0.44
2:B:168:LEU:HD22	2:B:205:LEU:HD11	1.98	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:87:PHE:HB3	2:B:92:LEU:HB2	2.00	0.44
2:D:195:ILE:HD11	2:D:199:ARG:HE	1.82	0.44
3:E:30:DG:C6	3:E:31:DG:C5	3.05	0.44
1:A:390:LYS:NZ	1:A:415:GLU:OE2	2.51	0.44
1:C:253:THR:HG22	1:C:292:VAL:HG22	2.00	0.44
1:A:279:LEU:HA	1:A:282:LEU:HD12	2.00	0.44
1:A:34:LEU:HB3	1:A:132:ILE:CD1	2.47	0.44
1:A:407:GLN:NE2	2:B:394[B]:GLN:OE1	2.43	0.44
1:C:206:ARG:NE	1:C:221:HIS:HD2	2.16	0.44
1:C:26:LEU:O	1:C:31:ILE:HD11	2.18	0.44
1:A:270:ILE:HG23	1:A:271:TYR:CD2	2.53	0.43
1:A:78:ARG:HH22	3:F:-1:DT:H2"	1.82	0.43
1:A:49:LYS:N	1:A:49:LYS:HD3	2.30	0.43
1:A:511:ASP:OD1	1:A:512:LYS:NZ	2.42	0.43
1:C:429:LEU:HD13	1:C:533:LEU:HD12	1.99	0.43
2:D:104:LYS:HA	2:D:237:ASP:OD1	2.17	0.43
1:A:91:GLN:OE1	1:A:161:GLN:NE2	2.51	0.43
1:C:32:LYS:HD2	1:C:32:LYS:N	2.34	0.43
2:D:335:GLY:HA2	2:D:367:GLN:OE1	2.18	0.43
1:A:58:THR:HG21	1:A:77:PHE:CE1	2.53	0.43
2:B:379:SER:CB	2:B:387:PRO:HD3	2.48	0.43
1:A:376:THR:HG21	2:B:401:TRP:CH2	2.53	0.43
2:D:227:PHE:HB3	2:D:229:TRP:HD1	1.84	0.43
1:A:412:PRO:HG3	2:B:401:TRP:CH2	2.53	0.43
1:A:78:ARG:NH1	3:F:0:DA:H5"	2.33	0.43
1:C:21:VAL:O	1:C:57:ASN:ND2	2.51	0.43
1:C:26:LEU:HB2	1:C:133:PRO:HG2	2.01	0.43
1:C:282:LEU:HD21	1:C:296:THR:OG1	2.19	0.43
1:C:504:GLY:HA2	2:D:420:PRO:HG2	2.01	0.43
2:B:34:LEU:HA	2:B:34:LEU:HD23	1.85	0.42
1:C:503:LEU:HD12	1:C:503:LEU:HA	1.71	0.42
1:A:410:TRP:CH2	1:A:412:PRO:HA	2.54	0.42
1:C:80:LEU:HD11	1:C:124:PHE:HZ	1.81	0.42
1:A:532:TYR:CE2	1:A:534:ALA:HB2	2.54	0.42
2:B:65:LYS:HB3	2:B:232:TYR:OH	2.20	0.42
1:C:281:LYS:HA	1:C:284:ARG:HE	1.84	0.42
2:B:126:LYS:HA	2:B:145:GLN:OE1	2.18	0.42
2:D:413:GLU:HG3	4:H:1:GLC:O6	2.20	0.42
1:A:116:PHE:HA	1:A:148:VAL:HG21	2.01	0.42
1:C:76:ASP:OD1	1:C:78:ARG:NE	2.52	0.42
1:A:246:LEU:HD12	1:A:310:LEU:HD12	2.01	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:503:LEU:HA	1:A:503:LEU:HD12	1.81	0.42
1:C:253:THR:HB	1:C:290:THR:O	2.20	0.42
1:C:369:THR:HB	8:D:502:GOL:H32	2.00	0.42
1:A:412:PRO:HD3	2:B:401:TRP:CZ2	2.55	0.42
6:A:602:64A:H5	6:A:602:64A:H10	1.67	0.42
1:A:57:ASN:OD1	1:A:131:THR:N	2.53	0.42
1:C:491:LEU:HB3	1:C:529:GLU:HB2	2.01	0.42
2:D:163:SER:O	2:D:167:ILE:HG13	2.20	0.42
1:A:516:GLU:O	1:A:520:GLN:HG3	2.20	0.41
1:A:258:GLN:CD	3:F:28:DG:H2''	2.41	0.41
1:A:72:ARG:NH2	6:A:602:64A:H5	2.35	0.41
2:B:64:LYS:HE3	2:B:71:TRP:CE2	2.55	0.41
1:C:37:ILE:O	1:C:40:GLU:HB3	2.21	0.41
1:A:198:HIS:O	1:A:202:ILE:HG12	2.20	0.41
1:C:102:LYS:HE2	1:C:237:ASP:HA	2.01	0.41
1:C:131:THR:CG2	1:C:143:ARG:HE	2.32	0.41
2:D:12:LEU:HD11	2:D:127:TYR:CZ	2.55	0.41
2:D:331:LYS:HB2	2:D:337:TRP:CZ3	2.56	0.41
1:A:110:ASP:HB2	1:A:220:LYS:HB3	2.02	0.41
1:A:543:GLY:N	2:B:283:LEU:O	2.53	0.41
2:B:317:VAL:O	2:B:317:VAL:HG23	2.21	0.41
3:F:17:DT:H2''	3:F:18:DT:O5'	2.20	0.41
1:A:306:ASN:HA	1:A:309:ILE:HD12	2.01	0.41
1:C:116:PHE:HA	1:C:148:VAL:HG21	2.03	0.41
1:C:34:LEU:O	1:C:37:ILE:HG22	2.21	0.41
3:E:10:DC:H2''	3:E:11:DG:C8	2.55	0.41
1:A:253:THR:HG22	1:A:292:VAL:HG22	2.01	0.41
2:B:25:PRO:HG3	8:B:2004:GOL:H2	2.03	0.41
2:B:320:ASP:HB3	2:B:323:LYS:HD2	2.01	0.41
1:C:167:ILE:O	1:C:170:PRO:HD2	2.21	0.41
1:C:110:ASP:HB2	1:C:220:LYS:HB3	2.03	0.41
1:A:246:LEU:HB3	1:A:307:ARG:NH2	2.36	0.41
1:C:11:LYS:N	1:C:85:GLN:OE1	2.40	0.41
2:B:309:ILE:O	2:B:312:GLU:HG2	2.21	0.41
1:C:20:LYS:HE3	1:C:56:TYR:CD1	2.56	0.41
1:C:492:GLU:HG2	1:C:530:LYS:HB2	2.01	0.41
8:C:603:GOL:H2	3:E:5:DC:H1'	2.01	0.41
1:A:78:ARG:O	1:A:81:ASN:HB2	2.21	0.41
2:B:75:VAL:HG11	2:B:77:PHE:CZ	2.56	0.41
1:C:135:ILE:HG13	1:C:139:THR:OG1	2.21	0.41
1:C:312:GLU:H	1:C:312:GLU:HG2	1.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:397:THR:HG21	1:C:424:LYS:HA	2.03	0.41
1:C:79:GLU:OE2	1:C:83:ARG:NE	2.46	0.41
1:A:120:LEU:H	1:A:148:VAL:HA	1.85	0.40
1:A:326:ILE:O	1:A:341:ILE:HA	2.21	0.40
1:C:266:TRP:HA	8:C:603:GOL:H11	2.04	0.40
1:A:211:ARG:HG2	1:A:212:TRP:CD1	2.56	0.40
1:A:442:VAL:HB	1:A:481:ALA:HB1	2.03	0.40
1:A:277:ARG:NH2	1:A:335:GLY:O	2.55	0.40
1:C:451:LYS:HE2	1:C:451:LYS:HB3	1.83	0.40
1:C:277:ARG:HH11	1:C:277:ARG:HD3	1.63	0.40
2:D:90:VAL:O	2:D:91:GLN:HB2	2.22	0.40
1:C:75:VAL:HB	1:C:77:PHE:CE2	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	552/555 (100%)	525 (95%)	24 (4%)	3 (0%)	29	64
1	C	551/555 (99%)	511 (93%)	36 (6%)	4 (1%)	22	56
2	B	413/444 (93%)	400 (97%)	13 (3%)	0	100	100
2	D	408/444 (92%)	396 (97%)	12 (3%)	0	100	100
All	All	1924/1998 (96%)	1832 (95%)	85 (4%)	7 (0%)	34	69

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	551	LEU
1	A	282	LEU
1	A	135	ILE

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	313	PRO
1	C	249	LYS
1	C	313	PRO
1	C	25	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	493/495 (100%)	469 (95%)	24 (5%)	25	58
1	C	493/495 (100%)	472 (96%)	21 (4%)	29	62
2	B	377/403 (94%)	374 (99%)	3 (1%)	81	92
2	D	373/403 (93%)	371 (100%)	2 (0%)	88	95
All	All	1736/1796 (97%)	1686 (97%)	50 (3%)	42	73

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	THR
1	A	24	TRP
1	A	28	GLU
1	A	29	GLU
1	A	34	LEU
1	A	36	GLU
1	A	39	THR
1	A	44	GLU
1	A	48	SER
1	A	49	LYS
1	A	53	GLU
1	A	77	PHE
1	A	123	ASP
1	A	135	ILE
1	A	136	ASN
1	A	178	ILE
1	A	188	TYR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	197	GLN
1	A	207	GLN
1	A	244	ILE
1	A	358	ARG
1	A	450	THR
1	A	459	THR
1	A	516	GLU
2	B	163	SER
2	B	290	THR
2	B	413	GLU
1	C	7	THR
1	C	24	TRP
1	C	36	GLU
1	C	39	THR
1	C	61	PHE
1	C	66	LYS
1	C	104	LYS
1	C	109	LEU
1	C	123	ASP
1	C	135	ILE
1	C	142	ILE
1	C	188	TYR
1	C	211	ARG
1	C	297	GLU
1	C	312	GLU
1	C	338	THR
1	C	358	ARG
1	C	388	LYS
1	C	459	THR
1	C	498	ASP
1	C	516	GLU
2	D	163	SER
2	D	413	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	81	ASN
1	A	91	GLN
1	A	161	GLN
1	A	407	GLN
2	B	151	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	361	HIS
1	C	221	HIS
1	C	255	ASN
1	C	373	GLN
2	D	175	ASN
2	D	208	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	OMC	E	2	3	15,22,23	0.97	1 (6%)	17,31,34	1.45	2 (11%)
3	OMC	E	4	3	15,22,23	0.93	1 (6%)	17,31,34	1.38	1 (5%)
3	OMC	F	4	3	15,22,23	0.90	1 (6%)	17,31,34	1.28	1 (5%)
3	OMC	F	2	3	15,22,23	0.96	1 (6%)	17,31,34	1.35	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OMC	E	2	3	-	2/7/27/28	0/2/2/2
3	OMC	E	4	3	-	1/7/27/28	0/2/2/2
3	OMC	F	4	3	-	0/7/27/28	0/2/2/2
3	OMC	F	2	3	-	1/7/27/28	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	2	OMC	C4-N4	2.74	1.43	1.35
3	E	4	OMC	C4-N4	2.69	1.43	1.35
3	F	4	OMC	C4-N4	2.68	1.43	1.35
3	F	2	OMC	C4-N4	2.66	1.43	1.35

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	2	OMC	C2-N3-C4	4.38	120.78	116.34
3	E	4	OMC	C2-N3-C4	4.38	120.78	116.34
3	F	4	OMC	C2-N3-C4	4.21	120.61	116.34
3	F	2	OMC	C2-N3-C4	4.15	120.55	116.34
3	E	2	OMC	N4-C4-N3	2.31	120.14	116.49
3	F	2	OMC	N4-C4-N3	2.01	119.66	116.49

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	E	4	OMC	C1'-C2'-O2'-CM2
3	F	2	OMC	C1'-C2'-O2'-CM2
3	E	2	OMC	C1'-C2'-O2'-CM2
3	E	2	OMC	O4'-C4'-C5'-O5'

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	4	OMC	1	0
3	F	2	OMC	1	0

## 5.5 Carbohydrates

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	GLC	G	1	4	11,11,12	0.55	0	15,15,17	1.20	2 (13%)
4	FRU	G	2	4	11,12,12	0.59	0	10,18,18	0.77	0
4	GLC	H	1	4	11,11,12	0.58	0	15,15,17	0.95	1 (6%)
4	FRU	H	2	4	11,12,12	0.57	0	10,18,18	1.10	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GLC	G	1	4	-	2/2/19/22	0/1/1/1
4	FRU	G	2	4	-	3/5/24/24	0/1/1/1
4	GLC	H	1	4	-	2/2/19/22	0/1/1/1
4	FRU	H	2	4	-	5/5/24/24	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	1	GLC	C1-O5-C5	2.72	115.88	112.19
4	G	1	GLC	O5-C5-C6	2.31	110.83	107.20
4	H	1	GLC	O5-C5-C6	2.10	110.50	107.20
4	H	2	FRU	O1-C1-C2	-2.05	107.50	111.86

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	G	2	FRU	O1-C1-C2-C3
4	G	2	FRU	O1-C1-C2-O5
4	H	2	FRU	O1-C1-C2-C3
4	H	2	FRU	O1-C1-C2-O2
4	H	2	FRU	O1-C1-C2-O5
4	H	1	GLC	C4-C5-C6-O6
4	H	2	FRU	C4-C5-C6-O6
4	H	1	GLC	O5-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
4	G	2	FRU	O1-C1-C2-O2
4	H	2	FRU	O5-C5-C6-O6
4	G	1	GLC	O5-C5-C6-O6
4	G	1	GLC	C4-C5-C6-O6


There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	2	FRU	2	0
4	H	1	GLC	1	0
4	G	1	GLC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





## 5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 3 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
8	GOL	D	504	-	5,5,5	0.35	0	5,5,5	0.35	0
8	GOL	B	2003	-	5,5,5	0.46	0	5,5,5	0.40	0
7	SO4	C	602	-	4,4,4	0.14	0	6,6,6	0.07	0
8	GOL	C	603	-	5,5,5	0.35	0	5,5,5	0.23	0
6	64A	A	602	5	13,23,23	2.66	4 (30%)	11,33,33	2.68	4 (36%)
8	GOL	B	2006	-	5,5,5	0.36	0	5,5,5	0.50	0
8	GOL	B	2005	-	5,5,5	0.37	0	5,5,5	0.46	0
8	GOL	B	2002	-	5,5,5	0.36	0	5,5,5	0.63	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	SO4	A	604	-	4,4,4	0.14	0	6,6,6	0.05	0
8	GOL	D	502	-	5,5,5	0.36	0	5,5,5	0.24	0
8	GOL	D	505	-	5,5,5	0.37	0	5,5,5	0.24	0
8	GOL	B	2004	-	5,5,5	0.68	0	5,5,5	0.53	0
8	GOL	A	605	-	5,5,5	0.32	0	5,5,5	0.57	0
8	GOL	D	503	-	5,5,5	0.35	0	5,5,5	0.25	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	D	504	-	-	2/4/4/4	-
8	GOL	B	2003	-	-	4/4/4/4	-
8	GOL	C	603	-	-	2/4/4/4	-
6	64A	A	602	5	-	1/4/25/25	0/2/2/2
8	GOL	B	2006	-	-	0/4/4/4	-
8	GOL	B	2005	-	-	1/4/4/4	-
8	GOL	B	2002	-	-	2/4/4/4	-
8	GOL	D	502	-	-	4/4/4/4	-
8	GOL	D	505	-	-	3/4/4/4	-
8	GOL	B	2004	-	-	4/4/4/4	-
8	GOL	A	605	-	-	2/4/4/4	-
8	GOL	D	503	-	-	3/4/4/4	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	602	64A	O11-C10	-7.69	1.34	1.44
6	A	602	64A	O1-C2	3.89	1.34	1.24
6	A	602	64A	C22-N21	-2.43	1.33	1.38
6	A	602	64A	C20-C7	-2.18	1.50	1.53

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	602	64A	C2-N21-C22	7.39	121.38	115.14
6	A	602	64A	C8-C9-C10	2.69	107.76	102.72
6	A	602	64A	C3-C5-N6	-2.18	119.85	122.19

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	602	64A	C10-C20-C7	2.16	107.57	102.43

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	D	504	GOL	O1-C1-C2-C3
8	B	2003	GOL	O1-C1-C2-C3
8	B	2003	GOL	C1-C2-C3-O3
6	A	602	64A	C20-C10-O11-C12
8	D	502	GOL	O1-C1-C2-O2
8	D	502	GOL	O1-C1-C2-C3
8	D	502	GOL	C1-C2-C3-O3
8	D	505	GOL	O1-C1-C2-C3
8	A	605	GOL	C1-C2-C3-O3
8	B	2002	GOL	O1-C1-C2-C3
8	D	503	GOL	C1-C2-C3-O3
8	D	502	GOL	O2-C2-C3-O3
8	B	2004	GOL	O2-C2-C3-O3
8	B	2002	GOL	O1-C1-C2-O2
8	C	603	GOL	O1-C1-C2-C3
8	B	2004	GOL	O1-C1-C2-C3
8	B	2004	GOL	C1-C2-C3-O3
8	B	2003	GOL	O1-C1-C2-O2
8	B	2003	GOL	O2-C2-C3-O3
8	C	603	GOL	O1-C1-C2-O2
8	D	505	GOL	O1-C1-C2-O2
8	A	605	GOL	O2-C2-C3-O3
8	D	503	GOL	O2-C2-C3-O3
8	D	504	GOL	O1-C1-C2-O2
8	B	2004	GOL	O1-C1-C2-O2
8	B	2005	GOL	C1-C2-C3-O3
8	D	503	GOL	O1-C1-C2-C3
8	D	505	GOL	O2-C2-C3-O3

There are no ring outliers.

9 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	B	2003	GOL	3	0
8	C	603	GOL	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	602	64A	2	0
8	B	2006	GOL	1	0
8	B	2005	GOL	1	0
8	D	502	GOL	1	0
8	D	505	GOL	1	0
8	B	2004	GOL	1	0
8	A	605	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	554/555 (99%)	0.53	54 (9%) <span>7</span> <span>4</span>	44, 93, 169, 216	0
1	C	553/555 (99%)	0.96	104 (18%) <span>1</span> <span>0</span>	45, 127, 194, 218	0
2	B	416/444 (93%)	0.32	17 (4%) <span>37</span> <span>24</span>	41, 80, 136, 170	0
2	D	410/444 (92%)	0.38	24 (5%) <span>22</span> <span>13</span>	48, 97, 152, 189	0
3	E	33/38 (86%)	0.44	2 (6%) <span>21</span> <span>12</span>	111, 150, 171, 212	0
3	F	33/38 (86%)	-0.24	0 <span>100</span> <span>100</span>	75, 108, 131, 169	0
All	All	1999/2074 (96%)	0.56	201 (10%) <span>7</span> <span>4</span>	41, 95, 179, 218	0

All (201) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	72	ARG	13.9
1	A	133	PRO	10.6
1	C	73	LYS	10.0
1	C	131	THR	9.5
1	C	61	PHE	9.0
1	A	63	ILE	8.8
1	C	62	ALA	8.7
1	A	132	ILE	7.7
1	C	49	LYS	7.6
1	C	26	LEU	7.3
1	A	73	LYS	7.0
1	C	34	LEU	6.7
1	C	71	TRP	6.7
1	C	25	PRO	6.7
1	C	22	LYS	6.5
1	C	50	ILE	6.4
1	A	26	LEU	6.4
1	A	61	PHE	6.2
1	A	67	ASP	6.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	66	LYS	6.1
2	B	214	LEU	6.0
1	A	135	ILE	6.0
1	C	142	ILE	6.0
1	C	132	ILE	5.8
1	C	193	LEU	5.5
1	C	137	ASN	5.5
1	C	47	ILE	5.5
1	C	113	ASP	5.5
1	C	146	TYR	5.4
1	A	131	THR	5.3
1	A	71	TRP	4.9
1	A	62	ALA	4.8
1	A	134	SER	4.7
1	C	16	MET	4.7
2	B	216	THR	4.6
1	C	27	THR	4.5
1	C	35	VAL	4.4
1	C	28	GLU	4.4
1	C	52	PRO	4.4
1	C	144	TYR	4.3
1	A	140	PRO	4.3
1	C	139	THR	4.3
2	D	358	ARG	4.3
1	C	56	TYR	4.2
2	D	232	TYR	4.2
1	A	25	PRO	4.2
1	C	294	PRO	4.2
1	C	133	PRO	4.1
1	C	288	ALA	4.1
2	D	227	PHE	4.1
1	C	63	ILE	4.1
2	D	92	LEU	4.1
1	C	74	LEU	4.0
1	A	28	GLU	4.0
1	C	246	LEU	4.0
1	C	303	LEU	3.9
1	C	38	CYS	3.8
1	C	24	TRP	3.8
2	B	4	PRO	3.8
1	C	295	LEU	3.7
1	A	35	VAL	3.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	D	90	VAL	3.7
1	A	31	ILE	3.7
1	C	257	ILE	3.7
1	C	286	THR	3.7
2	B	215	THR	3.6
1	A	74	LEU	3.6
1	A	27	THR	3.6
1	C	205	LEU	3.6
1	A	30	LYS	3.5
1	C	48	SER	3.5
1	C	14	PRO	3.5
1	C	21	VAL	3.4
1	C	260	LEU	3.4
1	C	37	ILE	3.4
2	B	226	PRO	3.4
1	C	178	ILE	3.3
1	C	46	LYS	3.3
2	D	209	LEU	3.3
1	C	32	LYS	3.3
1	A	288	ALA	3.3
1	A	448	ARG	3.3
2	B	211	ARG	3.3
1	C	19	PRO	3.3
1	A	48	SER	3.3
1	C	188	TYR	3.3
2	D	146	TYR	3.3
2	D	87	PHE	3.3
1	C	17	ASP	3.3
1	A	1	PRO	3.2
1	C	51	GLY	3.2
1	A	29	GLU	3.2
1	C	39	THR	3.2
1	C	135	ILE	3.2
2	B	212	TRP	3.2
1	C	69	THR	3.1
1	C	15	GLY	3.1
1	A	144	TYR	3.1
1	C	247	PRO	3.1
1	C	290	THR	3.1
2	B	10	VAL	3.1
1	A	34	LEU	3.1
1	C	130	PHE	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	299	ALA	3.0
2	D	361	HIS	3.0
2	B	230	MET	2.9
1	C	282	LEU	2.9
1	C	255	ASN	2.9
1	C	124	PHE	2.9
1	C	78	ARG	2.9
1	C	104	LYS	2.9
1	A	143	ARG	2.8
1	A	2	ILE	2.8
1	C	43	LYS	2.8
1	C	103	LYS	2.8
1	C	143	ARG	2.8
1	C	55	PRO	2.8
1	C	189	VAL	2.8
1	A	137	ASN	2.7
1	C	145	GLN	2.7
1	A	32	LYS	2.7
1	C	134	SER	2.7
1	C	60	VAL	2.7
2	B	250	ASP	2.7
1	A	38	CYS	2.7
1	A	293	ILE	2.7
2	B	174	GLN	2.7
1	A	47	ILE	2.6
2	D	202	ILE	2.6
1	C	293	ILE	2.6
2	B	205	LEU	2.6
1	C	59	PRO	2.6
1	C	83	ARG	2.6
1	C	79	GLU	2.6
1	A	66	LYS	2.6
2	D	190	GLY	2.6
1	A	60	VAL	2.6
1	A	24	TRP	2.6
1	C	292	VAL	2.5
1	C	54	ASN	2.5
1	A	139	THR	2.5
1	C	187	LEU	2.5
3	E	-1	DT	2.5
1	C	68	SER	2.5
1	C	11	LYS	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	30	LYS	2.5
2	D	67	ASP	2.5
1	C	82	LYS	2.5
2	D	70	LYS	2.5
1	A	75	VAL	2.5
2	D	10	VAL	2.5
1	A	49	LYS	2.5
1	C	258	GLN	2.5
1	C	110	ASP	2.4
1	C	229	TRP	2.4
1	A	120	LEU	2.4
1	C	70	LYS	2.4
2	B	204	GLU	2.4
1	A	289	LEU	2.4
2	D	359	GLY	2.4
2	D	206	ARG	2.4
1	C	313	PRO	2.4
2	D	230	MET	2.4
1	A	64	LYS	2.4
1	C	20	LYS	2.4
1	C	65	LYS	2.4
1	C	106	VAL	2.3
1	C	108	VAL	2.3
2	B	202	ILE	2.3
1	C	214	LEU	2.3
2	D	205	LEU	2.3
1	A	252	TRP	2.3
1	A	141	GLY	2.3
1	A	282	LEU	2.3
1	C	31	ILE	2.3
1	C	141	GLY	2.2
1	C	253	THR	2.2
2	D	149	LEU	2.2
2	B	201	LYS	2.2
1	C	228	LEU	2.2
2	D	360	ALA	2.2
2	B	206	ARG	2.2
1	C	75	VAL	2.2
1	A	251	SER	2.2
1	C	287	LYS	2.2
1	A	138	GLU	2.2
1	A	295	LEU	2.2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	142	ILE	2.2
2	D	144	TYR	2.2
2	B	89	GLU	2.1
2	D	226	PRO	2.1
1	C	252	TRP	2.1
1	A	136	ASN	2.1
1	C	41	MET	2.1
1	A	279	LEU	2.1
2	D	234	LEU	2.1
1	A	286	THR	2.1
1	A	72	ARG	2.1
3	E	16	DT	2.0
1	C	114	ALA	2.0
2	D	91	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	OMC	E	4	21/22	0.85	0.21	127,138,145,157	0
3	OMC	E	2	21/22	0.93	0.14	147,150,154,159	0
3	OMC	F	4	21/22	0.97	0.19	70,76,81,83	0
3	OMC	F	2	21/22	0.97	0.16	86,96,102,111	0

## 6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	FRU	H	2	12/12	0.93	0.22	87,97,105,105	0
4	GLC	H	1	11/12	0.94	0.19	75,94,96,103	0
4	FRU	G	2	12/12	0.94	0.15	75,91,96,98	0
4	GLC	G	1	11/12	0.95	0.19	71,79,93,93	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around Chain G:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
8	GOL	C	603	6/6	0.75	0.42	112,126,133,133	0
8	GOL	D	502	6/6	0.83	0.32	81,87,88,93	0
8	GOL	D	504	6/6	0.85	0.37	79,98,104,106	0
8	GOL	B	2006	6/6	0.89	0.23	59,64,74,82	0
7	SO4	C	602	5/5	0.90	0.14	104,121,122,131	0

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	MG	C	601	1/1	0.90	0.08	81,81,81,81	0
6	64A	A	602	22/22	0.90	0.21	93,110,118,119	0
8	GOL	B	2005	6/6	0.91	0.24	60,64,66,72	0
8	GOL	D	503	6/6	0.91	0.30	66,75,83,83	0
8	GOL	B	2002	6/6	0.92	0.14	57,69,71,76	0
8	GOL	D	505	6/6	0.92	0.25	75,82,92,92	0
8	GOL	A	605	6/6	0.95	0.14	61,82,84,89	0
8	GOL	B	2003	6/6	0.95	0.31	56,59,64,73	0
7	SO4	A	604	5/5	0.95	0.11	100,118,133,135	0
8	GOL	B	2004	6/6	0.96	0.15	70,76,80,96	0
5	MG	A	601	1/1	0.96	0.17	109,109,109,109	0
5	MG	A	603	1/1	0.97	0.15	82,82,82,82	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers ⓘ

There are no such residues in this entry.