



# Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 08:52 am BST

PDB ID : 3HMV  
Title : Catalytic domain of human phosphodiesterase 4B2B in complex with a tetrahydrobenzothiophene inhibitor  
Authors : Somers, D.O.; Neu, M.  
Deposited on : 2009-05-29  
Resolution : 2.23 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.23 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2391 (2.26-2.22)
Clashscore	141614	2539 (2.26-2.22)
Ramachandran outliers	138981	2489 (2.26-2.22)
Sidechain outliers	138945	2490 (2.26-2.22)
RSRZ outliers	127900	2353 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	378	<div> <div>2%</div> <div> <div></div> <div>76%</div> <div>15%</div> <div>••</div> <div>7%</div> </div> </div>
1	B	378	<div> <div>%</div> <div> <div></div> <div>78%</div> <div>13%</div> <div>••</div> <div>7%</div> </div> </div>

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 5997 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP-specific 3',5'-cyclic phosphodiesterase 4B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	351	Total	C	N	O	S	0	0	0
			2841	1791	482	547	21			
1	B	351	Total	C	N	O	S	0	0	0
			2841	1791	482	547	21			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	151	MET	-	EXPRESSION TAG	UNP Q07343
A	482	ALA	SER	ENGINEERED MUTATION	UNP Q07343
A	487	ALA	SER	ENGINEERED MUTATION	UNP Q07343
A	489	ALA	SER	ENGINEERED MUTATION	UNP Q07343
B	151	MET	-	EXPRESSION TAG	UNP Q07343
B	482	ALA	SER	ENGINEERED MUTATION	UNP Q07343
B	487	ALA	SER	ENGINEERED MUTATION	UNP Q07343
B	489	ALA	SER	ENGINEERED MUTATION	UNP Q07343


- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		

- Molecule 4 is (6S)-6-methyl-2-[[[(2-nitrophenyl)carbonyl]amino]-4,5,6,7-tetrahydro-1-benzothiophene-3-carboxamide (three-letter code: HBT) (formula:  $C_{17}H_{17}N_3O_4S$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			25	17	3	4	1		
4	B	1	Total	C	N	O	S	0	0
			25	17	3	4	1		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	117	Total	O	0	0
			117	117		
6	B	138	Total	O	0	0
			138	138		



- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4B



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.31Å 57.31Å 251.72Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.23 62.93 – 2.23	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-2.23) 99.7 (62.93-2.23)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.99 (at 2.22Å)	Xtriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.173 , 0.226 0.174 , 0.225	Depositor DCC
$R_{free}$ test set	1966 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	37.0	Xtriage
Anisotropy	0.246	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 30.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.479 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	5997	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.10% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, MG, HBT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.74	2/2898 (0.1%)	0.75	3/3925 (0.1%)
1	B	0.76	2/2898 (0.1%)	0.77	3/3925 (0.1%)
All	All	0.75	4/5796 (0.1%)	0.76	6/7850 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	300	GLU	CG-CD	7.29	1.62	1.51
1	B	300	GLU	CB-CG	5.76	1.63	1.52
1	A	163	GLU	CD-OE2	5.68	1.31	1.25
1	A	155	ARG	NE-CZ	5.57	1.40	1.33

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	155	ARG	NE-CZ-NH2	-8.37	116.12	120.30
1	B	210	ARG	NE-CZ-NH1	8.00	124.30	120.30
1	A	155	ARG	NE-CZ-NH1	6.67	123.63	120.30
1	A	153	ILE	N-CA-C	5.23	125.13	111.00
1	B	155	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	B	210	ARG	NE-CZ-NH2	-5.13	117.74	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen



atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2841	0	2759	52	0
1	B	2841	0	2759	52	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	25	0	17	1	0
4	B	25	0	17	1	0
5	A	6	0	8	1	0
6	A	117	0	0	3	0
6	B	138	0	0	3	0
All	All	5997	0	5560	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:510:LEU:H	1:A:510:LEU:HD23	0.97	1.09
1:B:153:ILE:O	1:B:153:ILE:HG23	1.34	1.08
1:B:510:LEU:HD23	1:B:510:LEU:H	1.21	1.05
1:A:153:ILE:HG23	1:A:153:ILE:O	1.57	0.99
1:A:510:LEU:H	1:A:510:LEU:CD2	1.72	0.96
1:A:510:LEU:HD23	1:A:510:LEU:N	1.80	0.95
1:B:153:ILE:O	1:B:153:ILE:CG2	2.15	0.94
1:B:510:LEU:HD23	1:B:510:LEU:N	1.94	0.83
1:B:152:SER:O	1:B:153:ILE:HG22	1.81	0.81
1:A:153:ILE:CG2	1:A:153:ILE:O	2.29	0.80
1:B:190:ARG:HH12	1:B:221:MET:HG2	1.45	0.80
1:A:190:ARG:CG	1:A:190:ARG:HH11	1.95	0.78
1:A:292:GLU:HG2	6:A:3:HOH:O	1.83	0.78
1:B:510:LEU:H	1:B:510:LEU:CD2	1.88	0.75
1:B:190:ARG:HH11	1:B:190:ARG:CG	2.00	0.74
1:A:190:ARG:NH1	1:A:190:ARG:HG3	2.06	0.70
1:A:258:VAL:HG11	1:A:374:LEU:HD12	1.74	0.69
1:B:157:GLY:O	6:B:4:HOH:O	2.11	0.68
1:A:480:TYR:HA	1:A:483:MET:HE3	1.77	0.66
1:A:189:ASN:O	1:A:190:ARG:HD2	1.96	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:364:LYS:HG3	1:B:372:LEU:HD21	1.79	0.64
1:A:292:GLU:CG	6:A:3:HOH:O	2.44	0.64
1:A:190:ARG:HG3	1:A:190:ARG:HH11	1.63	0.64
1:A:190:ARG:NH1	1:A:190:ARG:CG	2.57	0.64
1:A:190:ARG:HH12	1:A:221:MET:HG2	1.63	0.63
1:B:190:ARG:NH1	1:B:190:ARG:HG3	2.15	0.61
1:B:395:ASN:HB2	1:B:396:PRO:HD3	1.83	0.60
1:A:331:ARG:O	1:A:335:ARG:HG3	2.02	0.59
1:B:190:ARG:NH1	1:B:190:ARG:CG	2.62	0.59
1:A:335:ARG:NH1	6:A:55:HOH:O	2.36	0.58
1:B:153:ILE:HD12	1:B:154:SER:N	2.19	0.57
1:A:197:TYR:O	1:A:201:GLN:HG3	2.05	0.56
1:B:156:PHE:O	1:B:158:VAL:HG22	2.07	0.54
1:A:190:ARG:HG2	1:A:190:ARG:HH11	1.73	0.54
1:B:190:ARG:HH11	1:B:190:ARG:HG3	1.71	0.54
1:B:190:ARG:HH11	1:B:190:ARG:HG2	1.72	0.54
1:B:327:THR:OG1	1:B:330:GLN:HG3	2.08	0.54
1:B:480:TYR:HA	1:B:483:MET:HE3	1.91	0.53
1:B:153:ILE:C	1:B:153:ILE:HD12	2.28	0.52
1:A:397:THR:HB	1:A:469:ILE:HG23	1.91	0.52
1:B:197:TYR:O	1:B:201:GLN:HG3	2.09	0.52
1:A:372:LEU:HD11	1:A:461:LEU:HG	1.93	0.51
1:B:479:TRP:CZ3	1:B:483:MET:HE2	2.46	0.51
1:B:397:THR:HB	1:B:469:ILE:HG23	1.93	0.50
1:B:155:ARG:HG3	1:B:155:ARG:O	2.11	0.50
1:A:155:ARG:HG3	1:A:155:ARG:O	1.97	0.50
1:B:152:SER:C	1:B:153:ILE:HG22	2.32	0.50
1:B:479:TRP:CZ3	1:B:483:MET:CE	2.95	0.50
1:A:152:SER:O	1:A:153:ILE:HG22	2.11	0.49
1:B:452:HIS:HB3	1:B:453:PRO:HD3	1.94	0.49
1:A:431:MET:HE2	1:A:505:LYS:HD2	1.94	0.49
1:A:190:ARG:N	1:A:191:PRO:CD	2.76	0.49
1:B:165:HIS:HB3	6:B:63:HOH:O	2.13	0.49
1:B:197:TYR:CE2	1:B:201:GLN:NE2	2.80	0.49
5:A:531:GOL:H11	1:B:453:PRO:HG3	1.95	0.48
1:A:431:MET:CE	1:A:505:LYS:HD2	2.44	0.47
1:B:263:GLU:HG2	1:B:337:MET:SD	2.54	0.47
1:B:164:ASP:OD1	1:B:165:HIS:N	2.48	0.47
1:B:325:ASN:HB2	6:B:75:HOH:O	2.15	0.47
1:B:300:GLU:O	1:B:301:SER:C	2.52	0.46
1:B:510:LEU:N	1:B:510:LEU:CD2	2.63	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:418:GLY:HA3	1:A:432:CYS:O	2.15	0.46
1:B:496:ASN:O	1:B:499:CYS:N	2.43	0.46
1:A:172:ASP:O	1:A:178:LEU:HB2	2.16	0.46
1:B:152:SER:HB3	1:B:160:THR:O	2.15	0.46
1:B:298:ASN:O	1:B:299:ASP:HB2	2.16	0.46
1:A:258:VAL:CG1	1:A:374:LEU:HD12	2.43	0.45
1:B:440:GLU:HG2	1:B:483:MET:HB3	1.98	0.45
1:A:367:THR:HG22	1:A:373:LEU:HD21	1.99	0.45
1:A:300:GLU:O	1:A:301:SER:C	2.55	0.45
1:B:424:ARG:HB2	1:B:426:MET:HG3	1.99	0.45
1:A:252:THR:HG22	1:A:255:LEU:HD12	1.99	0.44
4:A:530:HBT:O3	4:A:530:HBT:C7	2.65	0.44
1:A:189:ASN:C	1:A:190:ARG:HD2	2.37	0.44
1:A:463:GLN:HB3	1:A:463:GLN:HE21	1.66	0.44
1:A:479:TRP:CZ3	1:A:483:MET:HE1	2.51	0.44
1:B:326:LEU:HD23	1:B:326:LEU:N	2.33	0.44
1:B:400:LEU:HD21	1:B:479:TRP:CE2	2.53	0.44
1:A:197:TYR:HA	1:A:216:PHE:HE2	1.82	0.44
1:B:511:THR:OG1	1:B:511:THR:O	2.29	0.44
1:B:181:PHE:CD1	1:B:237:LEU:HD21	2.53	0.44
1:A:181:PHE:CD2	1:A:237:LEU:HD21	2.53	0.43
1:A:479:TRP:CZ3	1:A:483:MET:CE	3.02	0.43
1:B:360:MET:HB2	1:B:360:MET:HE3	1.63	0.43
1:B:187:SER:O	1:B:190:ARG:HB2	2.19	0.43
1:A:199:ILE:HD11	1:A:244:GLN:HA	2.01	0.43
4:B:530:HBT:C7	4:B:530:HBT:O3	2.67	0.43
1:A:181:PHE:CE2	1:A:237:LEU:HD21	2.55	0.42
1:A:253:PRO:HD2	1:A:465:ASP:CG	2.40	0.42
1:A:252:THR:CG2	1:A:255:LEU:HD12	2.49	0.42
1:A:275:ASP:O	1:A:278:HIS:HB2	2.20	0.42
1:A:306:HIS:HE1	1:B:510:LEU:HD13	1.84	0.41
1:A:360:MET:HE3	1:A:360:MET:HB2	1.72	0.41
1:A:233:TYR:CG	1:A:410:ILE:HD13	2.55	0.41
1:A:298:ASN:O	1:A:299:ASP:HB2	2.20	0.41
1:B:154:SER:HB3	1:B:157:GLY:HA2	2.02	0.41
1:B:172:ASP:O	1:B:178:LEU:HB2	2.19	0.41
1:B:503:MET:HE2	1:B:503:MET:HB3	2.00	0.41
1:A:410:ILE:HA	1:A:410:ILE:HD12	1.84	0.41
1:A:154:SER:HB3	1:A:157:GLY:HA2	2.02	0.41
1:A:249:LEU:O	1:A:252:THR:HG22	2.20	0.40
1:B:249:LEU:HD23	1:B:249:LEU:HA	1.91	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:395:ASN:N	1:B:396:PRO:CD	2.83	0.40
1:A:153:ILE:HA	1:A:153:ILE:HD12	1.69	0.40
1:A:158:VAL:HG11	1:A:194:CYS:HB2	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	347/378 (92%)	336 (97%)	9 (3%)	2 (1%)	25	23
1	B	347/378 (92%)	336 (97%)	10 (3%)	1 (0%)	41	44
All	All	694/756 (92%)	672 (97%)	19 (3%)	3 (0%)	34	35

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	153	ILE
1	A	153	ILE
1	A	370	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/340 (94%)	303 (95%)	15 (5%)	26	27
1	B	318/340 (94%)	306 (96%)	12 (4%)	33	36
All	All	636/680 (94%)	609 (96%)	27 (4%)	30	32

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	153	ILE
1	A	154	SER
1	A	155	ARG
1	A	190	ARG
1	A	317	GLU
1	A	360	MET
1	A	362	GLU
1	A	368	SER
1	A	369	SER
1	A	416	GLN
1	A	427	GLU
1	A	460	ASP
1	A	463	GLN
1	A	510	LEU
1	A	511	THR
1	B	153	ILE
1	B	154	SER
1	B	189	ASN
1	B	190	ARG
1	B	300	GLU
1	B	317	GLU
1	B	318	GLU
1	B	353	LEU
1	B	360	MET
1	B	505	LYS
1	B	510	LEU
1	B	511	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	159	ASN
1	A	332	GLN
1	A	463	GLN
1	B	159	ASN
1	B	201	GLN
1	B	325	ASN
1	B	382	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 7 ligands modelled in this entry, 4 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	HBT	A	530	-	24,27,27	1.45	2 (8%)	24,39,39	1.34	3 (12%)
4	HBT	B	530	-	24,27,27	1.42	2 (8%)	24,39,39	1.36	2 (8%)
5	GOL	A	531	-	5,5,5	0.58	0	5,5,5	0.94	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HBT	A	530	-	-	0/8/25/25	0/3/3/3
4	HBT	B	530	-	-	1/8/25/25	0/3/3/3
5	GOL	A	531	-	-	0/4/4/4	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	530	HBT	C14-C15	-4.77	1.42	1.51
4	B	530	HBT	C14-C15	-4.72	1.42	1.51
4	A	530	HBT	C5-S1	-2.95	1.68	1.74
4	B	530	HBT	C5-S1	-2.89	1.68	1.74

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	530	HBT	C12-C13-C8	3.94	125.19	119.33
4	A	530	HBT	C12-C13-C8	3.21	124.11	119.33
4	A	530	HBT	O2-N2-C13	-3.20	113.56	119.03
4	A	530	HBT	O4-C15-N3	-2.99	118.33	122.58
4	B	530	HBT	O4-C15-N3	-2.82	118.57	122.58

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	530	HBT	C12-C13-N2-O2


There are no ring outliers.

3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	530	HBT	1	0
4	B	530	HBT	1	0
5	A	531	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	351/378 (92%)	-0.38	6 (1%) 70 71	26, 47, 82, 120	0
1	B	351/378 (92%)	-0.35	4 (1%) 80 81	26, 47, 83, 119	0
All	All	702/756 (92%)	-0.37	10 (1%) 75 76	26, 47, 82, 120	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	497	ARG	4.3
1	A	496	ASN	3.4
1	B	495	GLN	3.4
1	B	496	ASN	3.4
1	B	154	SER	3.1
1	B	497	ARG	3.0
1	A	216	PHE	2.8
1	A	495	GLN	2.4
1	A	368	SER	2.3
1	A	207	LYS	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.


## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	GOL	A	531	6/6	0.91	0.10	61,64,66,66	0
4	HBT	B	530	25/25	0.97	0.08	28,33,43,50	0
4	HBT	A	530	25/25	0.97	0.08	28,34,43,50	0
3	MG	B	529	1/1	0.98	0.16	29,29,29,29	0
3	MG	A	529	1/1	0.99	0.12	28,28,28,28	0
2	ZN	B	2	1/1	1.00	0.11	30,30,30,30	0
2	ZN	A	1	1/1	1.00	0.10	32,32,32,32	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.