



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 02:23 pm BST

PDB ID : 2HUN
Title : Crystal structure of hypothetical protein PH0414 from *Pyrococcus horikoshii* OT3
Authors : Yamamoto, H.; Kunishima, N.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)
Deposited on : 2006-07-26
Resolution : 2.07 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2684 (2.08-2.04)
Clashscore	141614	2801 (2.08-2.04)
Ramachandran outliers	138981	2768 (2.08-2.04)
Sidechain outliers	138945	2768 (2.08-2.04)
RSRZ outliers	127900	2646 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	336	<div> <div>4%</div> <div> <div></div> <div>76%</div> <div>21%</div> <div>••</div> </div> </div>
1	B	336	<div> <div>5%</div> <div> <div></div> <div>72%</div> <div>23%</div> <div>••</div> </div> </div>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5911 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 336aa long hypothetical dTDP-glucose 4,6-dehydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	329	Total	C	N	O	S	0	0	0
			2689	1732	454	497	6			
1	B	325	Total	C	N	O	S	0	0	0
			2650	1700	450	493	7			

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	253	Total 253	O 253	0	0
3	B	231	Total 231	O 231	0	0

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Chain A:
-
- 4% 76% 21%
- MET S3 G16 I23 H27 W30 I35 D36 K37 L38 K48 D49 L50 E51 V59 K60 K70 R74 L82 E85 S86 H87 R90 S91 E96 I97 F98 L99 H100 I104 T127 D128 E129 V130 R144 S149 P150 Y151 S152 A153 T154
- T168 T179 K190 L191 I192 P193 K194 T195 T205 P206 I207 Y208 G209 T210 GLY LYS ASN V214 L229 K233 E247 K248 L251 L270 V271 E272 D273 R274 P275 G276 H277 D278 L283 K293 V294 F300 D301 K306 K313 R314 E315 W318 K319 P320 L323
- V322 D323 E324 R325 H328 P329 T330 P331 W332 K333 L334 LYS TRP

- Chain B:
-
- | Residue | Category |
|---------|----------|
| M1 | Red |
| S3 | Red |
| T9 | Red |
| G16 | Green |
| I23 | Green |
| L24 | Green |
| E25 | Green |
| K26 | Green |
| E27 | Green |
| P28 | Green |
| D29 | Green |
| W30 | Green |
| L38 | Green |
| K48 | Red |
| K49 | Green |
| L50 | Green |
| E51 | Green |
| K60 | Green |
| V69 | Green |
| K70 | Green |
| H81 | Green |
| L82 | Green |
| A83 | Green |
| S86 | Green |
| B87 | Green |
| R90 | Green |
| H100 | Green |
| I104 | Green |
| Y107 | Green |
| E111 | Green |
| R114 | Green |
| R115 | Green |
| E116 | Green |
| F122 | Green |
| D128 | Green |
| E129 | Green |
| I134 | Green |
| F139 | Green |
| T140 | Green |
| E141 | Green |
| R144 | Green |
| P150 | Green |
| Y151 | Green |
| S152 | Green |
| A153 | Green |
| G164 | Green |
| T168 | Green |
| T179 | Green |
| E189 | Green |
| K194 | Red |
| T195 | Green |
| I196 | Green |
| I197 | Green |
| R198 | Green |
| L205 | Green |
| P206 | Green |
| L207 | Green |
| Y208 | Red |
| G209 | Green |
| T210 | Green |
| D216 | Green |
| E221 | Green |
| V224 | Green |
| R225 | Green |
| E235 | Green |
| S236 | Green |
| R237 | Green |
| E238 | Green |
| I239 | Green |
| K248 | Green |
| V254 | Green |
| L258 | Green |
| E266 | Red |
| L267 | Green |
| L268 | Green |
| E269 | Green |
| L270 | Green |
| V271 | Red |
| E272 | Red |
| D273 | Red |
| R274 | Red |
| P275 | Red |
| G276 | Red |
| E277 | Red |

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	142.89Å 73.68Å 100.22Å 90.00° 129.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.07 8.00 – 2.07	Depositor EDS
% Data completeness (in resolution range)	97.9 (8.00-2.07) 98.0 (8.00-2.07)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.51 (at 2.07Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.204 , 0.232 0.193 , 0.220	Depositor DCC
R_{free} test set	2382 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	28.6	Xtriage
Anisotropy	0.282	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.45 , 72.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5911	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/2755	0.64	0/3738
1	B	0.37	0/2713	0.63	0/3677
All	All	0.37	0/5468	0.64	0/7415

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2689	0	2693	69	0
1	B	2650	0	2651	73	0
2	A	44	0	26	4	0
2	B	44	0	26	1	0
3	A	253	0	0	6	0
3	B	231	0	0	6	0
All	All	5911	0	5396	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:HIS:CE1	1:B:29:ASP:HB2	2.02	0.95
1:A:207:ILE:HG21	1:A:270:LEU:HD23	1.50	0.92
1:A:207:ILE:CG2	1:A:270:LEU:HD23	2.01	0.90
1:B:70:LYS:HG3	1:B:116:GLU:HG3	1.58	0.84
1:B:208:TYR:CE1	1:B:273:ASP:HB2	2.13	0.83
1:A:313:LYS:HG2	1:A:313:LYS:O	1.77	0.83
1:B:319:LYS:O	1:B:322:VAL:HG22	1.78	0.82
1:B:207:ILE:HB	1:B:270:LEU:HD23	1.62	0.82
1:A:48:LYS:HA	1:A:51:GLU:HG3	1.65	0.78
1:B:48:LYS:HD3	1:B:51:GLU:OE2	1.84	0.77
1:B:189:GLU:HB3	3:B:891:HOH:O	1.86	0.74
1:B:318:TRP:O	1:B:322:VAL:HG13	1.87	0.74
1:A:271:VAL:HG11	1:A:332:TRP:CD1	2.25	0.72
1:B:258:LEU:HD11	1:B:268:ILE:CD1	2.20	0.71
1:A:70:LYS:O	1:A:74:ARG:HG3	1.91	0.70
1:A:60:LYS:NZ	3:A:1039:HOH:O	2.23	0.70
1:B:111:GLU:OE2	1:B:114:ARG:HD3	1.91	0.70
1:A:207:ILE:HD13	1:A:251:LEU:HD13	1.78	0.66
1:A:319:LYS:HB3	1:A:320:PRO:HD3	1.77	0.65
1:A:278:ASP:OD1	1:A:278:ASP:N	2.30	0.65
1:A:85:GLU:HG3	1:A:97:ILE:HG22	1.80	0.64
1:B:274:ARG:HH21	1:B:279:LEU:HD11	1.63	0.64
1:B:2:HIS:HE1	1:B:29:ASP:HB2	1.62	0.64
1:A:37:LYS:HD3	2:A:801:NAD:C5A	2.29	0.63
1:B:70:LYS:HD2	3:B:931:HOH:O	1.99	0.63
1:B:86:SER:HA	1:B:151:TYR:CE1	2.34	0.63
1:A:207:ILE:HG23	1:A:270:LEU:HD23	1.80	0.63
1:A:87:HIS:CG	1:A:90:ARG:HD3	2.35	0.62
1:B:274:ARG:HH21	1:B:279:LEU:CD1	2.11	0.62
1:A:324:GLU:O	1:A:328:HIS:HB2	1.99	0.61
1:A:37:LYS:HD3	2:A:801:NAD:C6A	2.31	0.61
1:B:128:ASP:HB3	1:B:283:LEU:HD11	1.83	0.61
1:B:315:GLU:HA	1:B:318:TRP:CE2	2.36	0.61
1:A:333:LYS:O	1:A:334:LEU:HB2	2.02	0.60
1:A:214:VAL:HG21	1:A:247:GLU:HB3	1.83	0.60
1:B:258:LEU:HD11	1:B:268:ILE:HD11	1.83	0.59
1:A:127:THR:O	1:A:130:VAL:HG22	2.02	0.59
1:B:319:LYS:HB3	1:B:320:PRO:HD3	1.84	0.59
1:A:207:ILE:HG23	1:A:270:LEU:HA	1.84	0.59
1:A:207:ILE:HG21	1:A:270:LEU:CD2	2.28	0.59
1:B:208:TYR:CE1	1:B:273:ASP:CB	2.86	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:194:LYS:O	1:B:198:ARG:HG2	2.02	0.58
1:B:225:ARG:NH2	3:B:865:HOH:O	2.30	0.58
1:B:315:GLU:HA	1:B:318:TRP:NE1	2.19	0.57
1:B:210:THR:HA	1:B:270:LEU:HD13	1.87	0.55
1:A:190:LYS:O	1:A:193:PRO:HD2	2.06	0.54
1:A:207:ILE:HD11	1:A:210:THR:HA	1.89	0.54
1:A:271:VAL:HG11	1:A:332:TRP:CG	2.42	0.54
1:A:207:ILE:CD1	1:A:251:LEU:HB2	2.37	0.53
1:B:274:ARG:NH2	1:B:279:LEU:HD11	2.22	0.53
1:A:87:HIS:HB3	1:A:90:ARG:HB2	1.91	0.53
1:B:276:GLY:HA2	3:B:1010:HOH:O	2.09	0.53
1:A:27:HIS:HB3	1:A:30:TRP:CD1	2.44	0.53
1:B:100:HIS:O	1:B:104:ILE:HB	2.09	0.53
1:A:207:ILE:HD12	1:A:251:LEU:HB2	1.91	0.52
1:A:210:THR:O	1:A:210:THR:HG22	2.09	0.52
1:A:48:LYS:HA	1:A:51:GLU:CG	2.38	0.52
1:A:208:TYR:CB	1:A:274:ARG:HG2	2.39	0.52
1:A:208:TYR:CD1	1:A:208:TYR:N	2.76	0.52
1:B:2:HIS:O	1:B:3:SER:HB2	2.10	0.51
1:B:129:GLU:HG2	1:B:281:TYR:CE2	2.45	0.51
1:B:207:ILE:HB	1:B:270:LEU:CD2	2.37	0.51
1:B:322:VAL:O	1:B:322:VAL:HG23	2.10	0.51
1:A:35:ILE:HA	1:A:59:VAL:O	2.11	0.50
1:B:26:LYS:NZ	3:B:942:HOH:O	2.44	0.50
1:B:38:LEU:HD12	1:B:60:LYS:HE2	1.93	0.50
1:A:306:LYS:HD2	3:A:973:HOH:O	2.11	0.50
1:A:214:VAL:CG2	1:A:247:GLU:HB3	2.42	0.50
1:B:275:PRO:HD2	1:B:277:HIS:HD2	1.77	0.49
1:B:325:ARG:N	1:B:325:ARG:HD2	2.27	0.49
1:B:235:GLU:HB2	1:B:238:GLU:HG3	1.93	0.49
1:B:83:ALA:HB1	2:B:802:NAD:C4A	2.43	0.49
1:B:304:ILE:O	1:B:308:ILE:HG13	2.13	0.49
1:A:328:HIS:ND1	1:A:329:PRO:HD2	2.27	0.48
1:A:128:ASP:HB3	1:A:283:LEU:HD11	1.96	0.48
1:A:16:GLY:HA2	1:A:82:LEU:HD13	1.95	0.48
1:A:86:SER:HA	1:A:151:TYR:CD1	2.49	0.47
1:B:50:LEU:O	1:B:50:LEU:HD12	2.14	0.47
1:A:86:SER:HA	1:A:151:TYR:CE1	2.50	0.47
1:B:196:ILE:HD13	1:B:308:ILE:HA	1.97	0.47
1:A:293:LYS:HD2	1:A:293:LYS:N	2.30	0.46
1:A:179:THR:HG22	3:A:882:HOH:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:325:ARG:HE	1:A:325:ARG:HB2	1.48	0.46
1:B:134:ILE:HB	1:B:139:PHE:CE2	2.50	0.46
1:B:221:GLU:O	1:B:224:VAL:HG22	2.15	0.46
1:B:236:SER:O	1:B:237:ARG:HB2	2.16	0.46
1:B:324:GLU:N	1:B:324:GLU:CD	2.69	0.46
1:A:38:LEU:HD12	1:A:60:LYS:HD2	1.97	0.46
1:B:319:LYS:HB3	1:B:320:PRO:CD	2.45	0.46
1:A:91:SER:HA	1:A:98:PHE:CE1	2.52	0.45
1:A:315:GLU:O	1:A:319:LYS:HB2	2.16	0.45
1:A:195:THR:HG23	1:A:205:ILE:HD13	1.97	0.45
1:A:248:LYS:HE3	1:A:300:PHE:CD2	2.51	0.45
1:B:1:MET:HG2	3:B:941:HOH:O	2.16	0.45
1:B:16:GLY:HA2	1:B:82:LEU:HD13	1.99	0.45
1:B:87:HIS:CG	1:B:90:ARG:HD3	2.51	0.44
1:A:319:LYS:O	1:A:322:VAL:HG22	2.17	0.44
1:A:48:LYS:CA	1:A:51:GLU:HG3	2.40	0.44
1:B:179:THR:HG21	1:B:216:ASP:HB3	1.98	0.44
1:A:192:ILE:HB	1:A:193:PRO:HD3	1.99	0.44
1:B:86:SER:HA	1:B:151:TYR:CD1	2.53	0.44
1:B:258:LEU:CD1	1:B:268:ILE:CD1	2.93	0.44
1:A:149:SER:HA	1:B:168:THR:OG1	2.18	0.44
1:A:37:LYS:HG2	2:A:801:NAD:C4A	2.47	0.44
1:A:328:HIS:O	1:A:331:PRO:HD3	2.17	0.44
1:B:2:HIS:NE2	1:B:29:ASP:OD2	2.50	0.44
1:B:9:THR:O	1:B:82:LEU:HB2	2.18	0.44
1:B:254:VAL:CG1	1:B:268:ILE:HD11	2.48	0.43
1:A:207:ILE:O	1:A:207:ILE:CG1	2.66	0.43
1:A:274:ARG:HB2	1:A:275:PRO:HD2	2.00	0.43
1:A:100:HIS:O	1:A:104:ILE:HB	2.18	0.43
1:B:208:TYR:CD1	1:B:273:ASP:HB2	2.52	0.43
1:A:96:GLU:HG3	1:B:107:TYR:OH	2.18	0.43
1:A:315:GLU:HA	1:A:318:TRP:NE1	2.33	0.43
1:B:9:THR:OG1	1:B:81:HIS:HA	2.18	0.43
1:A:168:THR:OG1	1:B:150:PRO:HD3	2.19	0.42
1:B:111:GLU:HA	1:B:114:ARG:HG2	2.00	0.42
1:B:248:LYS:HE3	1:B:300:PHE:CD2	2.54	0.42
1:A:98:PHE:CD1	1:A:98:PHE:N	2.87	0.42
1:B:325:ARG:HD2	1:B:325:ARG:H	1.84	0.42
1:B:81:HIS:HB2	1:B:122:PHE:HE1	1.85	0.42
1:A:153:ALA:HB2	1:B:164:GLY:HA3	2.02	0.42
1:B:23:ILE:CG2	1:B:24:LEU:N	2.82	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:334:LEU:O	1:A:334:LEU:HG	2.21	0.41
1:B:27:HIS:HB3	1:B:30:TRP:CD1	2.56	0.41
1:A:23:ILE:HA	1:A:23:ILE:HD13	1.83	0.41
1:A:233:LYS:HD3	3:A:977:HOH:O	2.21	0.41
1:B:141:GLU:HG2	1:B:239:ILE:O	2.20	0.41
1:B:324:GLU:N	1:B:324:GLU:OE1	2.48	0.41
1:B:114:ARG:HG3	1:B:115:ARG:N	2.36	0.41
1:A:229:LEU:HD23	1:A:294:TRP:HB2	2.02	0.41
1:A:164:GLY:HA3	1:B:153:ALA:HB2	2.02	0.41
1:B:198:ARG:HB2	1:B:205:ILE:CD1	2.51	0.41
1:B:274:ARG:NH2	1:B:279:LEU:CD1	2.81	0.41
1:B:279:LEU:N	1:B:279:LEU:HD12	2.36	0.41
1:A:207:ILE:CG2	1:A:270:LEU:CD2	2.88	0.40
2:A:801:NAD:H8A	3:A:959:HOH:O	2.22	0.40
1:A:233:LYS:CD	3:A:977:HOH:O	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	325/336 (97%)	313 (96%)	12 (4%)	0	100	100
1	B	323/336 (96%)	306 (95%)	16 (5%)	1 (0%)	41	32
All	All	648/672 (96%)	619 (96%)	28 (4%)	1 (0%)	47	39

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	275	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	297/303 (98%)	293 (99%)	4 (1%)	69	67
1	B	292/303 (96%)	285 (98%)	7 (2%)	49	43
All	All	589/606 (97%)	578 (98%)	11 (2%)	57	53

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	144	ARG
1	A	207	ILE
1	A	301	ASP
1	A	325	ARG
1	B	1	MET
1	B	48	LYS
1	B	69	VAL
1	B	144	ARG
1	B	194	LYS
1	B	208	TYR
1	B	273	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	180	ASN
1	B	181	ASN
1	B	277	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAD	A	801	-	42,48,48	1.69	5 (11%)	50,73,73	1.18	2 (4%)
2	NAD	B	802	-	42,48,48	1.67	6 (14%)	50,73,73	1.19	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	801	-	-	5/26/62/62	0/5/5/5
2	NAD	B	802	-	-	5/26/62/62	0/5/5/5

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	NAD	C2N-N1N	7.42	1.44	1.35
2	B	802	NAD	C2N-N1N	7.05	1.43	1.35
2	B	802	NAD	C2A-N1A	3.75	1.40	1.33
2	A	801	NAD	C2A-N1A	3.68	1.40	1.33
2	B	802	NAD	C3N-C7N	3.24	1.55	1.50
2	A	801	NAD	C3N-C7N	2.98	1.55	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	802	NAD	C6N-N1N	2.96	1.42	1.35
2	A	801	NAD	C6N-N1N	2.70	1.42	1.35
2	A	801	NAD	O4D-C1D	2.46	1.44	1.41
2	B	802	NAD	O4D-C1D	2.14	1.44	1.41
2	B	802	NAD	C4N-C3N	2.01	1.42	1.39

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	802	NAD	N3A-C2A-N1A	-4.31	121.94	128.68
2	A	801	NAD	N3A-C2A-N1A	-4.10	122.27	128.68
2	B	802	NAD	C1B-N9A-C4A	-2.10	122.96	126.64
2	A	801	NAD	C4A-C5A-N7A	-2.09	107.22	109.40
2	B	802	NAD	C4A-C5A-N7A	-2.06	107.25	109.40

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	NAD	C5D-O5D-PN-O1N
2	A	801	NAD	C5D-O5D-PN-O2N
2	B	802	NAD	C5D-O5D-PN-O1N
2	B	802	NAD	C5D-O5D-PN-O2N
2	A	801	NAD	PA-O3-PN-O2N
2	B	802	NAD	PA-O3-PN-O2N
2	A	801	NAD	C5D-O5D-PN-O3
2	B	802	NAD	C5D-O5D-PN-O3
2	A	801	NAD	O4B-C4B-C5B-O5B
2	B	802	NAD	O4B-C4B-C5B-O5B


There are no ring outliers.


2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	NAD	4	0
2	B	802	NAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	329/336 (97%)	-0.10	14 (4%) 35 36	18, 30, 63, 75	0
1	B	325/336 (96%)	-0.07	18 (5%) 25 26	17, 29, 61, 78	0
All	All	654/672 (97%)	-0.08	32 (4%) 29 30	17, 30, 63, 78	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	208	TYR	7.6
1	A	276	GLY	7.3
1	B	275	PRO	6.4
1	A	334	LEU	6.0
1	B	1	MET	5.6
1	A	210	THR	5.1
1	B	323	ASP	4.8
1	B	273	ASP	4.4
1	B	325	ARG	4.4
1	A	324	GLU	4.2
1	B	274	ARG	4.2
1	A	272	GLU	3.7
1	A	3	SER	3.6
1	B	271	VAL	3.4
1	A	278	ASP	3.3
1	B	2	HIS	3.3
1	B	276	GLY	3.3
1	B	207	ILE	3.2
1	B	272	GLU	3.1
1	B	3	SER	3.0
1	A	277	HIS	2.9
1	A	209	GLY	2.4
1	B	48	LYS	2.4
1	A	275	PRO	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	325	ARG	2.3
1	B	324	GLU	2.3
1	B	277	HIS	2.2
1	A	323	ASP	2.2
1	B	279	LEU	2.1
1	A	333	LYS	2.1
1	B	266	GLU	2.1
1	A	49	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAD	A	801	44/44	0.95	0.10	23,26,29,30	0
2	NAD	B	802	44/44	0.95	0.09	22,29,32,36	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAD A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD B 802:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.