



Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 06:57 pm BST

PDB ID : 6HU0
Title : Crystal structure of Schistosoma mansoni HDAC8 complexed with a benzohydroxamate inhibitor 9
Authors : Shaik, T.B.; Marek, M.; Romier, C.
Deposited on : 2018-10-05
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3764 (1.76-1.72)
Clashscore	141614	3923 (1.76-1.72)
Ramachandran outliers	138981	3878 (1.76-1.72)
Sidechain outliers	138945	3878 (1.76-1.72)
RSRZ outliers	127900	3705 (1.76-1.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	<div> <div>7%</div> <div> <div></div> <div>81%</div> <div>5%</div> <div>13%</div> </div> </div>
1	B	447	<div> <div>7%</div> <div> <div></div> <div>84%</div> <div>8%</div> <div>8%</div> </div> </div>
1	C	447	<div> <div>5%</div> <div> <div></div> <div>80%</div> <div>11%</div> <div>9%</div> </div> </div>
1	D	447	<div> <div>6%</div> <div> <div></div> <div>80%</div> <div>6%</div> <div>14%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	DMF	B	507	-	-	X	-
5	DMF	B	512	-	-	X	-
5	DMF	C	506	-	-	X	-
5	DMF	C	507	-	-	X	-
6	GOL	C	526	-	-	-	X
6	GOL	D	512	-	-	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 14728 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone deacetylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	387	Total	C	N	O	S	0	3	0
			3100	1999	519	566	16			
1	B	411	Total	C	N	O	S	0	2	0
			3295	2123	550	606	16			
1	C	406	Total	C	N	O	S	0	2	0
			3247	2094	544	594	15			
1	D	386	Total	C	N	O	S	0	4	0
			3084	1987	516	565	16			

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	HIS	-	expression tag	UNP A5H660
A	441	GLY	-	expression tag	UNP A5H660
A	442	SER	-	expression tag	UNP A5H660
A	443	LEU	-	expression tag	UNP A5H660
A	444	VAL	-	expression tag	UNP A5H660
A	445	PRO	-	expression tag	UNP A5H660
A	446	ARG	-	expression tag	UNP A5H660
B	0	HIS	-	expression tag	UNP A5H660
B	441	GLY	-	expression tag	UNP A5H660
B	442	SER	-	expression tag	UNP A5H660
B	443	LEU	-	expression tag	UNP A5H660
B	444	VAL	-	expression tag	UNP A5H660
B	445	PRO	-	expression tag	UNP A5H660
B	446	ARG	-	expression tag	UNP A5H660
C	0	HIS	-	expression tag	UNP A5H660
C	441	GLY	-	expression tag	UNP A5H660
C	442	SER	-	expression tag	UNP A5H660
C	443	LEU	-	expression tag	UNP A5H660
C	444	VAL	-	expression tag	UNP A5H660
C	445	PRO	-	expression tag	UNP A5H660
C	446	ARG	-	expression tag	UNP A5H660

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	0	HIS	-	expression tag	UNP A5H660
D	441	GLY	-	expression tag	UNP A5H660
D	442	SER	-	expression tag	UNP A5H660
D	443	LEU	-	expression tag	UNP A5H660
D	444	VAL	-	expression tag	UNP A5H660
D	445	PRO	-	expression tag	UNP A5H660
D	446	ARG	-	expression tag	UNP A5H660


- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Zn 1 1	0	0
2	A	1	Total Zn 1 1	0	0
2	D	1	Total Zn 1 1	0	0
2	C	1	Total Zn 1 1	0	0

- Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	2	Total K 2 2	0	0
3	A	2	Total K 2 2	0	0
3	D	2	Total K 2 2	0	0
3	C	2	Total K 2 2	0	0

- Molecule 4 is 3-[(2,4-dichlorophenyl)carbonylamino]-4-methoxy- {N}-oxidanyl-benzamide (three-letter code: T86) (formula: C₁₅H₁₂Cl₂N₂O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 23	C 15	Cl 2	N 2	O 4	0	0
4	B	1	Total 23	C 15	Cl 2	N 2	O 4	0	0
4	C	1	Total 23	C 15	Cl 2	N 2	O 4	0	0
4	D	1	Total 23	C 15	Cl 2	N 2	O 4	0	0

- Molecule 5 is DIMETHYLFORMAMIDE (three-letter code: DMF) (formula: C_3H_7NO).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			5	3	1	1		
5	A	1	Total	C	N	O	0	0
			5	3	1	1		
5	A	1	Total	C	N	O	0	0
			5	3	1	1		
5	B	1	Total	C	N	O	0	0
			5	3	1	1		
5	B	1	Total	C	N	O	0	0
			5	3	1	1		
5	B	1	Total	C	N	O	0	0
			5	3	1	1		
5	B	1	Total	C	N	O	0	0
			5	3	1	1		
5	B	1	Total	C	N	O	0	0
			5	3	1	1		
5	B	1	Total	C	N	O	0	0
			5	3	1	1		
5	B	1	Total	C	N	O	0	0
			5	3	1	1		
5	C	1	Total	C	N	O	0	0
			5	3	1	1		
5	C	1	Total	C	N	O	0	0
			5	3	1	1		
5	C	1	Total	C	N	O	0	0
			5	3	1	1		
5	C	1	Total	C	N	O	0	0
			5	3	1	1		
5	C	1	Total	C	N	O	0	0
			5	3	1	1		
5	C	1	Total	C	N	O	0	0
			5	3	1	1		
5	C	1	Total	C	N	O	0	0
			5	3	1	1		
5	C	1	Total	C	N	O	0	0
			5	3	1	1		
5	C	1	Total	C	N	O	0	0
			5	3	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	C	1	Total	C	N	O	0	0
			5	3	1	1		
5	D	1	Total	C	N	O	0	0
			5	3	1	1		
5	D	1	Total	C	N	O	0	0
			5	3	1	1		
5	D	1	Total	C	N	O	0	0
			5	3	1	1		
5	D	1	Total	C	N	O	0	0
			5	3	1	1		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is water.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	360	Total	O	0	0
			360	360		
7	B	425	Total	O	0	0
			425	425		
7	C	425	Total	O	0	0
			425	425		
7	D	386	Total	O	0	0
			386	386		

- Molecule 1: Histone deacetylase





● Molecule 1: Histone deacetylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	70.69Å 70.73Å 98.12Å 75.51° 78.08° 85.55°	Depositor
Resolution (Å)	47.99 – 1.75 47.99 – 1.75	Depositor EDS
% Data completeness (in resolution range)	95.8 (47.99-1.75) 95.8 (47.99-1.75)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.66 (at 1.75Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.189 , 0.226 0.196 , 0.234	Depositor DCC
R_{free} test set	8758 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	15.5	Xtriage
Anisotropy	0.218	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 54.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.066 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14728	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, K, DMF, T86

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/3193	0.52	0/4341
1	B	0.39	0/3390	0.53	0/4609
1	C	0.40	0/3344	0.54	0/4548
1	D	0.38	0/3182	0.52	0/4325
All	All	0.38	0/13109	0.53	0/17823

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3100	0	3007	20	0
1	B	3295	0	3182	36	0
1	C	3247	0	3146	43	0
1	D	3084	0	2997	25	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	23	0	0	0	0
4	B	23	0	0	0	0
4	C	23	0	0	1	0
4	D	23	0	0	1	0
5	A	15	0	21	2	0
5	B	40	0	56	12	0
5	C	60	0	82	20	0
5	D	25	0	35	4	0
6	A	48	0	64	7	0
6	B	30	0	40	3	0
6	C	60	0	78	8	0
6	D	24	0	32	1	0
7	A	360	0	0	5	1
7	B	425	0	0	6	1
7	C	425	0	0	10	1
7	D	386	0	0	6	1
All	All	14728	0	12740	131	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:C:506:DMF:H12	1:D:43:ARG:H	1.21	1.05
1:C:131:GLU:HB3	6:C:518:GOL:H2	1.51	0.89
1:A:94:SER:HA	6:A:510:GOL:H31	1.57	0.85
1:C:145:ARG:HE	5:C:508:DMF:H21	1.52	0.74
1:D:179:ARG:NH2	7:D:601:HOH:O	2.21	0.73
1:B:234:LEU:HB2	6:B:513:GOL:H31	1.71	0.72
1:A:365:LYS:NZ	7:A:602:HOH:O	2.22	0.71
1:D:144:LYS:NZ	7:D:603:HOH:O	2.23	0.70
1:C:366:MET:SD	6:C:521:GOL:H2	2.31	0.70
1:C:12:ARG:HH21	6:C:517:GOL:H12	1.57	0.69
1:B:35:TYR:CE1	1:B:368:ILE:HG23	2.29	0.68
1:C:409:ARG:HG2	6:C:522:GOL:H32	1.76	0.68
1:C:35:TYR:CE1	1:C:368:ILE:HG23	2.28	0.67
1:A:105:PRO:HB2	1:B:224:MET:HG2	1.75	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:LYS:NZ	7:A:605:HOH:O	2.28	0.66
1:C:237:ALA:HB2	5:C:516:DMF:H11	1.76	0.66
1:C:29:MET:HB3	5:C:505:DMF:H11	1.77	0.66
1:B:88:ASP:OD2	7:B:601:HOH:O	2.13	0.66
1:D:35:TYR:CE1	1:D:368:ILE:HG23	2.32	0.65
1:B:177:GLN:N	7:B:609:HOH:O	2.30	0.64
5:C:506:DMF:H12	1:D:43:ARG:N	2.04	0.64
1:C:179:ARG:NH1	7:C:609:HOH:O	2.28	0.64
1:B:14:LEU:HD12	6:B:514:GOL:H31	1.81	0.62
1:C:90:LEU:O	5:C:506:DMF:H22	1.99	0.62
1:C:43:ARG:HG3	5:C:507:DMF:H13	1.80	0.62
1:B:416:ARG:NH1	1:B:420:ASP:OD1	2.32	0.61
1:C:271:ILE:HD13	1:C:430:GLN:HG2	1.81	0.61
1:C:46:PRO:HB2	5:C:515:DMF:H21	1.83	0.61
1:C:66:GLU:OE2	7:C:602:HOH:O	2.17	0.60
1:D:358:ILE:HG23	1:D:362:LYS:HE3	1.84	0.60
1:D:12:ARG:NH2	1:D:30:ASP:OD1	2.33	0.59
1:A:232:ILE:HG12	1:A:233:PHE:H	1.68	0.59
1:D:14:LEU:HD12	6:D:510:GOL:H31	1.85	0.59
1:A:202:ARG:NH1	7:A:612:HOH:O	2.36	0.58
1:C:187:LEU:HD21	1:C:294:ILE:HD12	1.87	0.57
1:A:14:LEU:HD12	6:A:512:GOL:H31	1.86	0.57
1:A:232:ILE:HG12	1:A:233:PHE:N	2.20	0.57
1:D:33:ASN:HB2	5:D:509:DMF:HC	1.87	0.56
1:C:57:GLU:OE1	7:C:603:HOH:O	2.18	0.56
6:A:513:GOL:H12	1:B:222:TRP:HB2	1.88	0.56
5:C:505:DMF:H12	5:C:507:DMF:HC	1.88	0.56
6:A:510:GOL:O1	6:A:510:GOL:O3	2.16	0.55
5:D:506:DMF:HC	7:D:606:HOH:O	2.07	0.54
1:C:368:ILE:HG21	1:C:387:LEU:HD22	1.89	0.54
1:D:250:GLU:HG2	7:D:841:HOH:O	2.07	0.54
1:A:265:ILE:HD12	1:A:411:ILE:HG21	1.89	0.54
1:B:13:GLN:OE1	5:B:511:DMF:H22	2.08	0.54
5:C:507:DMF:H23	7:C:732:HOH:O	2.08	0.53
1:D:54:ARG:NE	7:D:609:HOH:O	2.28	0.53
1:C:62:PHE:O	5:C:508:DMF:H22	2.08	0.53
1:B:368:ILE:HG21	1:B:387:LEU:HD22	1.91	0.52
1:A:145:ARG:NH2	7:A:615:HOH:O	2.37	0.52
1:A:35:TYR:CD1	1:A:368:ILE:HG23	2.45	0.52
1:C:409:ARG:HH21	5:C:513:DMF:H12	1.75	0.52
1:B:131:GLU:HB3	5:B:507:DMF:H22	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:325:LYS:NZ	5:B:512:DMF:H13	2.26	0.50
1:C:12:ARG:NH2	6:C:517:GOL:H12	2.26	0.50
1:B:301:TYR:CE2	6:B:517:GOL:H2	2.46	0.50
1:C:186:ASP:HB2	1:C:281:GLN:OE1	2.12	0.50
1:D:331:VAL:O	5:D:507:DMF:H12	2.11	0.50
5:C:508:DMF:H23	7:C:871:HOH:O	2.12	0.49
1:A:330:LYS:HA	6:A:511:GOL:H2	1.95	0.49
1:C:368:ILE:CG2	1:C:387:LEU:HD22	2.43	0.49
1:D:413:GLU:HG3	1:D:416:ARG:NH2	2.28	0.49
1:A:202:ARG:NE	7:A:620:HOH:O	2.44	0.48
1:C:368:ILE:HG21	1:C:387:LEU:CD2	2.43	0.48
1:C:195:GLU:HG3	6:C:523:GOL:H32	1.96	0.48
1:B:65:THR:HB	7:B:703:HOH:O	2.13	0.48
1:B:325:LYS:HZ3	5:B:512:DMF:H22	1.79	0.48
5:C:506:DMF:H23	1:D:42[B]:SER:HA	1.95	0.47
1:A:290:ASP:O	1:A:293:ARG:HD3	2.14	0.47
1:A:35:TYR:CZ	1:A:373:PRO:HD3	2.49	0.47
1:B:139:GLY:HA2	1:B:157:ILE:HD11	1.95	0.47
1:B:368:ILE:HG21	1:B:387:LEU:CD2	2.45	0.47
1:D:94:SER:HA	5:D:508:DMF:C1	2.44	0.47
1:B:315:SER:N	7:B:629:HOH:O	2.48	0.46
1:D:368:ILE:HG21	1:D:387:LEU:HD22	1.98	0.46
1:D:141:HIS:CD2	1:D:141:HIS:H	2.34	0.46
1:D:35:TYR:CZ	1:D:373:PRO:HD3	2.51	0.46
1:B:35:TYR:CD1	1:B:368:ILE:HG23	2.50	0.46
5:C:511:DMF:H11	7:C:760:HOH:O	2.16	0.46
1:C:358:ILE:HG23	1:C:362:LYS:HD2	1.98	0.46
1:A:7[B]:TYR:CD2	5:A:506:DMF:H23	2.50	0.45
1:C:84:LEU:CD2	1:C:89:GLU:HG2	2.46	0.45
5:C:506:DMF:H23	1:D:42[A]:SER:HA	1.97	0.45
1:C:35:TYR:CD1	1:C:368:ILE:HG23	2.51	0.45
1:B:330:LYS:HD3	5:B:507:DMF:HC	1.98	0.45
1:B:330:LYS:HA	5:B:507:DMF:HC	1.99	0.45
1:A:7[B]:TYR:CG	1:A:8:GLY:N	2.86	0.44
5:C:505:DMF:C1	5:C:507:DMF:HC	2.46	0.44
1:B:331:VAL:O	5:B:507:DMF:H12	2.17	0.44
1:B:12:ARG:HE	5:B:511:DMF:H21	1.82	0.44
1:B:186:ASP:HB2	1:B:281:GLN:OE1	2.16	0.44
1:B:368:ILE:CG2	1:B:387:LEU:HD22	2.47	0.44
1:A:94:SER:O	6:A:510:GOL:H11	2.17	0.44
1:C:179:ARG:NH2	1:C:424:LEU:HD21	2.33	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:362:LYS:HE3	7:C:755:HOH:O	2.18	0.43
1:C:343:PHE:HB2	1:C:344:PRO:HD3	1.99	0.43
1:B:412:LEU:HD11	1:B:435:TYR:CZ	2.53	0.43
1:B:187:LEU:HD21	1:B:294:ILE:HD12	1.99	0.43
1:C:128:ARG:NH1	7:C:641:HOH:O	2.52	0.43
1:C:12:ARG:HH21	6:C:517:GOL:C1	2.28	0.43
1:C:324:LYS:HG2	5:C:511:DMF:O	2.19	0.43
1:D:2:SER:N	1:D:131:GLU:OE2	2.51	0.43
1:B:330:LYS:CD	5:B:507:DMF:HC	2.49	0.42
1:B:416:ARG:HD3	1:B:426:TYR:CZ	2.54	0.42
1:C:200[B]:SER:OG	7:C:601:HOH:O	2.07	0.42
1:D:14:LEU:HD23	1:D:14:LEU:HA	1.92	0.42
5:B:512:DMF:HC	7:B:713:HOH:O	2.20	0.42
1:D:60:THR:HA	1:D:63:HIS:O	2.20	0.42
1:B:325:LYS:HZ3	5:B:512:DMF:H13	1.84	0.42
1:C:178:THR:HB	1:C:202:ARG:HH21	1.85	0.42
1:C:257:ASP:HB3	6:C:520:GOL:H2	2.02	0.42
1:C:94:SER:HA	5:C:506:DMF:H13	2.00	0.42
1:C:111:SER:OG	1:C:153:TYR:HB2	2.20	0.41
1:D:249:LEU:HD13	1:D:253:ILE:HD13	2.02	0.41
6:A:513:GOL:H12	1:B:222:TRP:CB	2.50	0.41
1:B:77:LEU:HD13	1:B:84:LEU:HG	2.02	0.41
1:C:139:GLY:HA2	1:C:157:ILE:HD11	2.03	0.41
1:B:315:SER:N	7:B:644:HOH:O	2.54	0.41
1:D:72:LYS:NZ	7:D:613:HOH:O	2.37	0.41
1:A:29:MET:HB3	5:A:506:DMF:H21	2.02	0.41
1:B:325:LYS:HG3	5:B:512:DMF:H22	2.03	0.41
1:C:198:TRP:HE1	5:C:516:DMF:C	2.33	0.41
1:B:7[B]:TYR:OH	1:B:12:ARG:HD2	2.20	0.41
1:C:239:ARG:NH1	7:C:645:HOH:O	2.54	0.41
1:D:142:HIS:NE2	4:D:504:T86:N27	2.68	0.41
1:C:142:HIS:NE2	4:C:504:T86:N27	2.69	0.40
1:C:77:LEU:HD13	1:C:84:LEU:HD12	2.02	0.40
1:A:141:HIS:CD2	1:A:141:HIS:H	2.39	0.40
1:B:416:ARG:HD3	1:B:426:TYR:CE2	2.57	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:622:HOH:O	7:D:759:HOH:O[1_556]	2.13	0.07

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:B:812:HOH:O	7:C:992:HOH:O[1_655]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	380/447 (85%)	376 (99%)	4 (1%)	0	100	100
1	B	401/447 (90%)	396 (99%)	5 (1%)	0	100	100
1	C	396/447 (89%)	390 (98%)	6 (2%)	0	100	100
1	D	380/447 (85%)	374 (98%)	6 (2%)	0	100	100
All	All	1557/1788 (87%)	1536 (99%)	21 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	337/392 (86%)	332 (98%)	5 (2%)	65	47
1	B	358/392 (91%)	356 (99%)	2 (1%)	86	79
1	C	353/392 (90%)	349 (99%)	4 (1%)	73	59
1	D	337/392 (86%)	335 (99%)	2 (1%)	86	79
All	All	1385/1568 (88%)	1372 (99%)	13 (1%)	78	67

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	80	GLU
1	A	141	HIS
1	A	276	SER
1	A	285	ASP
1	A	393	PRO
1	B	141	HIS
1	B	233	PHE
1	C	141	HIS
1	C	200[A]	SER
1	C	200[B]	SER
1	C	285	ASP
1	D	141	HIS
1	D	285	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 71 ligands modelled in this entry, 12 are monoatomic - leaving 59 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DMF	D	508	-	4,4,4	0.26	0	4,4,4	0.37	0
5	DMF	D	507	-	4,4,4	0.30	0	4,4,4	0.48	0
5	DMF	C	512	-	4,4,4	0.32	0	4,4,4	0.27	0
5	DMF	B	507	-	4,4,4	0.29	0	4,4,4	0.40	0
6	GOL	C	523	-	5,5,5	0.33	0	5,5,5	0.48	0
4	T86	B	504	2	24,24,24	4.13	4 (16%)	33,33,33	2.29	7 (21%)
6	GOL	A	514	-	5,5,5	0.33	0	5,5,5	0.49	0
6	GOL	C	517	-	5,5,5	0.34	0	5,5,5	0.34	0
5	DMF	B	505	-	4,4,4	0.23	0	4,4,4	0.48	0
6	GOL	C	526	5	5,5,5	0.28	0	5,5,5	0.69	0
5	DMF	B	511	-	4,4,4	0.28	0	4,4,4	0.35	0
6	GOL	C	522	-	5,5,5	0.34	0	5,5,5	0.24	0
5	DMF	B	508	-	4,4,4	0.39	0	4,4,4	0.56	0
5	DMF	A	505	-	4,4,4	0.33	0	4,4,4	0.34	0
6	GOL	B	513	-	5,5,5	0.31	0	5,5,5	0.40	0
4	T86	C	504	2	24,24,24	3.78	4 (16%)	33,33,33	2.40	7 (21%)
6	GOL	A	509	-	5,5,5	0.35	0	5,5,5	0.36	0
6	GOL	C	524	-	5,5,5	0.36	0	5,5,5	0.37	0
5	DMF	B	509	6	4,4,4	0.34	0	4,4,4	0.33	0
6	GOL	C	520	-	5,5,5	0.35	0	5,5,5	0.41	0
5	DMF	C	513	-	4,4,4	0.31	0	4,4,4	0.43	0
5	DMF	C	507	-	4,4,4	0.25	0	4,4,4	0.78	0
5	DMF	A	507	-	4,4,4	0.30	0	4,4,4	0.45	0
6	GOL	C	518	-	5,5,5	0.33	0	5,5,5	0.30	0
6	GOL	A	511	-	5,5,5	0.34	0	5,5,5	0.41	0
6	GOL	B	515	-	5,5,5	0.35	0	5,5,5	0.43	0
5	DMF	C	506	-	4,4,4	0.14	0	4,4,4	0.32	0
5	DMF	C	505	-	4,4,4	0.29	0	4,4,4	0.69	0
5	DMF	B	510	-	4,4,4	0.33	0	4,4,4	0.40	0
6	GOL	B	517	-	5,5,5	0.45	0	5,5,5	0.60	0
5	DMF	C	509	-	4,4,4	0.30	0	4,4,4	0.67	0
6	GOL	D	513	-	5,5,5	0.35	0	5,5,5	0.21	0
4	T86	A	504	2	24,24,24	4.02	4 (16%)	33,33,33	2.23	6 (18%)
6	GOL	A	510	-	5,5,5	0.38	0	5,5,5	0.41	0
5	DMF	D	509	-	4,4,4	0.29	0	4,4,4	0.50	0
6	GOL	A	515	-	5,5,5	0.32	0	5,5,5	0.34	0
5	DMF	D	505	-	4,4,4	0.29	0	4,4,4	0.34	0
6	GOL	A	513	-	5,5,5	0.36	0	5,5,5	0.39	0
5	DMF	B	512	-	4,4,4	0.28	0	4,4,4	0.44	0
5	DMF	D	506	-	4,4,4	0.33	0	4,4,4	0.44	0
5	DMF	C	515	-	4,4,4	0.26	0	4,4,4	0.22	0
5	DMF	B	506	-	4,4,4	0.34	0	4,4,4	0.48	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GOL	B	516	-	5,5,5	0.44	0	5,5,5	0.16	0
6	GOL	A	512	-	5,5,5	0.44	0	5,5,5	0.42	0
5	DMF	C	514	-	4,4,4	0.32	0	4,4,4	0.33	0
5	DMF	A	506	-	4,4,4	0.29	0	4,4,4	0.44	0
5	DMF	C	516	-	4,4,4	0.36	0	4,4,4	0.29	0
4	T86	D	504	2	24,24,24	4.16	4 (16%)	33,33,33	2.20	6 (18%)
6	GOL	A	508	-	5,5,5	0.37	0	5,5,5	0.36	0
6	GOL	C	519	-	5,5,5	0.31	0	5,5,5	0.33	0
6	GOL	D	510	-	5,5,5	0.39	0	5,5,5	0.24	0
6	GOL	B	514	-	5,5,5	0.41	0	5,5,5	0.39	0
5	DMF	C	510	-	4,4,4	0.29	0	4,4,4	0.47	0
5	DMF	C	508	6	4,4,4	0.38	0	4,4,4	0.18	0
6	GOL	C	525	5	5,5,5	0.33	0	5,5,5	0.40	0
6	GOL	C	521	-	5,5,5	0.39	0	5,5,5	0.70	0
5	DMF	C	511	-	4,4,4	0.25	0	4,4,4	0.60	0
6	GOL	D	512	-	5,5,5	0.40	0	5,5,5	0.30	0
6	GOL	D	511	-	5,5,5	0.38	0	5,5,5	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	DMF	D	508	-	-	1/2/2/2	-
5	DMF	D	507	-	-	2/2/2/2	-
5	DMF	C	512	-	-	0/2/2/2	-
5	DMF	B	507	-	-	2/2/2/2	-
6	GOL	C	523	-	-	2/4/4/4	-
4	T86	B	504	2	-	3/16/16/16	0/2/2/2
6	GOL	A	514	-	-	2/4/4/4	-
6	GOL	C	517	-	-	4/4/4/4	-
5	DMF	B	505	-	-	0/2/2/2	-
6	GOL	C	526	5	-	2/4/4/4	-
5	DMF	B	511	-	-	2/2/2/2	-
6	GOL	C	522	-	-	2/4/4/4	-
5	DMF	B	508	-	-	0/2/2/2	-
5	DMF	A	505	-	-	2/2/2/2	-
6	GOL	B	513	-	-	2/4/4/4	-
4	T86	C	504	2	-	3/16/16/16	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	A	509	-	-	4/4/4/4	-
6	GOL	C	524	-	-	2/4/4/4	-
5	DMF	B	509	6	-	0/2/2/2	-
6	GOL	C	520	-	-	2/4/4/4	-
5	DMF	C	513	-	-	2/2/2/2	-
5	DMF	C	507	-	-	0/2/2/2	-
5	DMF	A	507	-	-	2/2/2/2	-
6	GOL	C	518	-	-	2/4/4/4	-
6	GOL	A	511	-	-	0/4/4/4	-
6	GOL	B	515	-	-	0/4/4/4	-
5	DMF	C	506	-	-	2/2/2/2	-
5	DMF	C	505	-	-	2/2/2/2	-
5	DMF	B	510	-	-	0/2/2/2	-
6	GOL	B	517	-	-	2/4/4/4	-
5	DMF	C	509	-	-	0/2/2/2	-
6	GOL	D	513	-	-	2/4/4/4	-
4	T86	A	504	2	-	6/16/16/16	0/2/2/2
6	GOL	A	510	-	-	3/4/4/4	-
5	DMF	D	509	-	-	2/2/2/2	-
6	GOL	A	515	-	-	4/4/4/4	-
5	DMF	D	505	-	-	2/2/2/2	-
6	GOL	A	513	-	-	4/4/4/4	-
5	DMF	B	512	-	-	2/2/2/2	-
5	DMF	D	506	-	-	0/2/2/2	-
5	DMF	C	515	-	-	0/2/2/2	-
5	DMF	B	506	-	-	0/2/2/2	-
6	GOL	B	516	-	-	4/4/4/4	-
6	GOL	A	512	-	-	2/4/4/4	-
5	DMF	C	514	-	-	2/2/2/2	-
5	DMF	A	506	-	-	2/2/2/2	-
5	DMF	C	516	-	-	2/2/2/2	-
4	T86	D	504	2	-	2/16/16/16	0/2/2/2
6	GOL	A	508	-	-	2/4/4/4	-
6	GOL	C	519	-	-	0/4/4/4	-
6	GOL	D	510	-	-	4/4/4/4	-
6	GOL	B	514	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	DMF	C	510	-	-	2/2/2/2	-
5	DMF	C	508	6	-	0/2/2/2	-
6	GOL	C	525	5	-	2/4/4/4	-
6	GOL	C	521	-	-	3/4/4/4	-
5	DMF	C	511	-	-	2/2/2/2	-
6	GOL	D	512	-	-	2/4/4/4	-
6	GOL	D	511	-	-	0/4/4/4	-

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	504	T86	C26-N27	17.70	1.55	1.32
4	B	504	T86	C26-N27	17.37	1.55	1.32
4	A	504	T86	C26-N27	17.07	1.54	1.32
4	C	504	T86	C26-N27	15.56	1.52	1.32
4	B	504	T86	O28-N27	-7.61	1.20	1.40
4	C	504	T86	O28-N27	-7.55	1.20	1.40
4	D	504	T86	O28-N27	-7.27	1.21	1.40
4	A	504	T86	O28-N27	-6.95	1.22	1.40
4	B	504	T86	O23-C12	4.53	1.32	1.23
4	C	504	T86	O24-C25	-4.18	1.30	1.42
4	A	504	T86	O24-C25	-4.18	1.30	1.42
4	A	504	T86	O23-C12	4.12	1.31	1.23
4	B	504	T86	O24-C25	-4.11	1.30	1.42
4	D	504	T86	O24-C25	-4.02	1.30	1.42
4	D	504	T86	O23-C12	3.97	1.31	1.23
4	C	504	T86	O23-C12	3.27	1.29	1.23

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	504	T86	C25-O24-C18	9.75	132.24	117.53
4	D	504	T86	C25-O24-C18	9.50	131.88	117.53
4	B	504	T86	C25-O24-C18	9.44	131.78	117.53
4	A	504	T86	C25-O24-C18	9.16	131.35	117.53
4	C	504	T86	O23-C12-C1	-6.20	109.69	121.01
4	B	504	T86	O23-C12-C1	-4.82	112.21	121.01
4	A	504	T86	O23-C12-C1	-4.63	112.56	121.01
4	D	504	T86	C2-C1-C12	3.71	128.49	122.58
4	D	504	T86	O23-C12-C1	-3.68	114.29	121.01
4	A	504	T86	O29-C26-N27	-3.66	116.12	122.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	504	T86	O29-C26-N27	-3.56	116.30	122.94
4	B	504	T86	C2-C1-C12	3.41	128.02	122.58
4	B	504	T86	O29-C26-N27	-3.20	116.96	122.94
4	A	504	T86	C17-N13-C12	-2.92	118.92	126.93
4	A	504	T86	C2-C1-C12	2.89	127.19	122.58
4	C	504	T86	C17-N13-C12	-2.85	119.11	126.93
4	C	504	T86	C2-C1-C12	2.76	126.98	122.58
4	B	504	T86	C17-N13-C12	-2.58	119.84	126.93
4	D	504	T86	C18-C17-N13	2.55	121.24	116.66
4	B	504	T86	C18-C17-N13	2.44	121.03	116.66
4	A	504	T86	C15-C26-N27	2.36	119.95	116.16
4	B	504	T86	C16-C15-C26	-2.35	112.64	120.44
4	D	504	T86	O29-C26-N27	-2.28	118.68	122.94
4	D	504	T86	C16-C15-C26	-2.28	112.89	120.44
4	C	504	T86	C15-C26-N27	2.21	119.70	116.16
4	C	504	T86	C16-C15-C26	-2.14	113.35	120.44

There are no chirality outliers.

All (107) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	C	517	GOL	O1-C1-C2-C3
6	C	522	GOL	O1-C1-C2-O2
6	C	522	GOL	O1-C1-C2-C3
6	A	514	GOL	C1-C2-C3-O3
6	A	514	GOL	O2-C2-C3-O3
6	A	509	GOL	O1-C1-C2-C3
6	A	509	GOL	C1-C2-C3-O3
6	A	509	GOL	O2-C2-C3-O3
6	C	524	GOL	C1-C2-C3-O3
6	C	524	GOL	O2-C2-C3-O3
6	C	520	GOL	O1-C1-C2-C3
6	C	518	GOL	C1-C2-C3-O3
6	B	517	GOL	O1-C1-C2-C3
6	B	513	GOL	C1-C2-C3-O3
4	A	504	T86	C15-C26-N27-O28
4	A	504	T86	O29-C26-N27-O28
6	A	515	GOL	O1-C1-C2-C3
6	A	515	GOL	C1-C2-C3-O3
6	A	513	GOL	C1-C2-C3-O3
6	B	516	GOL	O1-C1-C2-C3
6	B	516	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	512	GOL	O1-C1-C2-C3
6	A	508	GOL	O1-C1-C2-C3
6	D	510	GOL	O1-C1-C2-O2
6	D	510	GOL	O1-C1-C2-C3
6	D	510	GOL	C1-C2-C3-O3
6	B	514	GOL	O1-C1-C2-O2
6	B	514	GOL	O1-C1-C2-C3
6	D	513	GOL	O1-C1-C2-C3
6	C	525	GOL	O1-C1-C2-C3
6	C	521	GOL	O1-C1-C2-C3
4	C	504	T86	O23-C12-N13-C17
5	C	516	DMF	O-C-N-C1
5	C	516	DMF	O-C-N-C2
5	D	505	DMF	O-C-N-C2
4	B	504	T86	O23-C12-N13-C17
5	D	505	DMF	O-C-N-C1
5	B	507	DMF	O-C-N-C2
5	C	510	DMF	O-C-N-C1
5	B	507	DMF	O-C-N-C1
5	C	511	DMF	O-C-N-C2
5	A	505	DMF	O-C-N-C1
5	C	513	DMF	O-C-N-C2
4	A	504	T86	O23-C12-N13-C17
5	C	510	DMF	O-C-N-C2
4	C	504	T86	C18-C17-N13-C12
5	C	511	DMF	O-C-N-C1
5	D	507	DMF	O-C-N-C1
5	A	505	DMF	O-C-N-C2
5	C	513	DMF	O-C-N-C1
6	C	520	GOL	O1-C1-C2-O2
6	C	518	GOL	O2-C2-C3-O3
6	B	516	GOL	O1-C1-C2-O2
5	A	507	DMF	O-C-N-C1
4	B	504	T86	C18-C17-N13-C12
5	D	507	DMF	O-C-N-C2
5	A	507	DMF	O-C-N-C2
4	A	504	T86	C18-C17-N13-C12
6	C	517	GOL	C1-C2-C3-O3
6	C	526	GOL	O1-C1-C2-C3
6	C	523	GOL	O1-C1-C2-C3
6	A	510	GOL	O1-C1-C2-C3
6	A	510	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	513	GOL	O1-C1-C2-C3
6	D	512	GOL	O1-C1-C2-C3
4	D	504	T86	C18-C17-N13-C12
6	C	517	GOL	O1-C1-C2-O2
6	C	523	GOL	O1-C1-C2-O2
6	A	509	GOL	O1-C1-C2-O2
6	B	513	GOL	O2-C2-C3-O3
6	A	515	GOL	O2-C2-C3-O3
6	A	512	GOL	O1-C1-C2-O2
6	A	508	GOL	O1-C1-C2-O2
6	D	510	GOL	O2-C2-C3-O3
6	C	525	GOL	O1-C1-C2-O2
6	C	521	GOL	O1-C1-C2-O2
6	D	512	GOL	O1-C1-C2-O2
4	C	504	T86	C16-C17-N13-C12
6	C	517	GOL	O2-C2-C3-O3
6	B	517	GOL	O1-C1-C2-O2
6	D	513	GOL	O1-C1-C2-O2
4	A	504	T86	C16-C17-N13-C12
4	B	504	T86	C16-C17-N13-C12
6	A	515	GOL	O1-C1-C2-O2
6	A	513	GOL	O2-C2-C3-O3
6	C	521	GOL	O2-C2-C3-O3
5	B	512	DMF	O-C-N-C1
5	C	506	DMF	O-C-N-C1
5	C	514	DMF	O-C-N-C1
5	A	506	DMF	O-C-N-C1
5	C	505	DMF	O-C-N-C1
4	D	504	T86	C16-C17-N13-C12
6	B	516	GOL	O2-C2-C3-O3
5	C	514	DMF	O-C-N-C2
5	C	506	DMF	O-C-N-C2
5	B	511	DMF	O-C-N-C1
4	A	504	T86	C2-C1-C12-N13
6	A	510	GOL	O2-C2-C3-O3
6	A	513	GOL	O1-C1-C2-O2
5	B	512	DMF	O-C-N-C2
5	A	506	DMF	O-C-N-C2
5	D	509	DMF	O-C-N-C1
5	C	505	DMF	O-C-N-C2
5	D	508	DMF	O-C-N-C1
5	B	511	DMF	O-C-N-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	C	526	GOL	O1-C1-C2-O2
5	D	509	DMF	O-C-N-C2


There are no ring outliers.

32 monomers are involved in 59 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	508	DMF	1	0
5	D	507	DMF	1	0
5	B	507	DMF	5	0
6	C	523	GOL	1	0
6	C	517	GOL	3	0
5	B	511	DMF	2	0
6	C	522	GOL	1	0
6	B	513	GOL	1	0
4	C	504	T86	1	0
6	C	520	GOL	1	0
5	C	513	DMF	1	0
5	C	507	DMF	4	0
6	C	518	GOL	1	0
6	A	511	GOL	1	0
5	C	506	DMF	6	0
5	C	505	DMF	3	0
6	B	517	GOL	1	0
6	A	510	GOL	3	0
5	D	509	DMF	1	0
6	A	513	GOL	2	0
5	B	512	DMF	5	0
5	D	506	DMF	1	0
5	C	515	DMF	1	0
6	A	512	GOL	1	0
5	A	506	DMF	2	0
5	C	516	DMF	2	0
4	D	504	T86	1	0
6	D	510	GOL	1	0
6	B	514	GOL	1	0
5	C	508	DMF	3	0
6	C	521	GOL	1	0
5	C	511	DMF	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand T86 C 504



Ligand T86 A 504





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	387/447 (86%)	0.73	32 (8%) 11 14	7, 16, 40, 68	0
1	B	411/447 (91%)	0.73	30 (7%) 15 19	7, 15, 36, 77	0
1	C	406/447 (90%)	0.66	22 (5%) 25 30	6, 13, 33, 58	0
1	D	386/447 (86%)	0.71	28 (7%) 15 19	7, 16, 37, 75	0
All	All	1590/1788 (88%)	0.71	112 (7%) 16 21	6, 15, 36, 77	0

All (112) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	425	ILE	9.9
1	B	224	MET	7.5
1	D	392	PHE	7.4
1	B	168	THR	6.7
1	B	425	ILE	6.5
1	B	83	GLU	5.7
1	C	84	LEU	5.0
1	D	81	GLU	5.0
1	A	392	PHE	5.0
1	B	177	GLN	4.6
1	D	231	PRO	4.6
1	C	425	ILE	4.4
1	A	404	ILE	4.4
1	A	232	ILE	4.2
1	B	437	LEU	4.2
1	B	315	SER	4.0
1	A	81	GLU	3.9
1	A	402	ASP	3.8
1	D	412	LEU	3.7
1	C	80	GLU	3.7
1	A	231	PRO	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	165	VAL	3.6
1	B	426	TYR	3.6
1	A	424	LEU	3.6
1	A	165	VAL	3.5
1	A	409	ARG	3.5
1	A	83	GLU	3.5
1	D	409	ARG	3.5
1	D	383	PRO	3.4
1	B	80	GLU	3.4
1	A	412	LEU	3.3
1	C	232	ILE	3.3
1	D	385	PHE	3.3
1	B	99	TYR	3.3
1	A	403	SER	3.3
1	D	402	ASP	3.3
1	C	426	TYR	3.3
1	C	437	LEU	3.2
1	D	232	ILE	3.2
1	C	128	ARG	3.2
1	C	85	THR	3.1
1	D	83	GLU	3.1
1	C	167	SER	3.1
1	D	82	LYS	3.1
1	C	99	TYR	3.0
1	B	85	THR	3.0
1	A	127[A]	CYS	3.0
1	C	438	THR	2.9
1	B	231	PRO	2.9
1	D	127[A]	CYS	2.9
1	B	7[A]	TYR	2.9
1	A	222	TRP	2.9
1	A	406	LYS	2.9
1	A	420	ASP	2.8
1	A	393	PRO	2.8
1	B	438	THR	2.8
1	B	128	ARG	2.8
1	C	424	LEU	2.7
1	D	424	LEU	2.7
1	A	302	PRO	2.7
1	B	439	GLY	2.7
1	D	420	ASP	2.7
1	B	446	ARG	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	405	GLN	2.7
1	D	416	ARG	2.7
1	A	303	ASN	2.7
1	B	84	LEU	2.7
1	A	7[A]	TYR	2.6
1	B	127	CYS	2.6
1	B	302	PRO	2.5
1	C	79	CYS	2.5
1	A	384	ASP	2.5
1	B	232	ILE	2.5
1	C	436	ASN	2.5
1	A	167	SER	2.5
1	C	445	PRO	2.4
1	C	177	GLN	2.4
1	D	128	ARG	2.4
1	D	384	ASP	2.4
1	C	446	ARG	2.4
1	D	222	TRP	2.4
1	A	416	ARG	2.3
1	D	404	ILE	2.3
1	A	76	MET	2.3
1	B	167	SER	2.3
1	B	445	PRO	2.2
1	B	428	TYR	2.2
1	A	264	PRO	2.2
1	A	383	PRO	2.2
1	B	394	HIS	2.2
1	D	271	ILE	2.2
1	D	382	GLY	2.2
1	C	302	PRO	2.1
1	A	256	LEU	2.1
1	B	100	ASP	2.1
1	C	222	TRP	2.1
1	D	99	TYR	2.1
1	A	413	GLU	2.1
1	C	443	LEU	2.1
1	A	82	LYS	2.1
1	D	368	ILE	2.1
1	A	301	TYR	2.1
1	D	302	PRO	2.1
1	D	167	SER	2.1
1	C	231	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	436	ASN	2.1
1	B	76	MET	2.0
1	B	77	LEU	2.0
1	D	315	SER	2.0
1	B	432	TYR	2.0
1	D	301	TYR	2.0
1	C	68	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	DMF	C	512	5/5	0.35	0.33	37,44,55,63	0
6	GOL	C	526	6/6	0.47	0.40	50,56,57,60	0
6	GOL	C	517	6/6	0.49	0.31	44,49,51,61	0
6	GOL	D	512	6/6	0.53	0.56	48,53,57,61	0
5	DMF	B	509	5/5	0.56	0.35	51,60,62,65	0
6	GOL	D	513	6/6	0.56	0.28	63,65,65,65	0
5	DMF	A	505	5/5	0.56	0.25	56,60,61,62	0
5	DMF	B	510	5/5	0.59	0.36	48,49,59,60	0
6	GOL	C	524	6/6	0.61	0.34	47,54,55,59	0
5	DMF	D	507	5/5	0.61	0.26	29,35,43,45	0
6	GOL	A	514	6/6	0.63	0.27	37,50,59,62	0
6	GOL	A	513	6/6	0.63	0.28	56,60,66,68	0
6	GOL	C	523	6/6	0.65	0.24	44,48,54,62	0
6	GOL	C	525	6/6	0.67	0.32	39,48,54,66	0
6	GOL	A	515	6/6	0.68	0.27	43,45,46,47	0
5	DMF	A	506	5/5	0.69	0.32	40,46,51,52	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	DMF	C	511	5/5	0.71	0.28	40,50,57,57	0
6	GOL	A	509	6/6	0.72	0.19	48,51,56,56	0
5	DMF	B	512	5/5	0.72	0.32	34,45,52,58	0
5	DMF	C	508	5/5	0.73	0.21	10,35,43,53	0
6	GOL	C	521	6/6	0.74	0.25	29,38,39,50	0
6	GOL	B	516	6/6	0.74	0.25	44,49,49,57	0
5	DMF	D	505	5/5	0.74	0.21	43,44,46,46	0
5	DMF	B	508	5/5	0.76	0.19	30,41,43,44	0
5	DMF	C	513	5/5	0.76	0.21	44,48,51,52	0
5	DMF	B	505	5/5	0.77	0.21	22,34,40,44	0
6	GOL	C	522	6/6	0.77	0.21	38,45,54,57	0
5	DMF	D	508	5/5	0.78	0.22	27,31,35,43	0
5	DMF	B	507	5/5	0.78	0.26	23,36,36,41	0
5	DMF	C	505	5/5	0.78	0.25	33,37,38,51	0
5	DMF	C	515	5/5	0.79	0.20	33,35,36,36	0
5	DMF	C	510	5/5	0.80	0.20	64,65,67,70	0
6	GOL	C	518	6/6	0.80	0.28	26,32,37,41	0
6	GOL	A	512	6/6	0.80	0.15	25,31,32,36	0
6	GOL	B	515	6/6	0.80	0.19	21,31,34,47	0
5	DMF	C	516	5/5	0.80	0.25	32,37,40,51	0
5	DMF	C	506	5/5	0.80	0.16	16,30,39,50	0
5	DMF	C	514	5/5	0.81	0.24	29,36,41,51	0
6	GOL	A	511	6/6	0.81	0.18	32,38,43,45	0
5	DMF	D	509	5/5	0.81	0.20	36,39,47,50	0
5	DMF	C	507	5/5	0.81	0.24	22,25,40,54	0
6	GOL	C	520	6/6	0.81	0.19	36,42,47,49	0
5	DMF	B	511	5/5	0.82	0.20	47,49,54,55	0
4	T86	D	504	23/23	0.83	0.16	17,27,38,45	0
6	GOL	B	513	6/6	0.83	0.18	17,20,29,36	0
5	DMF	A	507	5/5	0.84	0.18	31,33,37,46	0
6	GOL	D	510	6/6	0.84	0.17	28,35,37,43	0
5	DMF	C	509	5/5	0.85	0.14	25,26,32,32	0
4	T86	A	504	23/23	0.86	0.14	19,27,39,41	0
6	GOL	A	510	6/6	0.86	0.13	26,32,40,46	0
5	DMF	D	506	5/5	0.86	0.18	24,26,39,44	0
5	DMF	B	506	5/5	0.87	0.14	29,38,42,47	0
4	T86	B	504	23/23	0.87	0.16	15,23,37,39	0
6	GOL	D	511	6/6	0.87	0.15	19,20,24,25	0
6	GOL	B	517	6/6	0.88	0.16	31,35,35,47	0
4	T86	C	504	23/23	0.88	0.16	15,24,32,35	0
6	GOL	B	514	6/6	0.88	0.16	24,27,30,31	0
6	GOL	C	519	6/6	0.89	0.12	14,18,23,27	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	GOL	A	508	6/6	0.90	0.15	15,20,25,26	0
2	ZN	A	501	1/1	0.99	0.05	23,23,23,23	0
2	ZN	C	501	1/1	0.99	0.04	23,23,23,23	0
3	K	D	502	1/1	0.99	0.11	11,11,11,11	0
3	K	D	503	1/1	0.99	0.08	11,11,11,11	0
2	ZN	D	501	1/1	0.99	0.06	22,22,22,22	0
3	K	C	503	1/1	0.99	0.10	12,12,12,12	0
3	K	C	502	1/1	1.00	0.12	10,10,10,10	0
3	K	A	503	1/1	1.00	0.09	13,13,13,13	0
2	ZN	B	501	1/1	1.00	0.06	22,22,22,22	0
3	K	B	503	1/1	1.00	0.10	14,14,14,14	0
3	K	A	502	1/1	1.00	0.09	10,10,10,10	0
3	K	B	502	1/1	1.00	0.11	10,10,10,10	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around T86 D 504:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around T86 A 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around T86 B 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around T86 C 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.