



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 10, 2020 – 11:03 AM BST

PDB ID : 6HWR  
Title : Red kidney bean purple acid phosphatase in complex with adenosine divanadate  
Authors : Feder, D.; Gahan, L.R.; McGeary, R.P.; Guddat, L.W.; Schenk, G.  
Deposited on : 2018-10-13  
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.13.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	426	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 92%, green 8%, grey 0%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>92%</span> <span>8%</span> </div> </div>
1	B	426	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 93%, green 6%, grey 0%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>93%</span> <span>6%</span> </div> </div>
1	C	426	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, yellow 92%, green 7%, grey 0%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>92%</span> <span>7%</span> </div> </div>
2	D	426	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 89%, green 10%, grey 0%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>89%</span> <span>10%</span> </div> </div>
3	E	3	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, yellow 33%, green 67%, grey 0%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>33%</span> <span>67%</span> </div> </div>
3	F	3	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, yellow 100%, green 0%, grey 0%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>100%</span> </div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	H	3	 100%
4	G	2	 50% 50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
13	H1T	C	520	-	-	X	-
17	IPA	D	531	-	-	X	-
7	SO4	A	513	-	-	X	-

## 2 Entry composition [i](#)

There are 19 unique types of molecules in this entry. The entry contains 17001 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fe(3+)-Zn(2+) purple acid phosphatase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	423	Total	C	N	O	S	0	5	0
			3517	2258	612	637	10			
1	B	425	Total	C	N	O	S	0	4	0
			3529	2265	614	640	10			
1	A	424	Total	C	N	O	S	0	4	0
			3516	2258	608	640	10			


- Molecule 2 is a protein called Fe(3+)-Zn(2+) purple acid phosphatase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	426	Total	C	N	O	S	0	4	0
			3540	2271	617	641	11			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	364	ASP	ASN	conflict	UNP P80366

- Molecule 3 is an oligosaccharide called alpha-L-fucopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	3	Total	C	N	O		0	0	0
			38	22	2	14				
3	F	3	Total	C	N	O		0	0	0
			38	22	2	14				
3	H	3	Total	C	N	O		0	0	0
			38	22	2	14				

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	G	2	Total	C	N	O	0	0	0
			28	16	2	10			


- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Zn	0	0
			1	1		
5	A	1	Total	Zn	0	0
			1	1		
5	D	1	Total	Zn	0	0
			1	1		
5	C	1	Total	Zn	0	0
			1	1		

- Molecule 6 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Fe	0	0
			1	1		
6	A	1	Total	Fe	0	0
			1	1		
6	D	1	Total	Fe	0	0
			1	1		
6	C	1	Total	Fe	0	0
			1	1		

- Molecule 7 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	O	S	0	0
			5	4	1		
7	C	1	Total	O	S	0	0
			5	4	1		
7	C	1	Total	O	S	0	0
			5	4	1		
7	C	1	Total	O	S	0	0
			5	4	1		
7	C	1	Total	O	S	0	0
			5	4	1		
7	C	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	D	1	Total	O	S	0	0
			5	4	1		
7	D	1	Total	O	S	0	0
			5	4	1		
7	D	1	Total	O	S	0	0
			5	4	1		
7	D	1	Total	O	S	0	0
			5	4	1		
7	D	1	Total	O	S	0	0
			5	4	1		
7	D	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	D	1	Total	O	S	0	0
			5	4	1		
7	D	1	Total	O	S	0	0
			5	4	1		
7	D	1	Total	O	S	0	0
			5	4	1		
7	D	1	Total	O	S	0	1
			10	8	2		
7	D	1	Total	O	S	0	0
			5	4	1		
7	D	1	Total	O	S	0	0
			5	4	1		
7	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	C	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		


Continued on next page...



*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 9 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $C_2H_6O_2$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	C	1	Total	C	O	0	0
			4	2	2		
9	C	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	D	1	Total	C	O	0	0
			4	2	2		
9	D	1	Total	C	O	0	0
			4	2	2		
9	D	1	Total	C	O	0	0
			4	2	2		

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	D	1	Total	C	O	0	0
			4	2	2		
9	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 10 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula:  $C_6H_{14}O_4$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	C	1	Total	C	O	0	0
			7	4	3		
10	D	1	Total	C	O	0	0
			7	4	3		
10	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	C	1	Total	C	N	O	0	0
			14	8	1	5		
11	C	1	Total	C	N	O	0	0
			14	8	1	5		
11	B	1	Total	C	N	O	0	0
			14	8	1	5		
11	B	1	Total	C	N	O	0	0
			14	8	1	5		
11	A	1	Total	C	N	O	0	0
			14	8	1	5		
11	A	1	Total	C	N	O	0	0
			14	8	1	5		
11	D	1	Total	C	N	O	0	0
			14	8	1	5		
11	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 12 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	B	1	Total	Na	0	0
			1	1		
12	A	2	Total	Na	0	0
			2	2		
12	D	1	Total	Na	0	0
			1	1		
12	C	1	Total	Na	0	0
			1	1		

- Molecule 13 is [bis( $\text{O}^{\text{1}}$ -oxidanyl)-( $\text{O}^{\text{1}}$ -oxidanyl)-[tris( $\text{O}^{\text{1}}$ -oxidanyl)vanadiooxy]vanadio]oxy-vanadio]oxy-bis( $\text{O}^{\text{1}}$ -oxidanyl)vanadio]oxy-oxidanylidene-vanadio]-[bis( $\text{O}^{\text{1}}$ -oxidanyl)vanadio]-( $\text{O}^{\text{3}}$ -oxidanyl)-tetrakis( $\text{O}^{\text{1}}$ -oxidanyl)vanadium (three-letter code: H1T) (formula:  $\text{O}_{20}\text{V}_7$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	C	1	Total	O	V	0	0
			27	20	7		

- Molecule 14 is [bis(oxidanyl)-[tris(oxidanyl)vanadiooxy]vanadio]oxy-bis(oxidanyl)vanadio]-oxidanylidene-vanadio]oxy-oxidanyl-vanadio]oxy-tetrakis(oxidanyl)vanadium (three-letter code: VV6) (formula:  $\text{H}_{12}\text{O}_{17}\text{V}_6$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
14	B	1	Total	O	V	0	0
			23	17	6		

- Molecule 15 is adenosine divanadate (three-letter code: H1Q) (formula:  $C_{10}H_{13}N_5O_{11}V_2$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
15	A	1	Total	C	O	V	0	0
			18	5	11	2		

- Molecule 16 is pentakis(oxidanyl)vanadium (three-letter code: H1W) (formula:  $H_5O_5V$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
16	D	1	Total	O	V	0	1
			12	10	2		

- Molecule 17 is ISOPROPYL ALCOHOL (three-letter code: IPA) (formula:  $C_3H_8O$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
17	D	1	Total	C	O	0	0
			4	3	1		

- Molecule 18 is VANADATE ION (three-letter code: VN3) (formula:  $O_3V$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
18	D	1	Total	O	V	0	0
			4	3	1		

- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	C	598	Total	O	0	1
			599	599		
19	B	562	Total	O	0	1
			563	563		
19	A	558	Total	O	0	0
			558	558		
19	D	508	Total	O	0	2
			510	510		

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Fe(3+)-Zn(2+) purple acid phosphatase

Chain C: 





- Molecule 1: Fe(3+)-Zn(2+) purple acid phosphatase

Chain B: 





- Molecule 1: Fe(3+)-Zn(2+) purple acid phosphatase

Chain A: 




- Molecule 2: Fe(3+)-Zn(2+) purple acid phosphatase

Chain D: 






- Molecule 3: alpha-L-fucopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  33% 67%



- Molecule 3: alpha-L-fucopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%



- Molecule 3: alpha-L-fucopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  50% 50%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	126.24Å 126.24Å 296.88Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.97 – 1.95 19.97 – 1.95	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.97-1.95) 100.0 (19.97-1.95)	Depositor EDS
$R_{merge}$	0.21	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.71 (at 1.94Å)	Xtriage
Refinement program	PHENIX (1.13 _2998: ???)	Depositor
R, $R_{free}$	0.163 , 0.199 0.163 , 0.199	Depositor DCC
$R_{free}$ test set	2001 reflections (1.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	19.6	Xtriage
Anisotropy	0.086	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 57.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.028 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	17001	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.64% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, PGE, NAG, NA, SO4, H1T, EDO, H1W, IPA, VN3, FUC, VV6, H1Q, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.38	0/3644	0.56	1/4955 (0.0%)
1	B	0.38	0/3654	0.55	0/4968
1	C	0.39	0/3648	0.58	1/4958 (0.0%)
2	D	0.38	0/3665	0.57	1/4980 (0.0%)
All	All	0.38	0/14611	0.56	3/19861 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	132	LEU	CA-CB-CG	-8.47	95.81	115.30
2	D	132	LEU	CA-CB-CG	-6.74	99.80	115.30
1	A	132	LEU	CA-CB-CG	-6.32	100.76	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3516	0	3329	29	0
1	B	3529	0	3351	20	0
1	C	3517	0	3344	22	0
2	D	3540	0	3365	36	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	E	38	0	34	2	0
3	F	38	0	34	2	0
3	H	38	0	34	0	0
4	G	28	0	25	1	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
7	A	65	0	0	2	0
7	B	40	0	0	1	0
7	C	35	0	0	1	0
7	D	75	0	0	0	0
8	A	6	0	8	1	0
8	B	18	0	24	1	0
8	C	6	0	8	0	0
9	A	16	0	24	3	0
9	B	4	0	6	0	0
9	C	8	0	12	3	0
9	D	20	0	30	4	0
10	C	7	0	9	1	0
10	D	14	0	18	3	0
11	A	28	0	26	2	0
11	B	28	0	26	0	0
11	C	28	0	26	4	0
11	D	28	0	26	1	0
12	A	2	0	0	0	0
12	B	1	0	0	0	0
12	C	1	0	0	0	0
12	D	1	0	0	0	0
13	C	27	0	0	9	0
14	B	23	0	0	3	0
15	A	18	0	0	3	0
16	D	12	0	0	4	0
17	D	4	0	8	6	0
18	D	4	0	0	0	0
19	A	558	0	0	14	0
19	B	563	0	0	9	1
19	C	599	0	0	6	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	D	510	0	0	3	0
All	All	17001	0	13767	130	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:397:ARG:HH12	9:C:512:EDO:H12	1.37	0.88
2:D:112:ARG:HE	10:D:523:PGE:H4	1.45	0.80
1:C:143:ASN:HD22	11:C:517:NAG:H83	1.48	0.77
1:B:124:LEU:HD12	1:B:279:PRO:HG3	1.66	0.76
2:D:329:ARG:HH12	2:D:432:THR:HB	1.52	0.75
1:A:73:LYS:NZ	19:A:602:HOH:O	2.19	0.73
1:A:143:ASN:HD22	11:A:523:NAG:H83	1.54	0.72
2:D:143:ASN:HD22	11:D:527:NAG:H83	1.54	0.72
1:C:58:ARG:NH2	19:C:605:HOH:O	2.23	0.71
1:B:258[A]:ARG:NH1	19:B:602:HOH:O	2.20	0.71
1:A:391:MET:SD	19:A:635:HOH:O	2.47	0.71
2:D:93:ARG:NH1	19:D:602:HOH:O	2.23	0.70
7:A:513:SO4:O2	19:A:601:HOH:O	2.09	0.68
2:D:170[B]:ARG:HH12	9:D:518:EDO:H11	1.60	0.66
1:B:8:ASN:N	19:B:606:HOH:O	2.28	0.65
2:D:170[A]:ARG:NH1	9:D:520:EDO:O2	2.30	0.64
1:A:258:ARG:NH2	19:A:603:HOH:O	2.22	0.64
2:D:391[A]:MET:HG2	17:D:531:IPA:H32	1.80	0.64
14:B:521:VV6:V05	14:B:521:VV6:O13	1.56	0.63
13:C:520:H1T:V02	13:C:520:H1T:O19	1.55	0.63
2:D:389:HIS:NE2	17:D:531:IPA:H12	2.14	0.63
2:D:421:PHE:CD2	2:D:430:ASP:HB3	2.34	0.63
13:C:520:H1T:V07	13:C:520:H1T:O05	1.55	0.62
14:B:521:VV6:O11	14:B:521:VV6:V05	1.57	0.61
1:A:421:PHE:CD2	1:A:430:ASP:HB3	2.36	0.61
13:C:520:H1T:O11	13:C:520:H1T:V05	1.56	0.61
13:C:520:H1T:V02	13:C:520:H1T:O08	1.57	0.61
15:A:527:H1Q:V	15:A:527:H1Q:O7	1.58	0.61
13:C:520:H1T:V04	13:C:520:H1T:O13	1.58	0.60
2:D:64:ASN:OD1	2:D:65:GLY:N	2.34	0.60
13:C:520:H1T:V03	13:C:520:H1T:O09	1.59	0.60
15:A:527:H1Q:O6	15:A:527:H1Q:V	1.58	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:C:520:H1T:V03	13:C:520:H1T:O15	1.59	0.58
19:B:906:HOH:O	3:F:3:NAG:H81	2.04	0.57
1:B:339:LYS:HZ2	8:B:512:GOL:HO3	1.54	0.56
7:B:504:SO4:O2	19:B:601:HOH:O	2.17	0.56
1:A:211:ASN:ND2	19:A:608:HOH:O	2.31	0.56
1:A:313:LYS:NZ	9:A:520:EDO:H11	2.21	0.56
1:B:93:ARG:NH1	19:B:615:HOH:O	2.39	0.56
1:C:331:GLU:OE1	19:C:602:HOH:O	2.18	0.55
13:C:520:H1T:O12	19:C:601:HOH:O	2.17	0.54
1:B:64:ASN:ND2	19:B:617:HOH:O	2.40	0.54
1:B:258[B]:ARG:NH1	19:B:614:HOH:O	2.38	0.54
15:A:527:H1Q:C5'	19:A:620:HOH:O	2.56	0.53
1:A:112:ARG:HH21	9:A:517:EDO:H12	1.74	0.53
19:C:654:HOH:O	3:E:3:NAG:H81	2.09	0.53
1:A:93:ARG:NH2	19:A:609:HOH:O	2.34	0.53
1:A:93:ARG:NH2	19:A:614:HOH:O	2.40	0.53
2:D:209:GLU:OE2	9:D:517:EDO:O2	2.26	0.52
1:A:268:LYS:HG3	19:A:743:HOH:O	2.09	0.52
1:A:93:ARG:NH1	19:A:615:HOH:O	2.41	0.52
1:C:27:PRO:HB3	1:C:46:TRP:CD1	2.45	0.52
2:D:296:HIS:NE2	16:D:530[B]:H1W:O11	2.34	0.52
1:C:201:ASN:ND2	13:C:520:H1T:O01	2.39	0.52
2:D:391[A]:MET:HG3	17:D:531:IPA:H13	1.92	0.51
2:D:391[A]:MET:CG	17:D:531:IPA:H13	2.41	0.51
2:D:201:ASN:ND2	16:D:530[A]:H1W:O11	2.33	0.51
19:A:847:HOH:O	4:G:2:NAG:H81	2.11	0.50
1:B:285:MET:O	1:B:321:ALA:HA	2.12	0.50
1:A:313:LYS:HZ1	9:A:520:EDO:H11	1.77	0.49
1:C:131:GLY:C	1:C:132:LEU:HG	2.32	0.49
1:C:108:ARG:NH1	1:C:108:ARG:HB3	2.28	0.49
2:D:27:PRO:HB3	2:D:46:TRP:CD1	2.48	0.49
1:B:60:TRP:HB3	1:B:67:LYS:HA	1.94	0.48
1:B:201:ASN:ND2	14:B:521:VV6:O04	2.41	0.48
1:A:62[A]:GLU:HG3	1:A:102:TYR:HE1	1.78	0.48
1:B:203:GLU:O	1:B:216:PHE:HA	2.14	0.47
1:B:414:GLU:HG2	19:B:1007:HOH:O	2.13	0.47
1:C:140:PHE:HD1	11:C:517:NAG:H81	1.79	0.47
1:A:103:TYR:CZ	1:A:114:PHE:HB2	2.50	0.47
1:A:72:GLY:HA3	1:A:90:THR:OG1	2.14	0.47
2:D:201:ASN:ND2	16:D:530[B]:H1W:O12	2.41	0.46
2:D:202:HIS:NE2	16:D:530[B]:H1W:O09	2.48	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:108:ARG:HH11	1:C:108:ARG:HB3	1.80	0.46
2:D:203:GLU:O	2:D:216:PHE:HA	2.16	0.46
19:B:1083:HOH:O	3:F:3:NAG:H82	2.16	0.46
9:C:511:EDO:H21	2:D:299:GLU:HG2	1.98	0.46
2:D:103:TYR:CZ	2:D:114:PHE:HB2	2.51	0.46
2:D:132:LEU:HD22	2:D:320:PHE:CE1	2.50	0.46
2:D:97:TYR:O	2:D:99:THR:HG23	2.16	0.46
1:B:27:PRO:HB3	1:B:46:TRP:CD1	2.51	0.46
1:C:57:VAL:HG11	1:C:92:ILE:HD11	1.99	0.45
1:C:285:MET:O	1:C:321:ALA:HA	2.16	0.45
1:A:203:GLU:O	1:A:216:PHE:HA	2.17	0.45
2:D:391[A]:MET:CG	17:D:531:IPA:H32	2.47	0.45
1:A:338:TYR:CZ	1:A:340:ILE:HA	2.53	0.44
2:D:431:SER:HA	19:D:834:HOH:O	2.17	0.44
1:A:391:MET:HB2	1:A:391:MET:HE3	1.73	0.44
19:C:614:HOH:O	3:E:1:NAG:H82	2.17	0.44
2:D:152:SER:OG	17:D:531:IPA:H11	2.18	0.44
1:B:58:ARG:O	1:B:103:TYR:HA	2.18	0.44
1:B:244:SER:HB2	1:B:279:PRO:HD2	1.99	0.44
1:C:174:HIS:O	1:C:175:ASP:C	2.56	0.44
2:D:146:LEU:O	2:D:150:GLU:HG3	2.18	0.44
1:A:73:LYS:HD3	19:A:761:HOH:O	2.18	0.43
1:A:258:ARG:HB2	7:A:513:SO4:O4	2.18	0.43
1:C:203:GLU:O	1:C:216:PHE:HA	2.19	0.43
1:C:143:ASN:ND2	11:C:517:NAG:H83	2.26	0.43
1:C:72:GLY:HA3	1:C:90:THR:OG1	2.19	0.43
7:C:504:SO4:O2	19:C:603:HOH:O	2.21	0.43
10:C:513:PGE:H32	1:A:78:ARG:HG3	2.01	0.43
1:C:217:LYS:HB3	1:C:218:PRO:HD3	2.01	0.43
1:A:294[B]:ASN:ND2	19:A:632:HOH:O	2.52	0.43
1:A:285:MET:O	1:A:321:ALA:HA	2.18	0.43
2:D:132:LEU:HD22	2:D:320:PHE:CD1	2.54	0.43
8:A:516:GOL:H2	19:A:905:HOH:O	2.18	0.43
1:A:174:HIS:O	1:A:175:ASP:C	2.58	0.42
1:C:154:LYS:HE2	1:C:414:GLU:OE2	2.19	0.42
1:A:72:GLY:C	1:A:73:LYS:HD2	2.40	0.42
1:A:33:THR:HA	1:A:194:PRO:HB3	2.01	0.42
2:D:174:HIS:O	2:D:175:ASP:C	2.58	0.42
1:B:19:ARG:CZ	1:B:20:VAL:H	2.32	0.42
2:D:258:ARG:HH22	9:D:521:EDO:H22	1.83	0.42
1:A:74:MET:HA	1:A:87:ILE:O	2.20	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:244:SER:HB2	2:D:279:PRO:HD2	2.02	0.42
10:D:523:PGE:H42	19:D:954:HOH:O	2.20	0.42
1:B:63:LYS:HG2	1:B:63:LYS:H	1.68	0.41
2:D:301:GLU:O	2:D:305:THR:HG23	2.20	0.41
1:A:140:PHE:HD1	11:A:523:NAG:H81	1.85	0.41
1:B:63:LYS:HE2	1:B:99:THR:HB	2.01	0.41
1:C:397:ARG:NH1	9:C:512:EDO:H12	2.19	0.41
1:B:174:HIS:O	1:B:175:ASP:C	2.58	0.41
2:D:217:LYS:HB3	2:D:218:PRO:HD3	2.02	0.41
1:B:217:LYS:HB3	1:B:218:PRO:HD3	2.03	0.41
1:C:140:PHE:CD1	11:C:517:NAG:H81	2.55	0.41
1:C:131:GLY:O	1:C:132:LEU:HG	2.21	0.41
2:D:338:TYR:CZ	2:D:340:ILE:HA	2.56	0.40
2:D:78:ARG:HG3	10:D:522:PGE:H2	2.03	0.40
2:D:63:LYS:HG3	2:D:64:ASN:H	1.86	0.40
1:C:267:LYS:HE3	1:C:310:TRP:CZ2	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
19:C:974:HOH:O	19:B:840:HOH:O[6_445]	2.17	0.03

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	426/426 (100%)	406 (95%)	19 (4%)	1 (0%)	47	38
1	B	427/426 (100%)	406 (95%)	19 (4%)	2 (0%)	29	17
1	C	426/426 (100%)	406 (95%)	17 (4%)	3 (1%)	22	11
2	D	428/426 (100%)	410 (96%)	17 (4%)	1 (0%)	47	38

Continued on next page...



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1707/1704 (100%)	1628 (95%)	72 (4%)	7 (0%)	34	22

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	175	ASP
1	C	175	ASP
1	B	175	ASP
2	D	175	ASP
1	C	155	LYS
1	C	429	ASP
1	B	64	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	376/375 (100%)	374 (100%)	2 (0%)	88	88
1	B	378/375 (101%)	376 (100%)	2 (0%)	88	88
1	C	377/375 (100%)	376 (100%)	1 (0%)	92	92
2	D	379/375 (101%)	377 (100%)	2 (0%)	88	88
All	All	1510/1500 (101%)	1503 (100%)	7 (0%)	88	88

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	176	ASN
1	B	96	LYS
1	B	99	THR
1	A	132	LEU
1	A	176	ASN
2	D	7	LYS
2	D	176	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	64	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

11 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	NAG	E	1	1,3	14,14,15	0.48	0	17,19,21	0.68	0
3	FUC	E	2	3	10,10,11	0.78	0	14,14,16	0.81	0
3	NAG	E	3	3	14,14,15	0.50	0	17,19,21	0.45	0
3	NAG	F	1	1,3	14,14,15	0.32	0	17,19,21	0.64	1 (5%)
3	FUC	F	2	3	10,10,11	0.84	1 (10%)	14,14,16	0.98	1 (7%)
3	NAG	F	3	3	14,14,15	0.43	0	17,19,21	0.46	0
4	NAG	G	1	1,4	14,14,15	0.47	0	17,19,21	0.58	0
4	NAG	G	2	4	14,14,15	0.22	0	17,19,21	0.37	0
3	NAG	H	1	3,2	14,14,15	0.49	0	17,19,21	0.67	0
3	FUC	H	2	3	10,10,11	0.65	0	14,14,16	0.82	0
3	NAG	H	3	3	14,14,15	0.46	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	E	1	1,3	-	2/6/23/26	0/1/1/1
3	FUC	E	2	3	-	-	0/1/1/1
3	NAG	E	3	3	-	2/6/23/26	0/1/1/1
3	NAG	F	1	1,3	-	0/6/23/26	0/1/1/1
3	FUC	F	2	3	-	-	0/1/1/1
3	NAG	F	3	3	-	2/6/23/26	0/1/1/1
4	NAG	G	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	G	2	4	-	4/6/23/26	0/1/1/1
3	NAG	H	1	3,2	-	2/6/23/26	0/1/1/1
3	FUC	H	2	3	-	-	0/1/1/1
3	NAG	H	3	3	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	2	FUC	O5-C1	-2.09	1.40	1.43

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	2	FUC	C1-O5-C5	2.16	117.67	112.78
3	F	1	NAG	C1-O5-C5	2.05	114.97	112.19

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	E	3	NAG	C8-C7-N2-C2
3	E	3	NAG	O7-C7-N2-C2
3	F	3	NAG	C8-C7-N2-C2
3	F	3	NAG	O7-C7-N2-C2
4	G	2	NAG	C8-C7-N2-C2
4	G	2	NAG	O7-C7-N2-C2
3	H	1	NAG	C8-C7-N2-C2
3	H	1	NAG	O7-C7-N2-C2
3	E	1	NAG	C8-C7-N2-C2
3	E	1	NAG	O7-C7-N2-C2
3	H	3	NAG	O5-C5-C6-O6
3	H	3	NAG	C4-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
4	G	2	NAG	C4-C5-C6-O6
4	G	2	NAG	O5-C5-C6-O6


There are no ring outliers.


4 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	3	NAG	1	0
3	F	3	NAG	2	0
4	G	2	NAG	1	0
3	E	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









## 5.6 Ligand geometry [i](#)

Of 91 ligands modelled in this entry, 13 are monoatomic - leaving 78 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
7	SO4	B	505	-	4,4,4	0.12	0	6,6,6	0.14	0
8	GOL	C	510	-	5,5,5	1.13	0	5,5,5	0.90	0
14	VV6	B	521	5,6	1,22,22	1.95	0	-		
7	SO4	C	505	-	4,4,4	0.20	0	6,6,6	0.21	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	SO4	B	509	-	4,4,4	0.10	0	6,6,6	0.14	0
9	EDO	B	514	-	3,3,3	0.50	0	2,2,2	0.40	0
7	SO4	A	511	-	4,4,4	0.21	0	6,6,6	0.17	0
7	SO4	B	506	-	4,4,4	0.14	0	6,6,6	0.20	0
7	SO4	D	509	-	4,4,4	0.17	0	6,6,6	0.09	0
9	EDO	C	512	-	3,3,3	0.54	0	2,2,2	0.17	0
7	SO4	D	507	12	4,4,4	0.18	0	6,6,6	0.23	0
11	NAG	A	524	1	14,14,15	0.44	0	17,19,21	0.51	0
7	SO4	A	510	-	4,4,4	0.11	0	6,6,6	0.07	0
7	SO4	D	513[A]	-	4,4,4	0.15	0	6,6,6	0.21	0
7	SO4	C	509	-	4,4,4	0.14	0	6,6,6	0.08	0
10	PGE	C	513	-	6,6,9	0.15	0	5,5,8	1.40	0
7	SO4	D	506	-	4,4,4	0.11	0	6,6,6	0.21	0
11	NAG	B	519	1	14,14,15	0.43	0	17,19,21	0.44	0
7	SO4	A	513	-	4,4,4	0.19	0	6,6,6	0.47	0
7	SO4	C	506	-	4,4,4	0.07	0	6,6,6	0.20	0
7	SO4	D	513[B]	-	4,4,4	0.16	0	6,6,6	0.22	0
7	SO4	D	505	-	4,4,4	0.14	0	6,6,6	0.13	0
13	H1T	C	520	12,5,6	0,26,26	0.00	-	-	-	-
18	VN3	D	532	-	0,3,3	0.00	-	-	-	-
7	SO4	D	516	-	4,4,4	0.16	0	6,6,6	0.09	0
7	SO4	A	515	-	4,4,4	0.22	0	6,6,6	0.42	0
7	SO4	B	508	-	4,4,4	0.13	0	6,6,6	0.13	0
10	PGE	D	522	-	6,6,9	0.18	0	5,5,8	1.64	1 (20%)
11	NAG	B	518	1	14,14,15	0.45	0	17,19,21	0.46	0
7	SO4	B	504	-	4,4,4	0.12	0	6,6,6	0.42	0
7	SO4	D	504	-	4,4,4	0.25	0	6,6,6	0.16	0
7	SO4	C	507	-	4,4,4	0.16	0	6,6,6	0.10	0
7	SO4	A	503	-	4,4,4	0.15	0	6,6,6	0.05	0
7	SO4	D	503	-	4,4,4	0.15	0	6,6,6	0.12	0
11	NAG	A	523	1	14,14,15	0.29	0	17,19,21	0.83	1 (5%)
7	SO4	B	510	-	4,4,4	0.16	0	6,6,6	0.13	0
9	EDO	A	520	-	3,3,3	0.52	0	2,2,2	0.24	0
8	GOL	A	516	-	5,5,5	1.02	0	5,5,5	1.11	0
11	NAG	D	527	2	14,14,15	0.42	0	17,19,21	0.48	0
9	EDO	C	511	-	3,3,3	0.38	0	2,2,2	0.75	0
9	EDO	D	517	-	3,3,3	0.44	0	2,2,2	0.53	0
16	H1W	D	530[B]	5,6	0,5,5	0.00	-	-	-	-
7	SO4	A	505	-	4,4,4	0.12	0	6,6,6	0.15	0
9	EDO	A	517	-	3,3,3	0.46	0	2,2,2	0.52	0
9	EDO	D	521	-	3,3,3	0.46	0	2,2,2	0.34	0
7	SO4	A	509	-	4,4,4	0.17	0	6,6,6	0.26	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	SO4	D	511	-	4,4,4	0.14	0	6,6,6	0.16	0
10	PGE	D	523	-	6,6,9	0.32	0	5,5,8	0.23	0
16	H1W	D	530[A]	5,6	0,5,5	0.00	-	-		
9	EDO	D	519	-	3,3,3	0.46	0	2,2,2	0.39	0
7	SO4	A	506	-	4,4,4	0.16	0	6,6,6	0.12	0
9	EDO	D	520	-	3,3,3	0.48	0	2,2,2	0.29	0
7	SO4	D	510	-	4,4,4	0.16	0	6,6,6	0.21	0
15	H1Q	A	527	12,5,6	10,18,30	1.05	1 (10%)	9,30,49	0.68	0
7	SO4	C	508	-	4,4,4	0.13	0	6,6,6	0.23	0
11	NAG	C	518	1	14,14,15	0.46	0	17,19,21	0.61	1 (5%)
8	GOL	B	513	-	5,5,5	0.97	0	5,5,5	1.02	0
7	SO4	A	504	-	4,4,4	0.11	0	6,6,6	0.29	0
7	SO4	D	515	-	4,4,4	0.17	0	6,6,6	0.23	0
9	EDO	D	518	-	3,3,3	0.47	0	2,2,2	0.38	0
7	SO4	D	512	-	4,4,4	0.11	0	6,6,6	0.22	0
9	EDO	A	518	-	3,3,3	0.47	0	2,2,2	0.40	0
11	NAG	C	517	1	14,14,15	0.44	0	17,19,21	0.61	0
7	SO4	D	508	-	4,4,4	0.09	0	6,6,6	0.26	0
7	SO4	A	507	-	4,4,4	0.19	0	6,6,6	0.15	0
8	GOL	B	511	-	5,5,5	0.89	0	5,5,5	1.03	0
11	NAG	D	528	2	14,14,15	0.52	0	17,19,21	0.51	0
8	GOL	B	512	-	5,5,5	0.86	0	5,5,5	1.20	1 (20%)
7	SO4	A	508	-	4,4,4	0.17	0	6,6,6	0.10	0
7	SO4	A	514	-	4,4,4	0.13	0	6,6,6	0.10	0
7	SO4	D	514	-	4,4,4	0.14	0	6,6,6	0.10	0
7	SO4	B	503	-	4,4,4	0.15	0	6,6,6	0.11	0
7	SO4	B	507	-	4,4,4	0.12	0	6,6,6	0.17	0
17	IPA	D	531	-	3,3,3	0.50	0	3,3,3	0.32	0
9	EDO	A	519	-	3,3,3	0.51	0	2,2,2	0.33	0
7	SO4	C	503	-	4,4,4	0.20	0	6,6,6	0.42	0
7	SO4	C	504	-	4,4,4	0.09	0	6,6,6	0.15	0
7	SO4	A	512	-	4,4,4	0.12	0	6,6,6	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	C	510	-	-	0/4/4/4	-
9	EDO	B	514	-	-	1/1/1/1	-
9	EDO	C	512	-	-	1/1/1/1	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NAG	A	524	1	-	0/6/23/26	0/1/1/1
10	PGE	C	513	-	-	1/4/4/7	-
9	EDO	D	517	-	-	0/1/1/1	-
9	EDO	A	517	-	-	0/1/1/1	-
11	NAG	B	518	1	-	0/6/23/26	0/1/1/1
11	NAG	B	519	1	-	0/6/23/26	0/1/1/1
11	NAG	A	523	1	-	4/6/23/26	0/1/1/1
9	EDO	A	520	-	-	1/1/1/1	-
8	GOL	A	516	-	-	3/4/4/4	-
11	NAG	D	527	2	-	4/6/23/26	0/1/1/1
9	EDO	D	521	-	-	0/1/1/1	-
10	PGE	D	523	-	-	3/4/4/7	-
9	EDO	D	519	-	-	0/1/1/1	-
9	EDO	D	520	-	-	0/1/1/1	-
15	H1Q	A	527	12,5,6	-	0/2/26/33	0/1/1/3
11	NAG	C	518	1	-	0/6/23/26	0/1/1/1
8	GOL	B	513	-	-	2/4/4/4	-
9	EDO	D	518	-	-	0/1/1/1	-
9	EDO	A	518	-	-	0/1/1/1	-
11	NAG	C	517	1	-	2/6/23/26	0/1/1/1
8	GOL	B	511	-	-	0/4/4/4	-
11	NAG	D	528	2	-	2/6/23/26	0/1/1/1
8	GOL	B	512	-	-	0/4/4/4	-
9	EDO	C	511	-	-	1/1/1/1	-
10	PGE	D	522	-	-	0/4/4/7	-
9	EDO	A	519	-	-	0/1/1/1	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	A	527	H1Q	O9-V1	2.45	1.92	1.68

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	A	523	NAG	C1-O5-C5	2.38	115.42	112.19
8	B	512	GOL	C3-C2-C1	-2.19	103.19	111.70
10	D	522	PGE	O2-C2-C1	-2.18	100.48	110.07
11	C	518	NAG	C1-O5-C5	2.12	115.07	112.19

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	516	GOL	O1-C1-C2-C3
8	B	513	GOL	O1-C1-C2-C3
11	C	517	NAG	C8-C7-N2-C2
11	C	517	NAG	O7-C7-N2-C2
11	A	523	NAG	C8-C7-N2-C2
11	A	523	NAG	O7-C7-N2-C2
11	D	527	NAG	C8-C7-N2-C2
11	D	527	NAG	O7-C7-N2-C2
11	D	528	NAG	C8-C7-N2-C2
11	D	528	NAG	O7-C7-N2-C2
11	A	523	NAG	C4-C5-C6-O6
8	B	513	GOL	O1-C1-C2-O2
9	A	520	EDO	O1-C1-C2-O2
11	A	523	NAG	O5-C5-C6-O6
10	D	523	PGE	O2-C3-C4-O3
10	D	523	PGE	O1-C1-C2-O2
8	A	516	GOL	O1-C1-C2-O2
10	D	523	PGE	C1-C2-O2-C3
8	A	516	GOL	O2-C2-C3-O3
10	C	513	PGE	O2-C3-C4-O3
11	D	527	NAG	C4-C5-C6-O6
11	D	527	NAG	O5-C5-C6-O6
9	C	511	EDO	O1-C1-C2-O2
9	B	514	EDO	O1-C1-C2-O2
9	C	512	EDO	O1-C1-C2-O2

There are no ring outliers.

25 monomers are involved in 52 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
14	B	521	VV6	3	0
9	C	512	EDO	2	0
10	C	513	PGE	1	0
7	A	513	SO4	2	0
13	C	520	H1T	9	0
10	D	522	PGE	1	0
7	B	504	SO4	1	0
11	A	523	NAG	2	0
9	A	520	EDO	2	0
8	A	516	GOL	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	D	527	NAG	1	0
9	C	511	EDO	1	0
9	D	517	EDO	1	0
16	D	530[B]	H1W	3	0
9	A	517	EDO	1	0
9	D	521	EDO	1	0
10	D	523	PGE	2	0
16	D	530[A]	H1W	1	0
9	D	520	EDO	1	0
15	A	527	H1Q	3	0
9	D	518	EDO	1	0
11	C	517	NAG	4	0
8	B	512	GOL	1	0
17	D	531	IPA	6	0
7	C	504	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	424/426 (99%)	-0.57	3 (0%) 87 92	11, 18, 31, 61	0
1	B	425/426 (99%)	-0.52	6 (1%) 75 82	11, 19, 32, 61	0
1	C	423/426 (99%)	-0.65	2 (0%) 91 94	11, 16, 29, 54	0
2	D	426/426 (100%)	-0.56	5 (1%) 79 84	11, 17, 33, 59	0
All	All	1698/1704 (99%)	-0.58	16 (0%) 84 89	11, 17, 31, 61	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	64	ASN	5.2
1	A	64	ASN	4.9
2	D	64	ASN	4.8
2	D	431	SER	4.6
1	C	431	SER	4.5
1	C	429	ASP	3.7
1	B	63	LYS	3.6
1	B	432	THR	3.3
2	D	432	THR	3.3
1	A	63	LYS	3.2
2	D	66	ARG	2.9
2	D	63	LYS	2.7
1	B	66	ARG	2.6
1	B	8	ASN	2.4
1	A	429	ASP	2.0
1	B	431	SER	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	NAG	G	2	14/15	0.84	0.26	26,40,49,56	0
3	FUC	H	2	10/11	0.88	0.22	35,39,46,52	0
3	NAG	H	3	14/15	0.91	0.24	26,36,48,50	0
3	NAG	F	3	14/15	0.92	0.12	16,27,30,36	0
3	NAG	E	3	14/15	0.93	0.14	16,25,33,34	0
4	NAG	G	1	14/15	0.94	0.11	19,26,34,34	0
3	NAG	H	1	14/15	0.94	0.10	20,26,33,43	0
3	NAG	E	1	14/15	0.95	0.08	17,20,27,32	0
3	FUC	E	2	10/11	0.95	0.19	27,29,31,38	0
3	FUC	F	2	10/11	0.95	0.10	22,26,35,36	0
3	NAG	F	1	14/15	0.95	0.09	17,20,28,29	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around Chain E:**



$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around Chain F:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain H:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain G:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
9	EDO	A	520	4/4	0.76	0.12	40,44,44,51	0
9	EDO	A	517	4/4	0.80	0.16	36,40,47,53	0
17	IPA	D	531	4/4	0.82	0.23	17,23,33,41	0
9	EDO	D	521	4/4	0.82	0.21	55,55,60,62	0
9	EDO	C	512	4/4	0.84	0.25	37,43,44,44	0
14	VV6	B	521	23/23	0.84	0.29	19,47,67,82	23
11	NAG	D	528	14/15	0.84	0.15	32,38,45,48	0
10	PGE	D	523	7/10	0.85	0.20	34,41,48,49	0
12	NA	A	526	1/1	0.86	0.14	44,44,44,44	1
9	EDO	A	518	4/4	0.87	0.13	36,38,40,51	0
13	H1T	C	520	27/27	0.87	0.29	15,43,60,78	27
9	EDO	C	511	4/4	0.88	0.18	18,23,33,43	0
9	EDO	D	518	4/4	0.88	0.25	44,45,48,61	0
18	VN3	D	532	4/4	0.88	0.29	44,50,56,82	0
8	GOL	B	512	6/6	0.89	0.25	36,39,41,47	0
7	SO4	A	511	5/5	0.89	0.29	48,48,67,70	0
11	NAG	A	524	14/15	0.89	0.21	33,36,46,56	0
7	SO4	A	509	5/5	0.90	0.27	46,52,71,76	0
8	GOL	B	513	6/6	0.90	0.30	29,37,40,41	0
7	SO4	C	507	5/5	0.90	0.26	35,41,72,76	0
7	SO4	D	503	5/5	0.90	0.30	61,64,76,77	0
7	SO4	A	514	5/5	0.90	0.36	45,51,74,79	0
7	SO4	A	512	5/5	0.90	0.21	29,47,51,52	0
7	SO4	A	505	5/5	0.91	0.33	47,60,76,77	0
9	EDO	D	517	4/4	0.91	0.21	32,35,36,44	0
10	PGE	C	513	7/10	0.91	0.13	18,26,35,37	0
7	SO4	D	511	5/5	0.91	0.23	54,59,72,73	0
7	SO4	A	515	5/5	0.91	0.29	35,39,50,51	0
7	SO4	A	506	5/5	0.91	0.37	46,48,70,76	0
9	EDO	A	519	4/4	0.91	0.12	35,39,40,47	0
15	H1Q	A	527	18/28	0.92	0.27	22,38,51,70	18
11	NAG	B	518	14/15	0.92	0.18	29,35,43,43	0
11	NAG	C	518	14/15	0.92	0.17	28,34,41,44	0
9	EDO	D	519	4/4	0.92	0.27	32,45,48,57	0
11	NAG	A	523	14/15	0.93	0.14	17,27,35,42	0
7	SO4	D	504	5/5	0.93	0.23	35,42,50,58	0
9	EDO	D	520	4/4	0.93	0.11	32,39,40,40	0

*Continued on next page...*

*Continued from previous page...*


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
7	SO4	D	515	5/5	0.93	0.28	40,45,70,70	0
7	SO4	A	503	5/5	0.93	0.31	69,70,75,83	0
9	EDO	B	514	4/4	0.93	0.18	26,36,39,42	0
7	SO4	A	507	5/5	0.93	0.33	43,51,59,59	0
7	SO4	D	514	5/5	0.93	0.36	58,64,70,77	0
7	SO4	D	516	5/5	0.93	0.49	51,71,79,85	0
7	SO4	C	509	5/5	0.93	0.34	45,61,71,77	0
11	NAG	D	527	14/15	0.94	0.13	18,24,36,37	0
7	SO4	A	504	5/5	0.94	0.23	30,36,52,58	0
11	NAG	C	517	14/15	0.94	0.10	13,23,30,34	0
7	SO4	B	510	5/5	0.94	0.26	42,55,62,65	0
7	SO4	D	513[A]	5/5	0.94	0.15	18,22,28,28	5
7	SO4	D	505	5/5	0.94	0.31	39,46,67,68	0
10	PGE	D	522	7/10	0.94	0.13	17,23,36,42	0
7	SO4	D	513[B]	5/5	0.94	0.15	15,22,28,30	5
7	SO4	A	513	5/5	0.94	0.27	41,41,45,47	0
7	SO4	B	507	5/5	0.95	0.31	42,59,64,65	0
7	SO4	D	508	5/5	0.95	0.17	28,40,43,51	0
11	NAG	B	519	14/15	0.95	0.10	19,25,33,36	0
7	SO4	D	510	5/5	0.95	0.30	44,54,61,71	0
7	SO4	B	504	5/5	0.95	0.21	35,40,47,50	0
7	SO4	C	504	5/5	0.95	0.22	36,41,43,45	0
7	SO4	D	512	5/5	0.95	0.41	41,55,59,61	0
7	SO4	A	508	5/5	0.95	0.33	55,56,65,68	0
8	GOL	B	511	6/6	0.95	0.09	22,34,37,46	0
7	SO4	D	506	5/5	0.95	0.19	24,32,41,46	0
7	SO4	C	508	5/5	0.96	0.23	44,55,62,69	0
7	SO4	C	506	5/5	0.96	0.25	31,47,51,53	0
8	GOL	C	510	6/6	0.97	0.06	17,17,21,23	0
7	SO4	B	505	5/5	0.97	0.19	33,43,49,54	0
7	SO4	C	505	5/5	0.97	0.23	38,41,44,44	0
16	H1W	D	530[A]	6/6	0.97	0.20	20,22,30,33	6
16	H1W	D	530[B]	6/6	0.97	0.20	22,29,31,46	6
7	SO4	D	509	5/5	0.97	0.29	44,57,61,62	0
7	SO4	B	508	5/5	0.97	0.27	45,49,53,61	0
8	GOL	A	516	6/6	0.98	0.07	20,23,24,25	0
7	SO4	B	503	5/5	0.98	0.18	24,28,39,40	0
7	SO4	A	510	5/5	0.98	0.29	36,44,48,49	0
7	SO4	B	506	5/5	0.98	0.27	38,39,47,47	0
7	SO4	B	509	5/5	0.98	0.16	30,34,36,42	0
7	SO4	C	503	5/5	0.99	0.05	24,26,27,28	0
7	SO4	D	507	5/5	0.99	0.19	28,39,43,44	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
12	NA	C	519	1/1	0.99	0.15	32,32,32,32	0
6	FE	B	502	1/1	1.00	0.05	21,21,21,21	1
5	ZN	B	501	1/1	1.00	0.02	23,23,23,23	0
12	NA	D	529	1/1	1.00	0.15	10,10,10,10	0
5	ZN	C	501	1/1	1.00	0.02	20,20,20,20	0
6	FE	D	502	1/1	1.00	0.03	22,22,22,22	1
12	NA	B	520	1/1	1.00	0.15	9,9,9,9	0
6	FE	A	502	1/1	1.00	0.02	19,19,19,19	1
12	NA	A	525	1/1	1.00	0.13	9,9,9,9	0
6	FE	C	502	1/1	1.00	0.02	21,21,21,21	1
5	ZN	D	501	1/1	1.00	0.02	19,19,19,19	1
5	ZN	A	501	1/1	1.00	0.03	20,20,20,20	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers ⓘ

There are no such residues in this entry.