



# wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 2, 2021 – 11:42 AM EDT

PDB ID : 3IAQ  
Title : E. coli (lacZ) beta-galactosidase (E416V)  
Authors : Lo, S.; Dugdale, M.L.; Jeerh, N.; Ku, T.; Roth, N.J.; Huber, R.E.  
Deposited on : 2009-07-14  
Resolution : 2.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.23.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1023	<div> <div>%</div> <div> <div></div> <div>90%</div> <div>9%</div> <div>.</div> </div> </div>
1	B	1023	<div> <div></div> <div> <div>92%</div> <div>7%</div> <div>.</div> </div> </div>
1	C	1023	<div> <div></div> <div> <div>90%</div> <div>9%</div> <div>.</div> </div> </div>
1	D	1023	<div> <div>%</div> <div> <div></div> <div>89%</div> <div>10%</div> <div>.</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	DMS	C	7018	-	-	-	X
4	DMS	C	7027	-	-	X	-
5	BTB	C	6001	-	-	X	-
5	BTB	D	6001	-	-	X	-

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 35332 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-galactosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1011	Total	C	N	O	S	0	0	0
			8123	5138	1440	1507	38			
1	B	1011	Total	C	N	O	S	0	0	0
			8123	5138	1440	1507	38			
1	C	1011	Total	C	N	O	S	0	0	0
			8123	5138	1440	1507	38			
1	D	1011	Total	C	N	O	S	0	0	0
			8123	5138	1440	1507	38			

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP B8LFD6
A	2	SER	-	expression tag	UNP B8LFD6
A	3	HIS	-	expression tag	UNP B8LFD6
A	4	MET	-	expression tag	UNP B8LFD6
A	5	LEU	-	expression tag	UNP B8LFD6
A	6	GLU	-	expression tag	UNP B8LFD6
A	7	ASP	-	expression tag	UNP B8LFD6
A	8	PRO	-	expression tag	UNP B8LFD6
A	416	VAL	GLU	engineered mutation	UNP B8LFD6
B	1	GLY	-	expression tag	UNP B8LFD6
B	2	SER	-	expression tag	UNP B8LFD6
B	3	HIS	-	expression tag	UNP B8LFD6
B	4	MET	-	expression tag	UNP B8LFD6
B	5	LEU	-	expression tag	UNP B8LFD6
B	6	GLU	-	expression tag	UNP B8LFD6
B	7	ASP	-	expression tag	UNP B8LFD6
B	8	PRO	-	expression tag	UNP B8LFD6
B	416	VAL	GLU	engineered mutation	UNP B8LFD6
C	1	GLY	-	expression tag	UNP B8LFD6
C	2	SER	-	expression tag	UNP B8LFD6
C	3	HIS	-	expression tag	UNP B8LFD6

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	4	MET	-	expression tag	UNP B8LFD6
C	5	LEU	-	expression tag	UNP B8LFD6
C	6	GLU	-	expression tag	UNP B8LFD6
C	7	ASP	-	expression tag	UNP B8LFD6
C	8	PRO	-	expression tag	UNP B8LFD6
C	416	VAL	GLU	engineered mutation	UNP B8LFD6
D	1	GLY	-	expression tag	UNP B8LFD6
D	2	SER	-	expression tag	UNP B8LFD6
D	3	HIS	-	expression tag	UNP B8LFD6
D	4	MET	-	expression tag	UNP B8LFD6
D	5	LEU	-	expression tag	UNP B8LFD6
D	6	GLU	-	expression tag	UNP B8LFD6
D	7	ASP	-	expression tag	UNP B8LFD6
D	8	PRO	-	expression tag	UNP B8LFD6
D	416	VAL	GLU	engineered mutation	UNP B8LFD6

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	4	Total Mg 4 4	0	0
2	B	4	Total Mg 4 4	0	0
2	C	3	Total Mg 3 3	0	0
2	D	2	Total Mg 2 2	0	0

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	3	Total Na 3 3	0	0
3	B	4	Total Na 4 4	0	0
3	C	4	Total Na 4 4	0	0
3	D	3	Total Na 3 3	0	0

- Molecule 4 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C<sub>2</sub>H<sub>6</sub>OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0

*Continued on next page...*



*Continued from previous page...*


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0

- Molecule 5 is 2-[BIS-(2-HYDROXY-ETHYL)-AMINO]-2-HYDROXYMETHYL-PROPAN E-1,3-DIOL (three-letter code: BTB) (formula: C<sub>8</sub>H<sub>19</sub>NO<sub>5</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	470	Total	O	0	0
			470	470		
6	B	670	Total	O	0	0
			670	670		
6	C	627	Total	O	0	0
			627	627		
6	D	626	Total	O	0	0
			626	626		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Beta-galactosidase




#### • Molecule 1: Beta-galactosidase



#### • Molecule 1: Beta-galactosidase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	149.38Å 168.30Å 200.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	83.33 – 2.70 83.31 – 2.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (83.33-2.70) 85.9 (83.31-2.70)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.39 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.2.0019, CNS	Depositor
R, $R_{free}$	0.184 , 0.253 0.185 , 0.252	Depositor DCC
$R_{free}$ test set	1651 reflections (1.38%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	23.1	Xtriage
Anisotropy	0.196	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 38.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	35332	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 36.81 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.7182e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BTB, NA, DMS, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.33	0/8365	0.50	0/11413
1	B	0.33	0/8365	0.50	0/11413
1	C	0.33	0/8365	0.49	0/11413
1	D	0.33	0/8365	0.49	0/11413
All	All	0.33	0/33460	0.49	0/45652

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8123	0	7719	49	0
1	B	8123	0	7719	40	0
1	C	8123	0	7719	57	0
1	D	8123	0	7719	60	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0
2	C	3	0	0	0	0
2	D	2	0	0	0	0
3	A	3	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	4	0	0	0	0
3	C	4	0	0	0	0
3	D	3	0	0	0	0
4	A	92	0	138	0	0
4	B	84	0	126	0	0
4	C	112	0	168	7	0
4	D	76	0	114	1	0
5	A	14	0	19	5	0
5	B	14	0	19	5	0
5	C	14	0	19	7	0
5	D	14	0	19	9	0
6	A	470	0	0	0	0
6	B	670	0	0	3	0
6	C	627	0	0	3	0
6	D	626	0	0	3	0
All	All	35332	0	31498	208	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 208 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:ASP:HB2	5:A:6001:BTB:H81	1.26	1.17
1:D:201:ASP:CB	5:D:6001:BTB:H72	1.93	0.98
1:D:201:ASP:HB2	5:D:6001:BTB:H72	1.51	0.92
5:B:6001:BTB:O1	5:B:6001:BTB:H52	1.73	0.88
5:D:6001:BTB:O3	5:D:6001:BTB:H71	1.77	0.84

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1009/1023 (99%)	968 (96%)	41 (4%)	0	100	100
1	B	1009/1023 (99%)	963 (95%)	46 (5%)	0	100	100
1	C	1009/1023 (99%)	963 (95%)	46 (5%)	0	100	100
1	D	1009/1023 (99%)	965 (96%)	44 (4%)	0	100	100
All	All	4036/4092 (99%)	3859 (96%)	177 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	864/875 (99%)	858 (99%)	6 (1%)	84	94
1	B	864/875 (99%)	856 (99%)	8 (1%)	78	92
1	C	864/875 (99%)	855 (99%)	9 (1%)	76	91
1	D	864/875 (99%)	856 (99%)	8 (1%)	78	92
All	All	3456/3500 (99%)	3425 (99%)	31 (1%)	78	92

5 of 31 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	76	CYS
1	D	663	LEU
1	C	604	ASN
1	D	735	HIS
1	D	333	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 6 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	554	GLN
1	B	885	ASN
1	D	890	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	624	GLN
1	A	226	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

Of 122 ligands modelled in this entry, 27 are monoatomic - leaving 95 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	DMS	A	7001	-	3,3,3	2.59	1 (33%)	3,3,3	0.57	0
4	DMS	A	7019	-	3,3,3	2.65	1 (33%)	3,3,3	0.50	0
4	DMS	A	7014	-	3,3,3	2.65	1 (33%)	3,3,3	0.49	0
4	DMS	A	7021	-	3,3,3	2.64	1 (33%)	3,3,3	0.54	0
4	DMS	D	7018	-	3,3,3	2.65	1 (33%)	3,3,3	0.56	0
4	DMS	D	7005	-	3,3,3	2.66	1 (33%)	3,3,3	0.59	0
4	DMS	C	7024	-	3,3,3	2.67	1 (33%)	3,3,3	0.54	0
4	DMS	C	1024	-	3,3,3	2.67	1 (33%)	3,3,3	0.52	0
4	DMS	D	7006	-	3,3,3	2.69	1 (33%)	3,3,3	0.49	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	DMS	C	7026	-	3,3,3	2.66	1 (33%)	3,3,3	0.48	0
4	DMS	C	7007	-	3,3,3	2.65	1 (33%)	3,3,3	0.53	0
4	DMS	B	7013	-	3,3,3	2.65	1 (33%)	3,3,3	0.51	0
4	DMS	D	7016	-	3,3,3	2.67	1 (33%)	3,3,3	0.47	0
4	DMS	D	7020	-	3,3,3	2.67	1 (33%)	3,3,3	0.56	0
4	DMS	B	7017	-	3,3,3	2.69	1 (33%)	3,3,3	0.54	0
4	DMS	D	7009	-	3,3,3	2.69	1 (33%)	3,3,3	0.61	0
4	DMS	A	7008	-	3,3,3	2.66	1 (33%)	3,3,3	0.54	0
4	DMS	C	7011	-	3,3,3	2.64	1 (33%)	3,3,3	0.46	0
4	DMS	C	7013	-	3,3,3	2.65	1 (33%)	3,3,3	0.50	0
4	DMS	B	7001	-	3,3,3	2.66	1 (33%)	3,3,3	0.55	0
4	DMS	B	7005	-	3,3,3	2.65	1 (33%)	3,3,3	0.54	0
4	DMS	C	7014	-	3,3,3	2.67	1 (33%)	3,3,3	0.58	0
4	DMS	C	7010	-	3,3,3	2.67	1 (33%)	3,3,3	0.54	0
4	DMS	D	7012	-	3,3,3	2.67	1 (33%)	3,3,3	0.56	0
4	DMS	A	7005	-	3,3,3	2.66	1 (33%)	3,3,3	0.61	0
4	DMS	C	7021	-	3,3,3	2.65	1 (33%)	3,3,3	0.50	0
4	DMS	B	7008	-	3,3,3	2.66	1 (33%)	3,3,3	0.52	0
4	DMS	B	7009	-	3,3,3	2.67	1 (33%)	3,3,3	0.51	0
5	BTB	C	6001	3	13,13,13	0.49	0	7,16,16	0.32	0
4	DMS	D	7010	-	3,3,3	2.65	1 (33%)	3,3,3	0.54	0
4	DMS	B	7018	-	3,3,3	2.63	1 (33%)	3,3,3	0.52	0
4	DMS	D	7021	-	3,3,3	2.82	1 (33%)	3,3,3	0.70	0
4	DMS	B	7002	-	3,3,3	2.62	1 (33%)	3,3,3	0.53	0
4	DMS	B	7019	-	3,3,3	2.67	1 (33%)	3,3,3	0.53	0
4	DMS	A	7016	-	3,3,3	2.66	1 (33%)	3,3,3	0.49	0
4	DMS	A	1024	-	3,3,3	2.67	1 (33%)	3,3,3	0.53	0
4	DMS	C	7006	-	3,3,3	2.64	1 (33%)	3,3,3	0.49	0
4	DMS	B	7011	-	3,3,3	2.64	1 (33%)	3,3,3	0.49	0
4	DMS	B	7022	-	3,3,3	2.66	1 (33%)	3,3,3	0.49	0
4	DMS	B	7007	-	3,3,3	2.63	1 (33%)	3,3,3	0.40	0
4	DMS	C	7002	-	3,3,3	2.62	1 (33%)	3,3,3	0.51	0
4	DMS	C	7019	-	3,3,3	2.68	1 (33%)	3,3,3	0.52	0
4	DMS	A	7007	-	3,3,3	2.66	1 (33%)	3,3,3	0.54	0
5	BTB	A	6001	3	13,13,13	0.46	0	7,16,16	0.61	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	DMS	C	7027	-	3,3,3	2.67	1 (33%)	3,3,3	0.50	0
4	DMS	C	7018	3	3,3,3	2.67	1 (33%)	3,3,3	0.52	0
4	DMS	C	7017	-	3,3,3	2.65	1 (33%)	3,3,3	0.50	0
5	BTB	B	6001	-	13,13,13	0.52	0	7,16,16	0.45	0
4	DMS	A	7006	-	3,3,3	2.65	1 (33%)	3,3,3	0.49	0
4	DMS	C	7003	-	3,3,3	2.63	1 (33%)	3,3,3	0.44	0
4	DMS	C	7025	-	3,3,3	2.66	1 (33%)	3,3,3	0.53	0
4	DMS	A	7011	-	3,3,3	2.66	1 (33%)	3,3,3	0.55	0
4	DMS	C	7016	-	3,3,3	2.66	1 (33%)	3,3,3	0.53	0
4	DMS	B	7003	-	3,3,3	2.61	1 (33%)	3,3,3	0.53	0
4	DMS	A	7012	-	3,3,3	2.66	1 (33%)	3,3,3	0.55	0
4	DMS	D	7001	-	3,3,3	2.66	1 (33%)	3,3,3	0.58	0
4	DMS	A	7002	-	3,3,3	2.67	1 (33%)	3,3,3	0.53	0
4	DMS	D	7007	-	3,3,3	2.64	1 (33%)	3,3,3	0.57	0
4	DMS	C	7020	-	3,3,3	2.68	1 (33%)	3,3,3	0.57	0
4	DMS	D	7019	-	3,3,3	2.64	1 (33%)	3,3,3	0.45	0
4	DMS	D	7011	-	3,3,3	2.64	1 (33%)	3,3,3	0.48	0
4	DMS	D	7014	-	3,3,3	2.69	1 (33%)	3,3,3	0.63	0
4	DMS	D	7015	-	3,3,3	2.67	1 (33%)	3,3,3	0.54	0
4	DMS	B	7004	-	3,3,3	2.66	1 (33%)	3,3,3	0.54	0
4	DMS	A	7010	-	3,3,3	2.64	1 (33%)	3,3,3	0.51	0
4	DMS	D	7002	-	3,3,3	2.60	1 (33%)	3,3,3	0.49	0
4	DMS	A	7022	-	3,3,3	2.65	1 (33%)	3,3,3	0.63	0
4	DMS	A	7020	-	3,3,3	2.66	1 (33%)	3,3,3	0.53	0
5	BTB	D	6001	-	13,13,13	0.38	0	7,16,16	0.61	0
4	DMS	C	7004	-	3,3,3	2.66	1 (33%)	3,3,3	0.59	0
4	DMS	D	7013	-	3,3,3	2.64	1 (33%)	3,3,3	0.52	0
4	DMS	B	7006	-	3,3,3	2.69	1 (33%)	3,3,3	0.60	0
4	DMS	B	7014	-	3,3,3	2.67	1 (33%)	3,3,3	0.49	0
4	DMS	C	7012	-	3,3,3	2.68	1 (33%)	3,3,3	0.49	0
4	DMS	B	7015	-	3,3,3	2.64	1 (33%)	3,3,3	0.42	0
4	DMS	C	7023	-	3,3,3	2.64	1 (33%)	3,3,3	0.46	0
4	DMS	B	7010	-	3,3,3	2.64	1 (33%)	3,3,3	0.54	0
4	DMS	B	7020	-	3,3,3	2.68	1 (33%)	3,3,3	0.52	0
4	DMS	B	7012	-	3,3,3	2.63	1 (33%)	3,3,3	0.51	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	DMS	A	7003	-	3,3,3	2.64	1 (33%)	3,3,3	0.51	0
4	DMS	C	7009	-	3,3,3	2.67	1 (33%)	3,3,3	0.53	0
4	DMS	C	7005	-	3,3,3	2.65	1 (33%)	3,3,3	0.57	0
4	DMS	C	7022	-	3,3,3	2.68	1 (33%)	3,3,3	0.56	0
4	DMS	D	7003	-	3,3,3	2.61	1 (33%)	3,3,3	0.49	0
4	DMS	A	7004	-	3,3,3	2.64	1 (33%)	3,3,3	0.53	0
4	DMS	C	7008	-	3,3,3	2.64	1 (33%)	3,3,3	0.60	0
4	DMS	C	7001	-	3,3,3	2.64	1 (33%)	3,3,3	0.45	0
4	DMS	A	7015	-	3,3,3	2.67	1 (33%)	3,3,3	0.53	0
4	DMS	D	7008	-	3,3,3	2.65	1 (33%)	3,3,3	0.52	0
4	DMS	B	7016	-	3,3,3	2.66	1 (33%)	3,3,3	0.57	0
4	DMS	A	7009	-	3,3,3	2.67	1 (33%)	3,3,3	0.54	0
4	DMS	A	7013	-	3,3,3	2.67	1 (33%)	3,3,3	0.53	0
4	DMS	C	7015	-	3,3,3	2.66	1 (33%)	3,3,3	0.57	0
4	DMS	A	7018	-	3,3,3	2.67	1 (33%)	3,3,3	0.56	0
4	DMS	A	7017	-	3,3,3	2.70	1 (33%)	3,3,3	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BTB	B	6001	-	-	3/21/21/21	-
5	BTB	A	6001	3	-	3/21/21/21	-
5	BTB	D	6001	-	-	5/21/21/21	-
5	BTB	C	6001	3	-	7/21/21/21	-

The worst 5 of 91 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	7021	DMS	O-S	4.82	1.82	1.50
4	D	7014	DMS	O-S	4.53	1.80	1.50
4	D	7006	DMS	O-S	4.52	1.80	1.50
4	B	7017	DMS	O-S	4.51	1.80	1.50
4	D	7009	DMS	O-S	4.51	1.80	1.50

There are no bond angle outliers.

There are no chirality outliers.

5 of 18 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	6001	BTB	C1-C2-C4-O4
5	A	6001	BTB	C3-C2-C4-O4
5	A	6001	BTB	N-C2-C4-O4
5	B	6001	BTB	C8-C7-N-C5
5	B	6001	BTB	N-C5-C6-O6

There are no ring outliers.

7 monomers are involved in 34 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	6001	BTB	7	0
5	A	6001	BTB	5	0
4	C	7027	DMS	6	0
5	B	6001	BTB	5	0
5	D	6001	BTB	9	0
4	D	7003	DMS	1	0
4	C	7001	DMS	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	1011/1023 (98%)	-0.47	12 (1%) 79 80	6, 20, 38, 69	0
1	B	1011/1023 (98%)	-0.54	4 (0%) 92 93	5, 19, 36, 66	0
1	C	1011/1023 (98%)	-0.53	4 (0%) 92 93	5, 19, 37, 68	0
1	D	1011/1023 (98%)	-0.40	10 (0%) 82 83	6, 20, 41, 70	0
All	All	4044/4092 (98%)	-0.48	30 (0%) 87 89	5, 19, 38, 70	0

The worst 5 of 30 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	686	PRO	5.0
1	A	735	HIS	4.7
1	D	689	GLU	4.4
1	C	689	GLU	4.2
1	A	732	ALA	4.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	BTB	A	6001	14/14	0.71	0.32	74,76,77,77	0
2	MG	B	3004	1/1	0.72	0.23	56,56,56,56	0
4	DMS	D	7014	4/4	0.77	0.31	63,65,65,67	0
4	DMS	C	7018	4/4	0.77	0.68	125,125,125,125	0
5	BTB	B	6001	14/14	0.77	0.33	60,66,70,71	0
3	NA	D	3101	1/1	0.78	0.26	37,37,37,37	0
5	BTB	C	6001	14/14	0.79	0.28	50,54,57,58	0
4	DMS	D	7015	4/4	0.84	0.30	71,71,72,72	0
4	DMS	B	7014	4/4	0.84	0.41	93,93,93,93	0
2	MG	A	3002	1/1	0.84	0.23	48,48,48,48	0
2	MG	B	3002	1/1	0.84	0.29	91,91,91,91	0
5	BTB	D	6001	14/14	0.84	0.28	51,59,60,65	0
2	MG	C	3002	1/1	0.85	0.14	45,45,45,45	0
4	DMS	C	7020	4/4	0.85	0.28	65,65,65,67	0
4	DMS	C	7014	4/4	0.86	0.34	64,64,65,67	0
4	DMS	D	7020	4/4	0.86	0.34	65,65,66,66	0
3	NA	C	3101	1/1	0.87	0.10	22,22,22,22	0
4	DMS	B	7022	4/4	0.87	0.36	91,91,91,91	0
4	DMS	A	7012	4/4	0.87	0.29	81,81,81,81	0
4	DMS	B	7006	4/4	0.87	0.30	60,61,61,61	0
4	DMS	B	7020	4/4	0.88	0.23	61,62,62,63	0
4	DMS	C	7006	4/4	0.88	0.46	80,80,81,81	0
2	MG	B	3003	1/1	0.88	0.17	42,42,42,42	0
2	MG	D	3002	1/1	0.88	0.25	50,50,50,50	0
3	NA	B	3104	1/1	0.89	0.13	19,19,19,19	0
2	MG	A	3003	1/1	0.89	0.21	45,45,45,45	0
4	DMS	C	7017	4/4	0.89	0.30	92,92,92,93	0
4	DMS	B	7008	4/4	0.90	0.30	43,45,45,47	0
4	DMS	D	7013	4/4	0.90	0.39	64,65,66,66	0
4	DMS	A	7013	4/4	0.90	0.25	54,54,55,56	0
4	DMS	A	7006	4/4	0.91	0.29	54,55,55,55	0
4	DMS	C	7019	4/4	0.91	0.24	45,48,48,49	0
4	DMS	D	7021	4/4	0.91	0.35	20,20,20,20	0
4	DMS	A	7009	4/4	0.91	0.41	72,72,72,72	0
4	DMS	C	1024	4/4	0.91	0.31	70,70,71,71	0
3	NA	A	3101	1/1	0.91	0.14	21,21,21,21	0
2	MG	A	3004	1/1	0.91	0.26	36,36,36,36	0
2	MG	C	3003	1/1	0.92	0.11	42,42,42,42	0
3	NA	B	3101	1/1	0.92	0.27	40,40,40,40	0
2	MG	A	3001	1/1	0.92	0.14	28,28,28,28	0
4	DMS	C	7024	4/4	0.93	0.18	63,63,64,64	0
4	DMS	D	7009	4/4	0.93	0.23	63,63,63,65	0
4	DMS	D	7012	4/4	0.93	0.31	67,67,67,68	0

Continued on next page...



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	DMS	A	7021	4/4	0.93	0.16	44,45,45,48	0
4	DMS	A	7008	4/4	0.93	0.23	56,56,57,57	0
2	MG	D	3001	1/1	0.93	0.18	38,38,38,38	0
4	DMS	C	7016	4/4	0.93	0.23	63,63,63,64	0
4	DMS	B	7009	4/4	0.93	0.26	68,68,69,69	0
4	DMS	B	7013	4/4	0.93	0.22	55,56,56,58	0
4	DMS	A	7014	4/4	0.93	0.24	60,60,61,61	0
4	DMS	B	7016	4/4	0.93	0.29	57,58,58,58	0
4	DMS	A	7018	4/4	0.93	0.29	70,70,70,70	0
4	DMS	C	7015	4/4	0.94	0.19	54,54,55,55	0
3	NA	C	3104	1/1	0.94	0.11	32,32,32,32	0
4	DMS	C	7021	4/4	0.94	0.31	70,70,70,70	0
4	DMS	C	7005	4/4	0.94	0.24	43,45,46,46	0
3	NA	C	3102	1/1	0.94	0.12	28,28,28,28	0
4	DMS	C	7009	4/4	0.94	0.21	52,52,53,53	0
4	DMS	C	7013	4/4	0.94	0.29	46,46,47,48	0
4	DMS	C	7022	4/4	0.94	0.21	63,63,63,64	0
4	DMS	A	7015	4/4	0.94	0.28	67,67,68,68	0
4	DMS	C	7027	4/4	0.94	0.37	20,20,20,20	0
4	DMS	D	7005	4/4	0.94	0.19	34,34,35,35	0
4	DMS	A	7017	4/4	0.95	0.18	42,42,42,45	0
4	DMS	C	7010	4/4	0.95	0.29	63,64,64,64	0
4	DMS	D	7007	4/4	0.95	0.30	40,41,41,42	0
3	NA	A	3103	1/1	0.95	0.08	27,27,27,27	0
4	DMS	A	7019	4/4	0.95	0.19	36,38,40,41	0
4	DMS	B	7015	4/4	0.95	0.21	52,52,52,52	0
3	NA	D	3102	1/1	0.95	0.14	38,38,38,38	0
4	DMS	A	7022	4/4	0.95	0.20	40,40,40,42	0
4	DMS	D	7016	4/4	0.95	0.21	40,40,41,42	0
4	DMS	B	7019	4/4	0.95	0.31	52,53,53,53	0
4	DMS	A	1024	4/4	0.95	0.17	68,68,68,68	0
3	NA	D	3103	1/1	0.95	0.19	28,28,28,28	0
4	DMS	C	7004	4/4	0.95	0.20	37,38,39,39	0
4	DMS	B	7007	4/4	0.95	0.34	48,49,50,52	0
4	DMS	A	7010	4/4	0.95	0.21	54,55,55,56	0
4	DMS	C	7008	4/4	0.96	0.22	31,32,33,34	0
4	DMS	D	7002	4/4	0.96	0.21	37,37,38,39	0
4	DMS	B	7012	4/4	0.96	0.20	39,39,39,40	0
4	DMS	B	7005	4/4	0.96	0.17	29,30,31,32	0
4	DMS	A	7020	4/4	0.96	0.25	57,57,57,58	0
4	DMS	A	7004	4/4	0.96	0.13	33,34,35,35	0
2	MG	B	3001	1/1	0.96	0.11	23,23,23,23	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	MG	C	3001	1/1	0.96	0.09	16,16,16,16	0
4	DMS	D	7006	4/4	0.97	0.18	35,35,36,36	0
4	DMS	A	7007	4/4	0.97	0.26	43,44,44,44	0
4	DMS	D	7008	4/4	0.97	0.15	40,41,41,42	0
3	NA	A	3102	1/1	0.97	0.07	27,27,27,27	0
4	DMS	D	7010	4/4	0.97	0.23	50,50,50,51	0
4	DMS	C	7007	4/4	0.97	0.24	61,62,63,63	0
4	DMS	A	7005	4/4	0.97	0.17	27,28,29,29	0
4	DMS	B	7017	4/4	0.97	0.22	43,45,45,45	0
3	NA	C	3103	1/1	0.97	0.09	24,24,24,24	0
4	DMS	C	7023	4/4	0.97	0.23	40,41,42,42	0
4	DMS	D	7018	4/4	0.97	0.23	36,37,37,38	0
4	DMS	D	7019	4/4	0.97	0.18	36,36,36,37	0
4	DMS	A	7016	4/4	0.97	0.18	39,40,40,40	0
4	DMS	C	7025	4/4	0.97	0.19	41,42,42,43	0
4	DMS	C	7026	4/4	0.97	0.19	38,40,40,40	0
4	DMS	B	7011	4/4	0.97	0.19	38,39,39,39	0
4	DMS	A	7011	4/4	0.97	0.23	45,45,45,47	0
4	DMS	B	7004	4/4	0.97	0.21	37,38,38,39	0
4	DMS	B	7002	4/4	0.98	0.14	28,29,29,30	0
4	DMS	B	7010	4/4	0.98	0.17	35,37,37,37	0
4	DMS	D	7011	4/4	0.98	0.20	29,30,30,32	0
4	DMS	B	7018	4/4	0.98	0.12	39,39,39,39	0
4	DMS	B	7003	4/4	0.98	0.13	27,28,28,30	0
4	DMS	C	7011	4/4	0.98	0.18	38,39,40,41	0
4	DMS	C	7012	4/4	0.98	0.13	38,38,38,39	0
3	NA	B	3102	1/1	0.98	0.09	29,29,29,29	0
3	NA	B	3103	1/1	0.98	0.09	13,13,13,13	0
4	DMS	D	7001	4/4	0.98	0.13	23,25,26,28	0
4	DMS	C	7001	4/4	0.98	0.13	35,35,35,36	0
4	DMS	D	7003	4/4	0.98	0.19	30,30,31,31	0
4	DMS	C	7002	4/4	0.98	0.17	31,31,32,32	0
4	DMS	A	7001	4/4	0.98	0.16	20,24,24,26	0
4	DMS	A	7002	4/4	0.98	0.16	55,55,55,56	0
4	DMS	A	7003	4/4	0.98	0.19	44,44,44,44	0
4	DMS	C	7003	4/4	0.99	0.15	24,24,24,25	0
4	DMS	B	7001	4/4	0.99	0.12	24,26,26,27	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.