



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 6, 2020 – 08:27 PM BST

PDB ID : 6IDV  
Title : Peptide Asparaginyl Ligases from *Viola yedoensis*  
Authors : El Sahili, A.; Hu, S.; Lescar, J.  
Deposited on : 2018-09-11  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	483	<div> <div>2%</div> <div> <div></div> <div>75%</div> <div>12%</div> <div>•</div> <div>12%</div> </div> </div>
1	B	483	<div> <div>3%</div> <div> <div></div> <div>75%</div> <div>12%</div> <div>•</div> <div>12%</div> </div> </div>
2	C	3	<div> <div>33%</div> <div>67%</div> </div>
2	E	3	<div> <div>33%</div> <div>67%</div> </div>
3	D	2	<div> <div>50%</div> <div>50%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FUC	E	3	-	-	-	X

## 2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 7199 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptide Asparaginyl Ligases.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	425	Total	C	N	O	S	0	1	0
			3297	2100	548	627	22			
1	B	425	Total	C	N	O	S	0	1	0
			3298	2097	548	631	22			

- Molecule 2 is an oligosaccharide called alpha-L-fucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	3	Total	C	N	O	0	0	0
			38	22	2	14			
2	E	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is L-3-AMINOSUCCINIMIDE (three-letter code: SNN) (formula:  $C_4H_6N_2O_2$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			8	4	2	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	N	O	0	0
			8	4	2	2		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			7	4	3		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	213	Total	O	0	0
			213	213		
8	B	214	Total	O	0	0
			214	214		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peptide Asparaginyl Ligases




- Molecule 1: Peptide Asparaginyl Ligases



- Molecule 2: alpha-L-fucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



Chain C:  33% 67%

  
MAG1  
MAG2  
FUC3

- Molecule 2:  $\alpha$ -L-fucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  33% 67%

  
MAG1  
MAG2  
FUC3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  50% 50%

  
MAG1  
MAG2

## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	156.80Å 69.80Å 104.48Å 90.00° 110.22° 90.00°	Depositor
Resolution (Å)	48.00 – 2.40 41.48 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.6 (48.00-2.40) 99.6 (41.48-2.40)	Depositor EDS
$R_{merge}$	0.21	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	128.47 (at 2.39Å)	Xtriage
Refinement program	BUSTER 2.10.2	Depositor
R, $R_{free}$	0.195 , 0.236 0.200 , 0.241	Depositor DCC
$R_{free}$ test set	2077 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	45.7	Xtriage
Anisotropy	0.201	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 63.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7199	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.30% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SNN, FUC, PEG, NAG, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.46	0/3377	0.68	0/4579
1	B	0.45	0/3378	0.69	0/4580
All	All	0.46	0/6755	0.69	0/9159

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3297	0	3206	31	0
1	B	3298	0	3194	27	0
2	C	38	0	34	0	0
2	E	38	0	34	3	0
3	D	28	0	25	1	0
4	A	14	0	13	1	0
4	B	28	0	26	1	0
5	A	8	0	4	0	0
5	B	8	0	4	0	0
6	A	4	0	6	0	0
6	B	4	0	6	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	7	0	10	2	0
8	A	213	0	0	1	0
8	B	214	0	0	2	0
All	All	7199	0	6562	60	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:251:PRO:HD2	1:B:253:PHE:HB2	1.63	0.80
1:A:323:ASN:HD22	1:A:326:ARG:HE	1.33	0.76
1:A:145:ASN:HD21	4:A:504:NAG:C1	1.98	0.75
1:B:145:ASN:HD21	4:B:702:NAG:C1	2.00	0.75
1:A:131:GLU:H	7:B:704:PEG:H12	1.51	0.74
1:B:137:ASN:HD21	1:B:150:ILE:H	1.36	0.72
1:A:137:ASN:HD21	1:A:150:ILE:H	1.36	0.72
1:B:282:THR:HA	1:B:312:SER:HA	1.81	0.63
1:A:282:THR:HA	1:A:312:SER:HA	1.80	0.63
1:B:351:ILE:HD12	1:B:375:LEU:HD13	1.83	0.61
1:A:250:THR:HG23	1:A:251:PRO:HD3	1.83	0.60
1:A:280:THR:HG21	1:A:327:THR:HG22	1.85	0.59
1:B:243:TRP:HB3	1:B:340:VAL:HG22	1.85	0.58
1:B:280:THR:HG21	1:B:327:THR:HG22	1.87	0.56
1:B:243:TRP:CD1	1:B:297:ALA:HB1	2.42	0.55
1:B:243:TRP:HB3	1:B:340:VAL:CG2	2.36	0.55
1:B:398:LYS:HA	1:B:401:LYS:HD2	1.90	0.53
1:B:268:THR:OG1	1:B:294:ILE:HD11	2.10	0.51
1:A:243:TRP:HB3	1:A:340:VAL:HG22	1.93	0.51
1:A:244:ILE:HD11	1:A:343:GLN:HA	1.94	0.50
1:B:198:LYS:O	1:B:201:THR:HG22	2.12	0.49
1:A:422:ALA:O	1:A:426:THR:HG23	2.12	0.49
1:A:57:VAL:HG22	1:A:92:ILE:HD12	1.95	0.48
1:A:287:PHE:CE1	1:A:302:GLN:HG3	2.48	0.48
1:B:287:PHE:CE1	1:B:302:GLN:HG3	2.49	0.48
1:B:64:GLY:HA2	2:E:1:NAG:H61	1.96	0.47
1:A:251:PRO:HD2	1:A:253:PHE:HB2	1.96	0.47
1:B:114:LYS:HG2	1:B:115:PRO:HD2	1.97	0.47
7:B:704:PEG:H21	8:B:925:HOH:O	2.14	0.47
1:A:243:TRP:HB3	1:A:340:VAL:CG2	2.45	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:2:NAG:H4	2:E:3:FUC:O2	2.15	0.46
1:B:141:ALA:HA	1:B:156:VAL:HG12	1.98	0.46
1:A:141:ALA:HA	1:A:156:VAL:HG12	1.98	0.46
1:B:178:ILE:HD11	1:B:186:LEU:HD23	1.98	0.46
1:A:244:ILE:CD1	1:A:343:GLN:HA	2.46	0.46
1:B:57:VAL:HG22	1:B:92:ILE:HD12	1.96	0.46
1:A:58:LEU:HB3	1:A:74:VAL:HG13	1.97	0.46
1:A:425:ARG:O	1:A:429:THR:HG23	2.16	0.46
1:A:470:PRO:HG2	1:A:475:SER:HB3	1.97	0.46
1:B:142:ILE:HA	1:B:157:LEU:HD12	1.97	0.45
1:B:244:ILE:CD1	1:B:343:GLN:HA	2.47	0.45
1:B:425:ARG:O	1:B:429:THR:HG23	2.16	0.45
1:B:244:ILE:HG13	1:B:343:GLN:HG2	1.99	0.45
1:A:426:THR:HG21	1:A:455:LYS:HB2	1.99	0.45
1:A:236:SER:HB2	1:A:240:GLU:HG2	1.98	0.45
1:B:418:GLN:HG2	8:B:962:HOH:O	2.16	0.45
1:B:102:ASN:HA	2:E:1:NAG:O7	2.17	0.45
1:A:64:GLY:HA2	3:D:1:NAG:H61	1.99	0.44
1:A:142:ILE:HA	1:A:157:LEU:HD12	1.99	0.44
1:A:262:GLY:HA3	1:A:267[A]:ILE:HD11	1.99	0.44
1:A:178:ILE:HD11	1:A:186:LEU:HD23	1.99	0.44
1:A:323:ASN:HD22	1:A:326:ARG:NE	2.09	0.44
1:A:188:ALA:HB3	1:A:417:TRP:CH2	2.52	0.43
1:B:58:LEU:HB3	1:B:74:VAL:HG13	1.99	0.43
1:A:423:MET:CE	1:A:455:LYS:HA	2.49	0.43
1:B:250:THR:HG22	1:B:251:PRO:HD3	2.01	0.43
1:A:165:ILE:HB	1:A:207:MET:HG3	2.01	0.42
1:B:431:CYS:HG	1:B:466:CYS:HG	1.68	0.42
1:A:181:PRO:HB2	8:A:617:HOH:O	2.20	0.41
1:A:170:ALA:HA	1:A:212:GLU:HB3	2.03	0.41

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	420/483 (87%)	410 (98%)	8 (2%)	2 (0%)	29	41
1	B	420/483 (87%)	409 (97%)	8 (2%)	3 (1%)	22	32
All	All	840/966 (87%)	819 (98%)	16 (2%)	5 (1%)	25	36

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	251	PRO
1	B	250	THR
1	B	251	PRO
1	A	250	THR
1	B	97	ASP

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	355/403 (88%)	333 (94%)	22 (6%)	18	29
1	B	355/403 (88%)	333 (94%)	22 (6%)	18	29
All	All	710/806 (88%)	666 (94%)	44 (6%)	18	29

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	THR
1	A	209	PHE
1	A	250	THR
1	A	256	GLU
1	A	264	LEU
1	A	269	PHE
1	A	277	ASN
1	A	341	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	342	HIS
1	A	343	GLN
1	A	344	HIS
1	A	386	ILE
1	A	388	LEU
1	A	392	LEU
1	A	393	LEU
1	A	401	LYS
1	A	423	MET
1	A	426	THR
1	A	429	THR
1	A	434	LEU
1	A	455	LYS
1	A	458	LEU
1	B	201	THR
1	B	209	PHE
1	B	256	GLU
1	B	264	LEU
1	B	267	ILE
1	B	269	PHE
1	B	277	ASN
1	B	324	ASP
1	B	341	ILE
1	B	342	HIS
1	B	343	GLN
1	B	344	HIS
1	B	388	LEU
1	B	392	LEU
1	B	393	LEU
1	B	423	MET
1	B	429	THR
1	B	434	LEU
1	B	435	SER
1	B	455	LYS
1	B	457	GLN
1	B	458	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	135	ASN
1	A	137	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	145	ASN
1	A	277	ASN
1	A	302	GLN
1	A	323	ASN
1	A	325	ASN
1	A	350	HIS
1	A	371	GLN
1	A	404	ASN
1	A	457	GLN
1	B	135	ASN
1	B	137	ASN
1	B	145	ASN
1	B	277	ASN
1	B	325	ASN
1	B	371	GLN
1	B	430	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	C	1	1,2	14,14,15	1.26	2 (14%)	17,19,21	1.47	2 (11%)
2	NAG	C	2	2	14,14,15	1.05	1 (7%)	17,19,21	0.72	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	FUC	C	3	2	10,10,11	0.42	0	14,14,16	0.89	0
3	NAG	D	1	1,3	14,14,15	1.32	3 (21%)	17,19,21	0.99	1 (5%)
3	NAG	D	2	3	14,14,15	1.00	0	17,19,21	1.24	1 (5%)
2	NAG	E	1	1,2	14,14,15	1.87	4 (28%)	17,19,21	2.85	6 (35%)
2	NAG	E	2	2	14,14,15	1.52	3 (21%)	17,19,21	1.19	1 (5%)
2	FUC	E	3	2	10,10,11	0.47	0	14,14,16	0.83	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
2	FUC	C	3	2	-	-	0/1/1/1
3	NAG	D	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	2/6/23/26	0/1/1/1
2	NAG	E	1	1,2	-	3/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	FUC	E	3	2	-	-	0/1/1/1

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	1	NAG	O5-C5	4.49	1.52	1.43
2	C	1	NAG	O5-C1	-3.23	1.38	1.43
2	E	1	NAG	C2-N2	3.09	1.51	1.46
3	D	1	NAG	O5-C5	2.87	1.49	1.43
2	E	2	NAG	C3-C2	2.63	1.58	1.52
2	E	1	NAG	C4-C5	2.61	1.58	1.53
2	E	2	NAG	O4-C4	2.50	1.48	1.43
3	D	1	NAG	C4-C5	2.49	1.58	1.53
2	E	1	NAG	O5-C1	-2.26	1.40	1.43
2	C	2	NAG	C4-C3	2.22	1.58	1.52
2	E	2	NAG	C1-C2	2.20	1.55	1.52
3	D	1	NAG	C4-C3	2.18	1.57	1.52
2	C	1	NAG	C1-C2	2.17	1.55	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	1	NAG	C2-N2-C7	7.16	133.10	122.90
2	E	1	NAG	C1-C2-N2	5.73	120.28	110.49
2	E	1	NAG	C4-C3-C2	-4.14	104.95	111.02
2	E	1	NAG	O5-C1-C2	-3.31	106.06	111.29
2	C	1	NAG	C1-O5-C5	-3.26	107.78	112.19
3	D	2	NAG	C1-O5-C5	3.19	116.51	112.19
2	E	1	NAG	C6-C5-C4	-2.99	106.00	113.00
2	E	2	NAG	C4-C3-C2	2.61	114.84	111.02
2	C	1	NAG	C4-C3-C2	2.61	114.84	111.02
2	E	1	NAG	O7-C7-N2	2.42	126.40	121.95
3	D	1	NAG	C3-C4-C5	2.16	114.09	110.24

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	1	NAG	C1-C2-N2-C7
2	E	2	NAG	O5-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6
2	E	1	NAG	C4-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
2	E	2	NAG	C4-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
2	E	1	NAG	O5-C5-C6-O6
3	D	2	NAG	C4-C5-C6-O6


There are no ring outliers.

4 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	3	FUC	1	0
3	D	1	NAG	1	0
2	E	2	NAG	1	0
2	E	1	NAG	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

## Oligosaccharide Chain C



## Oligosaccharide Chain E





## 5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	NAG	B	701	1	14,14,15	1.74	4 (28%)	17,19,21	1.19	1 (5%)
6	EDO	A	506	-	3,3,3	0.62	0	2,2,2	0.22	0
5	SNN	B	703	1	7,8,8	3.36	2 (28%)	7,11,11	2.83	3 (42%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	EDO	B	705	-	3,3,3	0.63	0	2,2,2	0.28	0
5	SNN	A	505	1	7,8,8	3.27	2 (28%)	7,11,11	2.75	3 (42%)
7	PEG	B	704	-	6,6,6	0.16	0	5,5,5	0.09	0
4	NAG	B	702	-	14,14,15	1.10	1 (7%)	17,19,21	0.91	0
4	NAG	A	504	-	14,14,15	1.15	1 (7%)	17,19,21	0.89	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	B	701	1	-	2/6/23/26	0/1/1/1
6	EDO	A	506	-	-	0/1/1/1	-
5	SNN	B	703	1	-	-	0/1/1/1
6	EDO	B	705	-	-	0/1/1/1	-
5	SNN	A	505	1	-	-	0/1/1/1
7	PEG	B	704	-	-	3/4/4/4	-
4	NAG	B	702	-	-	0/6/23/26	0/1/1/1
4	NAG	A	504	-	-	0/6/23/26	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	703	SNN	C4-C5	-8.55	1.39	1.51
5	A	505	SNN	C4-C5	-8.09	1.39	1.51
4	B	701	NAG	C1-C2	3.48	1.57	1.52
4	B	701	NAG	O5-C5	2.54	1.48	1.43
4	B	701	NAG	C3-C2	2.50	1.57	1.52
5	A	505	SNN	C2-N1	-2.37	1.34	1.37
4	B	701	NAG	O5-C1	-2.34	1.40	1.43
4	B	702	NAG	C4-C5	2.29	1.57	1.53
4	A	504	NAG	C4-C5	2.11	1.57	1.53
5	B	703	SNN	C2-N1	-2.01	1.35	1.37

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	703	SNN	C3-C2-N1	5.11	111.25	107.30
5	A	505	SNN	C3-C2-N1	5.10	111.24	107.30
5	A	505	SNN	O2-C2-C3	-4.45	122.97	126.18

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	703	SNN	O2-C2-C3	-4.28	123.08	126.18
5	B	703	SNN	O5-C5-C4	-3.27	122.08	126.39
4	B	701	NAG	C4-C3-C2	2.50	114.68	111.02
5	A	505	SNN	O5-C5-C4	-2.43	123.18	126.39

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	701	NAG	C4-C5-C6-O6
7	B	704	PEG	O2-C3-C4-O4
4	B	701	NAG	O5-C5-C6-O6
7	B	704	PEG	C4-C3-O2-C2
7	B	704	PEG	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	704	PEG	2	0
4	B	702	NAG	1	0
4	A	504	NAG	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	425/483 (87%)	0.08	10 (2%) 59 57	29, 42, 64, 88	0
1	B	425/483 (87%)	0.16	15 (3%) 44 43	30, 45, 65, 88	0
All	All	850/966 (87%)	0.12	25 (2%) 51 50	29, 44, 65, 88	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	249	GLY	6.6
1	B	250	THR	6.4
1	A	250	THR	5.3
1	A	251	PRO	3.9
1	B	200	ALA	3.9
1	B	478	ALA	3.7
1	B	255	PRO	3.6
1	A	322	ALA	3.1
1	B	470	PRO	2.9
1	A	481	PHE	2.9
1	B	199	ALA	2.9
1	B	202	GLY	2.8
1	A	337	PRO	2.8
1	B	203	THR	2.7
1	A	326	ARG	2.6
1	A	454	GLN	2.5
1	A	364	LYS	2.4
1	B	396	VAL	2.3
1	B	477	LEU	2.3
1	A	363	SER	2.2
1	A	471	SER	2.2
1	B	471	SER	2.2
1	B	107	PHE	2.2
1	B	481	PHE	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	468	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	FUC	E	3	10/11	0.64	0.52	93,97,99,99	0
2	NAG	E	2	14/15	0.78	0.34	71,75,82,88	0
2	FUC	C	3	10/11	0.83	0.34	97,98,99,100	0
2	NAG	C	1	14/15	0.85	0.16	75,80,82,83	0
2	NAG	E	1	14/15	0.85	0.24	55,57,62,65	0
2	NAG	C	2	14/15	0.86	0.25	85,86,90,94	0
3	NAG	D	2	14/15	0.88	0.17	53,57,60,60	0
3	NAG	D	1	14/15	0.92	0.12	36,39,48,48	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







**Electron density around Chain C:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain E:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	NAG	B	702	14/15	0.62	0.33	106,109,111,111	0
4	NAG	A	504	14/15	0.70	0.32	104,106,109,109	0
4	NAG	B	701	14/15	0.78	0.22	76,80,81,82	0
6	EDO	B	705	4/4	0.80	0.20	70,71,71,71	0
6	EDO	A	506	4/4	0.85	0.16	53,54,54,55	0
7	PEG	B	704	7/7	0.87	0.15	56,59,60,60	0
5	SNN	B	703	8/8	0.92	0.18	32,35,39,40	0
5	SNN	A	505	8/8	0.94	0.14	32,36,37,38	0

## 6.5 Other polymers

There are no such residues in this entry.