



Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 08:02 am BST

PDB ID : 5IG3
Title : Crystal structure of the human CaMKII-alpha hub
Authors : McSpadden, E.; Cao, Y.M.; Bhattacharyya, M.; Gee, C.L.; Barros, T.; Kuriyan, J.
Deposited on : 2016-02-26
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1235 (2.78-2.74)
Clashscore	141614	1277 (2.78-2.74)
Ramachandran outliers	138981	1257 (2.78-2.74)
Sidechain outliers	138945	1257 (2.78-2.74)
RSRZ outliers	127900	1207 (2.78-2.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	153	<div> <div>5%</div> <div> <div></div> <div>82%</div> <div>11%</div> <div>6%</div> </div> </div>
1	B	153	<div> <div>3%</div> <div> <div></div> <div>72%</div> <div>11%</div> <div>17%</div> </div> </div>
1	C	153	<div> <div>7%</div> <div> <div></div> <div>70%</div> <div>16%</div> <div>14%</div> </div> </div>
1	D	153	<div> <div>8%</div> <div> <div></div> <div>72%</div> <div>10%</div> <div>17%</div> </div> </div>
1	E	153	<div> <div>12%</div> <div> <div></div> <div>67%</div> <div>14%</div> <div>18%</div> </div> </div>
1	F	153	<div> <div>9%</div> <div> <div></div> <div>69%</div> <div>12%</div> <div>20%</div> </div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6312 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Calcium/calmodulin-dependent protein kinase type II subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	144	Total	C	N	O	S	0	0	0
			1168	738	212	212	6			
1	B	127	Total	C	N	O	S	0	0	0
			1031	655	182	188	6			
1	C	132	Total	C	N	O	S	0	0	0
			1066	673	191	196	6			
1	D	127	Total	C	N	O	S	0	0	0
			1024	647	182	189	6			
1	E	125	Total	C	N	O	S	0	0	0
			1012	641	180	185	6			
1	F	123	Total	C	N	O	S	0	0	0
			996	630	177	183	6			

There are 132 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	323	GLY	-	expression tag	UNP Q9UQM7
A	324	SER	-	expression tag	UNP Q9UQM7
A	325	SER	-	expression tag	UNP Q9UQM7
A	326	HIS	-	expression tag	UNP Q9UQM7
A	327	HIS	-	expression tag	UNP Q9UQM7
A	328	HIS	-	expression tag	UNP Q9UQM7
A	329	HIS	-	expression tag	UNP Q9UQM7
A	330	HIS	-	expression tag	UNP Q9UQM7
A	331	HIS	-	expression tag	UNP Q9UQM7
A	332	SER	-	expression tag	UNP Q9UQM7
A	333	SER	-	expression tag	UNP Q9UQM7
A	334	GLY	-	expression tag	UNP Q9UQM7
A	335	LEU	-	expression tag	UNP Q9UQM7
A	336	GLU	-	expression tag	UNP Q9UQM7
A	337	VAL	-	expression tag	UNP Q9UQM7
A	338	LEU	-	expression tag	UNP Q9UQM7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	339	PHE	-	expression tag	UNP Q9UQM7
A	340	GLN	-	expression tag	UNP Q9UQM7
A	341	GLY	-	expression tag	UNP Q9UQM7
A	342	PRO	-	expression tag	UNP Q9UQM7
A	343	HIS	-	expression tag	UNP Q9UQM7
A	344	MET	-	expression tag	UNP Q9UQM7
B	323	GLY	-	expression tag	UNP Q9UQM7
B	324	SER	-	expression tag	UNP Q9UQM7
B	325	SER	-	expression tag	UNP Q9UQM7
B	326	HIS	-	expression tag	UNP Q9UQM7
B	327	HIS	-	expression tag	UNP Q9UQM7
B	328	HIS	-	expression tag	UNP Q9UQM7
B	329	HIS	-	expression tag	UNP Q9UQM7
B	330	HIS	-	expression tag	UNP Q9UQM7
B	331	HIS	-	expression tag	UNP Q9UQM7
B	332	SER	-	expression tag	UNP Q9UQM7
B	333	SER	-	expression tag	UNP Q9UQM7
B	334	GLY	-	expression tag	UNP Q9UQM7
B	335	LEU	-	expression tag	UNP Q9UQM7
B	336	GLU	-	expression tag	UNP Q9UQM7
B	337	VAL	-	expression tag	UNP Q9UQM7
B	338	LEU	-	expression tag	UNP Q9UQM7
B	339	PHE	-	expression tag	UNP Q9UQM7
B	340	GLN	-	expression tag	UNP Q9UQM7
B	341	GLY	-	expression tag	UNP Q9UQM7
B	342	PRO	-	expression tag	UNP Q9UQM7
B	343	HIS	-	expression tag	UNP Q9UQM7
B	344	MET	-	expression tag	UNP Q9UQM7
C	323	GLY	-	expression tag	UNP Q9UQM7
C	324	SER	-	expression tag	UNP Q9UQM7
C	325	SER	-	expression tag	UNP Q9UQM7
C	326	HIS	-	expression tag	UNP Q9UQM7
C	327	HIS	-	expression tag	UNP Q9UQM7
C	328	HIS	-	expression tag	UNP Q9UQM7
C	329	HIS	-	expression tag	UNP Q9UQM7
C	330	HIS	-	expression tag	UNP Q9UQM7
C	331	HIS	-	expression tag	UNP Q9UQM7
C	332	SER	-	expression tag	UNP Q9UQM7
C	333	SER	-	expression tag	UNP Q9UQM7
C	334	GLY	-	expression tag	UNP Q9UQM7
C	335	LEU	-	expression tag	UNP Q9UQM7
C	336	GLU	-	expression tag	UNP Q9UQM7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	337	VAL	-	expression tag	UNP Q9UQM7
C	338	LEU	-	expression tag	UNP Q9UQM7
C	339	PHE	-	expression tag	UNP Q9UQM7
C	340	GLN	-	expression tag	UNP Q9UQM7
C	341	GLY	-	expression tag	UNP Q9UQM7
C	342	PRO	-	expression tag	UNP Q9UQM7
C	343	HIS	-	expression tag	UNP Q9UQM7
C	344	MET	-	expression tag	UNP Q9UQM7
D	323	GLY	-	expression tag	UNP Q9UQM7
D	324	SER	-	expression tag	UNP Q9UQM7
D	325	SER	-	expression tag	UNP Q9UQM7
D	326	HIS	-	expression tag	UNP Q9UQM7
D	327	HIS	-	expression tag	UNP Q9UQM7
D	328	HIS	-	expression tag	UNP Q9UQM7
D	329	HIS	-	expression tag	UNP Q9UQM7
D	330	HIS	-	expression tag	UNP Q9UQM7
D	331	HIS	-	expression tag	UNP Q9UQM7
D	332	SER	-	expression tag	UNP Q9UQM7
D	333	SER	-	expression tag	UNP Q9UQM7
D	334	GLY	-	expression tag	UNP Q9UQM7
D	335	LEU	-	expression tag	UNP Q9UQM7
D	336	GLU	-	expression tag	UNP Q9UQM7
D	337	VAL	-	expression tag	UNP Q9UQM7
D	338	LEU	-	expression tag	UNP Q9UQM7
D	339	PHE	-	expression tag	UNP Q9UQM7
D	340	GLN	-	expression tag	UNP Q9UQM7
D	341	GLY	-	expression tag	UNP Q9UQM7
D	342	PRO	-	expression tag	UNP Q9UQM7
D	343	HIS	-	expression tag	UNP Q9UQM7
D	344	MET	-	expression tag	UNP Q9UQM7
E	323	GLY	-	expression tag	UNP Q9UQM7
E	324	SER	-	expression tag	UNP Q9UQM7
E	325	SER	-	expression tag	UNP Q9UQM7
E	326	HIS	-	expression tag	UNP Q9UQM7
E	327	HIS	-	expression tag	UNP Q9UQM7
E	328	HIS	-	expression tag	UNP Q9UQM7
E	329	HIS	-	expression tag	UNP Q9UQM7
E	330	HIS	-	expression tag	UNP Q9UQM7
E	331	HIS	-	expression tag	UNP Q9UQM7
E	332	SER	-	expression tag	UNP Q9UQM7
E	333	SER	-	expression tag	UNP Q9UQM7
E	334	GLY	-	expression tag	UNP Q9UQM7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	335	LEU	-	expression tag	UNP Q9UQM7
E	336	GLU	-	expression tag	UNP Q9UQM7
E	337	VAL	-	expression tag	UNP Q9UQM7
E	338	LEU	-	expression tag	UNP Q9UQM7
E	339	PHE	-	expression tag	UNP Q9UQM7
E	340	GLN	-	expression tag	UNP Q9UQM7
E	341	GLY	-	expression tag	UNP Q9UQM7
E	342	PRO	-	expression tag	UNP Q9UQM7
E	343	HIS	-	expression tag	UNP Q9UQM7
E	344	MET	-	expression tag	UNP Q9UQM7
F	323	GLY	-	expression tag	UNP Q9UQM7
F	324	SER	-	expression tag	UNP Q9UQM7
F	325	SER	-	expression tag	UNP Q9UQM7
F	326	HIS	-	expression tag	UNP Q9UQM7
F	327	HIS	-	expression tag	UNP Q9UQM7
F	328	HIS	-	expression tag	UNP Q9UQM7
F	329	HIS	-	expression tag	UNP Q9UQM7
F	330	HIS	-	expression tag	UNP Q9UQM7
F	331	HIS	-	expression tag	UNP Q9UQM7
F	332	SER	-	expression tag	UNP Q9UQM7
F	333	SER	-	expression tag	UNP Q9UQM7
F	334	GLY	-	expression tag	UNP Q9UQM7
F	335	LEU	-	expression tag	UNP Q9UQM7
F	336	GLU	-	expression tag	UNP Q9UQM7
F	337	VAL	-	expression tag	UNP Q9UQM7
F	338	LEU	-	expression tag	UNP Q9UQM7
F	339	PHE	-	expression tag	UNP Q9UQM7
F	340	GLN	-	expression tag	UNP Q9UQM7
F	341	GLY	-	expression tag	UNP Q9UQM7
F	342	PRO	-	expression tag	UNP Q9UQM7
F	343	HIS	-	expression tag	UNP Q9UQM7
F	344	MET	-	expression tag	UNP Q9UQM7

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	3	Total O 3 3	0	0
2	B	6	Total O 6 6	0	0
2	C	2	Total O 2 2	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	D	2	Total	O	0	0
			2	2		
2	E	1	Total	O	0	0
			1	1		
2	F	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Calcium/calmodulin-dependent protein kinase type II subunit alpha




- Molecule 1: Calcium/calmodulin-dependent protein kinase type II subunit alpha



- Molecule 1: Calcium/calmodulin-dependent protein kinase type II subunit alpha




- Molecule 1: Calcium/calmodulin-dependent protein kinase type II subunit alpha







- Molecule 1: Calcium/calmodulin-dependent protein kinase type II subunit alpha



- Molecule 1: Calcium/calmodulin-dependent protein kinase type II subunit alpha



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	89.89Å 89.89Å 226.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.63 – 2.75 48.63 – 2.75	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.63-2.75) 99.9 (48.63-2.75)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.77 (at 2.77Å)	Xtriage
Refinement program	PHENIX (1.10_2155: ???)	Depositor
R, R_{free}	0.220 , 0.268 0.228 , 0.275	Depositor DCC
R_{free} test set	1184 reflections (4.74%)	wwPDB-VP
Wilson B-factor (Å ²)	80.4	Xtriage
Anisotropy	0.074	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 62.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6312	wwPDB-VP
Average B, all atoms (Å ²)	95.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/1201	0.41	0/1625
1	B	0.25	0/1058	0.41	0/1431
1	C	0.25	0/1093	0.42	0/1475
1	D	0.24	0/1049	0.41	0/1416
1	E	0.26	0/1038	0.42	0/1403
1	F	0.24	0/1020	0.41	0/1377
All	All	0.25	0/6459	0.41	0/8727

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1168	0	1117	14	0
1	B	1031	0	994	12	0
1	C	1066	0	1018	14	0
1	D	1024	0	983	9	0
1	E	1012	0	974	15	0
1	F	996	0	961	11	0
2	A	3	0	0	0	0
2	B	6	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	1	0	0	0	0
2	F	1	0	0	0	0
All	All	6312	0	6047	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:374:ASP:OD2	1:C:458:ARG:NH1	1.90	1.03
1:B:374:ASP:OD1	1:B:458:ARG:NH1	1.93	1.01
1:A:331:HIS:HA	1:A:412:THR:O	1.73	0.88
1:B:393:ASP:OD2	1:E:411:HIS:NE2	2.20	0.74
1:C:346:ARG:NH1	1:C:424:ASP:O	2.24	0.70
1:F:374:ASP:OD2	1:F:376:GLY:N	2.23	0.69
1:A:346:ARG:NH1	1:A:424:ASP:O	2.25	0.69
1:F:439:ASP:O	1:F:441:GLY:N	2.31	0.64
1:B:378:THR:O	1:B:466:HIS:HA	1.99	0.63
1:A:408:LYS:NZ	1:A:439:ASP:O	2.33	0.62
1:B:402:LEU:HD22	1:E:444:PRO:HG3	1.82	0.61
1:F:346:ARG:NH2	1:F:424:ASP:OD1	2.34	0.61
1:F:378:THR:O	1:F:466:HIS:HA	2.00	0.60
1:E:377:MET:O	1:E:391:GLY:N	2.33	0.58
1:C:346:ARG:NH1	1:C:424:ASP:HA	2.18	0.58
1:E:365:ASP:OD2	1:E:368:SER:OG	2.15	0.58
1:A:335:LEU:HD22	1:A:351:ILE:HD13	1.86	0.57
1:A:338:LEU:HD23	1:A:351:ILE:HD11	1.86	0.57
1:D:411:HIS:NE2	1:F:393:ASP:OD2	2.37	0.56
1:E:383:GLU:OE1	1:E:469:ARG:NH2	2.38	0.56
1:C:344:MET:N	1:C:344:MET:SD	2.79	0.55
1:B:373:CYS:HB2	1:B:392:LEU:HD21	1.88	0.55
1:C:393:ASP:OD1	1:C:396:ARG:NH1	2.41	0.55
1:A:346:ARG:NH1	1:A:424:ASP:HA	2.23	0.54
1:B:346:ARG:HD2	1:B:421:LEU:HD13	1.89	0.54
1:C:333:SER:HA	1:C:414:ILE:HB	1.89	0.54
1:B:401:ASN:HB3	1:E:438:LEU:HD11	1.88	0.54
1:C:378:THR:O	1:C:466:HIS:HA	2.08	0.54
1:C:442:GLY:HA2	1:C:443:ILE:HB	1.91	0.52
1:C:382:PRO:HG2	1:C:472:ALA:H	1.74	0.52
1:D:373:CYS:HB2	1:D:392:LEU:HD21	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:346:ARG:NH2	1:A:457:ARG:HH22	2.09	0.50
1:F:400:GLU:OE1	1:F:400:GLU:N	2.44	0.50
1:A:402:LEU:HD22	1:F:444:PRO:HG3	1.92	0.50
1:A:449:SER:HA	1:A:470:SER:O	2.11	0.49
1:D:347:LYS:HB3	1:D:419:ILE:HD12	1.95	0.49
1:B:347:LYS:HB3	1:B:419:ILE:HD12	1.95	0.49
1:E:373:CYS:HB2	1:E:392:LEU:HD21	1.95	0.48
1:D:361:ILE:HA	1:D:399:PHE:HE1	1.78	0.48
1:E:346:ARG:HE	1:E:457:ARG:HH22	1.62	0.47
1:F:439:ASP:O	1:F:442:GLY:N	2.39	0.47
1:D:379:ALA:HB3	1:D:389:VAL:HG23	1.97	0.47
1:F:373:CYS:HB2	1:F:392:LEU:HD21	1.96	0.47
1:E:451:GLU:HG2	1:E:469:ARG:HG3	1.97	0.47
1:C:373:CYS:HB2	1:C:392:LEU:HD21	1.97	0.46
1:B:370:THR:HG22	1:B:392:LEU:HD22	1.98	0.45
1:D:377:MET:HA	1:D:465:VAL:O	2.17	0.45
1:D:378:THR:O	1:D:466:HIS:HA	2.16	0.44
1:C:456:HIS:CD2	1:C:458:ARG:HE	2.36	0.44
1:C:438:LEU:HD23	1:C:444:PRO:HA	1.99	0.43
1:E:346:ARG:O	1:E:350:ILE:HG12	2.18	0.43
1:E:467:PHE:CZ	1:E:469:ARG:HB2	2.54	0.43
1:B:393:ASP:OD2	1:E:411:HIS:CE1	2.72	0.43
1:A:346:ARG:HH12	1:A:424:ASP:HA	1.84	0.43
1:B:381:GLU:OE2	1:B:469:ARG:NH2	2.52	0.43
1:A:338:LEU:HD21	1:A:419:ILE:HG13	2.02	0.42
1:D:415:LEU:HB2	1:D:432:ILE:HB	2.02	0.42
1:A:333:SER:HA	1:A:414:ILE:O	2.20	0.42
1:C:453:ARG:HD3	1:C:467:PHE:HB2	2.02	0.41
1:D:467:PHE:CE2	1:D:469:ARG:NH1	2.88	0.41
1:C:449:SER:HB3	1:C:472:ALA:HB2	2.02	0.41
1:A:358:ILE:HD12	1:A:414:ILE:HD11	2.03	0.41
1:E:343:HIS:ND1	1:E:345:VAL:HG22	2.35	0.41
1:F:414:ILE:HG22	1:F:417:PRO:HG3	2.03	0.41
1:E:470:SER:HA	1:E:471:GLY:HA2	1.66	0.41
1:B:383:GLU:O	1:E:446:THR:HG21	2.21	0.40
1:A:338:LEU:HD22	1:A:417:PRO:HB2	2.04	0.40
1:F:416:ASN:N	1:F:417:PRO:HD3	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	142/153 (93%)	136 (96%)	6 (4%)	0	100	100
1	B	123/153 (80%)	120 (98%)	3 (2%)	0	100	100
1	C	126/153 (82%)	120 (95%)	6 (5%)	0	100	100
1	D	121/153 (79%)	118 (98%)	3 (2%)	0	100	100
1	E	121/153 (79%)	118 (98%)	3 (2%)	0	100	100
1	F	119/153 (78%)	118 (99%)	0	1 (1%)	19	34
All	All	752/918 (82%)	730 (97%)	21 (3%)	1 (0%)	51	75

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	440	ALA

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	125/133 (94%)	124 (99%)	1 (1%)	81	88
1	B	110/133 (83%)	110 (100%)	0	100	100
1	C	114/133 (86%)	111 (97%)	3 (3%)	46	66
1	D	110/133 (83%)	109 (99%)	1 (1%)	78	87
1	E	108/133 (81%)	107 (99%)	1 (1%)	78	87
1	F	106/133 (80%)	106 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	673/798 (84%)	667 (99%)	6 (1%)	78	87

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	457	ARG
1	C	343	HIS
1	C	344	MET
1	C	380	PHE
1	D	467	PHE
1	E	424	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	401	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	144/153 (94%)	0.36	7 (4%) 29 36	52, 78, 140, 186	0
1	B	127/153 (83%)	0.39	5 (3%) 39 46	52, 76, 134, 150	0
1	C	132/153 (86%)	0.63	11 (8%) 11 13	50, 91, 144, 173	0
1	D	127/153 (83%)	0.58	13 (10%) 6 7	53, 94, 136, 164	0
1	E	125/153 (81%)	0.79	18 (14%) 2 2	57, 101, 164, 214	0
1	F	123/153 (80%)	0.82	14 (11%) 5 5	58, 100, 155, 193	0
All	All	778/918 (84%)	0.59	68 (8%) 10 12	50, 91, 149, 214	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	390	GLU	7.6
1	E	369	TYR	6.4
1	F	394	PHE	4.3
1	A	335	LEU	4.3
1	E	379	ALA	4.2
1	A	472	ALA	4.1
1	E	357	LEU	3.9
1	C	427	ALA	3.9
1	B	402	LEU	3.9
1	F	344	MET	3.8
1	C	390	GLU	3.8
1	C	472	ALA	3.7
1	E	392	LEU	3.7
1	C	359	GLU	3.7
1	B	403	TRP	3.6
1	D	396	ARG	3.6
1	C	369	TYR	3.6
1	A	338	LEU	3.5
1	C	421	LEU	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	366	PHE	3.4
1	D	472	ALA	3.4
1	F	348	GLN	3.4
1	C	422	MET	3.4
1	C	402	LEU	3.3
1	F	467	PHE	3.3
1	E	467	PHE	3.1
1	E	410	VAL	3.1
1	C	403	TRP	3.1
1	F	419	ILE	2.9
1	F	357	LEU	2.9
1	F	429	ILE	2.8
1	A	337	VAL	2.8
1	C	443	ILE	2.7
1	E	462	TRP	2.7
1	E	434	ILE	2.7
1	F	358	ILE	2.7
1	F	434	ILE	2.7
1	C	440	ALA	2.6
1	D	392	LEU	2.6
1	D	361	ILE	2.6
1	A	421	LEU	2.5
1	F	464	ILE	2.4
1	B	398	TYR	2.4
1	A	458	ARG	2.4
1	E	399	PHE	2.4
1	D	399	PHE	2.3
1	A	405	ARG	2.3
1	E	464	ILE	2.3
1	E	391	GLY	2.3
1	E	421	LEU	2.3
1	F	351	ILE	2.3
1	D	438	LEU	2.3
1	F	398	TYR	2.2
1	E	455	TRP	2.2
1	E	466	HIS	2.2
1	F	414	ILE	2.2
1	D	344	MET	2.2
1	D	369	TYR	2.2
1	B	366	PHE	2.2
1	E	378	THR	2.2
1	D	389	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	472	ALA	2.1
1	D	434	ILE	2.0
1	E	359	GLU	2.0
1	D	397	PHE	2.0
1	D	401	ASN	2.0
1	F	461	LYS	2.0
1	B	407	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.