



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 22, 2020 – 09:22 PM BST

PDB ID : 6IIH
Title : crystal structure of mitochondrial calcium uptake 2(MICU2)
Authors : Shen, Q.; Wu, W.; Zheng, J.; Jia, Z.
Deposited on : 2018-10-06
Resolution : 1.96 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.13.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	493	<div> <div>2%</div> <div> <div></div> <div>81%</div> <div>9%</div> <div>10%</div> </div> </div>
1	B	493	<div> <div>11%</div> <div> <div></div> <div>65%</div> <div>22%</div> <div>• 11%</div> </div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 15305 atoms, of which 7227 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Endolysin, Calcium uptake protein 2, mitochondrial.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	446	Total	C	H	N	O	S	0	0	0
			7314	2340	3652	634	666	22			
1	B	437	Total	C	H	N	O	S	0	0	0
			7169	2296	3575	620	657	21			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	initiating methionine	UNP P00720
A	-6	GLY	-	expression tag	UNP P00720
A	-5	HIS	-	expression tag	UNP P00720
A	-4	HIS	-	expression tag	UNP P00720
A	-3	HIS	-	expression tag	UNP P00720
A	-2	HIS	-	expression tag	UNP P00720
A	-1	HIS	-	expression tag	UNP P00720
A	0	HIS	-	expression tag	UNP P00720
A	54	THR	CYS	engineered mutation	UNP P00720
A	97	ALA	CYS	engineered mutation	UNP P00720
A	162	HIS	-	linker	UNP P00720
A	163	MET	-	linker	UNP P00720
B	-7	MET	-	initiating methionine	UNP P00720
B	-6	GLY	-	expression tag	UNP P00720
B	-5	HIS	-	expression tag	UNP P00720
B	-4	HIS	-	expression tag	UNP P00720
B	-3	HIS	-	expression tag	UNP P00720
B	-2	HIS	-	expression tag	UNP P00720
B	-1	HIS	-	expression tag	UNP P00720
B	0	HIS	-	expression tag	UNP P00720
B	54	THR	CYS	engineered mutation	UNP P00720
B	97	ALA	CYS	engineered mutation	UNP P00720
B	162	HIS	-	linker	UNP P00720
B	163	MET	-	linker	UNP P00720

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total 2	Ca 2	0	0
2	A	1	Total 1	Ca 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	506	Total 506	O 506	0	0
3	B	313	Total 313	O 313	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Endolysin, Calcium uptake protein 2, mitochondrial



- Molecule 1: Endolysin, Calcium uptake protein 2, mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.74Å 96.31Å 85.49Å 90.00° 98.98° 90.00°	Depositor
Resolution (Å)	48.68 – 1.96 48.68 – 1.96	Depositor EDS
% Data completeness (in resolution range)	91.1 (48.68-1.96) 91.1 (48.68-1.96)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.45 (at 1.95Å)	Xtriage
Refinement program	PHENIX (1.14_3247: ???)	Depositor
R, R_{free}	0.180 , 0.227 0.180 , 0.228	Depositor DCC
R_{free} test set	2000 reflections (2.86%)	wwPDB-VP
Wilson B-factor (Å ²)	19.1	Xtriage
Anisotropy	0.140	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 56.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	15305	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	2/3734 (0.1%)	0.74	6/5005 (0.1%)
1	B	0.55	1/3665 (0.0%)	0.67	2/4912 (0.0%)
All	All	0.60	3/7399 (0.0%)	0.70	8/9917 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	145	ARG	CG-CD	-7.59	1.32	1.51
1	A	170	MET	CG-SD	-5.83	1.66	1.81
1	B	54	THR	CB-CG2	-5.64	1.33	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	145	ARG	NE-CZ-NH1	-8.54	116.03	120.30
1	A	473	ARG	NE-CZ-NH2	-7.42	116.59	120.30
1	A	431	ARG	NE-CZ-NH2	-6.08	117.26	120.30
1	B	54	THR	OG1-CB-CG2	-6.08	96.01	110.00
1	A	145	ARG	NE-CZ-NH2	5.28	122.94	120.30
1	A	473	ARG	CG-CD-NE	5.16	122.64	111.80
1	B	145	ARG	NE-CZ-NH1	-5.14	117.73	120.30
1	A	126	TRP	CA-CB-CG	-5.13	103.95	113.70

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	47	ASP	Mainchain
1	B	52	ARG	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3662	3652	3656	47	0
1	B	3594	3575	3576	132	0
2	A	1	0	0	0	0
2	B	2	0	0	0	0
3	A	506	0	0	24	2
3	B	313	0	0	30	3
All	All	8078	7227	7232	174	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (174) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:154:ARG:NH2	3:A:603:HOH:O	1.86	1.07
1:B:357:MET:SD	3:B:662:HOH:O	2.15	1.03
1:B:315:MET:SD	3:B:843:HOH:O	2.16	1.02
1:B:163:MET:SD	3:B:674:HOH:O	2.17	1.00
1:B:310:ASN:N	3:B:604:HOH:O	1.97	0.97
1:A:269:GLU:OE2	3:A:601:HOH:O	1.84	0.96
1:A:163:MET:HE3	1:B:419:LEU:HD23	1.45	0.95
1:A:360:GLU:OE1	3:A:602:HOH:O	1.86	0.94
1:B:274:ARG:O	1:B:278:LYS:NZ	2.03	0.91
1:B:47:ASP:HB2	1:B:53:ASN:HA	1.54	0.89
1:B:50:ILE:HG23	1:B:52:ARG:H	1.42	0.84
1:B:329:LYS:O	3:B:602:HOH:O	1.95	0.83
1:B:128:GLU:OE2	3:B:603:HOH:O	1.96	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:LYS:NZ	3:A:604:HOH:O	2.10	0.82
1:B:114:PHE:N	3:B:608:HOH:O	2.12	0.82
1:B:40:ASN:O	3:B:605:HOH:O	1.99	0.79
1:A:371:ASN:ND2	3:A:609:HOH:O	2.18	0.77
1:A:131:VAL:HG12	3:A:876:HOH:O	1.84	0.77
1:B:58:ILE:HG23	1:B:62:GLU:CG	2.15	0.77
1:B:46:LEU:HD13	1:B:54:THR:HG22	1.66	0.75
1:A:278:LYS:HA	3:A:615:HOH:O	1.87	0.74
1:B:52:ARG:NH1	1:B:55:ASN:HB2	2.02	0.74
1:B:278:LYS:O	3:B:606:HOH:O	2.06	0.73
1:B:1:MET:O	3:B:607:HOH:O	2.07	0.71
1:B:46:LEU:HD22	1:B:53:ASN:O	1.93	0.69
1:B:122:GLN:NE2	3:B:617:HOH:O	2.26	0.67
1:B:361:ASP:OD1	3:B:609:HOH:O	2.12	0.67
1:A:233:ASP:OD1	3:A:605:HOH:O	2.13	0.66
1:A:384:GLU:OE2	3:A:607:HOH:O	2.14	0.65
1:A:19:LYS:NZ	1:A:23:GLY:O	2.29	0.65
1:B:59:THR:HG22	1:B:62:GLU:OE2	1.97	0.65
1:B:170:MET:O	3:B:611:HOH:O	2.14	0.65
1:B:25:TYR:CE1	1:B:39:LEU:HD12	2.32	0.64
1:B:124:LYS:NZ	3:B:612:HOH:O	2.15	0.64
1:B:20:ASP:OD1	1:B:24:TYR:N	2.30	0.64
1:B:473:ARG:HA	3:B:686:HOH:O	1.98	0.64
1:A:364:GLU:OE2	3:A:606:HOH:O	2.14	0.63
1:B:468:GLY:O	1:B:472:ASN:HB3	1.98	0.63
1:B:63:ALA:HA	1:B:66:LEU:HD12	1.81	0.62
1:A:206:LEU:HD13	1:A:211:ILE:CD1	2.30	0.61
1:A:329:LYS:HE2	1:A:332:ARG:HH21	1.64	0.61
1:B:352:LYS:NZ	3:B:601:HOH:O	1.95	0.61
1:A:119:ARG:NH2	3:A:622:HOH:O	2.33	0.60
1:A:390:GLU:HG2	1:A:444:ASN:HB3	1.85	0.58
1:B:190:PHE:CD2	1:B:198:GLU:HB3	2.38	0.58
1:B:46:LEU:HD23	1:B:50:ILE:HG21	1.86	0.58
1:B:21:THR:OG1	3:B:610:HOH:O	2.13	0.57
1:B:58:ILE:HG23	1:B:62:GLU:HG3	1.86	0.57
1:A:16:LYS:HG3	3:A:939:HOH:O	2.05	0.57
1:A:154:ARG:NH1	3:A:618:HOH:O	2.30	0.57
1:B:357:MET:CG	3:B:662:HOH:O	2.50	0.57
1:B:50:ILE:HG21	1:B:52:ARG:O	2.04	0.56
1:B:78:ILE:HD13	1:B:100:ILE:CD1	2.35	0.56
1:B:58:ILE:HG23	1:B:62:GLU:HG2	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:274:ARG:NE	3:B:621:HOH:O	2.32	0.56
1:B:64:GLU:O	1:B:68:ASN:ND2	2.38	0.56
1:B:46:LEU:CD2	1:B:50:ILE:HG21	2.35	0.55
1:B:75:VAL:HG12	1:B:79:LEU:CD2	2.36	0.55
1:A:163:MET:HE2	1:B:418:SER:C	2.27	0.55
1:B:229:ARG:HD3	1:B:345:MET:CG	2.37	0.55
1:A:211:ILE:O	1:A:215:LEU:HD23	2.06	0.54
1:B:83:LYS:HE3	3:B:647:HOH:O	2.06	0.54
1:B:46:LEU:HD23	1:B:50:ILE:CG2	2.38	0.54
1:A:254:SER:HB3	3:A:784:HOH:O	2.08	0.54
1:B:47:ASP:HA	1:B:50:ILE:HG22	1.89	0.54
1:B:50:ILE:HG23	1:B:51:GLY:N	2.23	0.53
1:B:47:ASP:HA	1:B:50:ILE:CG2	2.38	0.53
1:B:46:LEU:O	1:B:50:ILE:HG22	2.09	0.53
1:B:43:LYS:HG2	1:B:54:THR:HG21	1.88	0.53
1:A:206:LEU:HD13	1:A:211:ILE:HD13	1.90	0.53
1:B:311:THR:O	1:B:315:MET:HG3	2.09	0.52
1:B:21:THR:CB	3:B:610:HOH:O	2.57	0.52
1:B:75:VAL:O	1:B:79:LEU:HD23	2.08	0.52
1:B:94:VAL:HG21	1:B:156:GLY:O	2.10	0.52
1:B:197:MET:C	1:B:198:GLU:HG2	2.30	0.52
1:B:43:LYS:HG2	1:B:54:THR:CG2	2.40	0.52
1:A:147:LYS:HE2	3:A:893:HOH:O	2.10	0.52
1:B:157:THR:HG22	1:B:158:TRP:N	2.25	0.52
1:B:207:THR:O	1:B:211:ILE:HD12	2.10	0.52
1:B:47:ASP:OD2	1:B:53:ASN:N	2.43	0.52
1:B:253:HIS:NE2	1:B:336:GLU:OE2	2.43	0.52
1:B:59:THR:HG22	1:B:62:GLU:CD	2.30	0.52
1:B:197:MET:N	3:B:626:HOH:O	2.41	0.52
1:B:320:LYS:HA	3:B:843:HOH:O	2.10	0.52
1:A:16:LYS:HE3	3:A:939:HOH:O	2.10	0.51
1:A:119:ARG:HD2	3:A:624:HOH:O	2.10	0.50
1:B:47:ASP:OD1	1:B:52:ARG:N	2.44	0.50
1:B:83:LYS:CE	3:B:647:HOH:O	2.58	0.50
1:B:473:ARG:NH1	3:B:634:HOH:O	2.44	0.50
1:B:315:MET:CG	3:B:843:HOH:O	2.55	0.50
1:A:163:MET:HE2	1:B:418:SER:HB3	1.93	0.50
1:B:176:GLU:OE2	1:B:179:GLY:N	2.39	0.49
1:A:45:GLU:HG3	3:A:995:HOH:O	2.12	0.49
1:B:43:LYS:HB2	3:B:605:HOH:O	2.11	0.49
1:A:210:ASP:HA	3:A:664:HOH:O	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:20:ASP:OD1	1:B:23:GLY:N	2.46	0.49
1:B:42:ALA:O	1:B:46:LEU:HB2	2.13	0.49
1:B:24:TYR:CZ	1:B:35:LYS:HG3	2.48	0.48
1:A:211:ILE:HD12	1:A:236:LEU:HD11	1.94	0.48
1:B:53:ASN:OD1	1:B:54:THR:N	2.38	0.47
1:B:105:GLN:HG2	1:B:106:MET:HG3	1.95	0.47
1:B:27:ILE:HG13	1:B:28:GLY:N	2.29	0.47
1:B:46:LEU:HD23	1:B:46:LEU:C	2.35	0.47
1:B:71:VAL:O	1:B:75:VAL:HG23	2.15	0.47
1:B:430:LYS:NZ	1:B:441:LEU:O	2.45	0.47
1:B:75:VAL:HG12	1:B:79:LEU:HD23	1.96	0.47
1:B:105:GLN:HB2	1:B:145:ARG:NH2	2.30	0.46
1:B:44:SER:O	1:B:47:ASP:N	2.48	0.46
1:A:215:LEU:HD21	1:A:236:LEU:HD12	1.97	0.46
1:A:205:LYS:NZ	3:A:631:HOH:O	2.44	0.46
1:A:19:LYS:HZ2	1:A:23:GLY:HA2	1.81	0.46
1:A:374:ASN:OD1	3:A:610:HOH:O	2.21	0.46
1:B:47:ASP:CB	1:B:53:ASN:HA	2.37	0.46
1:B:43:LYS:O	1:B:53:ASN:O	2.33	0.46
1:A:176:GLU:OE2	1:A:205:LYS:HE2	2.16	0.45
1:B:471:LYS:H	1:B:473:ARG:HE	1.64	0.45
1:B:75:VAL:O	1:B:79:LEU:CD2	2.64	0.45
1:A:349:GLN:HG3	3:A:1026:HOH:O	2.14	0.45
1:B:52:ARG:NH1	1:B:55:ASN:CB	2.75	0.45
1:B:111:VAL:O	1:B:111:VAL:HG12	2.18	0.44
1:B:180:GLU:HG2	1:B:182:TYR:CE2	2.53	0.44
1:B:357:MET:CE	3:B:662:HOH:O	2.62	0.44
1:B:75:VAL:HG12	1:B:79:LEU:HD21	2.00	0.44
1:B:116:ASN:HA	1:B:119:ARG:NH1	2.32	0.43
1:B:58:ILE:CG2	1:B:62:GLU:HG2	2.48	0.43
1:B:196:GLN:CG	1:B:197:MET:N	2.80	0.43
1:A:163:MET:CE	1:B:418:SER:HB3	2.48	0.43
1:B:16:LYS:HG3	1:B:57:VAL:HG12	2.01	0.43
1:B:96:ARG:O	1:B:100:ILE:HG12	2.18	0.43
1:B:98:ALA:HB3	1:B:153:PHE:CE1	2.54	0.43
1:B:26:THR:HG22	1:B:32:LEU:HA	2.01	0.43
1:B:233:ASP:OD2	3:B:614:HOH:O	2.21	0.43
1:B:190:PHE:HD2	1:B:198:GLU:HB3	1.83	0.43
1:B:160:ALA:HB3	3:B:661:HOH:O	2.19	0.43
1:B:410:PHE:O	1:B:414:MET:HG2	2.19	0.43
1:A:211:ILE:HG22	1:A:215:LEU:HD23	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:47:ASP:CA	1:B:50:ILE:HG22	2.48	0.43
1:B:272:GLU:HG2	1:B:325:LYS:HE2	2.01	0.42
1:B:85:LYS:N	1:B:86:PRO:HD2	2.33	0.42
1:B:94:VAL:HG12	1:B:158:TRP:CE2	2.54	0.42
1:B:52:ARG:HH12	1:B:55:ASN:CG	2.22	0.42
1:B:364:GLU:O	1:B:368:PHE:HD2	2.03	0.42
1:A:433:VAL:HG11	1:A:441:LEU:HD12	2.01	0.42
1:A:196:GLN:CD	1:A:197:MET:H	2.20	0.42
1:B:59:THR:HG22	1:B:62:GLU:OE1	2.19	0.42
1:A:475:HIS:O	1:A:478:LEU:HD13	2.20	0.42
1:B:176:GLU:OE2	1:B:178:GLU:N	2.53	0.42
1:A:370:THR:O	1:A:375:LYS:HE2	2.20	0.42
1:B:197:MET:O	1:B:198:GLU:HG2	2.20	0.42
1:B:6:MET:HE3	1:B:161:TYR:CE1	2.55	0.42
1:A:176:GLU:OE2	1:A:205:LYS:HG2	2.20	0.41
1:B:186:ARG:CZ	1:B:190:PHE:HE2	2.33	0.41
1:B:36:SER:OG	1:B:38:SER:OG	2.31	0.41
1:B:471:LYS:H	1:B:473:ARG:NE	2.18	0.41
1:B:58:ILE:HG22	1:B:59:THR:O	2.20	0.41
1:A:163:MET:HE2	1:B:418:SER:CB	2.50	0.41
1:A:163:MET:HB3	1:A:163:MET:HE3	1.95	0.41
1:A:197:MET:O	3:A:612:HOH:O	2.21	0.41
1:B:94:VAL:HG12	1:B:158:TRP:NE1	2.35	0.41
1:B:165:ARG:HH11	1:B:165:ARG:HA	1.85	0.41
1:B:172:PHE:CE2	1:B:198:GLU:HB2	2.55	0.41
1:B:260:PHE:CE2	1:B:271:ILE:HG12	2.56	0.41
1:B:193:MET:HE3	1:B:349:GLN:OE1	2.20	0.41
1:B:3:ILE:HG23	1:B:4:PHE:N	2.36	0.41
1:B:441:LEU:HD12	1:B:446:LEU:HD21	2.02	0.41
1:B:78:ILE:HD13	1:B:100:ILE:HD13	2.03	0.41
1:A:119:ARG:NH1	3:A:624:HOH:O	2.35	0.40
1:B:193:MET:CE	1:B:349:GLN:OE1	2.69	0.40
1:B:229:ARG:HD3	1:B:345:MET:HG2	2.04	0.40
1:B:47:ASP:O	1:B:50:ILE:HG22	2.21	0.40
1:A:320:LYS:N	1:A:320:LYS:HD2	2.37	0.40
1:B:1:MET:HG2	1:B:1:MET:O	2.20	0.40
1:B:32:LEU:HD23	1:B:33:LEU:N	2.37	0.40
1:B:272:GLU:HG2	1:B:325:LYS:CE	2.51	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1030:HOH:O	3:B:745:HOH:O[1_455]	2.02	0.18
3:B:742:HOH:O	3:B:879:HOH:O[2_657]	2.10	0.10
3:A:1006:HOH:O	3:B:825:HOH:O[1_455]	2.11	0.09

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	440/493 (89%)	433 (98%)	6 (1%)	1 (0%)	47	38
1	B	431/493 (87%)	412 (96%)	19 (4%)	0	100	100
All	All	871/986 (88%)	845 (97%)	25 (3%)	1 (0%)	51	43

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	389	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	394/438 (90%)	394 (100%)	0	100	100
1	B	386/438 (88%)	382 (99%)	4 (1%)	76	74
All	All	780/876 (89%)	776 (100%)	4 (0%)	88	88

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	36	SER
1	B	39	LEU
1	B	165	ARG
1	B	425	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	446/493 (90%)	-0.00	8 (1%) 68 76	7, 19, 45, 63	0
1	B	437/493 (88%)	0.64	56 (12%) 3 6	10, 32, 82, 96	0
All	All	883/986 (89%)	0.31	64 (7%) 15 23	7, 23, 68, 96	0

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	57	VAL	8.2
1	B	25	TYR	7.3
1	B	21	THR	6.9
1	B	15	LEU	6.6
1	B	51	GLY	6.4
1	B	50	ILE	6.3
1	B	164	LEU	6.0
1	B	18	TYR	6.0
1	B	34	THR	5.6
1	B	55	ASN	5.5
1	B	58	ILE	5.3
1	B	24	TYR	5.2
1	B	53	ASN	5.1
1	B	36	SER	5.0
1	B	23	GLY	4.9
1	B	60	LYS	4.8
1	B	388	ALA	4.6
1	B	59	THR	4.5
1	B	33	LEU	4.4
1	B	47	ASP	4.4
1	B	54	THR	4.4
1	B	197	MET	4.2
1	B	17	ILE	4.2
1	B	44	SER	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	19	LYS	4.1
1	B	66	LEU	4.1
1	B	40	ASN	4.0
1	B	13	LEU	4.0
1	B	49	ALA	3.9
1	B	52	ARG	3.9
1	B	37	PRO	3.8
1	B	42	ALA	3.6
1	A	201	THR	3.5
1	B	14	ARG	3.5
1	B	26	THR	3.5
1	B	198	GLU	3.4
1	B	48	LYS	3.3
1	B	61	ASP	3.3
1	B	67	PHE	3.3
1	A	277	PHE	3.2
1	B	39	LEU	3.2
1	B	64	GLU	3.2
1	B	12	ARG	3.0
1	B	387	SER	3.0
1	B	35	LYS	2.9
1	B	46	LEU	2.9
1	B	1	MET	2.9
1	A	388	ALA	2.9
1	A	387	SER	2.9
1	B	45	GLU	2.9
1	B	165	ARG	2.8
1	B	56	GLY	2.7
1	B	20	ASP	2.7
1	B	29	ILE	2.7
1	A	34	THR	2.7
1	B	32	LEU	2.4
1	A	209	LYS	2.2
1	B	38	SER	2.1
1	A	278	LYS	2.1
1	B	181	TYR	2.1
1	B	472	ASN	2.1
1	B	93	ALA	2.0
1	A	389	GLY	2.0
1	B	8	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	CA	B	501	1/1	0.93	0.05	45,45,45,45	0
2	CA	A	501	1/1	0.98	0.05	28,28,28,28	0
2	CA	B	502	1/1	1.00	0.07	15,15,15,15	0

6.5 Other polymers [i](#)

There are no such residues in this entry.