



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 15, 2020 – 10:51 pm BST

PDB ID : 3IJQ
Title : Structure of dipeptide epimerase from *Bacteroides thetaiotaomicron* complexed with L-Ala-D-Glu; productive substrate binding.
Authors : Fedorov, A.A.; Fedorov, E.V.; Lukk, T.; Gerlt, J.A.; Almo, S.C.
Deposited on : 2009-08-04
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	338	<div> <div>11%</div> <div> <div></div> <div>72%</div> <div>27%</div> </div> <div></div> </div>
1	B	338	<div> <div>13%</div> <div> <div></div> <div>68%</div> <div>29%</div> </div> <div></div> </div>

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 5465 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Muconate cycloisomerase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	337	Total	C	N	O	S	0	0	0
			2620	1677	429	495	19			
1	B	337	Total	C	N	O	S	0	0	0
			2620	1677	429	495	19			

- Molecule 2 is ALANINE (three-letter code: ALA) (formula: $C_3H_7NO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			5	3	1	1		
2	B	1	Total	C	N	O	0	0
			5	3	1	1		

- Molecule 3 is D-GLUTAMIC ACID (three-letter code: DGL) (formula: $C_5H_9NO_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			10	5	1	4		
3	B	1	Total	C	N	O	0	0
			10	5	1	4		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mg	0	0
			1	1		
4	A	1	Total	Mg	0	0
			1	1		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	85	Total	O	0	0
			85	85		
6	B	103	Total	O	0	0
			103	103		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Muconate cycloisomerase



• Molecule 1: Muconate cycloisomerase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	141.71Å 99.86Å 60.85Å 90.00° 90.32° 90.00°	Depositor
Resolution (Å)	24.93 – 2.00 38.60 – 1.82	Depositor EDS
% Data completeness (in resolution range)	96.1 (24.93-2.00) 82.9 (38.60-1.82)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.02 (at 1.82Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.247 , 0.287 0.247 , 0.287	Depositor DCC
R_{free} test set	3197 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	31.3	Xtriage
Anisotropy	0.581	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.028 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5465	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, SO4, DGL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/2672	0.60	0/3621
1	B	0.35	0/2672	0.62	0/3621
All	All	0.34	0/5344	0.61	0/7242

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2620	0	2652	73	0
1	B	2620	0	2652	110	0
2	A	5	0	4	0	0
2	B	5	0	4	0	0
3	A	10	0	5	1	0
3	B	10	0	5	1	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	B	5	0	0	0	0
6	A	85	0	0	2	0
6	B	103	0	0	5	0
All	All	5465	0	5322	182	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:243:LYS:HD3	1:B:271:LEU:HD11	1.33	1.07
1:B:175:ILE:HD11	1:B:197:LEU:HD13	1.42	1.00
1:B:227:GLN:NE2	1:B:256:LYS:H	1.60	0.98
1:B:75:GLN:HE21	1:B:359:ARG:HH11	1.10	0.92
1:B:227:GLN:HE21	1:B:256:LYS:H	1.05	0.90
1:A:231:ASP:HB3	1:A:234:TYR:HB3	1.53	0.90
1:B:227:GLN:HE21	1:B:256:LYS:N	1.71	0.88
1:A:180:PRO:HB3	1:A:184:ARG:HH12	1.40	0.87
1:A:75:GLN:HE21	1:A:359:ARG:HH11	1.19	0.87
1:B:183:VAL:HG21	1:B:209:MET:HE1	1.57	0.85
1:B:237:ASP:HA	1:B:240:HIS:HD2	1.42	0.84
1:A:298:LYS:HE3	1:A:327:MET:HE1	1.59	0.83
1:B:267:GLN:H	1:B:267:GLN:NE2	1.79	0.80
1:B:261:ASP:O	1:B:265:VAL:HG23	1.81	0.79
1:B:75:GLN:HE21	1:B:359:ARG:NH1	1.85	0.74
1:B:254:MET:CE	1:B:261:ASP:HB3	2.20	0.71
1:B:281:ARG:HB3	1:B:307:GLU:OE1	1.91	0.71
1:B:237:ASP:HA	1:B:240:HIS:CD2	2.24	0.70
1:B:75:GLN:NE2	1:B:359:ARG:HH11	1.88	0.69
1:B:243:LYS:HD3	1:B:271:LEU:CD1	2.17	0.68
1:B:210:ILE:HD12	1:B:247:ILE:HD11	1.75	0.68
1:B:254:MET:HE3	1:B:261:ASP:HB3	1.77	0.66
1:A:146:HIS:HE1	6:A:390:HOH:O	1.80	0.65
1:A:213:ILE:O	1:A:217:THR:HG22	1.97	0.65
1:A:66:TYR:CE2	1:A:93:PRO:HG2	2.34	0.63
1:B:231:ASP:HB3	1:B:234:TYR:HB3	1.81	0.62
1:B:53:TYR:O	1:B:73:ASP:HB3	2.00	0.62
1:B:279:LEU:HD13	1:B:295:ILE:HB	1.83	0.60
1:B:262:ILE:HG21	1:B:292:PHE:CZ	2.35	0.60
1:B:280:GLN:NE2	1:B:301:LYS:HE3	2.16	0.60
1:A:63:VAL:HG21	1:A:94:TYR:CE2	2.37	0.59
1:B:232:ARG:HA	1:B:254:MET:HE1	1.85	0.59
1:B:232:ARG:HD2	6:B:462:HOH:O	2.02	0.58
1:B:232:ARG:HG2	1:B:264:TRP:CE3	2.37	0.58
1:B:227:GLN:HE22	1:B:256:LYS:HG2	1.68	0.58
1:B:327:MET:HA	3:B:385:DGL:HG3	1.86	0.57
1:B:252:GLN:HG2	1:B:277:GLU:OE1	2.04	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:227:GLN:HE21	1:A:256:LYS:H	1.51	0.57
1:A:327:MET:O	1:A:329:GLU:HG3	2.04	0.56
1:A:254:MET:CE	1:A:265:VAL:HG21	2.35	0.56
1:A:214:ARG:HH11	1:A:218:ASP:HA	1.70	0.56
1:B:209:MET:CE	1:B:209:MET:HA	2.35	0.56
1:B:279:LEU:HD23	1:B:279:LEU:C	2.27	0.56
1:B:205:ASN:HB2	1:B:208:GLU:HB3	1.87	0.56
1:A:252:GLN:HG2	1:A:277:GLU:OE1	2.04	0.56
1:B:321:ARG:HG3	1:B:345:ASP:OD2	2.06	0.55
1:B:179:THR:OG1	1:B:182:VAL:HG23	2.06	0.55
1:B:254:MET:HE2	1:B:261:ASP:HB3	1.88	0.55
1:B:100:GLU:HB2	6:B:477:HOH:O	2.06	0.55
1:A:231:ASP:HB3	1:A:234:TYR:CB	2.34	0.55
1:B:279:LEU:HB2	1:B:288:LEU:HD11	1.89	0.55
1:B:225:ALA:HB3	1:B:253:PRO:HA	1.88	0.54
1:A:298:LYS:CE	1:A:327:MET:HE1	2.35	0.54
1:B:142:ASP:O	1:B:146:HIS:HD2	1.89	0.54
1:B:239:ILE:HG21	1:B:269:SER:OG	2.08	0.54
1:B:279:LEU:HB2	1:B:288:LEU:CD1	2.37	0.54
1:A:254:MET:HE1	1:A:265:VAL:HG21	1.89	0.53
1:B:184:ARG:HD2	1:B:216:VAL:HG13	1.89	0.53
1:A:281:ARG:HB3	1:A:307:GLU:OE1	2.08	0.53
1:B:256:LYS:HG3	1:B:257:GLU:OE2	2.07	0.53
1:B:205:ASN:O	1:B:208:GLU:HB3	2.09	0.53
1:A:184:ARG:HD2	1:A:216:VAL:HG13	1.91	0.53
1:B:275:ALA:HB2	1:B:292:PHE:CD2	2.44	0.53
1:B:63:VAL:HG13	1:B:226:ASN:HD21	1.73	0.53
1:A:254:MET:HB2	1:A:255:PRO:HD2	1.90	0.53
1:A:238:MET:CE	1:A:238:MET:HA	2.39	0.52
1:A:53:TYR:O	1:A:73:ASP:HB3	2.08	0.52
1:B:236:LEU:HD11	1:B:268:GLN:O	2.08	0.52
1:A:142:ASP:O	1:A:146:HIS:HD2	1.92	0.52
1:A:232:ARG:HB3	1:A:261:ASP:OD2	2.09	0.52
1:B:202:GLY:HA3	1:B:225:ALA:O	2.10	0.52
1:A:177:ILE:HA	1:A:209:MET:HE1	1.91	0.52
1:A:75:GLN:NE2	1:A:359:ARG:HH11	1.99	0.52
1:B:261:ASP:HA	6:B:462:HOH:O	2.10	0.52
1:B:276:ASP:O	1:B:301:LYS:NZ	2.43	0.52
1:B:238:MET:O	1:B:242:LEU:HG	2.10	0.51
1:B:110:ASN:HB3	1:B:113:GLN:HE21	1.75	0.51
1:B:279:LEU:HD21	1:B:311:MET:CE	2.40	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:261:ASP:O	1:A:264:TRP:HB3	2.11	0.51
1:A:229:TRP:O	1:A:254:MET:HB3	2.11	0.51
1:B:161:TRP:CZ3	1:B:340:PHE:HB3	2.46	0.51
1:B:280:GLN:HE22	1:B:301:LYS:HE3	1.75	0.50
1:A:66:TYR:HE2	1:A:93:PRO:HG2	1.76	0.50
1:B:235:ALA:O	1:B:239:ILE:HG13	2.11	0.50
1:B:232:ARG:HA	1:B:254:MET:CE	2.41	0.50
1:A:280:GLN:HE22	1:A:301:LYS:HD2	1.77	0.50
1:B:76:VAL:HG21	1:B:140:ALA:HB1	1.94	0.50
1:A:57:LEU:HD13	1:A:61:PHE:HB2	1.93	0.50
1:A:287:ALA:O	1:A:288:LEU:HD23	2.12	0.50
1:A:341:SER:N	1:A:342:PRO:CD	2.75	0.49
1:A:184:ARG:HH11	1:A:212:THR:HG23	1.76	0.49
1:A:177:ILE:HD12	1:A:177:ILE:N	2.27	0.49
1:B:277:GLU:HA	6:B:469:HOH:O	2.12	0.49
1:B:146:HIS:HE1	6:B:393:HOH:O	1.95	0.49
1:B:341:SER:N	1:B:342:PRO:CD	2.76	0.49
1:A:92:PRO:O	1:A:94:TYR:N	2.46	0.49
1:B:75:GLN:HE22	1:B:360:PHE:HE2	1.60	0.48
1:B:184:ARG:HD2	1:B:216:VAL:CG1	2.42	0.48
1:B:210:ILE:HG13	1:B:242:LEU:CD2	2.43	0.48
1:A:177:ILE:HG13	1:A:209:MET:HE3	1.95	0.48
1:A:89:ALA:HB2	1:A:140:ALA:HB2	1.94	0.48
1:B:267:GLN:CD	1:B:267:GLN:H	2.16	0.48
1:B:175:ILE:HG21	1:B:213:ILE:CD1	2.42	0.48
1:A:168:THR:O	1:A:369:LYS:HE3	2.14	0.48
1:B:103:MET:O	1:B:107:LYS:HG3	2.13	0.47
1:B:110:ASN:HB3	1:B:113:GLN:NE2	2.29	0.47
1:B:263:ALA:O	1:B:267:GLN:NE2	2.46	0.47
1:A:254:MET:HB2	1:A:255:PRO:CD	2.45	0.47
1:B:209:MET:HA	1:B:209:MET:HE3	1.96	0.47
1:B:227:GLN:NE2	1:B:256:LYS:N	2.41	0.47
1:B:247:ILE:HG22	1:B:271:LEU:HD23	1.97	0.47
1:A:75:GLN:HE21	1:A:359:ARG:NH1	1.98	0.47
1:A:207:LYS:HA	1:A:241:TRP:CH2	2.49	0.47
1:B:63:VAL:HG13	1:B:226:ASN:ND2	2.30	0.46
1:B:279:LEU:HD11	1:B:285:VAL:HG22	1.97	0.46
1:A:161:TRP:CZ3	1:A:340:PHE:HB3	2.51	0.46
1:B:210:ILE:HG13	1:B:241:TRP:HZ3	1.80	0.46
1:A:189:GLU:O	1:B:381:MET:HG3	2.16	0.46
1:B:213:ILE:O	1:B:217:THR:HG22	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:ILE:HG23	1:A:209:MET:CE	2.46	0.45
1:A:275:ALA:HB2	1:A:292:PHE:CD2	2.51	0.45
1:B:258:GLN:HB3	1:B:261:ASP:OD2	2.16	0.45
1:A:236:LEU:O	1:A:240:HIS:CD2	2.70	0.45
1:B:275:ALA:HB2	1:B:292:PHE:CG	2.51	0.45
1:A:174:THR:HG21	1:A:200:LYS:HE2	1.97	0.45
1:A:298:LYS:HD2	1:A:327:MET:HE3	1.98	0.45
1:A:341:SER:O	1:A:344:VAL:HG22	2.16	0.45
1:A:184:ARG:HD2	1:A:216:VAL:CG1	2.46	0.45
1:B:226:ASN:O	1:B:227:GLN:HB2	2.16	0.45
1:A:183:VAL:HB	1:A:212:THR:HG21	1.98	0.45
1:B:172:THR:HG22	1:B:196:ILE:HG12	1.99	0.45
1:A:99:VAL:O	1:A:103:MET:HG2	2.17	0.45
1:B:172:THR:HB	1:B:198:LYS:HB2	1.98	0.45
1:B:180:PRO:O	1:B:184:ARG:NH1	2.51	0.44
1:B:227:GLN:NE2	1:B:255:PRO:HA	2.32	0.44
1:A:68:ARG:HD2	1:A:70:THR:O	2.18	0.44
1:B:231:ASP:CB	1:B:234:TYR:HB3	2.46	0.44
1:A:227:GLN:NE2	1:A:256:LYS:HG2	2.33	0.44
1:B:208:GLU:OE1	1:B:209:MET:HE3	2.18	0.44
1:A:178:ASP:OD1	1:A:179:THR:N	2.41	0.44
1:A:92:PRO:C	1:A:94:TYR:H	2.21	0.43
1:A:369:LYS:HB3	1:A:369:LYS:HE2	1.82	0.43
1:A:239:ILE:HG21	1:A:269:SER:OG	2.19	0.43
1:A:298:LYS:HD2	1:A:327:MET:CE	2.48	0.43
1:B:232:ARG:HG2	1:B:264:TRP:CZ3	2.53	0.43
1:A:175:ILE:HD12	1:A:187:THR:HA	2.01	0.43
1:B:229:TRP:HE3	1:B:235:ALA:HB1	1.83	0.43
1:B:263:ALA:HA	1:B:291:ALA:HA	2.00	0.43
1:A:177:ILE:CG2	1:A:205:ASN:HD21	2.32	0.43
1:A:243:LYS:HD2	1:A:270:PRO:HB2	2.01	0.42
1:B:179:THR:O	1:B:181:ASP:N	2.52	0.42
1:B:227:GLN:HG2	1:B:254:MET:O	2.19	0.42
1:A:72:PRO:HD2	1:A:93:PRO:HD3	2.01	0.42
1:B:202:GLY:HA2	1:B:229:TRP:CD1	2.54	0.42
1:B:91:MET:O	1:B:92:PRO:C	2.58	0.42
1:A:237:ASP:O	1:A:240:HIS:HB2	2.20	0.42
1:B:227:GLN:CG	1:B:255:PRO:HA	2.50	0.42
1:B:207:LYS:HA	1:B:241:TRP:CH2	2.54	0.42
1:B:233:GLN:HE22	1:B:236:LEU:HD23	1.85	0.42
1:A:214:ARG:HH22	1:A:221:ILE:HG13	1.84	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:155:ALA:HA	1:A:156:PRO:HD3	1.88	0.42
1:B:223:VAL:HG21	1:B:242:LEU:HD13	2.01	0.42
1:A:229:TRP:HE3	1:A:235:ALA:HB1	1.84	0.41
1:B:257:GLU:H	1:B:257:GLU:CD	2.22	0.41
1:B:296:ASN:HA	1:B:323:MET:HG2	2.02	0.41
1:B:170:SER:HA	1:B:369:LYS:HA	2.03	0.41
1:A:139:ALA:O	1:A:143:ILE:HG13	2.20	0.41
1:A:61:PHE:HE2	3:A:385:DGL:HG3	1.85	0.41
1:B:237:ASP:C	1:B:239:ILE:N	2.73	0.41
1:B:254:MET:CE	1:B:265:VAL:HG21	2.51	0.41
1:A:322:VAL:HG12	1:A:323:MET:N	2.35	0.41
1:A:188:LYS:HB3	1:A:188:LYS:NZ	2.36	0.41
1:A:133:LYS:HB2	6:A:409:HOH:O	2.20	0.41
1:B:247:ILE:HD12	1:B:247:ILE:N	2.36	0.41
1:B:62:THR:HG21	1:B:203:ARG:HH21	1.85	0.40
1:B:237:ASP:C	1:B:239:ILE:H	2.24	0.40
1:B:185:ALA:O	1:B:188:LYS:HB3	2.22	0.40
1:B:241:TRP:O	1:B:244:GLU:N	2.49	0.40
1:B:231:ASP:CG	1:B:232:ARG:H	2.24	0.40
1:B:307:GLU:O	1:B:311:MET:HG3	2.21	0.40
1:A:255:PRO:HB2	1:A:258:GLN:NE2	2.36	0.40
1:B:250:ILE:O	1:B:273:VAL:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	335/338 (99%)	309 (92%)	25 (8%)	1 (0%)	41	37
1	B	335/338 (99%)	307 (92%)	23 (7%)	5 (2%)	10	4
All	All	670/676 (99%)	616 (92%)	48 (7%)	6 (1%)	17	11

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	201	LEU
1	B	231	ASP
1	A	93	PRO
1	B	176	GLY
1	B	253	PRO
1	B	180	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	288/289 (100%)	283 (98%)	5 (2%)	60	65
1	B	288/289 (100%)	280 (97%)	8 (3%)	43	44
All	All	576/578 (100%)	563 (98%)	13 (2%)	50	53

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46	MET
1	A	142	ASP
1	A	200	LYS
1	A	233	GLN
1	A	364	GLU
1	B	119	GLN
1	B	142	ASP
1	B	172	THR
1	B	208	GLU
1	B	250	ILE
1	B	254	MET
1	B	267	GLN
1	B	321	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	GLN
1	A	104	ASN
1	A	146	HIS
1	A	227	GLN
1	A	240	HIS
1	A	258	GLN
1	A	268	GLN
1	A	280	GLN
1	B	75	GLN
1	B	113	GLN
1	B	146	HIS
1	B	226	ASN
1	B	227	GLN
1	B	233	GLN
1	B	258	GLN
1	B	267	GLN
1	B	268	GLN
1	B	280	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 2 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	SO4	B	387	-	4,4,4	0.45	0	6,6,6	0.52	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	337/338 (99%)	0.60	36 (10%) 6 5	24, 44, 76, 83	0
1	B	337/338 (99%)	0.45	43 (12%) 3 3	22, 38, 78, 90	0
All	All	674/676 (99%)	0.53	79 (11%) 4 4	22, 41, 77, 90	0

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	264	TRP	6.7
1	A	267	GLN	6.2
1	B	176	GLY	6.0
1	A	229	TRP	5.8
1	B	229	TRP	5.6
1	B	180	PRO	5.4
1	B	183	VAL	5.4
1	B	234	TYR	5.0
1	B	241	TRP	4.5
1	B	181	ASP	4.4
1	A	260	ASP	4.4
1	A	235	ALA	4.2
1	B	177	ILE	4.2
1	A	268	GLN	4.1
1	B	269	SER	4.1
1	B	271	LEU	4.0
1	B	235	ALA	3.9
1	A	261	ASP	3.8
1	B	210	ILE	3.7
1	A	244	GLU	3.7
1	B	268	GLN	3.6
1	B	291	ALA	3.5
1	B	202	GLY	3.5
1	A	241	TRP	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	65	THR	3.4
1	A	180	PRO	3.4
1	A	269	SER	3.4
1	A	228	GLY	3.3
1	B	175	ILE	3.3
1	B	182	VAL	3.3
1	A	234	TYR	3.2
1	A	259	LEU	3.2
1	B	262	ILE	3.1
1	B	264	TRP	3.0
1	A	233	GLN	3.0
1	B	270	PRO	3.0
1	A	225	ALA	3.0
1	A	66	TYR	3.0
1	A	236	LEU	2.9
1	B	244	GLU	2.9
1	A	176	GLY	2.9
1	A	188	LYS	2.9
1	A	211	GLU	2.8
1	B	188	LYS	2.8
1	B	206	ASP	2.8
1	A	271	LEU	2.8
1	A	183	VAL	2.8
1	B	231	ASP	2.7
1	B	209	MET	2.7
1	B	184	ARG	2.7
1	B	216	VAL	2.6
1	A	213	ILE	2.6
1	A	181	ASP	2.6
1	A	175	ILE	2.6
1	B	179	THR	2.6
1	B	240	HIS	2.6
1	B	207	LYS	2.6
1	A	255	PRO	2.6
1	A	239	ILE	2.6
1	B	242	LEU	2.6
1	B	287	ALA	2.5
1	B	237	ASP	2.5
1	B	265	VAL	2.5
1	A	253	PRO	2.4
1	A	210	ILE	2.4
1	B	211	GLU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	254	MET	2.3
1	B	213	ILE	2.3
1	B	208	GLU	2.3
1	A	290	GLY	2.2
1	A	232	ARG	2.2
1	B	203	ARG	2.2
1	B	212	THR	2.2
1	A	240	HIS	2.1
1	B	238	MET	2.1
1	B	230	LYS	2.1
1	A	337	ALA	2.1
1	B	228	GLY	2.1
1	B	185	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	MG	A	386	1/1	0.88	0.20	53,53,53,53	0
3	DGL	A	385	10/10	0.89	0.17	50,52,55,55	0
3	DGL	B	385	10/10	0.89	0.16	35,37,38,40	0
2	ALA	B	384	5/6	0.91	0.17	26,29,32,33	0
2	ALA	A	384	5/6	0.91	0.13	46,47,48,49	0
5	SO4	B	387	5/5	0.95	0.13	62,63,64,64	0
4	MG	B	386	1/1	0.98	0.11	37,37,37,37	0

6.5 Other polymers

There are no such residues in this entry.