



Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 11:44 pm BST

PDB ID : 6IKG
Title : Crystal structure of substrate-bound S9 peptidase (S514A mutant) from *Deinococcus radiodurans*
Authors : Yadav, P.; Kumar, A.; Goyal, V.D.; Makde, R.D.
Deposited on : 2018-10-16
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	656	<div> <div>5%</div> <div> <div></div> <div>93%</div> <div>5%</div> </div> </div>
1	B	656	<div> <div>5%</div> <div> <div></div> <div>91%</div> <div>6%</div> </div> </div>
1	C	656	<div> <div>3%</div> <div> <div></div> <div>92%</div> <div>5%</div> </div> </div>
1	D	656	<div> <div>11%</div> <div> <div></div> <div>91%</div> <div>7%</div> </div> </div>
2	E	3	<div> <div>100%</div> <div> <div></div> <div>100%</div> </div> </div>
2	F	3	<div> <div>100%</div> <div> <div></div> <div>100%</div> </div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 20572 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acyl-peptide hydrolase, putative.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	644	Total	C	N	O	S	0	0	0
			4982	3156	898	919	9			
1	B	640	Total	C	N	O	S	0	0	0
			4945	3135	891	910	9			
1	C	641	Total	C	N	O	S	0	0	0
			4947	3138	887	913	9			
1	D	640	Total	C	N	O	S	0	0	0
			4878	3097	874	898	9			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP Q9RXY9
A	1	SER	-	expression tag	UNP Q9RXY9
A	514	ALA	SER	engineered mutation	UNP Q9RXY9
B	0	GLY	-	expression tag	UNP Q9RXY9
B	1	SER	-	expression tag	UNP Q9RXY9
B	514	ALA	SER	engineered mutation	UNP Q9RXY9
C	0	GLY	-	expression tag	UNP Q9RXY9
C	1	SER	-	expression tag	UNP Q9RXY9
C	514	ALA	SER	engineered mutation	UNP Q9RXY9
D	0	GLY	-	expression tag	UNP Q9RXY9
D	1	SER	-	expression tag	UNP Q9RXY9
D	514	ALA	SER	engineered mutation	UNP Q9RXY9

- Molecule 2 is a protein called MET-ALA-ALA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	3	Total	C	N	O	S	0	0	0
			19	11	3	4	1			
2	F	3	Total	C	N	O	S	0	0	0
			19	11	3	4	1			

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	239	Total	O	0	0
			239	239		
4	B	224	Total	O	0	0
			224	224		
4	C	181	Total	O	0	0
			181	181		
4	D	114	Total	O	0	0
			114	114		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acyl-peptide hydrolase, putative




- Molecule 1: Acyl-peptide hydrolase, putative




- Molecule 1: Acyl-peptide hydrolase, putative




- Molecule 1: Acyl-peptide hydrolase, putative



- Molecule 2: MET-ALA-ALA



- Molecule 2: MET-ALA-ALA



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	71.65Å 214.64Å 92.02Å 90.00° 102.98° 90.00°	Depositor
Resolution (Å)	46.98 – 2.30 46.98 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.9 (46.98-2.30) 99.9 (46.98-2.30)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.02 (at 2.29Å)	Xtriage
Refinement program	PHENIX (1.11.1 _2575: ???)	Depositor
R, R_{free}	0.207 , 0.234 0.208 , 0.234	Depositor DCC
R_{free} test set	5981 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	30.1	Xtriage
Anisotropy	0.367	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 45.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	20572	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.25	0/5135	0.49	0/7014
1	B	0.25	0/5095	0.48	0/6958
1	C	0.25	0/5098	0.49	1/6963 (0.0%)
1	D	0.26	0/5028	0.50	1/6880 (0.0%)
2	E	0.21	0/18	0.61	0/21
2	F	0.22	0/18	0.78	0/21
All	All	0.25	0/20392	0.49	2/27857 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	220	GLN	CA-CB-CG	-6.45	99.21	113.40
1	D	277	GLU	CG-CD-OE2	-5.42	107.47	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4982	0	4681	20	0
1	B	4945	0	4640	24	0
1	C	4947	0	4631	20	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	4878	0	4509	21	0
2	E	19	0	21	0	0
2	F	19	0	21	0	0
3	A	6	0	8	0	0
3	B	12	0	16	1	0
3	C	6	0	8	0	0
4	A	239	0	0	0	0
4	B	224	0	0	0	0
4	C	181	0	0	0	0
4	D	114	0	0	0	0
All	All	20572	0	18535	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:278:HIS:H	1:D:471:GLN:HE22	1.17	0.92
1:A:408:THR:HG22	1:A:410:LEU:H	1.38	0.88
1:A:157:VAL:HG22	1:B:622:VAL:HG22	1.70	0.74
1:C:399:ARG:NH1	1:C:419:LEU:O	2.25	0.68
1:C:267:ILE:HD11	1:C:317:PRO:HG2	1.77	0.66
1:D:278:HIS:H	1:D:471:GLN:NE2	1.92	0.63
1:D:267:ILE:HD11	1:D:317:PRO:HG2	1.81	0.63
1:D:278:HIS:N	1:D:471:GLN:HE22	1.97	0.56
1:D:440:TYR:CD2	1:D:460:TYR:HB2	2.41	0.55
1:B:445:THR:HB	3:B:702:GOL:H11	1.88	0.55
1:D:433:HIS:HB3	1:D:440:TYR:CZ	2.41	0.55
1:C:163:TYR:CD1	1:C:164:ARG:HG3	2.41	0.55
1:D:204:TRP:CZ2	1:D:211:LEU:HD21	2.42	0.55
1:D:420:PRO:HG2	1:D:426:VAL:HG11	1.91	0.53
1:C:433:HIS:HB3	1:C:440:TYR:CZ	2.45	0.52
1:B:230:ASP:HB2	1:B:245:LEU:HD12	1.92	0.51
1:D:163:TYR:CD1	1:D:164:ARG:HG3	2.45	0.51
1:D:260:ASP:OD2	1:D:263:ARG:HD3	2.10	0.51
1:A:163:TYR:CD1	1:A:164:ARG:HG3	2.46	0.51
1:B:163:TYR:CD1	1:B:164:ARG:HG3	2.46	0.50
1:A:125:VAL:HG23	1:A:139:PHE:CD2	2.46	0.50
1:D:107:LEU:HD13	1:D:118:VAL:HG21	1.93	0.49
1:C:267:ILE:HG13	1:C:281:LEU:HD23	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:440:TYR:CD2	1:A:460:TYR:HB2	2.49	0.48
1:B:197:GLY:O	1:B:214:GLN:HG2	2.13	0.48
1:D:147:ASP:OD1	1:D:149:ARG:HD3	2.13	0.47
1:B:542:LEU:HG	1:B:556:TRP:CZ2	2.50	0.47
1:B:90:GLN:OE1	1:B:111:LYS:NZ	2.48	0.47
1:C:440:TYR:CD2	1:C:460:TYR:HB2	2.49	0.47
1:B:433:HIS:HB3	1:B:440:TYR:CZ	2.49	0.47
1:C:23:PRO:HG3	1:C:370:ILE:HG13	1.97	0.47
1:D:464:ARG:CZ	1:D:484:VAL:HB	2.46	0.46
1:B:415:GLY:HA3	1:B:492:PHE:CE1	2.51	0.46
1:C:194:PRO:HG3	1:C:198:ILE:HG12	1.97	0.46
1:B:204:TRP:CZ2	1:B:211:LEU:HD21	2.51	0.45
1:C:15:LEU:HD22	1:C:39:ILE:HG21	1.98	0.45
1:A:433:HIS:HB3	1:A:440:TYR:CZ	2.52	0.45
1:C:491:ASN:O	1:C:495:ARG:HG2	2.17	0.45
1:D:161:PRO:HD2	1:D:218:GLU:HB3	1.99	0.45
1:B:15:LEU:HD22	1:B:39:ILE:HG21	1.99	0.45
1:A:408:THR:HB	1:A:411:GLY:O	2.17	0.45
1:B:440:TYR:CD2	1:B:460:TYR:HB2	2.52	0.44
1:A:433:HIS:HB3	1:A:440:TYR:CE2	2.53	0.44
1:A:103:ALA:O	1:A:125:VAL:HG12	2.17	0.43
1:A:105:LEU:O	1:A:118:VAL:HG22	2.18	0.43
1:B:108:LEU:HD12	1:B:109:PRO:HD2	1.99	0.43
1:B:626:GLU:OE1	1:B:639:ARG:NH2	2.50	0.43
1:D:542:LEU:HG	1:D:556:TRP:CZ2	2.54	0.43
1:A:213:VAL:HG23	1:A:255:LEU:HD11	2.00	0.43
1:A:31:GLN:HG2	1:A:64:GLU:HG3	2.01	0.42
1:B:213:VAL:HG23	1:B:255:LEU:HD11	2.00	0.42
1:C:149:ARG:NH2	1:C:156:ARG:HG2	2.34	0.42
1:D:415:GLY:HA3	1:D:492:PHE:CE1	2.54	0.42
1:A:157:VAL:HG11	1:B:620:ARG:CZ	2.50	0.42
1:A:415:GLY:HA3	1:A:492:PHE:CE2	2.54	0.42
1:A:542:LEU:HG	1:A:556:TRP:CZ2	2.55	0.42
1:D:267:ILE:HG13	1:D:281:LEU:HD23	2.01	0.42
1:D:439:ASP:OD2	1:D:468:GLY:HA3	2.19	0.42
1:D:575:ASP:HA	1:D:580:GLN:HE22	1.85	0.42
1:D:627:GLU:HG3	1:D:631:LEU:HD13	2.01	0.42
1:A:627:GLU:HG3	1:A:631:LEU:HD13	2.01	0.42
1:B:491:ASN:O	1:B:495:ARG:HG2	2.19	0.42
1:B:622:VAL:HG21	1:B:646:GLU:HG3	2.01	0.42
1:C:415:GLY:HA3	1:C:492:PHE:CE1	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:485:ASP:OD1	1:B:485:ASP:N	2.52	0.42
1:C:213:VAL:HG23	1:C:255:LEU:HD11	2.01	0.42
1:C:485:ASP:N	1:C:485:ASP:OD1	2.52	0.42
1:C:575:ASP:HA	1:C:580:GLN:HE22	1.84	0.42
1:A:160:ARG:NH2	1:A:173:GLU:O	2.46	0.41
1:B:436:PRO:HB3	1:B:515:TYR:CE2	2.55	0.41
1:C:440:TYR:CE2	1:C:460:TYR:HB2	2.56	0.41
1:D:31:GLN:HG2	1:D:64:GLU:HG2	2.00	0.41
1:B:11:PRO:HG2	1:B:645:ASN:OD1	2.19	0.41
1:B:424:GLN:H	1:B:424:GLN:CD	2.21	0.41
1:C:107:LEU:HD12	1:C:107:LEU:HA	1.87	0.41
1:A:219:TRP:CH2	1:B:614:LYS:HA	2.56	0.41
1:B:436:PRO:HB3	1:B:515:TYR:CD2	2.56	0.40
1:C:147:ASP:OD1	1:C:149:ARG:HD3	2.20	0.40
1:A:92:LEU:HA	1:A:92:LEU:HD23	1.98	0.40
1:C:491:ASN:OD1	1:C:495:ARG:NH1	2.53	0.40
1:C:77:GLY:HA3	1:C:98:ALA:HA	2.03	0.40
1:A:575:ASP:HA	1:A:580:GLN:HE22	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	640/656 (98%)	617 (96%)	22 (3%)	1 (0%)	47	58
1	B	634/656 (97%)	616 (97%)	18 (3%)	0	100	100
1	C	633/656 (96%)	615 (97%)	18 (3%)	0	100	100
1	D	632/656 (96%)	614 (97%)	18 (3%)	0	100	100
2	E	1/3 (33%)	1 (100%)	0	0	100	100
2	F	1/3 (33%)	1 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	2541/2630 (97%)	2464 (97%)	76 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	238	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	497/525 (95%)	494 (99%)	3 (1%)	86	94
1	B	492/525 (94%)	488 (99%)	4 (1%)	81	91
1	C	492/525 (94%)	489 (99%)	3 (1%)	86	94
1	D	475/525 (90%)	469 (99%)	6 (1%)	69	82
2	E	1/1 (100%)	1 (100%)	0	100	100
2	F	1/1 (100%)	1 (100%)	0	100	100
All	All	1958/2102 (93%)	1942 (99%)	16 (1%)	81	91

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	557	ASP
1	A	593	HIS
1	A	621	PHE
1	B	110	LEU
1	B	557	ASP
1	B	593	HIS
1	B	621	PHE
1	C	189	ARG
1	C	557	ASP
1	C	621	PHE
1	D	247	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	291	ARG
1	D	557	ASP
1	D	593	HIS
1	D	614	LYS
1	D	621	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	90	GLN
1	D	385	GLN
1	D	471	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GOL	C	701	-	5,5,5	0.39	0	5,5,5	0.26	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	B	701	-	5,5,5	0.40	0	5,5,5	0.26	0
3	GOL	B	702	-	5,5,5	0.35	0	5,5,5	0.19	0
3	GOL	A	701	-	5,5,5	0.39	0	5,5,5	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	C	701	-	-	0/4/4/4	-
3	GOL	B	701	-	-	0/4/4/4	-
3	GOL	B	702	-	-	2/4/4/4	-
3	GOL	A	701	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	702	GOL	O1-C1-C2-C3
3	B	702	GOL	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	702	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	644/656 (98%)	0.43	33 (5%)	28 35	16, 27, 45, 66	0
1	B	640/656 (97%)	0.49	32 (5%)	28 35	17, 28, 45, 68	0
1	C	641/656 (97%)	0.37	17 (2%)	54 62	16, 31, 50, 64	0
1	D	640/656 (97%)	0.80	72 (11%)	5 7	24, 40, 58, 75	0
2	E	3/3 (100%)	5.20	3 (100%)	0 0	52, 52, 58, 68	0
2	F	3/3 (100%)	4.95	3 (100%)	0 0	59, 59, 62, 64	0
All	All	2571/2630 (97%)	0.53	160 (6%)	20 26	16, 32, 52, 75	0

All (160) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	45	ALA	7.3
2	E	2	ALA	6.4
2	F	2	ALA	6.0
1	A	44	PRO	5.6
1	B	47	PRO	5.5
2	F	3	ALA	5.2
1	B	51	PHE	5.1
1	A	43	ASP	4.9
2	E	3	ALA	4.7
1	D	406	PHE	4.7
1	A	48	ASP	4.5
1	B	45	ALA	4.5
2	E	1	MET	4.5
1	A	143	ALA	4.4
1	C	65	GLY	4.3
1	D	286	ASN	4.3
1	D	50	ASP	4.3
1	C	50	ASP	4.1
1	D	45	ALA	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	239	PRO	4.0
1	D	145	THR	4.0
1	D	398	VAL	3.9
1	C	101	VAL	3.9
1	B	40	SER	3.8
1	D	48	ASP	3.8
1	A	46	LYS	3.8
1	D	44	PRO	3.8
1	A	52	ALA	3.8
1	C	67	ALA	3.7
1	D	287	GLY	3.7
1	D	43	ASP	3.7
1	B	50	ASP	3.6
1	B	143	ALA	3.6
1	C	145	THR	3.6
2	F	1	MET	3.6
1	A	49	LYS	3.5
1	D	346	VAL	3.5
1	B	43	ASP	3.5
1	B	48	ASP	3.5
1	B	242	PRO	3.4
1	A	146	GLU	3.3
1	C	161	PRO	3.3
1	A	286	ASN	3.3
1	D	405	THR	3.3
1	D	238	ALA	3.3
1	D	424	GLN	3.3
1	B	44	PRO	3.3
1	A	51	PHE	3.3
1	D	51	PHE	3.3
1	A	41	GLU	3.3
1	D	253	HIS	3.2
1	D	42	GLU	3.2
1	A	50	ASP	3.2
1	A	40	SER	3.2
1	C	52	ALA	3.1
1	D	283	LEU	3.1
1	A	123	ASN	3.1
1	D	151	GLU	3.1
1	D	188	LEU	3.1
1	D	241	ALA	3.1
1	D	394	PHE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	8	ALA	3.1
1	D	47	PRO	3.0
1	B	52	ALA	3.0
1	A	196	ILE	3.0
1	D	121	PHE	3.0
1	D	389	ASP	3.0
1	A	47	PRO	2.9
1	D	219	TRP	2.9
1	D	272	GLY	2.9
1	A	121	PHE	2.9
1	A	145	THR	2.8
1	B	286	ASN	2.8
1	D	264	PHE	2.8
1	B	241	ALA	2.8
1	D	292	LEU	2.8
1	C	196	ILE	2.8
1	B	39	ILE	2.7
1	A	271	ALA	2.7
1	B	74	ALA	2.7
1	D	49	LYS	2.7
1	A	254	GLY	2.6
1	A	148	LYS	2.6
1	B	41	GLU	2.6
1	D	423	GLU	2.6
1	C	286	ASN	2.6
1	D	353	PRO	2.6
1	D	421	GLU	2.6
1	D	487	ASP	2.6
1	B	152	ARG	2.6
1	D	172	PRO	2.6
1	D	162	VAL	2.5
1	D	404	VAL	2.5
1	D	408	THR	2.5
1	A	273	LYS	2.5
1	D	422	GLY	2.5
1	B	148	LYS	2.5
1	A	241	ALA	2.4
1	B	101	VAL	2.4
1	A	253	HIS	2.4
1	A	124	GLY	2.4
1	D	396	PHE	2.4
1	A	53	ARG	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	469	TYR	2.4
1	A	42	GLU	2.4
1	B	204	TRP	2.3
1	B	121	PHE	2.3
1	B	144	ASP	2.3
1	D	426	VAL	2.3
1	B	231	LEU	2.3
1	D	98	ALA	2.3
1	D	185	ALA	2.3
1	B	167	GLY	2.3
1	D	260	ASP	2.3
1	D	453	ALA	2.3
1	D	503	LEU	2.3
1	A	147	ASP	2.3
1	B	232	PRO	2.3
1	C	219	TRP	2.3
1	D	501	PRO	2.3
1	D	402	GLN	2.3
1	B	54	PRO	2.2
1	D	196	ILE	2.2
1	C	224	TRP	2.2
1	B	145	THR	2.2
1	C	238	ALA	2.2
1	A	54	PRO	2.2
1	D	347	LYS	2.2
1	B	123	ASN	2.1
1	C	162	VAL	2.1
1	D	204	TRP	2.1
1	A	495	ARG	2.1
1	A	118	VAL	2.1
1	D	412	GLU	2.1
1	B	247	ASP	2.1
1	D	40	SER	2.1
1	D	397	PRO	2.1
1	D	420	PRO	2.1
1	D	179	TRP	2.1
1	D	136	PHE	2.1
1	D	409	GLU	2.1
1	D	224	TRP	2.1
1	D	319	TRP	2.1
1	D	403	ARG	2.1
1	A	274	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	144	ASP	2.1
1	D	252	ALA	2.1
1	D	296	HIS	2.1
1	D	413	GLY	2.1
1	D	427	PRO	2.1
1	D	341	HIS	2.0
1	C	121	PHE	2.0
1	D	148	LYS	2.0
1	D	285	GLU	2.0
1	B	600	CYS	2.0
1	B	75	GLU	2.0
1	C	216	GLU	2.0
1	B	76	THR	2.0
1	C	48	ASP	2.0
1	D	291	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	GOL	C	701	6/6	0.88	0.24	45,45,45,46	0
3	GOL	B	701	6/6	0.90	0.15	43,47,47,48	0
3	GOL	B	702	6/6	0.94	0.24	35,35,36,36	0
3	GOL	A	701	6/6	0.97	0.14	26,28,30,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.