



Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 05:39 am BST

PDB ID : 5IMY
Title : Trapped Toxin
Authors : Lawrence, S.L.; Morton, C.J.; Parker, M.W.
Deposited on : 2016-03-07
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	490	<div> <div>5%</div> <div> <div></div> <div>75%</div> <div>15%</div> <div>6%</div> <div>••</div> </div> </div>
1	B	490	<div> <div>5%</div> <div> <div></div> <div>71%</div> <div>19%</div> <div>6%</div> <div>•</div> </div> </div>
2	C	78	<div> <div>3%</div> <div> <div></div> <div>82%</div> <div>18%</div> </div> </div>
2	D	78	<div> <div></div> <div> <div></div> <div>78%</div> <div>18%</div> <div>•</div> </div> </div>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 17217 atoms, of which 8415 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Vaginolysin.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	474	Total	C	H	N	O	S	0	2	0
			7356	2338	3637	652	720	9			
1	B	472	Total	C	H	N	O	S	0	0	0
			7308	2322	3614	649	714	9			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	27	SER	-	expression tag	UNP B2YGA4
A	28	ASN	-	expression tag	UNP B2YGA4
A	30	HIS	MET	conflict	UNP B2YGA4
A	31	MET	ALA	conflict	UNP B2YGA4
A	333	CYS	THR	conflict	UNP B2YGA4
A	348	CYS	ILE	conflict	UNP B2YGA4
B	27	SER	-	expression tag	UNP B2YGA4
B	28	ASN	-	expression tag	UNP B2YGA4
B	30	HIS	MET	conflict	UNP B2YGA4
B	31	MET	ALA	conflict	UNP B2YGA4
B	333	CYS	THR	conflict	UNP B2YGA4
B	348	CYS	ILE	conflict	UNP B2YGA4

- Molecule 2 is a protein called CD59 glycoprotein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	C	78	Total	C	H	N	O	S	0	0	0
			1208	388	582	106	121	11			
2	D	78	Total	C	H	N	O	S	0	0	0
			1208	388	582	106	121	11			


There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	0	MET	-	initiating methionine	UNP P13987
D	0	MET	-	initiating methionine	UNP P13987

- Molecule 3 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	57	Total O 57 57	0	0
3	C	6	Total O 6 6	0	0
3	D	13	Total O 13 13	0	0
3	B	61	Total O 61 61	0	0

- Molecule 1: Vaginolysin





● Molecule 2: CD59 glycoprotein



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 ₁ 2 ₁ 2	Depositor
Cell constants a, b, c, α , β , γ	81.89Å 141.71Å 106.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.64 – 2.40 43.20 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.1 (42.64-2.40) 84.3 (43.20-2.25)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.12 (at 2.24Å)	Xtriage
Refinement program	PHENIX (1.10.1 _2155: ???)	Depositor
R, R_{free}	0.234 , 0.276 0.234 , 0.276	Depositor DCC
R_{free} test set	1983 reflections (3.37%)	wwPDB-VP
Wilson B-factor (Å ²)	36.1	Xtriage
Anisotropy	0.341	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 33.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	17217	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.26	0/3813	0.49	0/5183
1	B	0.26	0/3776	0.49	0/5133
2	C	0.29	0/638	0.44	0/863
2	D	0.28	0/638	0.43	0/863
All	All	0.26	0/8865	0.48	0/12042

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	257	ASP	Peptide
1	B	49	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3719	3637	3623	65	2
1	B	3694	3614	3615	67	2
2	C	626	582	580	5	0
2	D	626	582	580	6	0
3	A	57	0	0	5	0
3	B	61	0	0	6	0
3	C	6	0	0	1	0
3	D	13	0	0	1	0
All	All	8802	8415	8398	141	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:62:LYS:NZ	1:B:383:ASP:OD2	2.04	0.90
1:B:316:GLU:OE1	3:B:601:HOH:O	1.90	0.88
1:A:45:ALA:O	1:A:47:LYS:N	2.08	0.86
2:D:47:PHE:O	2:D:51:THR:OG1	1.96	0.83
1:B:178:LYS:NZ	3:B:602:HOH:O	2.11	0.82
1:B:59:GLN:N	1:B:275:ASN:OD1	2.16	0.78
1:A:266:ASP:O	1:A:270:ASN:ND2	2.16	0.78
1:A:44:CYS:SG	1:A:45:ALA:N	2.56	0.75
1:A:341:ALA:O	1:A:343:GLY:N	2.19	0.75
1:B:479:GLU:OE1	1:B:482:ARG:NE	2.20	0.74
1:A:454:ASN:O	3:A:601:HOH:O	2.05	0.74
1:A:370:PRO:HA	1:A:371:ALA:HB3	1.71	0.73
1:B:155:GLU:O	3:B:602:HOH:O	2.05	0.72
1:B:51:LEU:O	1:B:53:ASN:N	2.24	0.70
1:A:445:ASN:O	3:A:602:HOH:O	2.10	0.69
1:B:274:ASP:OD1	1:B:276:LYS:N	2.26	0.69
1:B:118:GLY:O	1:B:139:ARG:NH1	2.26	0.68
1:A:319:PRO:O	1:A:321:THR:N	2.26	0.67
1:A:96:LYS:NZ	1:A:397:GLU:OE2	2.28	0.66
1:A:366:SER:O	1:A:368:SER:N	2.30	0.65
2:C:62:TYR:OH	3:C:101:HOH:O	2.12	0.65
1:B:296:ASP:OD1	3:B:603:HOH:O	2.13	0.65
1:B:264:THR:O	1:B:267:SER:OG	2.12	0.64
1:A:367:THR:O	1:A:367:THR:OG1	2.16	0.63
1:A:215:ALA:O	1:A:216:LYS:HB3	1.98	0.63
1:A:76:LYS:N	3:A:605:HOH:O	2.33	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:224:ASP:O	1:B:226:ASP:N	2.34	0.61
1:B:367:THR:O	1:B:368:SER:OG	2.13	0.59
1:B:431:ILE:O	1:B:432:ASP:CB	2.51	0.59
1:A:334:ALA:O	1:A:345:ALA:HB2	2.03	0.59
1:A:94:GLN:NE2	3:A:606:HOH:O	2.35	0.58
1:B:51:LEU:HB3	1:B:256:ALA:HB2	1.85	0.58
1:B:366:SER:O	1:B:368:SER:N	2.36	0.58
1:B:371:ALA:O	1:B:372:VAL:HG13	2.04	0.57
1:B:239:ASN:OD1	1:B:241:LYS:NZ	2.33	0.57
1:B:370:PRO:N	1:B:371:ALA:HA	2.20	0.56
1:A:470:LEU:O	1:A:471:VAL:HG22	2.04	0.56
1:A:257:ASP:O	1:A:258:PHE:HB2	2.06	0.55
1:B:136:SER:O	1:B:271:ARG:NH1	2.38	0.55
1:B:342:ASN:N	1:B:342:ASN:OD1	2.38	0.55
1:B:339:GLY:O	1:B:341:ALA:N	2.42	0.52
1:A:370:PRO:CA	1:A:371:ALA:HB3	2.40	0.52
1:B:364:ASN:OD1	1:B:365:LEU:N	2.42	0.52
1:A:370:PRO:HB2	1:A:372:VAL:HG23	1.92	0.51
1:B:315:VAL:HG12	1:B:316:GLU:HG3	1.92	0.51
1:B:315:VAL:HG12	1:B:316:GLU:N	2.26	0.50
1:A:345:ALA:O	1:A:346:LYS:HB2	2.11	0.50
1:A:316:GLU:O	1:A:318:LYS:N	2.42	0.50
1:B:52:ASN:HA	1:B:56:TRP:CB	2.41	0.50
1:A:189:VAL:HB	1:A:365:LEU:HD13	1.94	0.49
1:A:431:ILE:HG21	1:B:401:SER:HB2	1.93	0.49
1:B:339:GLY:H	1:B:372:VAL:HB	1.77	0.49
1:B:450:THR:OG1	1:B:451:ALA:N	2.44	0.49
2:D:5:ASN:HA	2:D:38:LYS:HA	1.94	0.49
1:A:259:PHE:CB	1:A:263:THR:HG21	2.43	0.49
1:A:270:ASN:O	1:A:271:ARG:CB	2.60	0.49
1:A:270:ASN:O	1:A:271:ARG:HB2	2.13	0.48
1:B:45:ALA:O	1:B:47:LYS:N	2.45	0.48
1:A:219:VAL:N	1:A:220:PRO:CD	2.76	0.48
1:A:259:PHE:HB3	1:A:263:THR:HG21	1.95	0.48
1:B:340:SER:O	1:B:341:ALA:HB2	2.14	0.48
1:A:252:PRO:O	1:A:254:SER:N	2.42	0.47
1:A:344:ALA:O	1:A:345:ALA:HB3	2.15	0.47
1:B:62:LYS:NZ	1:B:383:ASP:CG	2.68	0.47
1:A:263:THR:O	1:A:264:THR:O	2.32	0.47
1:A:257:ASP:OD1	1:A:258:PHE:N	2.47	0.47
1:A:315:VAL:O	1:A:317:ILE:N	2.48	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:44:CYS:O	1:B:45:ALA:HB2	2.14	0.47
1:A:370:PRO:HA	1:A:371:ALA:CB	2.43	0.47
1:B:337:LEU:HA	1:B:342:ASN:HA	1.97	0.47
1:A:341:ALA:O	1:A:342:ASN:C	2.54	0.47
1:A:439:SER:HB3	2:C:61:TYR:H	1.81	0.46
1:A:432:ASP:OD2	1:A:433:GLY:N	2.48	0.46
1:B:481:TRP:O	1:B:482:ARG:O	2.32	0.46
1:A:477:VAL:O	1:A:478:TRP:HB3	2.16	0.46
1:B:51:LEU:HD12	1:B:52:ASN:N	2.31	0.46
1:B:292:TYR:HD2	1:B:337:LEU:HD11	1.80	0.46
1:A:419:ARG:O	1:A:470:LEU:O	2.33	0.45
1:B:292:TYR:CD2	1:B:337:LEU:HD11	2.51	0.45
1:A:318:LYS:HA	1:A:319:PRO:C	2.37	0.45
1:B:173:ASN:O	1:B:177:SER:N	2.48	0.45
1:B:338:GLY:HA3	1:B:372:VAL:HG21	1.98	0.45
1:B:474:THR:O	1:B:476:LEU:N	2.50	0.45
1:B:74:GLU:N	1:B:74:GLU:OE1	2.49	0.45
1:A:512:THR:O	1:A:513:VAL:HG23	2.16	0.45
1:A:419:ARG:O	1:A:470:LEU:HD12	2.16	0.45
2:D:28:ILE:HD13	2:D:75:LEU:HD12	1.99	0.45
1:A:470:LEU:HB3	1:A:484:VAL:O	2.17	0.45
1:B:317:ILE:O	1:B:317:ILE:HD12	2.17	0.45
1:B:339:GLY:O	1:B:340:SER:C	2.55	0.44
1:B:477:VAL:O	1:B:478:TRP:O	2.35	0.44
1:A:324:HIS:O	1:A:328:GLN:HG2	2.17	0.44
1:B:51:LEU:O	1:B:52:ASN:C	2.56	0.44
1:B:347:VAL:O	3:B:604:HOH:O	2.20	0.44
1:A:139:ARG:H	1:A:162:ARG:NH2	2.15	0.44
1:A:44:CYS:O	1:A:45:ALA:HB3	2.18	0.44
1:A:321:THR:OG1	1:A:322:GLU:N	2.51	0.44
2:D:35:VAL:HG11	2:D:72:ASN:OD1	2.18	0.44
1:A:244:TYR:HB3	1:A:365:LEU:HD11	2.01	0.43
1:B:438:ARG:NH1	3:B:613:HOH:O	2.41	0.43
1:B:52:ASN:HA	1:B:56:TRP:HB2	2.01	0.43
1:B:476:LEU:HD22	1:B:478:TRP:CH2	2.53	0.43
1:B:55:LEU:O	1:B:382:LYS:HG2	2.18	0.43
1:B:318:LYS:O	1:B:321:THR:HG22	2.18	0.43
1:A:365:LEU:HD12	1:A:365:LEU:N	2.33	0.42
1:B:296:ASP:OD1	1:B:296:ASP:N	2.52	0.42
1:A:491:PRO:O	1:A:496:ARG:NH2	2.51	0.42
2:C:11:ALA:O	2:C:72:ASN:ND2	2.52	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:89:VAL:HA	1:B:401:SER:O	2.19	0.42
1:A:75:ASN:N	3:A:605:HOH:O	2.52	0.42
1:B:417:VAL:HG13	1:B:449:ARG:O	2.19	0.42
1:B:316:GLU:O	1:B:317:ILE:HG13	2.19	0.42
1:A:274:ASP:N	1:A:274:ASP:OD1	2.52	0.42
1:B:136:SER:O	1:B:137:ALA:HB2	2.20	0.42
1:B:283:SER:N	1:B:377:THR:O	2.52	0.42
2:C:26:CYS:O	2:C:63:CYS:HA	2.20	0.42
2:D:34:GLN:NE2	3:D:103:HOH:O	2.52	0.42
1:A:270:ASN:O	1:A:271:ARG:HG3	2.19	0.41
1:B:324:HIS:O	1:B:328:GLN:NE2	2.42	0.41
1:A:84:LYS:C	1:A:85:ASN:OD1	2.59	0.41
2:D:62:TYR:CE2	2:D:74:GLN:HG2	2.56	0.41
1:B:472:GLU:O	1:B:481:TRP:O	2.39	0.41
1:B:108:THR:OG1	1:B:109:SER:N	2.53	0.41
1:A:317:ILE:O	1:A:318:LYS:HB3	2.21	0.41
1:B:478:TRP:O	1:B:478:TRP:CG	2.73	0.41
1:A:477:VAL:O	1:A:478:TRP:CB	2.69	0.41
1:A:220:PRO:HB2	1:A:335:VAL:HG11	2.02	0.41
1:A:470:LEU:O	1:A:471:VAL:O	2.39	0.41
1:A:98:ILE:O	1:A:392:ASN:HA	2.21	0.41
1:B:370:PRO:HB2	1:B:372:VAL:N	2.35	0.41
1:B:54:TYR:CZ	1:B:269:LYS:HG3	2.56	0.41
1:A:84:LYS:HD2	1:A:85:ASN:N	2.36	0.40
1:A:164:THR:HG23	1:A:167:SER:H	1.86	0.40
1:A:263:THR:O	1:A:264:THR:CG2	2.70	0.40
1:A:75:ASN:O	1:A:76:LYS:O	2.40	0.40
1:A:471:VAL:HA	1:A:482:ARG:O	2.22	0.40
1:B:419:ARG:HB3	1:B:471:VAL:HG22	2.02	0.40
1:A:86:GLY:O	1:A:87:GLU:C	2.59	0.40
1:B:96:LYS:HE2	1:B:397:GLU:CD	2.42	0.40
1:B:477:VAL:O	1:B:478:TRP:CD2	2.75	0.40
2:C:62:TYR:CE2	2:C:74:GLN:HG2	2.56	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:162:ARG:HH22	1:B:353:ASP:OD2[3_646]	1.46	0.14
1:A:162:ARG:NH2	1:B:353:ASP:OD2[3_646]	2.14	0.06

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	474/490 (97%)	404 (85%)	43 (9%)	27 (6%)	1	0
1	B	470/490 (96%)	396 (84%)	47 (10%)	27 (6%)	1	0
2	C	76/78 (97%)	75 (99%)	1 (1%)	0	100	100
2	D	76/78 (97%)	72 (95%)	4 (5%)	0	100	100
All	All	1096/1136 (96%)	947 (86%)	95 (9%)	54 (5%)	2	1

All (54) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	43	SER
1	A	46	ALA
1	A	76	LYS
1	A	87	GLU
1	A	264	THR
1	A	318	LYS
1	A	319	PRO
1	A	320	ASN
1	A	322	GLU
1	A	342	ASN
1	A	346	LYS
1	A	367	THR
1	A	432	ASP
1	A	471	VAL
1	A	513	VAL
1	B	45	ALA
1	B	52	ASN
1	B	147	ASP
1	B	258	PHE
1	B	270	ASN
1	B	317	ILE
1	B	340	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	341	ALA
1	B	451	ALA
1	B	478	TRP
1	A	45	ALA
1	A	85	ASN
1	A	271	ARG
1	A	315	VAL
1	A	317	ILE
1	A	478	TRP
1	A	485	TYR
1	B	85	ASN
1	B	89	VAL
1	B	151	PHE
1	B	153	GLY
1	B	319	PRO
1	B	415	ALA
1	B	416	TYR
1	B	475	GLY
1	B	482	ARG
1	A	316	GLU
1	A	339	GLY
1	B	148	LEU
1	B	346	LYS
1	B	367	THR
1	B	432	ASP
1	A	186	SER
1	A	258	PHE
1	B	257	ASP
1	A	445	ASN
1	B	137	ALA
1	B	225	PHE
1	B	314	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	406/416 (98%)	366 (90%)	40 (10%)	8	11
1	B	402/416 (97%)	363 (90%)	39 (10%)	8	12
2	C	72/73 (99%)	65 (90%)	7 (10%)	8	12
2	D	72/73 (99%)	63 (88%)	9 (12%)	4	5
All	All	952/978 (97%)	857 (90%)	95 (10%)	8	11

All (95) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	LYS
1	A	50	SER
1	A	62	LYS
1	A	92	GLU
1	A	95	LYS
1	A	98	ILE
1	A	114	ARG
1	A	136	SER
1	A	162	ARG
1	A	164	THR
1	A	170	SER
1	A	186	SER
1	A	193	MET
1	A	199	SER
1	A	257	ASP
1	A	263	THR
1	A	267	SER
1	A	270	ASN
1	A	275	ASN
1	A	283	SER
1	A	320	ASN
1	A	337	LEU
1	A	346	LYS
1	A	348	CYS
1	A	349	THR
1	A	361	GLU
1	A	364	ASN
1	A	366	SER
1	A	367	THR
1	A	403[A]	TYR
1	A	403[B]	TYR
1	A	413	ARG
1	A	467	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	472	GLU
1	A	477	VAL
1	A	492	LEU
1	A	494	ARG
1	A	496	ARG
1	A	497	THR
1	A	513	VAL
2	C	15	THR
2	C	28	ILE
2	C	33	LEU
2	C	42	PHE
2	C	66	LYS
2	C	69	CYS
2	C	77	ASN
2	D	0	MET
2	D	28	ILE
2	D	46	ASN
2	D	49	ASP
2	D	51	THR
2	D	60	THR
2	D	69	CYS
2	D	74	GLN
2	D	76	GLU
1	B	51	LEU
1	B	75	ASN
1	B	96	LYS
1	B	101	THR
1	B	134	LEU
1	B	178	LYS
1	B	206	LEU
1	B	233	LYS
1	B	258	PHE
1	B	264	THR
1	B	268	LEU
1	B	270	ASN
1	B	283	SER
1	B	316	GLU
1	B	328	GLN
1	B	331	SER
1	B	335	VAL
1	B	336	ILE
1	B	337	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	342	ASN
1	B	347	VAL
1	B	348	CYS
1	B	349	THR
1	B	353	ASP
1	B	372	VAL
1	B	391	SER
1	B	401	SER
1	B	403	TYR
1	B	404	ARG
1	B	413	ARG
1	B	439	SER
1	B	464	ARG
1	B	472	GLU
1	B	478	TRP
1	B	484	VAL
1	B	489	ASP
1	B	490	LEU
1	B	492	LEU
1	B	500	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	474/490 (96%)	0.17	25 (5%)	26 25	30, 52, 92, 128	0
1	B	472/490 (96%)	0.25	24 (5%)	28 26	33, 56, 91, 139	0
2	C	78/78 (100%)	0.09	2 (2%)	56 54	37, 53, 68, 102	0
2	D	78/78 (100%)	0.11	0	100 100	38, 57, 73, 95	0
All	All	1102/1136 (97%)	0.19	51 (4%)	32 31	30, 54, 89, 139	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	341	ALA	9.3
1	A	43	SER	8.6
1	B	338	GLY	7.8
1	B	340	SER	6.3
1	A	339	GLY	6.2
1	A	344	ALA	6.0
1	B	343	GLY	5.4
1	B	345	ALA	5.3
1	B	346	LYS	5.1
1	A	317	ILE	4.8
1	A	346	LYS	4.2
1	A	86	GLY	4.1
1	B	344	ALA	4.1
1	A	319	PRO	4.1
1	B	368	SER	3.8
1	B	370	PRO	3.8
1	B	82	PHE	3.7
2	C	77	ASN	3.7
1	A	341	ALA	3.7
1	A	342	ASN	3.6
1	B	348	CYS	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	56	TRP	3.6
1	B	371	ALA	3.5
2	C	0	MET	3.4
1	A	154	GLY	3.2
1	A	367	THR	3.1
1	B	363	ALA	3.0
1	A	345	ALA	3.0
1	B	347	VAL	2.9
1	A	370	PRO	2.8
1	B	367	THR	2.8
1	B	369	SER	2.8
1	A	44	CYS	2.8
1	A	432	ASP	2.7
1	A	256	ALA	2.5
1	B	339	GLY	2.5
1	A	42	THR	2.5
1	B	492	LEU	2.5
1	A	477	VAL	2.3
1	B	342	ASN	2.3
1	A	403[A]	TYR	2.3
1	A	366	SER	2.2
1	B	69	HIS	2.2
1	A	85	ASN	2.2
1	B	52	ASN	2.2
1	A	340	SER	2.2
1	A	343	GLY	2.2
1	B	514	LYS	2.1
1	A	481	TRP	2.1
1	A	261	PRO	2.1
1	B	415	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.