



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 11, 2021 – 07:02 PM EDT

PDB ID : 2IO0
Title : Crystal structure of human Senp2 in complex with preSUMO-2
Authors : Reverter, D.; Lima, C.D.
Deposited on : 2006-10-09
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	232	
2	B	91	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2709 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sentrin-specific protease 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	226	1884	1211	328	335	10	8	0	0

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	358	GLY	-	cloning artifact	UNP Q9HC62
A	359	SER	-	cloning artifact	UNP Q9HC62
A	360	HIS	-	cloning artifact	UNP Q9HC62
A	361	MET	-	cloning artifact	UNP Q9HC62
A	362	ALA	-	cloning artifact	UNP Q9HC62
A	363	SER	-	cloning artifact	UNP Q9HC62
A	548	SER	CYS	engineered mutation	UNP Q9HC62

- Molecule 2 is a protein called Small ubiquitin-related modifier 2 precursor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	84	681	423	123	131	4	0	0	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	13	MET	-	cloning artifact	UNP P61956
B	14	ALA	-	cloning artifact	UNP P61956
B	96	LEU	-	cloning artifact	UNP P61956
B	97	GLU	-	cloning artifact	UNP P61956
B	98	HIS	-	cloning artifact	UNP P61956
B	99	HIS	-	cloning artifact	UNP P61956
B	100	HIS	-	cloning artifact	UNP P61956
B	101	HIS	-	cloning artifact	UNP P61956
B	102	HIS	-	cloning artifact	UNP P61956

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	103	HIS	-	cloning artifact	UNP P61956

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	86	Total	O	0	0
			86	86		
4	B	43	Total	O	0	0
			43	43		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Sentrin-specific protease 2



• Molecule 2: Small ubiquitin-related modifier 2 precursor



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	146.20Å 146.20Å 104.51Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.30 – 2.30 48.30 – 2.30	Depositor EDS
% Data completeness (in resolution range)	90.1 (48.30-2.30) 90.1 (48.30-2.30)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.59 (at 2.29Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.207 , 0.249 0.208 , 0.215	Depositor DCC
R_{free} test set	882 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å ²)	40.9	Xtriage
Anisotropy	0.046	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 54.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2709	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.85	0/1930	0.94	3/2600 (0.1%)
2	B	0.88	0/693	0.92	0/931
All	All	0.86	0/2623	0.93	3/3531 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	396	ARG	NE-CZ-NH2	-6.96	116.82	120.30
1	A	572	MET	CG-SD-CE	5.37	108.79	100.20
1	A	481	LEU	CB-CG-CD1	-5.08	102.37	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	511	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1884	0	1896	136	0
2	B	681	0	661	34	0
3	A	10	0	0	1	0
3	B	5	0	0	0	0
4	A	86	0	0	5	0
4	B	43	0	0	2	0
All	All	2709	0	2557	165	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 32.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:366:LEU:HB3	1:A:578:LYS:HZ1	1.18	1.09
1:A:420:MET:HB3	1:A:437:VAL:HG11	1.34	1.05
2:B:72:THR:HG22	2:B:75:GLN:H	1.23	1.01
1:A:365:LEU:HD22	1:A:574:LEU:HD12	1.04	1.00
1:A:399:ARG:HB2	1:A:399:ARG:HH11	1.28	0.97
1:A:365:LEU:CD2	1:A:574:LEU:HD12	1.95	0.96
1:A:369:THR:HG22	1:A:372:MET:H	1.31	0.93
1:A:481:LEU:HB2	1:A:552:THR:HG23	1.52	0.91
1:A:365:LEU:HD22	1:A:574:LEU:CD1	1.99	0.91
1:A:388:ILE:HD11	1:A:391:SER:OG	1.70	0.90
1:A:366:LEU:HG	1:A:367:GLU:N	1.88	0.85
1:A:399:ARG:HB2	1:A:399:ARG:NH1	1.90	0.85
1:A:366:LEU:CB	1:A:578:LYS:HZ1	1.90	0.84
1:A:420:MET:CB	1:A:437:VAL:HG11	2.10	0.81
1:A:430:GLN:HB2	1:A:432:TYR:CD1	2.20	0.75
2:B:95:TYR:HE2	2:B:97:GLU:HB3	1.51	0.74
1:A:394:LYS:HB2	2:B:66:PRO:HG2	1.71	0.73
1:A:366:LEU:HG	1:A:367:GLU:O	1.90	0.72
1:A:513:GLN:HE21	1:A:517:LYS:NZ	1.88	0.71
1:A:498:GLY:HA2	1:A:539:ILE:HD13	1.70	0.71
1:A:489:LYS:HB3	1:A:529:TRP:CE2	2.26	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:578:LYS:O	1:A:582:GLU:HG3	1.92	0.70
1:A:365:LEU:HD11	1:A:571:GLN:HG2	1.72	0.69
1:A:561:ARG:O	1:A:562:ASP:HB2	1.91	0.69
1:A:497:MET:HE2	1:A:543:LEU:HD22	1.74	0.69
1:A:388:ILE:HD12	1:A:396:ARG:HB3	1.75	0.69
1:A:405:LEU:HD23	1:A:411:LEU:CD2	2.23	0.69
2:B:95:TYR:CE2	2:B:97:GLU:HB3	2.29	0.68
1:A:432:TYR:HB3	1:A:433:PRO:CD	2.23	0.68
1:A:366:LEU:HD23	1:A:578:LYS:HZ2	1.60	0.66
1:A:544:ASN:ND2	1:A:546:SER:H	1.95	0.65
1:A:513:GLN:NE2	1:A:517:LYS:NZ	2.46	0.64
1:A:568:THR:HB	4:A:88:HOH:O	1.97	0.64
1:A:493:TYR:CE2	1:A:495:ASP:HB2	2.33	0.64
1:A:564:PRO:O	1:A:566:THR:HG23	1.98	0.64
1:A:475:ARG:HD2	1:A:493:TYR:OH	1.99	0.62
1:A:525:ASN:O	1:A:527:LEU:N	2.32	0.62
1:A:432:TYR:HB3	1:A:433:PRO:HD2	1.82	0.62
1:A:488:LYS:O	1:A:489:LYS:C	2.36	0.62
1:A:430:GLN:HB2	1:A:432:TYR:CE1	2.34	0.62
1:A:544:ASN:HD22	1:A:545:GLY:N	1.98	0.62
1:A:366:LEU:HB3	1:A:578:LYS:NZ	2.05	0.62
2:B:72:THR:HG23	2:B:74:ALA:H	1.66	0.61
1:A:531:HIS:O	1:A:532:HIS:CG	2.52	0.61
1:A:568:THR:N	1:A:571:GLN:OE1	2.26	0.61
1:A:410:TRP:CE2	2:B:93:GLY:HA3	2.36	0.61
1:A:513:GLN:HE21	1:A:517:LYS:HZ1	1.47	0.60
1:A:399:ARG:HH11	1:A:399:ARG:CB	2.06	0.60
1:A:578:LYS:HD3	4:A:103:HOH:O	2.02	0.60
1:A:366:LEU:HD23	1:A:578:LYS:NZ	2.17	0.60
1:A:544:ASN:HD22	1:A:546:SER:H	1.50	0.60
2:B:91:THR:HG22	2:B:92:GLY:N	2.16	0.59
1:A:483:VAL:HG21	1:A:559:ILE:HG21	1.84	0.59
1:A:503:ARG:HA	1:A:506:GLU:OE2	2.03	0.59
1:A:430:GLN:HB2	1:A:432:TYR:HD1	1.63	0.58
1:A:405:LEU:HD23	1:A:411:LEU:HD22	1.84	0.58
1:A:513:GLN:NE2	1:A:517:LYS:HZ2	2.01	0.58
1:A:405:LEU:HD23	1:A:411:LEU:HD21	1.86	0.57
2:B:72:THR:CG2	2:B:75:GLN:HG3	2.33	0.57
1:A:467:GLU:HB3	1:A:487:ARG:HD3	1.87	0.57
1:A:542:GLN:HB2	1:A:569:GLN:HE21	1.70	0.56
1:A:369:THR:HB	1:A:372:MET:SD	2.46	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:61:ARG:HD2	2:B:66:PRO:HA	1.87	0.56
1:A:489:LYS:HB3	1:A:529:TRP:CD2	2.40	0.56
1:A:426:ARG:CZ	1:A:561:ARG:HD2	2.37	0.55
2:B:35:LYS:CD	2:B:35:LYS:N	2.70	0.55
1:A:525:ASN:C	1:A:527:LEU:H	2.11	0.54
1:A:426:ARG:NH1	1:A:561:ARG:HD2	2.23	0.54
2:B:43:LEU:HD23	2:B:43:LEU:C	2.29	0.53
1:A:432:TYR:CE2	1:A:561:ARG:HG2	2.44	0.53
1:A:494:LEU:N	1:A:494:LEU:HD12	2.22	0.53
2:B:72:THR:CG2	2:B:74:ALA:HB3	2.38	0.53
1:A:410:TRP:CD2	2:B:93:GLY:HA3	2.44	0.52
1:A:506:GLU:HB2	4:A:83:HOH:O	2.08	0.52
2:B:19:ASN:O	2:B:81:GLU:N	2.39	0.52
2:B:72:THR:HG22	2:B:75:GLN:N	2.07	0.52
1:A:394:LYS:CB	2:B:66:PRO:HG2	2.39	0.52
1:A:445:LYS:HE3	1:A:453:ALA:HB1	1.92	0.52
1:A:503:ARG:O	1:A:506:GLU:HG2	2.09	0.52
1:A:475:ARG:O	1:A:476:LYS:C	2.46	0.51
1:A:366:LEU:HG	1:A:367:GLU:H	1.73	0.51
1:A:481:LEU:HB2	1:A:552:THR:CG2	2.33	0.51
1:A:488:LYS:O	1:A:490:CYS:N	2.43	0.51
1:A:489:LYS:HD3	1:A:529:TRP:CZ2	2.46	0.51
1:A:365:LEU:HD21	1:A:571:GLN:HB3	1.93	0.51
1:A:369:THR:HG22	1:A:372:MET:N	2.13	0.51
1:A:388:ILE:CD1	1:A:396:ARG:HB3	2.40	0.50
1:A:426:ARG:HD2	1:A:426:ARG:C	2.32	0.50
2:B:72:THR:HB	2:B:75:GLN:OE1	2.12	0.50
1:A:407:ASN:O	1:A:408:TYR:HB2	2.11	0.49
2:B:62:PHE:HB2	2:B:67:ILE:HD11	1.94	0.49
1:A:485:ASP:OD1	1:A:487:ARG:HB2	2.13	0.49
1:A:369:THR:CG2	1:A:371:ASP:HB2	2.43	0.49
2:B:45:LYS:O	2:B:49:GLU:HG2	2.11	0.49
2:B:18:ILE:HG22	2:B:34:ILE:O	2.12	0.49
2:B:36:ARG:HB3	2:B:36:ARG:CZ	2.42	0.49
2:B:41:SER:HB3	2:B:69:GLU:HB3	1.94	0.49
1:A:517:LYS:HE3	1:A:523:ASP:OD2	2.13	0.48
1:A:458:THR:O	1:A:461:VAL:HG13	2.13	0.48
1:A:484:ILE:HG12	1:A:491:LEU:HG	1.95	0.48
1:A:368:LEU:HB2	1:A:373:GLU:OE1	2.15	0.47
1:A:525:ASN:C	1:A:527:LEU:N	2.68	0.47
2:B:72:THR:HG22	2:B:75:GLN:HG3	1.94	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:61:ARG:HB3	4:B:307:HOH:O	2.14	0.47
1:A:428:LYS:HA	4:A:26:HOH:O	2.15	0.47
1:A:550:MET:HE1	1:A:579:MET:HE3	1.97	0.47
1:A:517:LYS:HZ2	1:A:517:LYS:HB2	1.80	0.47
1:A:557:ASP:CG	1:A:561:ARG:HH11	2.17	0.47
1:A:404:THR:HB	1:A:410:TRP:O	2.14	0.46
2:B:35:LYS:CD	2:B:35:LYS:H	2.29	0.46
1:A:393:PHE:CE2	1:A:421:ASN:HB3	2.50	0.46
1:A:550:MET:HA	1:A:550:MET:HE3	1.97	0.46
1:A:484:ILE:HG21	1:A:512:LEU:HD11	1.97	0.46
2:B:91:THR:CG2	2:B:92:GLY:N	2.74	0.46
1:A:511:TYR:OH	1:A:515:GLU:HG3	2.16	0.46
1:A:544:ASN:HD22	1:A:544:ASN:C	2.17	0.46
1:A:384:PRO:HB2	1:A:387:GLU:HB2	1.98	0.45
1:A:489:LYS:H	1:A:489:LYS:HG2	1.61	0.45
1:A:510:GLN:O	1:A:513:GLN:HB3	2.16	0.45
1:A:426:ARG:O	1:A:427:ASN:C	2.55	0.45
2:B:98:HIS:O	2:B:99:HIS:HB2	2.17	0.45
1:A:502:HIS:O	1:A:503:ARG:C	2.55	0.45
1:A:511:TYR:CZ	1:A:515:GLU:HG3	2.52	0.45
2:B:27:GLY:HA2	4:B:321:HOH:O	2.17	0.45
1:A:367:GLU:CG	1:A:368:LEU:N	2.79	0.44
1:A:405:LEU:O	1:A:576:ARG:HD3	2.18	0.44
1:A:427:ASN:HA	1:A:432:TYR:HB2	1.98	0.44
1:A:456:ARG:O	1:A:459:LYS:HB2	2.17	0.44
1:A:524:LEU:HD12	1:A:524:LEU:HA	1.76	0.44
2:B:35:LYS:N	2:B:35:LYS:HD2	2.32	0.44
1:A:463:LEU:HD22	1:A:469:ILE:CD1	2.48	0.44
1:A:455:LYS:HE2	1:A:455:LYS:HB3	1.82	0.44
1:A:516:SER:O	1:A:520:ARG:HB2	2.18	0.44
1:A:484:ILE:HG22	1:A:486:LEU:HD23	2.00	0.44
1:A:498:GLY:CA	1:A:539:ILE:HD13	2.45	0.44
2:B:72:THR:CG2	2:B:74:ALA:H	2.29	0.43
1:A:407:ASN:O	1:A:409:HIS:HD2	2.01	0.43
1:A:396:ARG:NH2	3:A:300:SO4:O1	2.51	0.43
1:A:430:GLN:CB	1:A:432:TYR:CE1	3.01	0.43
1:A:525:ASN:HB3	1:A:528:GLU:CG	2.48	0.43
2:B:34:ILE:HD13	2:B:34:ILE:HG21	1.72	0.43
1:A:485:ASP:CG	1:A:488:LYS:HD2	2.40	0.42
1:A:484:ILE:HG22	1:A:486:LEU:CD2	2.50	0.42
2:B:35:LYS:H	2:B:35:LYS:HD3	1.84	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:369:THR:HG22	1:A:371:ASP:N	2.35	0.42
1:A:385:GLN:OE1	2:B:56:ARG:CZ	2.67	0.42
1:A:483:VAL:HG21	1:A:559:ILE:HD13	2.01	0.42
1:A:503:ARG:O	1:A:504:ILE:C	2.58	0.42
1:A:498:GLY:HA2	1:A:539:ILE:CD1	2.44	0.42
2:B:76:LEU:O	2:B:77:GLU:HB2	2.19	0.42
1:A:550:MET:HE3	1:A:579:MET:HE1	2.02	0.41
1:A:364:ASP:HA	4:A:58:HOH:O	2.19	0.41
1:A:451:TYR:HE1	1:A:515:GLU:HG2	1.85	0.41
1:A:393:PHE:CZ	1:A:421:ASN:HB3	2.55	0.41
1:A:442:PHE:HA	1:A:457:TRP:CZ3	2.56	0.41
1:A:494:LEU:HD22	1:A:559:ILE:HD11	2.02	0.41
1:A:374:LYS:HA	1:A:377:SER:HB2	2.03	0.40
1:A:531:HIS:O	1:A:532:HIS:CD2	2.74	0.40
1:A:457:TRP:CD1	1:A:457:TRP:N	2.88	0.40
1:A:366:LEU:CD2	1:A:578:LYS:NZ	2.82	0.40
1:A:473:ILE:HD13	1:A:504:ILE:HG21	2.03	0.40
1:A:376:ILE:HG23	1:A:580:VAL:CG2	2.51	0.40
1:A:388:ILE:HD11	1:A:391:SER:HG	1.82	0.40
1:A:502:HIS:O	1:A:503:ARG:O	2.39	0.40
1:A:376:ILE:HG12	1:A:580:VAL:HG22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	224/232 (97%)	199 (89%)	17 (8%)	8 (4%)	3	2
2	B	82/91 (90%)	77 (94%)	4 (5%)	1 (1%)	13	14
All	All	306/323 (95%)	276 (90%)	21 (7%)	9 (3%)	4	3

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	489	LYS
1	A	504	ILE
1	A	526	LEU
1	A	531	HIS
1	A	503	ARG
1	A	532	HIS
2	B	36	ARG
1	A	426	ARG
1	A	565	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	210/214 (98%)	195 (93%)	15 (7%)	14	19
2	B	75/81 (93%)	71 (95%)	4 (5%)	22	31
All	All	285/295 (97%)	266 (93%)	19 (7%)	16	21

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	366	LEU
1	A	369	THR
1	A	377	SER
1	A	382	HIS
1	A	388	ILE
1	A	407	ASN
1	A	456	ARG
1	A	461	VAL
1	A	488	LYS
1	A	490	CYS
1	A	491	LEU
1	A	530	THR
1	A	533	SER
1	A	544	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	569	GLN
2	B	16	ASP
2	B	26	ASP
2	B	72	THR
2	B	81	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	403	GLN
1	A	407	ASN
1	A	409	HIS
1	A	513	GLN
1	A	544	ASN
1	A	569	GLN
1	A	570	HIS
2	B	17	HIS
2	B	57	GLN
2	B	68	ASN
2	B	89	GLN
2	B	98	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	300	-	4,4,4	0.20	0	6,6,6	0.30	0
3	SO4	A	301	-	4,4,4	0.19	0	6,6,6	0.19	0
3	SO4	B	302	-	4,4,4	0.32	0	6,6,6	0.15	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	300	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	226/232 (97%)	0.03	4 (1%) 68 74	25, 49, 89, 98	2 (0%)
2	B	84/91 (92%)	0.12	0 100 100	31, 54, 70, 98	0
All	All	310/323 (95%)	0.06	4 (1%) 77 81	25, 50, 86, 98	2 (0%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	365	LEU	3.4
1	A	382	HIS	2.5
1	A	526	LEU	2.0
1	A	543	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	301	5/5	0.85	0.53	75,76,77,77	5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	SO4	B	302	5/5	0.98	0.11	64,65,65,65	0
3	SO4	A	300	5/5	0.99	0.09	38,38,38,43	0

6.5 Other polymers [i](#)

There are no such residues in this entry.