



# Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 03:08 am BST

PDB ID : 5IQ1  
Title : Crystal structure of RnTmm mutant Y207S  
Authors : Li, C.Y.; Zhang, Y.Z.  
Deposited on : 2016-03-10  
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2340 (1.76-1.76)
Clashscore	141614	2466 (1.76-1.76)
Ramachandran outliers	138981	2437 (1.76-1.76)
Sidechain outliers	138945	2437 (1.76-1.76)
RSRZ outliers	127900	2298 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	453	<div> <div>5%</div> <div>87%</div> <div>10%</div> <div>••</div> </div>
1	B	453	<div> <div>9%</div> <div>83%</div> <div>15%</div> <div>•</div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8259 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Flavin-containing monooxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	445	Total	C	N	O	S	0	0	0
			3573	2282	605	669	17			
1	B	445	Total	C	N	O	S	0	0	0
			3573	2282	605	669	17			

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	153	ALA	GLU	engineered mutation	UNP A3SLM3
A	154	ALA	ASP	engineered mutation	UNP A3SLM3
A	207	SER	TYR	engineered mutation	UNP A3SLM3
A	448	HIS	-	expression tag	UNP A3SLM3
A	449	HIS	-	expression tag	UNP A3SLM3
A	450	HIS	-	expression tag	UNP A3SLM3
A	451	HIS	-	expression tag	UNP A3SLM3
A	452	HIS	-	expression tag	UNP A3SLM3
A	453	HIS	-	expression tag	UNP A3SLM3
B	153	ALA	GLU	engineered mutation	UNP A3SLM3
B	154	ALA	ASP	engineered mutation	UNP A3SLM3
B	207	SER	TYR	engineered mutation	UNP A3SLM3
B	448	HIS	-	expression tag	UNP A3SLM3
B	449	HIS	-	expression tag	UNP A3SLM3
B	450	HIS	-	expression tag	UNP A3SLM3
B	451	HIS	-	expression tag	UNP A3SLM3
B	452	HIS	-	expression tag	UNP A3SLM3
B	453	HIS	-	expression tag	UNP A3SLM3

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C<sub>21</sub>H<sub>28</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	B	1	Total 48	C 21	N 7	O 17	P 3	0	0

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C<sub>27</sub>H<sub>33</sub>N<sub>9</sub>O<sub>15</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	482	Total	O	0	0
			482	482		
4	B	429	Total	O	0	0
			429	429		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Flavin-containing monooxygenase



- Molecule 1: Flavin-containing monooxygenase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	72.77Å 60.90Å 104.66Å 90.00° 93.71° 90.00°	Depositor
Resolution (Å)	30.76 – 1.75 30.76 – 1.75	Depositor EDS
% Data completeness (in resolution range)	95.7 (30.76-1.75) 98.1 (30.76-1.75)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.57 (at 1.75Å)	Xtriage
Refinement program	PHENIX 1.6.4 _486	Depositor
R, $R_{free}$	0.182 , 0.218 0.179 , 0.214	Depositor DCC
$R_{free}$ test set	4550 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	16.0	Xtriage
Anisotropy	0.626	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 51.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8259	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.99% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.37	0/3682	0.52	0/4998
1	B	0.37	0/3682	0.50	0/4998
All	All	0.37	0/7364	0.51	0/9996

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3573	0	3356	42	0
1	B	3573	0	3356	55	0
2	A	48	0	25	4	0
2	B	48	0	25	3	0
3	A	53	0	31	3	0
3	B	53	0	31	5	0
4	A	482	0	0	10	0
4	B	429	0	0	9	0
All	All	8259	0	6824	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:95:ALA:HB3	1:A:444:TYR:OH	1.52	1.09
1:A:421:ILE:HG13	1:A:422:THR:HG23	1.57	0.85
1:B:95:ALA:HB3	1:B:444:TYR:OH	1.80	0.81
1:A:69:TYR:HA	1:A:439:ASP:OD1	1.83	0.78
1:B:182:ARG:NH2	1:B:184:VAL:CG1	2.51	0.74
1:B:27:GLN:HB2	4:B:605:HOH:O	1.87	0.74
1:B:86:PHE:HE2	4:B:601:HOH:O	1.70	0.73
1:B:182:ARG:CZ	1:B:184:VAL:HG11	2.17	0.73
1:A:67:TYR:OH	2:A:501:NAP:H4N	1.88	0.73
1:A:182:ARG:CZ	1:A:184:VAL:HG11	2.19	0.72
1:A:87:GLU:OE2	1:A:93:GLN:NE2	2.24	0.70
1:B:182:ARG:NH2	1:B:184:VAL:HG12	2.07	0.69
1:A:288:LYS:HE3	1:B:148:ASP:OD2	1.93	0.68
1:A:390:ASP:HB3	1:A:420:VAL:HG13	1.76	0.68
1:B:80:GLU:HB2	4:B:601:HOH:O	1.96	0.65
1:B:244:LYS:HD3	1:B:245:PRO:HD2	1.79	0.64
1:B:107:ILE:HA	4:B:607:HOH:O	1.97	0.64
1:B:182:ARG:HD3	1:B:194:GLU:OE2	1.98	0.63
1:B:182:ARG:CZ	1:B:184:VAL:CG1	2.77	0.62
1:B:67:TYR:OH	2:B:501:NAP:H4N	1.99	0.62
1:B:69:TYR:HA	1:B:439:ASP:OD1	2.00	0.61
1:B:45:GLY:HA2	3:B:502:FAD:O3B	2.01	0.61
1:B:182:ARG:NH2	1:B:184:VAL:HG11	2.15	0.60
1:A:95:ALA:HB3	1:A:444:TYR:HH	1.64	0.60
1:B:421:ILE:HD12	1:B:422:THR:HG23	1.82	0.60
1:A:182:ARG:NH2	1:A:184:VAL:HG11	2.18	0.59
1:A:45:GLY:HA2	3:A:502:FAD:O3B	2.02	0.59
1:B:421:ILE:CD1	1:B:422:THR:HG23	2.34	0.58
1:B:211:ASP:O	1:B:215:GLN:HG2	2.04	0.57
1:A:434:LYS:HE3	1:A:435:GLU:OE1	2.04	0.57
1:A:408:ASP:HA	4:A:750:HOH:O	2.03	0.57
1:A:87:GLU:HG3	1:A:93:GLN:NE2	2.20	0.56
1:A:421:ILE:HG13	1:A:422:THR:N	2.21	0.55
1:B:182:ARG:CD	1:B:194:GLU:OE2	2.55	0.55
1:B:250:LEU:HD11	1:B:268:ILE:CD1	2.36	0.55
1:B:254:THR:HG23	1:B:262:THR:HG23	1.89	0.55
1:B:390:ASP:HB3	1:B:420:VAL:HG13	1.90	0.54
1:A:69:TYR:O	1:A:71:TRP:CD1	2.60	0.54
1:B:89:HIS:HD2	1:B:90:PHE:CE1	2.26	0.53
2:A:501:NAP:C2N	3:A:502:FAD:C6	2.88	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:84:TYR:CE2	1:B:89:HIS:HB2	2.45	0.52
1:B:89:HIS:HD2	1:B:90:PHE:CD1	2.27	0.52
1:B:38:GLU:OE2	3:B:502:FAD:O2B	2.28	0.51
1:B:89:HIS:CE1	1:B:109:GLY:HA3	2.45	0.51
1:A:93:GLN:HA	4:A:657:HOH:O	2.11	0.51
1:B:108:GLU:HG2	1:B:112:HIS:CD2	2.46	0.51
1:B:251:THR:OG1	1:B:256:HIS:HE1	1.95	0.50
1:A:182:ARG:CZ	1:A:184:VAL:CG1	2.90	0.49
1:A:207:SER:CB	2:A:501:NAP:H2D	2.43	0.49
1:B:12:PRO:HG2	3:B:502:FAD:H4'	1.93	0.49
1:A:201:LEU:HD12	1:A:225:THR:O	2.13	0.49
1:A:407:LYS:NZ	4:A:610:HOH:O	2.45	0.48
1:B:228:TYR:CZ	1:B:232:PRO:HG3	2.48	0.48
1:B:376:TYR:CZ	1:B:380:LEU:HD11	2.49	0.48
1:A:228:TYR:CZ	1:A:232:PRO:HG3	2.48	0.48
1:A:251:THR:OG1	1:A:256:HIS:HE1	1.97	0.48
1:A:17:GLN:HA	1:A:329:ALA:HB1	1.95	0.47
2:A:501:NAP:O3D	4:A:601:HOH:O	2.09	0.47
1:B:50:THR:HG22	1:B:64:CYS:SG	2.53	0.47
1:B:438:ASP:OD2	1:B:443:ALA:HB2	2.13	0.47
1:B:224:ILE:O	1:B:241:TRP:HA	2.15	0.46
1:B:27:GLN:NE2	4:B:612:HOH:O	2.48	0.46
2:B:501:NAP:C2N	3:B:502:FAD:C6	2.94	0.46
1:A:69:TYR:O	1:A:71:TRP:HD1	1.99	0.45
1:A:79:LEU:O	1:A:322:PHE:HB2	2.16	0.45
1:B:207:SER:CB	2:B:501:NAP:H2D	2.47	0.45
1:B:15:LEU:HB3	1:B:111:VAL:HG11	1.99	0.45
1:B:17:GLN:HA	1:B:329:ALA:HB1	1.99	0.45
1:B:89:HIS:CD2	1:B:90:PHE:CE1	3.05	0.44
1:A:202:VAL:O	1:A:226:SER:HA	2.18	0.44
1:A:27:GLN:OE1	4:A:602:HOH:O	2.21	0.44
1:A:242:GLU:OE2	1:A:244:LYS:HE2	2.18	0.44
1:A:63:HIS:CD2	3:A:502:FAD:H3B	2.52	0.44
1:A:201:LEU:HB2	1:A:265:VAL:HG11	1.99	0.44
1:B:67:TYR:CZ	1:B:70:LEU:HD12	2.53	0.44
1:A:440:SER:HB2	4:A:956:HOH:O	2.18	0.43
1:A:71:TRP:HA	1:A:99:PRO:HA	2.00	0.43
1:B:43:TRP:O	1:B:48:ASN:OD1	2.36	0.43
1:B:419:SER:OG	1:B:421:ILE:HG13	2.19	0.43
1:B:86:PHE:CE2	4:B:601:HOH:O	2.57	0.42
1:A:95:ALA:CB	4:A:640:HOH:O	2.66	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:165:PHE:CB	3:B:502:FAD:HM81	2.50	0.42
1:B:419:SER:HB3	1:B:422:THR:OG1	2.19	0.42
1:B:82:ALA:HB3	1:B:386:TYR:CZ	2.55	0.42
1:B:73:ASN:HA	1:B:413:ARG:HH21	1.84	0.42
1:B:99:PRO:HG2	1:B:102:VAL:HG23	2.02	0.41
1:A:288:LYS:NZ	4:A:612:HOH:O	2.45	0.41
1:A:407:LYS:HE2	1:A:407:LYS:HB3	1.90	0.41
1:A:103:LEU:HD23	1:A:103:LEU:HA	1.77	0.41
1:A:87:GLU:CD	1:A:93:GLN:NE2	2.74	0.41
1:A:100:ARG:NH1	4:A:632:HOH:O	2.54	0.41
1:B:57:GLU:HB2	4:B:943:HOH:O	2.21	0.41
1:A:182:ARG:NH2	1:A:184:VAL:CG1	2.84	0.41
1:B:63:HIS:HA	4:B:904:HOH:O	2.20	0.41
1:A:87:GLU:CG	1:A:93:GLN:NE2	2.83	0.41
1:B:242:GLU:OE2	1:B:244:LYS:HE2	2.21	0.41
1:A:263:ARG:NH1	4:A:631:HOH:O	2.54	0.40
1:B:112:HIS:HE1	4:B:931:HOH:O	2.05	0.40
1:B:434:LYS:HE2	1:B:434:LYS:HB3	1.95	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	443/453 (98%)	429 (97%)	14 (3%)	0	100	100
1	B	443/453 (98%)	427 (96%)	16 (4%)	0	100	100
All	All	886/906 (98%)	856 (97%)	30 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	365/373 (98%)	356 (98%)	9 (2%)	47	25
1	B	365/373 (98%)	358 (98%)	7 (2%)	57	37
All	All	730/746 (98%)	714 (98%)	16 (2%)	52	29

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	43	TRP
1	A	100	ARG
1	A	262	THR
1	A	310	MET
1	A	395	CYS
1	A	419	SER
1	A	435	GLU
1	A	439	ASP
1	A	442	GLU
1	B	43	TRP
1	B	87	GLU
1	B	146	GLU
1	B	263	ARG
1	B	275	LYS
1	B	310	MET
1	B	422	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	ASN
1	A	256	HIS
1	B	48	ASN
1	B	112	HIS
1	B	256	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	FAD	A	502	-	51,58,58	1.86	6 (11%)	60,89,89	1.92	12 (20%)
3	FAD	B	502	-	51,58,58	1.84	6 (11%)	60,89,89	1.94	12 (20%)
2	NAP	B	501	-	45,52,52	0.81	1 (2%)	56,80,80	1.15	4 (7%)
2	NAP	A	501	-	45,52,52	0.82	1 (2%)	56,80,80	1.14	4 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	502	-	-	4/30/50/50	0/6/6/6
3	FAD	B	502	-	-	4/30/50/50	0/6/6/6
2	NAP	B	501	-	-	4/31/67/67	0/5/5/5
2	NAP	A	501	-	-	5/31/67/67	0/5/5/5

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	FAD	C4X-C10	9.62	1.48	1.38
3	B	502	FAD	C4X-C10	9.53	1.48	1.38
3	B	502	FAD	C4-C4X	4.31	1.48	1.41
3	A	502	FAD	C4-C4X	4.28	1.48	1.41
3	A	502	FAD	C9A-C5X	3.60	1.49	1.42
3	B	502	FAD	C9A-C5X	3.53	1.49	1.42
3	A	502	FAD	C8-C7	3.30	1.49	1.40
3	B	502	FAD	C8-C7	3.30	1.49	1.40
2	B	501	NAP	C5A-C4A	2.44	1.47	1.40
3	A	502	FAD	C5A-C4A	2.44	1.47	1.40
2	A	501	NAP	C5A-C4A	2.44	1.47	1.40
3	B	502	FAD	C5A-C4A	2.41	1.47	1.40
3	A	502	FAD	C9A-N10	2.17	1.41	1.38
3	B	502	FAD	C9A-N10	2.16	1.41	1.38

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	FAD	C4-N3-C2	8.49	122.31	115.14
3	A	502	FAD	C4-N3-C2	8.38	122.22	115.14
3	B	502	FAD	C4-C4X-C10	-5.09	116.58	119.95
3	A	502	FAD	C4-C4X-C10	-5.03	116.62	119.95
3	A	502	FAD	C1'-N10-C9A	4.17	121.58	118.29
3	B	502	FAD	C1'-N10-C9A	4.12	121.54	118.29
3	A	502	FAD	C4X-N5-C5X	3.89	120.66	116.77
3	B	502	FAD	C4X-N5-C5X	3.89	120.66	116.77
3	B	502	FAD	C4X-C4-N3	-3.70	118.38	123.43
3	A	502	FAD	C4X-C4-N3	-3.64	118.45	123.43
2	A	501	NAP	PN-O3-PA	-3.35	121.32	132.83
2	B	501	NAP	PN-O3-PA	-3.29	121.53	132.83
3	A	502	FAD	N3A-C2A-N1A	-3.26	123.58	128.68
2	A	501	NAP	N3A-C2A-N1A	-3.24	123.62	128.68
2	B	501	NAP	N3A-C2A-N1A	-3.22	123.65	128.68
3	B	502	FAD	N3A-C2A-N1A	-3.21	123.66	128.68
3	B	502	FAD	P-O3P-PA	-3.18	121.91	132.83
3	B	502	FAD	C4-C4X-N5	3.07	122.10	118.60
3	A	502	FAD	C4-C4X-N5	3.05	122.08	118.60
3	A	502	FAD	P-O3P-PA	-3.03	122.42	132.83
3	A	502	FAD	C9A-N10-C10	-2.87	118.15	121.91
2	B	501	NAP	C3D-C2D-C1D	2.85	105.27	100.98
3	B	502	FAD	C9A-N10-C10	-2.82	118.22	121.91
3	A	502	FAD	C4A-C5A-N7A	-2.73	106.55	109.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	FAD	C4A-C5A-N7A	-2.73	106.56	109.40
2	B	501	NAP	C4A-C5A-N7A	-2.73	106.56	109.40
2	A	501	NAP	C3D-C2D-C1D	2.70	105.05	100.98
2	A	501	NAP	C4A-C5A-N7A	-2.69	106.59	109.40
3	A	502	FAD	C5X-C9A-N10	2.50	119.52	117.72
3	B	502	FAD	C5X-C9A-N10	2.45	119.49	117.72
3	A	502	FAD	C1'-N10-C10	2.07	120.26	118.41
3	B	502	FAD	C1'-N10-C10	2.04	120.24	118.41

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	502	FAD	N10-C1'-C2'-O2'
3	B	502	FAD	N10-C1'-C2'-O2'
3	B	502	FAD	O4B-C4B-C5B-O5B
2	B	501	NAP	O4D-C4D-C5D-O5D
2	A	501	NAP	O4D-C4D-C5D-O5D
3	B	502	FAD	C3B-C4B-C5B-O5B
3	A	502	FAD	O4B-C4B-C5B-O5B
2	B	501	NAP	C3D-C4D-C5D-O5D
2	A	501	NAP	C2B-O2B-P2B-O2X
2	A	501	NAP	C3D-C4D-C5D-O5D
3	A	502	FAD	N10-C1'-C2'-C3'
3	B	502	FAD	N10-C1'-C2'-C3'
2	A	501	NAP	O4B-C4B-C5B-O5B
2	B	501	NAP	C2B-O2B-P2B-O3X
2	A	501	NAP	C2B-O2B-P2B-O3X
3	A	502	FAD	C3B-C4B-C5B-O5B
2	B	501	NAP	O4B-C4B-C5B-O5B


There are no ring outliers.


4 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	FAD	3	0
3	B	502	FAD	5	0
2	B	501	NAP	3	0
2	A	501	NAP	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	445/453 (98%)	0.29	23 (5%) 27 33	6, 19, 43, 72	0
1	B	445/453 (98%)	0.54	43 (9%) 7 10	6, 20, 55, 80	0
All	All	890/906 (98%)	0.41	66 (7%) 14 19	6, 20, 48, 80	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	421	ILE	9.4
1	B	422	THR	8.4
1	B	91	GLY	6.2
1	B	428	VAL	5.8
1	B	424	THR	5.3
1	B	446	GLN	5.2
1	B	423	GLY	4.6
1	A	424	THR	4.3
1	A	421	ILE	4.1
1	B	426	ALA	4.0
1	B	435	GLU	4.0
1	B	82	ALA	3.9
1	A	422	THR	3.9
1	B	112	HIS	3.6
1	B	432	PRO	3.6
1	A	428	VAL	3.6
1	B	84	TYR	3.4
1	B	95	ALA	3.4
1	B	430	HIS	3.3
1	A	91	GLY	3.3
1	A	423	GLY	3.3
1	A	445	LEU	3.2
1	B	237	TRP	3.1
1	B	94	ILE	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	446	GLN	3.1
1	A	440	SER	3.0
1	B	425	MET	3.0
1	B	90	PHE	2.9
1	B	87	GLU	2.9
1	B	407	LYS	2.9
1	A	420	VAL	2.9
1	B	431	THR	2.9
1	A	321	THR	2.9
1	B	79	LEU	2.9
1	A	90	PHE	2.8
1	B	434	LYS	2.7
1	A	71	TRP	2.7
1	B	445	LEU	2.7
1	A	93	GLN	2.6
1	B	442	GLU	2.6
1	B	440	SER	2.6
1	B	217	TRP	2.5
1	A	325	PHE	2.5
1	B	88	GLU	2.5
1	A	322	PHE	2.5
1	B	420	VAL	2.4
1	A	95	ALA	2.4
1	B	93	GLN	2.4
1	B	81	PHE	2.3
1	A	258	ALA	2.3
1	B	133	ALA	2.3
1	A	112	HIS	2.3
1	B	86	PHE	2.3
1	B	438	ASP	2.3
1	A	438	ASP	2.2
1	B	134	GLU	2.2
1	A	239	ASP	2.2
1	A	87	GLU	2.1
1	B	419	SER	2.1
1	B	92	LYS	2.1
1	A	263	ARG	2.1
1	B	429	HIS	2.1
1	B	389	PHE	2.0
1	B	412	PHE	2.0
1	B	443	ALA	2.0
1	B	418	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NAP	A	501	48/48	0.93	0.11	16,23,30,38	0
2	NAP	B	501	48/48	0.94	0.10	17,22,32,36	0
3	FAD	B	502	53/53	0.94	0.13	6,13,21,22	0
3	FAD	A	502	53/53	0.95	0.13	5,10,19,20	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around NAP A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAP B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around FAD B 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around FAD A 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.