



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 6, 2020 – 06:33 PM BST

PDB ID : 1IVY
Title : PHYSIOLOGICAL DIMER HPP PRECURSOR
Authors : Rudenko, G.; Bonten, E.; D'Azzo, A.; Hol, W.G.J.
Deposited on : 1996-06-12
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	452	
1	B	452	
2	C	2	
3	D	2	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7552 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HUMAN PROTECTIVE PROTEIN.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	452	Total	C	N	O	S	0	0	0
			3600	2305	604	671	20			
1	B	450	Total	C	N	O	S	0	0	0
			3572	2284	600	668	20			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	151	Total	O	0	0
			151	151		
5	B	145	Total	O	0	0
			145	145		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: HUMAN PROTECTIVE PROTEIN



• Molecule 1: HUMAN PROTECTIVE PROTEIN



• Molecule 2: 2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 


MAG1
MAG2

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	115.04Å 148.11Å 80.97Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.20	Depositor
% Data completeness (in resolution range)	82.9 (8.00-2.20)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.213 , 0.268	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7552	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, NDG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.56	0/3699	0.80	4/5028 (0.1%)
1	B	0.65	3/3668 (0.1%)	0.83	6/4989 (0.1%)
All	All	0.61	3/7367 (0.0%)	0.81	10/10017 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	217	LYS	N-CA	13.52	1.73	1.46
1	B	215	GLN	C-N	-8.34	1.14	1.34
1	B	216	ASN	C-N	-7.65	1.16	1.34

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	215	GLN	C-N-CA	11.43	150.27	121.70
1	B	217	LYS	N-CA-CB	-8.98	94.44	110.60
1	B	217	LYS	N-CA-C	7.92	132.40	111.00
1	A	257	VAL	C-N-CD	-7.45	104.21	120.60
1	A	366	LEU	CA-CB-CG	6.91	131.18	115.30
1	A	404	ASP	N-CA-C	5.82	126.71	111.00
1	B	215	GLN	O-C-N	-5.51	113.88	122.70
1	B	32	LYS	N-CA-C	5.48	125.80	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	215	GLN	N-CA-C	-5.33	96.62	111.00
1	B	216	ASN	N-CA-C	-5.04	97.41	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	216	ASN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3600	0	3449	71	0
1	B	3572	0	3405	45	0
2	C	28	0	24	1	0
3	D	28	0	25	0	0
4	A	14	0	13	0	0
4	B	14	0	13	0	0
5	A	151	0	0	3	0
5	B	145	0	0	1	0
All	All	7552	0	6929	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:217:LYS:CA	1:B:217:LYS:N	1.73	1.51
1:B:393:VAL:HB	1:B:415:GLU:HB2	1.45	0.99
1:B:217:LYS:CB	1:B:217:LYS:N	2.40	0.83
1:A:402:TYR:O	1:A:404:ASP:N	2.19	0.75
1:A:214:SER:O	1:A:215:GLN:HB3	1.85	0.75
1:A:401:LYS:HE2	1:A:404:ASP:OD1	1.94	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:143:LYS:HB3	1:B:172:GLN:HG3	1.78	0.65
1:A:241:ASN:OD1	1:A:260:HIS:HB3	1.99	0.63
1:A:152:ALA:HA	1:A:155:TYR:HB2	1.82	0.61
1:A:363:GLN:OE1	1:A:449:LYS:HG2	2.00	0.61
1:B:31:SER:O	1:B:109:SER:HA	2.01	0.60
1:A:133:PHE:O	1:A:140:LYS:HE3	2.02	0.60
1:B:4:GLN:H	1:B:4:GLN:NE2	2.01	0.59
1:B:44:ASP:OD2	1:B:47:ASN:HB2	2.03	0.59
1:B:200:LEU:HD22	1:B:204:LEU:HD23	1.87	0.57
1:B:161:VAL:HA	1:B:164:MET:HE2	1.86	0.57
1:A:385:ASP:OD1	1:A:414:LYS:HE2	2.06	0.56
1:B:193:PHE:CE1	1:B:373:MET:HG2	2.40	0.56
1:B:4:GLN:H	1:B:4:GLN:HE21	1.53	0.56
1:A:401:LYS:HA	1:A:407:GLU:HA	1.88	0.55
1:A:240:GLY:C	1:A:241:ASN:HD22	2.10	0.54
1:A:215:GLN:CG	1:A:216:ASN:H	2.19	0.54
1:B:31:SER:HB3	1:B:110:ASP:HB2	1.89	0.54
1:B:277:PHE:HB3	1:B:280:LEU:HD12	1.91	0.53
1:A:363:GLN:HG2	1:A:446:PHE:CE1	2.44	0.52
1:A:408:GLN:NE2	1:B:256:GLY:HA2	2.25	0.52
1:A:2:PRO:HD2	1:A:136:PHE:CZ	2.45	0.52
1:A:392:GLU:HG2	1:A:417:SER:N	2.25	0.52
1:A:161:VAL:O	1:A:164:MET:HG2	2.10	0.51
1:B:26:LEU:HD12	1:B:98:LEU:HD13	1.92	0.51
1:A:215:GLN:HG3	1:A:216:ASN:H	1.75	0.51
1:A:41:SER:HB3	1:A:45:PRO:HA	1.92	0.51
1:A:399:LEU:HD23	1:A:409:ILE:HA	1.92	0.50
1:B:183:TYR:OH	1:B:344:ARG:HD3	2.11	0.50
1:B:152:ALA:HA	1:B:155:TYR:HB2	1.93	0.49
1:B:262:ARG:HB2	1:B:269:VAL:HB	1.93	0.49
1:A:199:LEU:HD21	1:A:249:LEU:HD11	1.94	0.49
1:A:260:HIS:HD2	5:A:3079:HOH:O	1.95	0.49
1:A:437:LEU:O	1:A:437:LEU:HD12	2.12	0.49
1:B:70:HIS:HD2	1:B:97:TYR:OH	1.95	0.49
1:A:199:LEU:HD22	1:A:244:LEU:HD11	1.95	0.49
1:A:31:SER:O	1:A:109:SER:HA	2.12	0.49
1:A:215:GLN:HG3	1:A:216:ASN:N	2.28	0.49
1:B:265:LYS:O	1:B:266:ASP:HB2	2.13	0.48
1:B:27:LYS:HG3	1:B:33:HIS:CD2	2.48	0.48
1:A:288:GLN:HG2	5:A:3145:HOH:O	2.13	0.48
1:B:216:ASN:C	1:B:217:LYS:CA	2.61	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:151:TYR:C	1:B:153:GLY:H	2.17	0.48
1:A:325:PRO:HB2	1:A:328:LEU:HG	1.96	0.47
1:B:402:TYR:HB2	1:B:405:SER:HB2	1.95	0.47
1:A:241:ASN:HD22	1:A:241:ASN:N	2.13	0.47
1:B:367:TYR:HA	1:B:422:LEU:O	2.14	0.47
1:A:347:ARG:HB3	1:A:347:ARG:HH11	1.79	0.47
1:B:395:ARG:HG3	1:B:414:LYS:HB2	1.97	0.47
1:A:401:LYS:HB2	1:A:407:GLU:HG2	1.96	0.47
1:A:215:GLN:CG	1:A:216:ASN:N	2.78	0.47
1:A:209:GLN:HA	1:A:213:CYS:SG	2.56	0.46
1:B:7:ILE:HD11	1:B:23:SER:HB2	1.97	0.46
1:A:193:PHE:HA	5:B:3164:HOH:O	2.16	0.46
1:A:392:GLU:HG2	1:A:416:PHE:C	2.36	0.46
1:B:199:LEU:HD21	1:B:249:LEU:HD11	1.98	0.46
1:A:131:ASP:O	1:A:134:ARG:HG2	2.15	0.46
1:A:100:SER:CB	1:A:125:ASN:HD21	2.28	0.45
1:A:337:LEU:O	1:A:341:GLN:HG3	2.17	0.45
1:B:401:LYS:HA	1:B:407:GLU:HA	1.99	0.45
1:A:69:GLU:HB3	1:A:432:PRO:HB2	1.99	0.45
1:A:273:LEU:HD23	1:A:299:MET:SD	2.58	0.44
1:A:257:VAL:HG11	1:A:262:ARG:HB3	2.00	0.44
1:B:325:PRO:HB2	1:B:328:LEU:HG	1.98	0.44
1:B:279:ARG:HD3	1:B:279:ARG:HA	1.82	0.44
1:A:197:HIS:HE1	1:B:196:TYR:O	2.02	0.43
1:A:279:ARG:HA	1:A:279:ARG:HD3	1.81	0.43
1:A:139:TYR:HA	1:A:142:ASN:ND2	2.33	0.43
1:A:277:PHE:O	1:A:284:ARG:NH2	2.52	0.43
1:A:414:LYS:HB3	1:A:414:LYS:HE3	1.77	0.43
1:A:85:ASN:HA	1:A:86:PRO:HD3	1.83	0.43
1:B:143:LYS:HB3	1:B:172:GLN:CG	2.47	0.43
1:A:183:TYR:OH	1:A:344:ARG:HG2	2.18	0.43
1:A:28:SER:OG	1:A:124:SER:HA	2.19	0.43
1:B:31:SER:HB2	1:B:109:SER:HB2	2.01	0.42
1:A:60:CYS:HB3	5:A:3060:HOH:O	2.19	0.42
1:A:257:VAL:HA	1:A:258:PRO:HD3	1.66	0.42
1:A:178:ASN:HA	1:A:368:ASN:ND2	2.35	0.42
1:B:184:GLU:HA	1:B:221:TYR:CD1	2.54	0.42
1:B:257:VAL:HA	1:B:258:PRO:HD2	1.92	0.42
1:A:397:PRO:HA	1:A:412:PHE:HA	2.00	0.42
1:A:31:SER:HB2	1:A:110:ASP:HB2	2.01	0.42
1:A:431:VAL:HB	1:A:432:PRO:HD3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:225:ASP:HB3	1:B:228:CYS:HB3	2.02	0.42
1:A:60:CYS:HA	1:A:334:CYS:HA	2.02	0.41
1:A:261:PHE:HE2	1:A:263:TYR:CZ	2.38	0.41
1:B:277:PHE:HB3	1:B:280:LEU:CD1	2.50	0.41
1:A:327:GLN:HG2	1:A:328:LEU:N	2.35	0.41
1:A:402:TYR:O	1:A:404:ASP:HA	2.20	0.41
1:A:352:GLN:HG2	1:A:352:GLN:H	1.31	0.41
1:A:38:PHE:CZ	1:A:94:ASN:HB3	2.56	0.41
1:A:402:TYR:O	1:A:403:GLY:C	2.59	0.41
1:B:151:TYR:C	1:B:153:GLY:N	2.73	0.41
1:A:159:LEU:O	1:A:163:VAL:HG23	2.21	0.41
1:A:350:ASN:ND2	1:A:387:LEU:HD23	2.36	0.41
1:A:444:SER:O	1:A:448:ASN:ND2	2.54	0.41
1:A:143:LYS:HD2	1:A:172:GLN:HG3	2.03	0.41
1:B:360:GLN:HE21	1:B:360:GLN:HB2	1.65	0.41
1:B:360:GLN:HB3	1:B:418:HIS:CE1	2.55	0.41
1:B:99:GLU:OE2	1:B:105:GLY:HA3	2.20	0.41
1:A:28:SER:HB3	1:A:32:LYS:HB2	2.03	0.40
1:A:175:ALA:HA	1:A:365:LEU:O	2.21	0.40
1:A:343:ARG:NH1	2:C:1:NAG:O7	2.54	0.40
1:A:273:LEU:CD2	1:A:299:MET:SD	3.10	0.40
1:B:224:LYS:HA	1:B:224:LYS:HD3	1.93	0.40
1:B:178:ASN:ND2	1:B:372:ASP:OD2	2.53	0.40
1:A:135:LEU:C	1:A:137:PRO:HD3	2.41	0.40
1:A:16:GLN:HA	1:A:17:PRO:HD3	1.99	0.40
1:B:267:THR:HA	1:B:296:LYS:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	450/452 (100%)	426 (95%)	18 (4%)	6 (1%)	12	9
1	B	446/452 (99%)	426 (96%)	20 (4%)	0	100	100
All	All	896/904 (99%)	852 (95%)	38 (4%)	6 (1%)	22	22

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	258	PRO
1	A	403	GLY
1	A	215	GLN
1	A	404	ASP
1	A	265	LYS
1	A	257	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	390/397 (98%)	376 (96%)	14 (4%)	35	45
1	B	386/397 (97%)	374 (97%)	12 (3%)	40	51
All	All	776/794 (98%)	750 (97%)	26 (3%)	37	47

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	GLN
1	A	16	GLN
1	A	70	HIS
1	A	73	PHE
1	A	90	ASN
1	A	174	LEU
1	A	202	ASN
1	A	215	GLN
1	A	226	LEU
1	A	241	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	337	LEU
1	A	348	SER
1	A	352	GLN
1	A	366	LEU
1	B	4	GLN
1	B	20	ARG
1	B	27	LYS
1	B	28	SER
1	B	68	THR
1	B	73	PHE
1	B	90	ASN
1	B	164	MET
1	B	174	LEU
1	B	292	ARG
1	B	327	GLN
1	B	360	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	125	ASN
1	A	141	ASN
1	A	142	ASN
1	A	185	GLN
1	A	186	ASN
1	A	202	ASN
1	A	241	ASN
1	A	260	HIS
1	A	287	HIS
1	A	350	ASN
1	A	418	HIS
1	B	4	GLN
1	B	33	HIS
1	B	70	HIS
1	B	125	ASN
1	B	141	ASN
1	B	209	GLN
1	B	233	GLN
1	B	241	ASN
1	B	327	GLN
1	B	360	GLN
1	B	394	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	418	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	C	1	1,2	14,14,15	0.60	0	17,19,21	0.80	0
2	NDG	C	2	2	14,14,15	0.69	0	17,19,21	0.99	1 (5%)
3	NAG	D	1	1,3	14,14,15	0.57	0	17,19,21	1.67	3 (17%)
3	NAG	D	2	3	14,14,15	0.44	0	17,19,21	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	2/6/23/26	0/1/1/1
2	NDG	C	2	2	-	0/6/23/26	0/1/1/1
3	NAG	D	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1	NAG	C4-C3-C2	-4.91	103.81	111.02
2	C	2	NDG	C2-N2-C7	-2.39	119.49	122.90
3	D	1	NAG	C1-C2-N2	2.37	114.55	110.49
3	D	1	NAG	C6-C5-C4	-2.28	107.66	113.00

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	1	NAG	O5-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6
3	D	1	NAG	C3-C2-N2-C7


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	3020	1	14,14,15	0.52	0	17,19,21	1.19	1 (5%)
4	NAG	B	3040	1	14,14,15	0.48	0	17,19,21	0.79	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	3020	1	-	3/6/23/26	0/1/1/1
4	NAG	B	3040	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	3020	NAG	C4-C3-C2	-3.73	105.56	111.02

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	3040	NAG	O5-C5-C6-O6
4	B	3040	NAG	C4-C5-C6-O6
4	A	3020	NAG	O5-C5-C6-O6
4	A	3020	NAG	C4-C5-C6-O6
4	A	3020	NAG	C3-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	216:ASN	C	217:LYS	N	1.16
1	B	215:GLN	C	216:ASN	N	1.14

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.